SHE BLOOM · VOLUME 2 · BACKOFFICE

Functional *Analysis*

Volume 2 – Web backoffice. Functional requirements of the She Bloom backoffice (Admin, Moderator, Mentor), aligned with TOR v3.0, the Figma design and the client reviews, with a detailed specification for every requirement.

CLIENT	NEXGENSOLUTIONS S.r.l. – SheBloom
REFERENCE OFFER	TOR 20260516_GS-TMT-290775-26_SheBloom v3.0 (September 2026)
REFERENCE DESIGN	Figma "App Wireframe – Design" (update in "SheBloom – Updated Mobile APP") and "SheBloom – Backoffice"
VERSION AND STATUS	1.7 – Draft for validation
DATE	8 October 2026

Document sheet

ITEM	VALUE
Title	Functional Analysis – Volume 2: Web backoffice
Volume	2 of 2 – Web backoffice: chapters 1–4 and 6–12
Scope	Mobile app (iOS, Android), web backoffice with RBAC, back-end services and integrations
Sources	Validated TOR v3.0; Figma design; client reviews of 28/09/2026 (Requirement Check and phases), 29/09/2026 (answers to the open points), 30/09/2026 (points to be clarified), 01/10/2026 and 08/10/2026 (payments; architecture and external platforms)
Prepared by	[to be completed]
Approved by	[to be completed]
Classification	Confidential – internal and client use

> This is **volume 2 of 2** (Web backoffice). The common chapters (1–4, 7–12) are included in both volumes; chapter 5 (App requirements) is in volume 1. Chapter numbering and requirement IDs are the same in both volumes.

Revision history

VERSION	DATE	DESCRIPTION
0.9	23/09/2026	First draft: merge of TOR v2.0 and Figma design, classification by origin.
1.0	28/09/2026	Alignment with TOR v3.0 and the client review: release phases, Requirement Check, assumptions A1–A15, Backoffice chapter with RBAC, updated decisions. MoSCoW priority replaced by the phase.
1.1	28/09/2026	Sessions on an external platform (Google Meet, Zoom): new chapter 7 with the link-sharing options and the strategies for protecting the parties, to be chosen. Related requirements and decisions updated.
1.2	28/09/2026	Client decision on external sessions: link per individual booking (L2) and safeguards S1, S2, S3, S5; chapter 7 describes the adopted solution and the related requirements. Launch languages: Italian and English for app and backoffice. In-app preview of the Mentor profile removed from the backoffice design.
1.3	29/09/2026	Client review incorporated: safeguards S1, S2, S3, S5 and S7; "Join" button for user and Mentor; S3 as a questionnaire in the backoffice; cancellation by the Mentor with a new date and no-show statuses (7.3); e-mail verification for app users; favourites in the Journal; single payment for programs; daily Area results; one-off SOS location; parameterised currency; advertising in Phase 2 to be confirmed; simplified non-functional security requirements; open points updated. Document split into two volumes (Mobile app and Web backoffice), with a concise detailed specification for every requirement (description, behaviour, rules, states and errors, data, acceptance criteria).

VERSION	DATE	DESCRIPTION
1.4	30/09/2026	Client answers to the points to be clarified incorporated: links in e-mails lead to the page with "Join"; no domain restrictions; 48-hour window from the start of the session; new "Outcome under review" status with the earnings on hold; "Technical issue" removed; new paid session after a Mentor no-show; no-shows at individual program meetings not refunded; earnings via Stripe Connect with a single commission in Phase 1; notifications to the Mentor in the dashboard and by e-mail; Bloom Club prices editable from the backoffice; Daily actions per content and favourites removed; questionnaires configurable by the Admin; account activation and mandatory consent at registration; medallion and paywall; SOS number editable from the profile; "Bloom Club only" flag for the Mentor too; configurable parameters (Alba and media limits, Daily publication, report threshold, Highlights); 7/30-day or permanent ban; session note not editable; no login lock in Phase 1; Q&A category filter in Phase 2.
1.5	01/10/2026	Outcome under review: refund only after the Admin's decision. Session note without a draft: "Save" publishes, the note remains editable and the user receives a notification for every edit. SOS disguised interface as a flower shop. Mentor earnings handled outside the platform in Phase 1: instead of the earnings, a session report exportable as CSV; payouts and earnings data in Phase 2. Mentor answers to Q&A without a draft.
1.6	08/10/2026	Payments: Bloom Club via in-app purchase; sessions and programs via Stripe using the instant-confirmation methods offered by Stripe, with the method saved at checkout (assumption A6 updated); management of saved methods in Phase 2 with the Wallet. The backoffice does not show the payment method.
1.7	08/10/2026	New chapter 9 "Reference architecture and external platforms (indicative)": single backend exposing the APIs to the app and the backoffice; Keycloak for identities and the Cheshire Cat framework with an LLM for Alba, with APIs remapped by the backend; backoffice frontend in React with Mantine v8; examples of technical flows with indicative sequence diagrams; technical topics to be defined separately. Following chapters renumbered; new open decision on backend platforms. Open point "Screens to be completed" closed: the screens are in the updated mobile app design and the affected requirement cards are updated.

Contents

1. Introduction 6
1.1 Purpose of the document 6
1.2 Sources and baseline 6
1.3 Requirement Check rules 6
1.4 Legend 6
1.5 Glossary 7
2. Summary 8
2.1 Distribution by module 8
3. Two-phase release 9
3.1 Definition 9
3.2 Phase 1 scope 9
3.3 Phase 2 scope 9
3.4 Dependencies between phases and assumptions 9
4. Context and actors 11
4.1 Vision 11
4.2 Actors 11
4.3 Functional map 11
6. Web backoffice 12
6.1 Users and roles 12
6.2 Permission matrix (RBAC) 12
6.3 Access and security 13
6.4 Cross-cutting requirements 17
6.5 Backoffice modules 17
6.6 Operational flows 65
7. Sessions on an external platform: adopted solution 67
7.1 Adopted solution 67
7.2 Call link controls 67
7.3 Cancellations and no-shows 68
7.4 Related requirements 68
7.5 Options assessed and not adopted 68
8. Integrations and external services 70
9. Reference architecture and external platforms (indicative) 71
9.1 Single backend and APIs 71
9.2 Identity management: Keycloak (indicative) 71
9.3 Alba: Cheshire Cat framework with an LLM (indicative) 72
9.4 Backoffice frontend: React and Mantine v8 72
9.5 Examples of technical flows (indicative sequence diagrams) 72
9.6 Technical topics to be defined separately 78
10. Non-functional requirements 79
11. Conceptual data model 80

12. Decisions 81
12.1 Decisions taken 81
12.2 Open decisions 82
13. Traceability 83

1. Introduction

1.1 Purpose of the document

This document specifies the functional requirements of the She Bloom app and web backoffice and is the reference for design, development, acceptance testing and change requests. For each requirement the **origin** (TOR or Figma), the release **phase** and the **source** to follow are indicated.

1.2 Sources and baseline

- **TOR v3.0** (September 2026), validated by the client: scope, phases, backoffice, estimates.
- **Figma design**: the app's "Design" page, to be updated in the "SheBloom – Updated Mobile APP" file; backoffice design in the "SheBloom – Backoffice" file.
- **Client review** of 28/09/2026: "Requirement Check" and "When" columns for each feature.

1.3 Requirement Check rules

VALUE	HOW THE REQUIREMENT WAS DEFINED
Empty	Merge of the Figma design and the offer (TOR).
FOLLOW DESIGN	From the Figma design only.
FOLLOW OFFER	From the offer (TOR) only.
To be managed via backoffice	The feature can be managed in all its parts from the backoffice; the requirement refers to the corresponding RF-BO requirement.
Other indications	Applied as indicated in the review (e.g. "Part of Gamification" → Phase 2 together with Gamification).

In the requirements the source is shown as "Design", "Offer", "Design + Offer", "Backoffice", "Assumption" (agreed solution for an inconsistency, chapter 3.4), "Internal notes" (decisions from the TOR notes) or "Client decision" (choices made after the review, e.g. chapter 7).

1.4 Legend

ORIGIN

TOR	**Defined in the TOR** Already present in TOR v2.0 and consistent with the design.
TOR ▸ FIGMA	**TOR modified by Figma** Present in TOR v2.0 but modified by the design or by the client review.
NEW · FIGMA	**New from Figma** Not present in TOR v2.0: introduced by the design or by the review.
TOR · NO DESIGN	**TOR without design** Present in the TOR but without screens in the original design.

PHASE

PHASE 1	To be developed and released in the first phase (go-live).
PHASE 2	To be developed and released in the second phase.

CODING

App requirements use the format **RF-<MODULE>-<NN>** (e.g. RF-SES-12); backoffice requirements use **RF-BO-<MODULE>-<NN>** (e.g. RF-BO-MEN-05). "Figma ref." refers to the codes of the design inventory.


1.5 Glossary

TERM	DEFINITION
Alba	AI assistant: chat, personalised generations, contextual suggestions.
Bloom Daily	Set of daily content on the home screen.
Area	Thematic wellbeing section with content and a dedicated generative flow.
Mentor	Verified professional offering sessions, programs, articles and Q&A answers.
Bloom Club	Premium subscription (IAP).
Backoffice (BO)	Web panel for managing the platform.
RBAC	Role-Based Access Control: permissions assigned according to role.
2FA	Two-factor authentication (password + TOTP code).
RAG	Retrieval-Augmented Generation: Alba's answers based on the user's data.

2. Summary

This document specifies **301 functional requirements**: 215 for the app and 86 for the backoffice.

BY PHASE



BY ORIGIN



2.1 Distribution by module

MODULE	PHASE 1	PHASE 2	TOR	TOR ▸ FIG	NEW	NO DES.
Access and Onboarding	17	1	10	2	4	2
Navigation and cross-cutting components	8	1	5	2	2	·
Daily – Daily content	15	2	8	3	3	3
Emotional check-in "How are you feeling today"	7	1	4	1	3	·
Thematic Areas – Hub and template	10	1	·	·	11	·
Thematic Areas – Specific features	9	12	·	·	21	·
ALBA – AI assistant	13	3	5	3	4	4
My Journal	9	2	6	1	2	2
Community & Social	10	6	7	2	4	3
Mentors & Sessions	14	2	7	3	4	2
My sessions	11	3	4	1	7	2
Payments & Wallet	4	7	3	·	8	·
Bloom Club – Subscriptions & Paywall	8	·	5	·	1	2
Gamification	·	5	·	·	5	·
Profile & Settings	12	3	7	2	5	1
SOS mode	11	·	7	4	·	·
Notifications	7	1	4	·	3	1
Web backoffice	80	6	31	·	55	·
TOTAL	**245**	**56**	**113**	**24**	**142**	**22**

3. Two-phase release

3.1 Definition

- **Phase 1 – Initial Release**: core project and features required for go-live, app and backoffice.
- **Phase 2 – Future Release**: additional features planned after go-live. Dates are not yet defined.

3.2 Phase 1 scope

- Access (Apple, Google, e-mail, biometrics), onboarding with questionnaire, consents.
- Full Daily, check-in with animals, professionals' articles.
- **6 thematic Areas** with Alba generative flows: Hormonal education, Nutrition, Beauty, Astrology, Mind, Style.
- Alba: chat, RAG, history, attachments, content cards, guardrails, ALBA Pro, generations for Areas and Journal.
- Journal with 3-step New thought.
- Community with single feed, Q&A, reactions, reports.
- Sessions: catalog, Mentor profile, booking with policy, Stripe payment, confirmation; My sessions with cancellation.
- "My payments"; Bloom Club with IAP and paywall; full SOS; notifications; profile with language and account deletion.
- **Web backoffice** with RBAC, Mentor area, CMS, Alba settings, moderation, Q&A, payments, analytics.

3.3 Phase 2 scope

- Gamification (levels and badges) and related elements in home, check-in and profile.
- Wallet: balance, top-up, saved cards, filters, renewals and refunds to Wallet.
- Relationships & Emotions, Menstrual tracking (cycle tracker) and Training & Movement Areas; adaptive content.
- Advanced Community: Highlights, categories, mentions, nested replies, sharing, Professionals tab.
- Search and filters in the Sessions catalog; reschedule request; cancelled session detail.
- Alba: TTS, copy, regenerate, feedback. Journal: 4-question creation and filters.
- Dark mode; sign-in with Facebook.

3.4 Dependencies between phases and assumptions

Solutions adopted for Phase 1 features that depend on Phase 2 parts, and for review indications requiring interpretation. They are also reported in TOR v3.0 (Appendix A).

#	TOPIC	ASSUMPTION
A1	Areas in Phase 1	The hub, "Explore the areas" and "Customise areas" show only the 6 areas available in Phase 1; Relationships, Menstrual tracking and Training are added in Phase 2.
A2	Hormonal profile	In Phase 1 Alba's reading does not use cycle data; integration comes with the tracker in Phase 2.
A3	New thought in the Journal	In Phase 1 the TOR's 3-step flow is used (mood symbol, factor, generation); the design's 4-question creation is in Phase 2.
A4	Session cancellation	In Phase 1 the statuses are Upcoming, Completed, Cancelled; the refund is made to the original method via Stripe.

#	TOPIC	ASSUMPTION
A5	My payments	In Phase 1 payment history and detail are a dedicated menu item, without balance, top-up and cards.
A6	Payment methods in Phase 1	Payment uses the Stripe Payment Sheet with the instant-confirmation methods offered by Stripe; the user can save the method at checkout and find or remove it at later payments. Dedicated management of saved methods arrives in Phase 2 with the Wallet. (Updated in FA v1.6; the TOR is not realigned.)
A7	Header and menu	Present in Phase 1 without level, badges, Wallet and dark mode.
A8	Subscription	The IAP subscription is in Phase 1; Phase 2 only adds the display of renewals in the Wallet.
A9	Post creation	In Phase 1 basic creation (text, images, video); category and mentions in Phase 2.
A10	Areas AI engine	User experience and flows as per the design; AI engine (RAG, LLM, content policy, rate limiting) as per the offer.
A11	Mentor notes	Session notes require the Mentor tool in the backoffice already in Phase 1.
A12	Information modals	"i" modals in Phase 1, except those in "My sessions" (Phase 2).
A13	Service settings	The item is prepared in Phase 1 but remains hidden until there are configurable services (cycle, Phase 2).
A14	TOR items not reviewed	TOR v2.0 features absent from the design remain in Phase 1, except those superseded by a "FOLLOW DESIGN" choice (chapter 2.18).
A15	Note detail and e-mails	Detail and deletion of personal notes and transactional e-mails are added because they are required for operation.

4. Context and actors

4.1 Vision

She Bloom is a digital ecosystem for women's wellbeing. It combines personalised daily content, thematic areas with programs generated by Alba, a protected community, sessions with verified professionals, a premium subscription and an always-on protection feature (SOS).

4.2 Actors

ACTOR	DESCRIPTION
Free user	Uses the app with free content, Alba with limits, Community, Journal, SOS; books and pays for sessions.
Bloom Club user	Subscriber: premium content and programs, members-only Q&A, ALBA Pro.
Admin (BO)	Full management of the platform from the backoffice.
Moderator (BO)	Community moderation and Q&A assignment.
Mentor (BO + public profile)	Private backoffice area for their own data; public profile in the app.
Trusted contact	External person who receives the SOS alert via SMS.
External systems	Stripe, App Store and Google Play, LLM provider, SMS, e-mail, push, media storage.

4.3 Functional map

ACCESS POINT	MODULE	CONTENT
Daily tab	Daily, Check-in	Content of the day, check-in, recommendations, articles
Areas tab	Thematic Areas	Hub and 6 areas in Phase 1 (9 in Phase 2)
Community tab	Community	Feed, Q&A, reactions
Sessions tab	Mentors & Sessions	Catalog, Mentor profile, booking
Alba button	Alba	Chat with the assistant
Menu (avatar)	Profile and personal sections	Journal, Club, SOS, My sessions, My payments, settings
SOS gesture	SOS mode	Disguised interface and alert
Web backoffice	Backoffice	Management for Admin, Moderator, Mentor

6. Web backoffice

PURPOSE Web panel (React + Mantine v8) that allows the client to independently manage content, users, Mentors, catalog, bookings, payments, moderation and settings, without development work.

FIGMA DESIGN "SheBloom – Backoffice" (to be produced, step 3), consistent with the app's visual guidelines

TOR REFERENCE v3.0 §2.17 (new module)

86 requirements PHASE 1 · 80 PHASE 2 · 6 TOR 31 NEW · FIGMA 55

6.1 Users and roles

ROLE	RESPONSIBILITIES	COMBINATION
Admin	Full management of the platform: content, users, Mentors, catalog, bookings, payments, settings, backoffice users.	Can be combined with Moderator
Moderator	Community moderation, reports, bans, Q&A assignment, moderation statistics.	Can be combined with Admin
Mentor	Private area with own data: profile, offering (if allowed), availability, bookings, notes, assigned Q&A, session report.	Exclusive: never Admin or Moderator

ROLE COMBINATION RULES

A user can have **Admin**, **Moderator** or **Admin + Moderator**.

The **Mentor role is exclusive**: a Mentor can never be Admin or Moderator, and an Admin or Moderator cannot be assigned the Mentor role. The constraint is enforced by the system (RF-BO-ACC-07).

The Mentor sees and edits **only their own data**. Whether they can edit profile and offering depends on two flags managed by the Admin (RF-BO-MEN-05).

6.2 Permission matrix (RBAC)

Operations: **R** read · **C** create · **U** update · **D** delete · **A** special actions (shown in brackets).

FUNCTION	ADMIN	MODERATOR	MENTOR
Dashboard	R	R (moderation)	R (personal)
App users	R C U D A (block, anonymisation, export)	R (public profile)	—
Backoffice users and roles	R C U D A (2FA)	—	—
Mentors: profile	R C U D A (verification, flags)	R	R · U if allowed (own only)
Session and program catalog	R C U D (including the Bloom Club only flag)	R	R · C U if allowed (own only, including the Bloom Club only flag)
Availability and schedule	R C U D	—	R C U D (own only)
Bookings	R U A (cancel, refund)	—	R · U own only (call link, questionnaire, cancellation with a new date)
Session notes	R	—	R C U (own sessions only)
Payments and subscriptions	R A (refund, export)	—	R (own report only)
CMS (all content)	R C U D A (publish)	—	—

FUNCTION	ADMIN	MODERATOR	MENTOR
Alba settings	R C U D	—	—
Recommendations	R C U D	—	—
Community moderation	R A (all actions)	R A (all actions)	—
Expert Q&A	R A (assign)	R A (assign)	R C (answers to own questions)
SOS settings	R U	—	—
App settings	R U	—	—
Analytics	R	R (moderation)	—
Audit log	R	—	—

For an Admin + Moderator user, the broader permissions of the two roles apply.

6.3 Access and security

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-ACC-01	**Backoffice accounts** Created only by the Admin (e-mail invitation with password setup). No self-registration. Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-ACC-02	**Login** E-mail and password. In Phase 1 there is no temporary account lock after incorrect attempts. Source **Backoffice** · Roles **All**	NEW · FIGMA	PHASE 1
RF-BO-ACC-03	**Two-factor authentication** TOTP (authenticator app) **enabled by default for Admin and Moderator**. The Admin can disable it for an individual user, who then signs in with password only, and re-enable it. Optional for Mentors. Every change is recorded in the audit log. Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-ACC-04	**Password recovery and 2FA reset** Recovery via e-mail; second-factor reset by an Admin only. Source **Backoffice** · Roles **All / Admin**	NEW · FIGMA	PHASE 1
RF-BO-ACC-05	**Session** Inactivity timeout (proposal: 30 minutes) and logout. Source **Backoffice** · Roles **All**	NEW · FIGMA	PHASE 1
RF-BO-ACC-06	**Backoffice user management** Create, edit, deactivate, reactivate; role assignment in compliance with RBAC constraints. Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-ACC-07	**Role constraints** The system prevents assigning Admin or Moderator to a Mentor and Mentor to an Admin or Moderator; at least one active Admin must remain. Source **Backoffice** · Roles **System**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-ACC-01 Backoffice accounts

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Backoffice accounts (Admin, Moderator, Mentor) are created only by the Admin through an email invitation, from which the user sets their password. There is no self-registration and no email verification with an activation link, which applies to the app only (RF-AUT-18).

BEHAVIOUR

1. The Admin creates the account in **Backoffice users** and assigns the roles (RF-BO-ACC-07); for Mentors also from RF-BO-MEN-01.
2. The system sends the invitation by email.
3. The user opens the invitation and sets the password; for Mentors 2FA is optional (RF-BO-ACC-03).

RULES AND VALIDATIONS

- Only the Admin creates accounts (RBAC matrix: Backoffice users and roles, Admin "R C U D A").
- No self-registration; no email verification for the backoffice (closed decision "Email verification").
- Each backoffice user chooses their own language (Italian or English).

STATES, ERRORS AND EDGE CASES

- Moderator or Mentor: no access to account creation (RBAC matrix).

DATA INVOLVED

backoffice user: name, email, roles, language · email invitation; password · audit log: account creation (who, what, when)

ACCEPTANCE CRITERIA

☐ Given a visitor, when they open the backoffice, then they find no self-registration.

☐ Given the Admin, when they create an account, then the user receives the email invitation.

☐ Given an invitee, when they set the password from the invitation, then they can access the backoffice.

RF-BO-ACC-02 Login

PHASE 1 · New from Figma · Source Backoffice · Roles All

DESCRIPTION

Single login for Admin, Moderator and Mentor with email and password. In Phase 1 the account is not temporarily suspended after failed logins. If enabled, 2FA verification follows (RF-BO-ACC-03).

BEHAVIOUR

1. The user enters email and password.
2. With wrong credentials an error message appears; the user can try again, with no account suspension in Phase 1.
3. With correct credentials and 2FA on, the user enters the TOTP code.
4. The user reaches their role's dashboard (RF-BO-DASH-01/02/03).

RULES AND VALIDATIONS

- Same login for all backoffice roles.
- In Phase 1 failed logins are not counted and do not suspend the account.
- Accessible sections depend on the roles according to the RBAC matrix.

STATES, ERRORS AND EDGE CASES

- Wrong credentials: error message; no account suspension in Phase 1.
- Forgotten password: recovery by email (RF-BO-ACC-04).

DATA INVOLVED

backoffice user: email, password, roles · TOTP code, if 2FA is on (RF-BO-ACC-03)

ACCEPTANCE CRITERIA

☐ Given a user with correct credentials and no 2FA, when they log in, then they reach their role's dashboard.

☐ Given repeated failed logins, when the user then enters the correct credentials, then they get in (no suspension in Phase 1).

☐ Given a Mentor, when they log in, then they see only the sections allowed to the Mentor role.

RF-BO-ACC-03 Two-factor authentication

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

TOTP two-factor authentication with an authenticator app, on by default for Admin and Moderator and optional for Mentors. The Admin can switch it off for an individual user, who then logs in with password only, and switch it back on. Every change goes into the audit log.

BEHAVIOUR

1. Admin and Moderator log in with password and the TOTP code from the authenticator app.
2. The Admin switches 2FA off for an individual user: from then on they log in with password only.
3. The Admin can switch it back on; the change is recorded in the audit log.

RULES AND VALIDATIONS

- On by default for Admin and Moderator; optional for Mentors.
- Only the Admin manages users' 2FA (RBAC matrix: "A (2FA)").
- Default 2FA policy per role in Settings (RF-BO-SET-05).

STATES, ERRORS AND EDGE CASES

- Lost second factor: reset only by an Admin (RF-BO-ACC-04).

DATA INVOLVED

backoffice user: 2FA status, TOTP secret · 2FA policy per role · audit log: enabling and disabling (who, what, when, previous and new value)

ACCEPTANCE CRITERIA

☐ Given a Moderator with 2FA on, when they log in, then they must enter the TOTP code.

☐ Given the Admin, when they switch off a user's 2FA, then the user logs in with password only and the audit log records the change.

☐ Given a Mentor without 2FA, when they log in, then they use the password only.

RF-BO-ACC-04 Password recovery and 2FA reset

PHASE 1 · New from Figma · Source Backoffice · Roles All / Admin

DESCRIPTION

Every backoffice user (Admin, Moderator, Mentor) recovers their password by email, starting from the login. The second-factor (TOTP) reset is performed only by an Admin and, like every 2FA change, is recorded in the audit log (RF-BO-ACC-03).

BEHAVIOUR

1. The user requests password recovery from the login.
2. They receive the recovery email and set a new password.
3. If they lost the second factor, an Admin resets it.

RULES AND VALIDATIONS

- Password recovery by email for all roles.
- Second-factor reset reserved to the Admin.

STATES, ERRORS AND EDGE CASES

- A user cannot reset the second factor on their own.

DATA INVOLVED

email recovery request · backoffice user: password, second factor · audit log: second-factor reset

ACCEPTANCE CRITERIA

☐ Given a backoffice user, when they request recovery, then they receive the email and can set a new password.

☐ Given the Admin, when they reset a user's second factor, then the operation is recorded in the audit log.

☐ Given a Moderator or a Mentor, when they open another user, then they cannot reset their second factor.

RF-BO-ACC-05 Session

PHASE 1 · New from Figma · Source Backoffice · Roles All

DESCRIPTION

The backoffice session expires after inactivity (value proposed by the analysis: 30 minutes) and the user can leave with logout. The timeout is configurable in Settings › Security (RF-BO-SET-05).

BEHAVIOUR

1. The user works in the backoffice after login.
2. After the configured inactivity period, the session expires.
3. The user can end the session at any time with logout.

RULES AND VALIDATIONS

- Inactivity timeout read from Settings › Security; proposed value: 30 minutes.
- Applies to all roles.

STATES, ERRORS AND EDGE CASES

- Expired session: a new login is needed to continue.

DATA INVOLVED

session: user, last activity, expiry · session timeout parameter

ACCEPTANCE CRITERIA

☐ Given a user inactive beyond the configured threshold, when they resume work, then they must log in again.

☐ Given a logged-in user, when they log out, then the session ends.

RF-BO-ACC-06 Backoffice user management

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

In **Backoffice users** the Admin creates, edits, deactivates and reactivates backoffice users and assigns roles within the RBAC constraints (RF-BO-ACC-07), also managing 2FA per user.

BEHAVIOUR

1. The Admin opens **Backoffice users**, with search, filters, sorting, pagination and **Export CSV** (cross requirement).
2. They create a user by invitation (RF-BO-ACC-01) or edit their roles.
3. They deactivate or reactivate a user; every operation goes into the audit log.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: Backoffice users and roles, Admin "R C U D A (2FA)"; Moderator and Mentor "—").
- Roles assigned according to RF-BO-ACC-07.
- Per-user 2FA managed according to RF-BO-ACC-03.

STATES, ERRORS AND EDGE CASES

- Operation that would leave the platform without active Admins: prevented (RF-BO-ACC-07).

DATA INVOLVED

backoffice user: name, email, roles, status, 2FA · audit log: who, what, when, previous and new value

ACCEPTANCE CRITERIA

☐ Given the Admin, when they deactivate and then reactivate a user, then both operations are in the audit log.

☐ Given the Admin, when they change roles, then the system applies the constraints of RF-BO-ACC-07.

☐ Given a Moderator, when they look for Backoffice users, then they have no access.

RF-BO-ACC-07 Role constraints

PHASE 1 · New from Figma · Source Backoffice · Roles System

DESCRIPTION

The system prevents assigning Admin or Moderator to a Mentor and Mentor to an Admin or Moderator; Admin and Moderator can be combined. At least one active Admin must always remain.

BEHAVIOUR

1. The Admin assigns roles when creating or editing a user.
2. The system rejects combinations of Mentor with Admin or Moderator.
3. The system rejects operations that would leave zero active Admins.

RULES AND VALIDATIONS

- Admin and Moderator: can be combined.
- Mentor: exclusive role, never Admin or Moderator.
- At least one active Admin at all times.

STATES, ERRORS AND EDGE CASES

- Only active Admin about to be deactivated or lose the role: operation prevented.

DATA INVOLVED

backoffice user: roles, status · number of active Admins

ACCEPTANCE CRITERIA

☐ Given a Mentor, when the Admin tries to assign the Moderator role, then the system prevents it.

☐ Given a Moderator, when the Admin adds the Admin role, then the change is allowed.

☐ Given a single active Admin, when an attempt is made to deactivate them, then the system prevents it.

6.4 Cross-cutting requirements

- Lists with search, filters, sorting and pagination. **Every table containing data can be exported to CSV** ("Export CSV" action).
- Irreversible actions (deletion, ban, refund, anonymisation) with confirmation dialog and recording in the audit log.
- Content with status **Draft → Scheduled → Published → Archived**, mobile-format preview and per-language versions.
- Media upload with format and size checks; HLS transcoding of videos.
- Highlighted counters (open reports, pending Q&A, notes to write) in the side menu.
- Desktop interface (minimum resolution 1280 px) consistent with the app's visual guidelines.
- Backoffice interface available in **Italian and English**: each backoffice user chooses their own language.
- Privacy: the backoffice **does not show** the content of the Journal, of conversations with Alba or of individual users' check-ins.
- Payment privacy: the backoffice **does not show** the payment method used for purchases (e.g. card type or wallet); for specific checks the Stripe dashboard is used, restricted to authorised people.

6.5 Backoffice modules

For each module: summary table of the requirements followed by the detailed specifications.

DASHBOARD

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-DASH-01	**Admin dashboard** Active users, new registrations, active subscribers, revenue for the period, today's bookings, open reports, pending Q&A, call links missing 24 hours before (L2). Source **Backoffice** · Roles **Admin**	TOR	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-DASH-02	**Moderator dashboard** Report queue, Q&A to assign, recently removed content. Source Backoffice · Roles Moderator	NEW · FIGMA	PHASE 1
RF-BO-DASH-03	**Mentor dashboard** Upcoming sessions with the "Join" button, links to enter, questionnaires to complete, reported no-shows to handle, notes to write, assigned Q&A, sessions held this month. Source Backoffice · Roles Mentor	NEW · FIGMA	PHASE 1

RF-BO-DASH-01 Admin dashboard

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

The Admin's home page with the main KPIs and shortcuts: active users, new registrations, active subscribers, revenue for the period, today's bookings, open reports, pending Q&A and call links missing 24 hours before the start (L2).

BEHAVIOUR

1. After login the Admin lands on the Dashboard.
2. They check the listed KPIs and counters.
3. From the shortcuts they open the sections where action is needed (moderation, Q&A, bookings).

RULES AND VALIDATIONS

- RBAC matrix: Dashboard, Admin "R".
- Missing links: bookings without a call link 24 hours before the start (L2).
- The backoffice does not show individual users' Journal, Alba conversations or check-ins.
- Highlighted counters in the side menu (open reports, pending Q&A, notes to write).

STATES, ERRORS AND EDGE CASES

- Link missing 24 hours before the start: alert to the Admin on the dashboard and reminder to the Mentor (L2).

DATA INVOLVED

KPIs: active users, new registrations, active subscribers, revenue for the period, today's bookings · counters: open reports, pending Q&A, missing call links

ACCEPTANCE CRITERIA

☐ Given the Admin, when they log in, then they see all the listed KPIs and counters.

☐ Given a booking without a link 24 hours before the start, when the Admin opens the Dashboard, then the alert appears.

RF-BO-DASH-02 Moderator dashboard

PHASE 1 · New from Figma · Source Backoffice · Roles Moderator

DESCRIPTION

The Moderator's home page: report queue, Q&A to assign and recently removed content, with shortcuts to moderation and Q&A.

BEHAVIOUR

1. After login the Moderator lands on the Dashboard.
2. They check the report queue, Q&A to assign and recently removed content.
3. From the shortcuts they open the moderation queue (RF-BO-MOD-01) or Q&A assignment (RF-BO-QA-02).

RULES AND VALIDATIONS

- RBAC matrix: Dashboard, Moderator "R (moderation)".
- Subscribers' questions have their deadline highlighted (RF-BO-QA-02).
- Highlighted counters in the side menu, including open reports and pending Q&A.

STATES, ERRORS AND EDGE CASES

- Users' data: the Moderator reads only the public profile (RBAC matrix).

DATA INVOLVED

reports: queue · Q&A: questions to assign, Club deadlines · recently removed content

ACCEPTANCE CRITERIA

☐ Given a Moderator, when they log in, then they see the report queue, Q&A to assign and recently removed content.

☐ Given a subscriber's question to assign, when the Moderator opens the Dashboard, then its deadline is highlighted.

RF-BO-DASH-03 Mentor dashboard

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor

DESCRIPTION

The Mentor's home page with their own data: upcoming sessions with **"Join"**, links to add, questionnaires to fill in, reported no-shows to handle, notes to write, assigned Q&A and the sessions held this month.

BEHAVIOUR

1. After login the Mentor lands on the Dashboard.
2. From upcoming sessions they start the call with **"Join"**, which opens a new window and logs the access (S2).
3. A message reminds them to use "Join", so that the access is logged.
4. They handle links, questionnaires (S3), no-shows with the **"Reschedule"** CTA (S7), notes and assigned Q&A.

RULES AND VALIDATIONS

- RBAC matrix: Dashboard, Mentor "R (personal)".
- "Join" is active from 10 minutes before the start until the end.
- Reminders to the Mentor in the dashboard and by e-mail: link missing 24 hours before the start (L2), questionnaire not filled in within 24 hours (S3), no-shows with "Reschedule".
- Highlighted counters in the side menu, including notes to write.

STATES, ERRORS AND EDGE CASES

- Before the 10 minutes preceding the start the link is not visible.

DATA INVOLVED

Mentor's bookings: status, call_link · session log: accesses via "Join" · questionnaires, notes, assigned Q&A · sessions held this month

ACCEPTANCE CRITERIA

☐ Given a Mentor, when they log in, then they see only their own data.

☐ Given a session starting within 10 minutes, when the Mentor taps "Join", then the call opens in a new window and the access is logged.

☐ Given a reported Mentor no-show, when the Mentor opens the Dashboard, then it is among the no-shows to handle.

APP USERS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-USR-01	**User list** Search by name and e-mail; filters by status, subscription, registration date, language; CSV export. Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-USR-02	**User detail** Personal data, consents, subscription, bookings, payments, reports received, access log. Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-USR-03	**Block and unblock** With reason; a blocked user cannot sign in. Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-USR-04	**Deletion and anonymisation** Upon GDPR request or from the app; retains only mandatory accounting data. Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-USR-05	**Data export** Export of a user's personal data (GDPR portability). Source Assumption · Roles Admin	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-USR-01 User list

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

List of app users for the Admin, with search by name and email, filters for status, subscription, registration date and language, and CSV export.

BEHAVIOUR

1. The Admin opens **App users**.
2. They search by name or email and filter by status, subscription, registration date and language.
3. With **Export CSV** they export the list (cross requirement) and open a user's detail (RF-BO-USR-02).

RULES AND VALIDATIONS

- RBAC matrix: App users, Admin "R C U D A"; Moderator "R (public profile)"; Mentor "—".
- The backoffice does not show individual users' Journal, Alba conversations or check-ins.

STATES, ERRORS AND EDGE CASES

- Blocked user: cannot access the app (RF-BO-USR-03).

DATA INVOLVED

app user: name, email, status, registration date, language · subscription · exported CSV file

ACCEPTANCE CRITERIA

☐ Given the Admin, when they search by email, then they find the matching user.

☐ Given a language filter, when applied, then the list shows only users with that language.

☐ Given the Admin, when they export, then they obtain the CSV file of the list.

RF-BO-USR-02 User detail

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

User detail for the Admin: personal details, consents, subscription, bookings, payments, reports received and access log, from which block, anonymisation and export are started.

BEHAVIOUR

1. The Admin opens the user from the list.
2. They view personal details, consents, subscription, bookings, payments, reports received and access log.
3. They can start block (RF-BO-USR-03), anonymisation (RF-BO-USR-04) and export (RF-BO-USR-05).

RULES AND VALIDATIONS

- RBAC matrix: Admin "R C U D A (block, anonymisation, export)"; Moderator public profile only; Mentor "—".
- Consents: separate consent to health data (RF-AUT-10); Terms and privacy with version and date.
- Bloom Club subscription purchased via IAP.
- **Export CSV** available on the detail tables (bookings, payments, reports, access log), as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Journal, Alba conversations and check-ins: never shown.

DATA INVOLVED

app user: personal details, optional data (RF-AUT-09) · consents: type, version, date · subscription, bookings, payments, reports received · access log

ACCEPTANCE CRITERIA

☐ Given the Admin, when they open a user, then they see all the listed sections.

☐ Given a user with Journal notes, when the Admin opens the detail, then the Journal is not visible.

RF-BO-USR-03 Block and unblock

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

From the user detail (RF-BO-USR-02) the Admin blocks and unblocks an app user, always stating a reason. A blocked user cannot access the app until unblocked; the actions are recorded in the audit log.

BEHAVIOUR

1. The Admin opens the detail and chooses to block.
2. They enter the reason and confirm.
3. The blocked user cannot access; unblocking, with a reason, restores access.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: action "block").
- Block and unblock with a reason.
- Actions are recorded in the audit log.

STATES, ERRORS AND EDGE CASES

- Blocked user trying to access: not allowed.

DATA INVOLVED

app user: status, reason · audit log: block and unblock

ACCEPTANCE CRITERIA

☐ Given the Admin, when they block a user with a reason, then the user cannot access.

☐ Given a blocked user, when the Admin unblocks her, then she can access again.

RF-BO-USR-04 Deletion and anonymisation

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Account deletion with anonymisation, following a GDPR request (by the Admin) or from the app (RF-PRO-11); only mandatory accounting data is kept.

BEHAVIOUR

1. The user deletes the account in the app with confirmation, or the Admin starts anonymisation following a GDPR request.
2. The Admin confirms the irreversible action in the confirmation window.
3. The backend anonymises the data; only mandatory accounting data remains.

RULES AND VALIDATIONS

- Admin only in the backoffice (RBAC matrix: action "anonymisation").
- Backend anonymisation (closed decision "Account deletion").
- Irreversible action: confirmation window and recording in the audit log.

STATES, ERRORS AND EDGE CASES

- Mandatory accounting data: kept after anonymisation.

DATA INVOLVED

app user: anonymised personal data · mandatory accounting data retained · audit log: anonymisation

ACCEPTANCE CRITERIA

☐ Given the Admin, when they confirm anonymisation, then personal data is anonymised and accounting data remains.

☐ Given a user who deletes her account from the app, when the operation completes, then her data is anonymised.

RF-BO-USR-05 Data export

PHASE 1 · New from Figma · Source Assumption · Roles Admin

DESCRIPTION

Export of a user's personal data for GDPR portability, started by the Admin from the user detail (RF-BO-USR-02). Moderators and Mentors cannot perform it.

BEHAVIOUR

1. The user requests portability of her data.
2. The Admin opens the user's detail and starts the export.
3. The system produces the file with the user's personal data.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: action "export").
- Actions are recorded in the audit log.

STATES, ERRORS AND EDGE CASES

- Moderator and Mentor: export not available (RBAC matrix).

DATA INVOLVED

the user's personal data · audit log: export

ACCEPTANCE CRITERIA

☐ Given the Admin, when they start the export, then they obtain the file with the user's personal data.

☐ Given a Moderator, when they open a public profile, then they cannot export the data.

MENTORS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-MEN-01	**List and creation** Creates the profile and the backoffice account with the Mentor role (invitation). Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-MEN-02	**Public profile** Photo, name, qualification, motto, About me, Specialisations, Services offered, Skills, short audio clips, area and categories. Source Backoffice · Figma ref. SES-05/06 · Roles Admin · Mentor (if allowed)	TOR	PHASE 1
RF-BO-MEN-03	**Verification** "SheBloom Verified" badge assigned by the Admin. Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-MEN-04	**Status** Active, suspended (not bookable), deactivated. Source Backoffice · Roles Admin	TOR	PHASE 1
RF-BO-MEN-05	**Editing permissions** Two flags per Mentor: **"Profile editing allowed"** and **"Offering editing allowed"**. If enabled, the Mentor's changes are published immediately; if disabled, the Mentor sees that data as read-only. The default value is in Settings (RF-BO-SET-04). Source Backoffice · Roles Admin	NEW · FIGMA	PHASE 1
RF-BO-MEN-07	**Reported no-shows** Number of "Mentor no-show" reports made by users, visible in the Mentor's profile (S7). Source Backoffice · Roles Admin	NEW · FIGMA	PHASE 1
RF-BO-MEN-06	**Earnings data** Mentor payment details for earnings on the platform (to be defined). In Phase 1 earnings are managed outside the platform. Source Backoffice · Roles Admin	TOR	PHASE 2

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-MEN-01 List and creation

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

The Admin views the Mentor list and creates new Mentors: profile and backoffice account with the Mentor role, activated by invitation. It starts the "New Mentor activation" flow.

BEHAVIOUR

1. The Admin creates the profile and the account with the Mentor role.
2. The Mentor receives the invitation and sets the password (2FA optional).
3. The Admin completes verification and editing flags.
4. The Mentor sets their availability and the profile becomes bookable.

RULES AND VALIDATIONS

- RBAC matrix: Mentor profile, Admin "R C U D A (verification, flags)"; Moderator "R"; Mentor their own only.
- The Mentor role is exclusive (RF-BO-ACC-07).
- List with search, filters, sorting, pagination and **Export CSV** (cross requirement).

STATES, ERRORS AND EDGE CASES

- Mentor without availability: the profile is not yet bookable.

DATA INVOLVED

Mentor profile · backoffice account with the Mentor role; invitation

ACCEPTANCE CRITERIA

☐ Given the Admin, when they create a Mentor, then the Mentor receives the invitation.

☐ Given a Mentor who has set availability, when a user opens their profile in the app, then the Mentor is bookable.

RF-BO-MEN-02 Public profile

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. SES-05/06 · Roles Admin · Mentor (if allowed)

DESCRIPTION

The Mentor's public profile shown in the app on the Mentor page, the same from Sessions and from Community (RF-SES-03, RF-SES-04, RF-COM-07): photo, name, qualification, motto, About me, Specialisations, Services offered, Skills, short audios, area and categories. The Admin manages it; the Mentor only with **"Profile editing allowed"**.

BEHAVIOUR

1. The Admin, or the Mentor from **My profile**, opens the profile.
2. If allowed, they edit and save: the change is published immediately and tracked in the audit log.
3. If the flag is off, the Mentor sees the data read-only and requests changes from the Admin.

RULES AND VALIDATIONS

- RBAC matrix: Admin "R C U D A (verification, flags)"; Moderator "R"; Mentor "R · U if allowed (own only)".
- No approval flow (RF-BO-MEN-05).
- Media uploads with format and size check.
- In Phase 1 only the 6 Phase 1 areas are available (A1).

STATES, ERRORS AND EDGE CASES

- "Profile editing allowed" off: profile read-only for the Mentor.

DATA INVOLVED

Mentor profile: photo, name, qualification, motto, About me, Specialisations, Services offered, Skills, area, categories · short audios · audit log: profile changes

ACCEPTANCE CRITERIA

☐ Given a Mentor with the flag on, when they save a change, then it is published immediately in the app and recorded in the audit log.

☐ Given a Mentor with the flag off, when they open My profile, then the data is read-only.

RF-BO-MEN-03 Verification

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Only the Admin assigns the Mentor, from their profile, the **"SheBloom Verified"** badge. In the app it appears as the verified badge on the Mentor page (RF-SES-03) and next to the Mentor in the Community (RF-COM-10).

BEHAVIOUR

1. The Admin opens the Mentor's profile.
2. They assign the verification.
3. In the app the Mentor page and the Community (RF-COM-10) show the verified badge.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: special action "verification").
- The Mentor cannot assign the verification to themselves.

STATES, ERRORS AND EDGE CASES

- Unverified Mentor: no badge in the app.

DATA INVOLVED

Mentor profile: verification status · audit log: verification assigned

ACCEPTANCE CRITERIA

☐ Given the Admin, when they assign the verification, then the badge appears on the Mentor page in the app.

☐ Given a Mentor, when they open their profile, then they cannot change the verification.

RF-BO-MEN-04 Status

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Mentor status, managed only by the Admin in the Mentor's profile: **Active**, **Suspended** (not bookable in the app) or **Deactivated**. The Mentor cannot change it.

BEHAVIOUR

1. The Admin opens the Mentor's profile.
2. They set the status to Active, Suspended or Deactivated.
3. With status Suspended the Mentor is not bookable in the app.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: Mentor profile, Admin "R C U D A").
- Suspended = not bookable.

STATES, ERRORS AND EDGE CASES

- Suspended Mentor: users cannot book them.

DATA INVOLVED

Mentor profile: status (Active, Suspended, Deactivated) · audit log: status change

ACCEPTANCE CRITERIA

☐ Given an active Mentor, when the Admin suspends them, then they are not bookable in the app.

☐ Given a Mentor, when they open their profile, then they cannot change its status.

RF-BO-MEN-05 Editing permissions

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Two flags per Mentor, **"Profile editing allowed"** and **"Offering editing allowed"**: if on, the Mentor's changes are published immediately; if off, the Mentor sees that data read-only. The default is in Settings (RF-BO-SET-04); there is no approval flow.

BEHAVIOUR

1. The Admin sets the two flags in the Mentor's profile.
2. With the flag on, the Mentor edits and saves: the change is published immediately and tracked in the audit log.
3. With the flag off, the data is read-only and changes must be requested from the Admin.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: special action "flags").
- Profile: RF-BO-MEN-02, RF-BO-MAREA-01; offering: RF-BO-CAT-01/02, RF-BO-MAREA-02.
- Availability: the Mentor always manages their own (RBAC matrix: "R C U D (own only)").

STATES, ERRORS AND EDGE CASES

- Flag off: the corresponding section is read-only.

DATA INVOLVED

Mentor profile: profile_editing_allowed, offering_editing_allowed · settings: default value of the two flags · audit log: changes

ACCEPTANCE CRITERIA

☐ Given a Mentor with "Offering editing allowed" on, when they save a session, then it is published immediately.

☐ Given a Mentor with "Profile editing allowed" off, when they open My profile, then it is read-only.

RF-BO-MEN-07 Reported no-shows

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

In the Mentor's profile the Admin sees the number of "Mentor no-show" cases reported by users with "Report a problem" (RF-MYS-14). It is the flag on the Mentor set by the S7 outcome rule "Mentor no-show", if active (RF-BO-SET-06).

BEHAVIOUR

1. The user reports with **"Report a problem"** that the Mentor did not show up (RF-MYS-14).
2. The booking becomes "Mentor no-show" (RF-BO-BKG-07).
3. The Admin sees the number of reported no-shows in the Mentor's profile.

RULES AND VALIDATIONS

- Visible to the Admin.
- S7 rule "Mentor no-show" (if active): full refund and flag on the Mentor.

STATES, ERRORS AND EDGE CASES

- Reports: allowed within 48 hours of the session start time (S1).

DATA INVOLVED

booking: status "Mentor no-show" · Mentor profile: number of reported no-shows

ACCEPTANCE CRITERIA

☐ Given a Mentor no-show report, when the Admin opens the profile, then the number is updated.

☐ Given a Mentor with no reports, when the Admin opens the profile, then the number is zero.

RF-BO-MEN-06 Earnings data

PHASE 2 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Phase 2 feature: the Mentor's payment details for in-platform earnings, managed by the Admin, to be defined. In Phase 1 earnings are handled outside the platform, based on the session report (RF-BO-PAY-04).

BEHAVIOUR

1. Phase 1: Mentor activation requires no earnings details (verification and editing flags, RF-BO-MEN-01).
2. Phase 1: earnings are paid outside the platform based on the exportable session report (RF-BO-PAY-04).
3. Phase 2: the Admin manages the payment details in the Mentor's profile; method to be defined (RF-PAY-05).

RULES AND VALIDATIONS

- Admin only.
- Phase 1: no Stripe Connect or commission in the platform; Phase 2: to be defined.

STATES, ERRORS AND EDGE CASES

- The Mentor does not manage this data; in Phase 1 they only view their own session report (RF-BO-MAREA-05).

DATA INVOLVED

Mentor profile: payment details (Phase 2, to be defined) · audit log: changes

ACCEPTANCE CRITERIA

☐ Given a new Mentor in Phase 1, when the Admin completes their activation, then no payment details are required.

☐ Given the Admin in Phase 1, when they open Payments, then they find the Session report exportable to CSV and no payment function for Mentors.

SESSION AND PROGRAM CATALOG

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-CAT-01	**Sessions** Title, description, image, Mentor, area and category, duration, price, delivery mode, **"Bloom Club only"** flag (session reserved for subscribers), status. The Admin manages all the sessions on the platform, the Mentor only their own (if "Offering editing allowed"). Source **Backoffice** · Figma ref. SES-04/10 · Roles **Admin · Mentor (if allowed)**	NEW · FIGMA	PHASE 1
RF-BO-CAT-02	**Programs** As for sessions, plus number of meetings, frequency, date range, total price (single payment per program) and "Bloom Club only" flag; the Admin manages all programs, the Mentor only their own (if allowed). Source **Backoffice** · Figma ref. SES-11 · Roles **Admin · Mentor (if allowed)**	NEW · FIGMA	PHASE 1
RF-BO-CAT-03	**Links** Association of sessions and programs with Areas. Source **Backoffice** · Figma ref. AREA-08 · Roles **Admin**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-CAT-01 Sessions

PHASE 1 · New from Figma · Source Backoffice · Figma ref. SES-04/10 · Roles Admin · Mentor (if allowed)

DESCRIPTION

Management of sessions in the **Catalog**: title, description, image, Mentor, area and category, duration, price, delivery mode, **"Bloom Club only"** flag (session reserved to subscribers) and status. The Admin manages all sessions, the Mentor only their own if "Offering editing allowed".

BEHAVIOUR

1. The Admin, or the Mentor from **My offering**, creates the session as Draft and fills in the languages.
2. They check the mobile preview.
3. They schedule the date or publish immediately; on the date the session is visible in the app and can later be archived.
4. **Export CSV** available on the sessions list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- RBAC matrix: Admin "R C U D" (including the "Bloom Club only" flag); Mentor "R · C U if allowed (own only, including the flag)"; Moderator "R" (RF-BO-MEN-05).
- Statuses: Draft → Scheduled → Published → Archived; versions per language.
- Currency EUR, parametrised (RF-BO-SET-02); Stripe payment (RF-SES-11).
- "Bloom Club only" flag: medallion and booking only for subscribers, at the price set; for non-subscribers a tap opens the paywall (RF-CLB-06).

STATES, ERRORS AND EDGE CASES

- Mentor without "Offering editing allowed": offering read-only.

DATA INVOLVED

session: title, description, image, Mentor, area, category, duration, price, delivery mode, "Bloom Club only" flag, status · versions per language; publication date · audit log: Mentor's changes

ACCEPTANCE CRITERIA

☐ Given the Admin, when they publish a session, then it is visible in the app.

☐ Given a Mentor with the flag on, when they save one of their sessions, then it is published immediately.

☐ Given a Mentor with the flag off, when they open My offering, then it is read-only.

☐ Given a Mentor with the flag on, when they set "Bloom Club only" on their own session, then in the app only subscribers can book it.

RF-BO-CAT-02 Programs

PHASE 1 · New from Figma · Source Backoffice · Figma ref. SES-11 · Roles Admin · Mentor (if allowed)

DESCRIPTION

Management of programs: like sessions, plus number of meetings, frequency, date range, total price with **single payment** and "Bloom Club only" flag. The Admin manages all programs, the Mentor only their own (if allowed).

BEHAVIOUR

1. The Admin, or the Mentor if allowed, creates the program with the session data (RF-BO-CAT-01).
2. They add number of meetings, frequency, date range, total price and, if needed, the "Bloom Club only" flag.
3. They publish: in the app the card shows meetings × duration (RF-SES-02) and the user pays once (RF-SES-13).

RULES AND VALIDATIONS

- Same permissions as RF-BO-CAT-01 (RBAC matrix: Session and program catalog).
- Single payment per program (closed decision); a user no-show at a single meeting is not refunded (RF-SES-09).
- How meeting dates are chosen: to be defined (open point).
- **Export CSV** available on the programs list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Progress in the app: "2nd meeting of 3" (RF-MYS-05).

DATA INVOLVED

program: session data, number of meetings, frequency, date range, total price, "Bloom Club only" flag · single program payment

ACCEPTANCE CRITERIA

☐ Given a published program, when a user books it, then she pays the total price once.

☐ Given a 3-meeting program, when the user opens it in the app, then she sees the number of meetings and the duration.

RF-BO-CAT-03 Links

PHASE 1 · New from Figma · Source Backoffice · Figma ref. AREA-08 · Roles Admin

DESCRIPTION

The Admin links catalog sessions and programs to Areas, so that they appear among the linked sessions of the area page (RF-ARE-05). Reserving them to the Bloom Club is done with the "Bloom Club only" flag (RF-BO-CAT-01/02). The function is restricted to the Admin.

BEHAVIOUR

1. The Admin opens the session or program.
2. They link it to an area.
3. In the app it appears among the area's linked sessions (RF-ARE-05).

RULES AND VALIDATIONS

- Admin only.
- Consistent with the linked sessions of the Areas CMS (RF-BO-CMS-03); reserving to the Club is the "Bloom Club only" flag, not a link.
- In Phase 1 only the 6 Phase 1 areas (A1).

STATES, ERRORS AND EDGE CASES

- Phase 2 areas: not available in Phase 1.

DATA INVOLVED

session or program: linked areas · area: linked sessions (RF-BO-CMS-03)

ACCEPTANCE CRITERIA

☐ Given the Admin, when they link a session to an area, then it appears on the area page in the app.

☐ Given a session linked to a Phase 2 area, then in Phase 1 it does not appear in the app.

AVAILABILITY AND SCHEDULE

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-AGE-01	**Recurring and one-off slots** Definition of slots by day and time band; exceptions and periods of absence. Source **Backoffice** · **Figma ref.** SES-09 · **Roles** **Admin · Mentor**	TOR	PHASE 1
RF-BO-AGE-02	**Calendar** Day, week and month view with free and booked slots. Source **Backoffice** · **Roles** **Admin · Mentor**	TOR	PHASE 1

RF-BO-AGE-01 Recurring and one-off slots

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. SES-09 · Roles Admin · Mentor

DESCRIPTION

Definition of Mentors' availability: recurring and one-off slots by day and time range, exceptions and absence periods. They feed the availability calendar in the app (RF-SES-08).

BEHAVIOUR

1. The Mentor, or the Admin for any Mentor, opens **Schedule**.
2. They set slots by day and time range, exceptions and absence periods.
3. In the app free slots appear in the calendar, with morning and afternoon slots (RF-SES-08).

RULES AND VALIDATIONS

- RBAC matrix: Admin "R C U D"; Mentor "R C U D (own only)"; Moderator "—".
- During checkout the slot is held for 10 minutes (duration in RF-BO-SET-03).
- Users following the Mentor are notified of new availability (RF-NOT-05).

STATES, ERRORS AND EDGE CASES

- Cancellation by the Mentor: the new date is chosen among their free slots (RF-BO-BKG-06).

DATA INVOLVED

slot: Mentor, day, time range, recurring or one-off · exceptions and absence periods

ACCEPTANCE CRITERIA

☐ Given a Mentor, when they set a slot, then it appears as available in the app.

☐ Given a Mentor, when they try to edit another Mentor's availability, then they have no access.

RF-BO-AGE-02 Calendar

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin · Mentor

DESCRIPTION

Availability calendar with day, week and month views, showing free and booked slots. The Mentor views their own in **Schedule**; the Admin that of any Mentor.

BEHAVIOUR

1. The Mentor opens their calendar; the Admin that of any Mentor.
2. They choose the day, week or month view.
3. Free and booked slots are distinguished.

RULES AND VALIDATIONS

- RBAC matrix: Admin "R C U D"; Mentor "own only"; Moderator "—".
- Prices, durations and availability shown in the app come from the backoffice.

STATES, ERRORS AND EDGE CASES

- Cancelled booking: the slot becomes available again.

DATA INVOLVED

slot: date, time range, free or booked · booking linked to the slot

ACCEPTANCE CRITERIA

☐ Given a Mentor, when they open the week view, then they see free and booked slots.

☐ Given the Admin, when they select a Mentor, then they see that Mentor's calendar.

BOOKINGS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-BKG-01	**Booking list** Filters by status, Mentor, date, type; CSV export. Source **Backoffice** · Roles **Admin · Mentor (own)**	NEW · FIGMA	PHASE 1
RF-BO-BKG-02	**Detail** User (name), service, dates, status, payment, call link entered by the Mentor (L2). Session log: accepted policy, payment, link sent, taps on the "Join" button by user and Mentor (S1, S2). Source **Backoffice** · Roles **Admin · Mentor (own)**	NEW · FIGMA	PHASE 1
RF-BO-BKG-03	**Cancellation** Cancellation on behalf of the user or the Mentor, with full or partial Stripe refund according to the policy. Source **Backoffice** · Figma ref. MYS-07 · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-BKG-04	**Session closing** After the scheduled time the Mentor ends the call on the external platform and completes a short session questionnaire in the backoffice: Held or User no-show, with an optional note for the Admin (S3). "Held" moves the booking to "Completed" and adds it to the session report (RF-BO-PAY-04); "User no-show" moves it to "User no-show". Reminder to the Mentor if the questionnaire is not received within 24 hours. The platform does not handle technical problems. Source **Backoffice** · Roles **Mentor · Admin**	NEW · FIGMA	PHASE 1
RF-BO-BKG-05	**Call link** The Mentor enters the link (Google Meet or Zoom) for each booking; there is no default link and there are no domain restrictions. If the link is missing 24 hours before the start: reminder to the Mentor and alert to the Admin in the dashboard (L2). The Mentor starts the call from the backoffice **"Join"** button, which opens the link in a new window and records the access (S2); a message in the backoffice reminds the Mentor to use it. Source **Backoffice** · Roles **Mentor · Admin**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-BKG-06	**Cancellation by the Mentor** The Mentor cancels a booking by proposing a new date from their free slots, with a reason; the booking moves to "Cancelled by Mentor" pending the user's reply to the new date. Source **Backoffice** · **Figma ref.** MYS-13 · **Roles** **Mentor · Admin**	NEW · FIGMA	PHASE 1
RF-BO-BKG-07	**No-shows and outcome rules** Statuses "Mentor no-show" (reported by the user) and "User no-show" (from the Mentor's questionnaire). The system applies the active outcome rules (RF-BO-SET-06) and, if the Mentor did not show up, sends them a notification with the "Reschedule" CTA. If the Mentor declared "Held" and the user reports a Mentor no-show, the booking moves to **"Outcome under review"**: the refund to the user and the inclusion of the session in the report remain on hold until the Admin decides the outcome. Source **Backoffice** · **Figma ref.** MYS-14 · **Roles** **System · Admin · Mentor**	NEW · FIGMA	PHASE 1

RF-BO-BKG-01 Booking list

PHASE 1 · New from Figma · Source Backoffice · Roles Admin · Mentor (own)

DESCRIPTION

List of bookings with filters by status, Mentor, date and type and CSV export. The Admin sees all bookings, the Mentor only their own.

BEHAVIOUR

1. The Admin opens **Bookings**; the Mentor opens their own from "My space".
2. They filter by status, Mentor, date and type (session or program).
3. With **Export CSV** they export the list (cross requirement) or open the detail (RF-BO-BKG-02).

RULES AND VALIDATIONS

- RBAC matrix: Admin "R U A (cancel, refund)"; Mentor "R · U own only"; Moderator "—".
- Statuses: Upcoming, Completed, Cancelled, Cancelled by Mentor, Mentor no-show, User no-show, Outcome under review (RF-MYS-03).
- Lists with search, filters, sorting and pagination.

STATES, ERRORS AND EDGE CASES

- Call link missing 24 hours before the start: reminder to the Mentor and alert to the Admin (L2).

DATA INVOLVED

booking: user, service, Mentor, date, type, status · exported CSV file

ACCEPTANCE CRITERIA

☐ Given the Admin, when they filter by Mentor, then they see only that Mentor's bookings.

☐ Given a Mentor, when they open the bookings, then they see only their own.

☐ Given the Admin, when they export, then they obtain the CSV file.

RF-BO-BKG-02 Detail

PHASE 1 · New from Figma · Source Backoffice · Roles Admin · Mentor (own)

DESCRIPTION

Booking detail: user (name), service, dates, status, payment and the call link added by the Mentor (L2). The **Session log** shows accepted policy, payment, link sent and accesses to the **"Join"** button by user and Mentor (S1, S2).

BEHAVIOUR

1. The Admin, or the Mentor for their own, opens the booking.
2. They view data, payment and call link.
3. They view the Session log with policy, payment, link sent and accesses to "Join".
4. **Export CSV** available on the Session log, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- RBAC matrix: Admin all; Mentor own only; Moderator "—".
- Accepted policy: date, time and version are recorded (S1).
- Accesses to "Join" do not prove attendance but are strong evidence (S2).
- In case of chargeback the Admin uses the session log (S9 not adopted).

STATES, ERRORS AND EDGE CASES

- User access from e-mails or reminders: it always goes through the page with "Join" and is logged (S2).

DATA INVOLVED

booking: user (name), service, dates, status, payment, call_link · accepted policy: date, time, version · session log: link sent, accesses to "Join" by user and Mentor

ACCEPTANCE CRITERIA

☐ Given a paid booking, when the Admin opens the log, then they see the accepted policy (date, time, version) and the payment.

☐ Given a tap on "Join" by user or Mentor, when the log is opened, then the access is shown.

RF-BO-BKG-03 Cancellation

PHASE 1 · New from Figma · Source Backoffice · Figma ref. MYS-07 · Roles Admin

DESCRIPTION

The Admin cancels a booking on behalf of the user or the Mentor, with a full or partial Stripe refund according to the policy.

BEHAVIOUR

1. The Admin cancels the booking from the backoffice.
2. The system checks the policy and calculates the refund.
3. The refund is issued via Stripe; the booking becomes "Cancelled" and the slot becomes available again.
4. User and Mentor are notified.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: Bookings, "A (cancel, refund)").
- Free cancellation up to 24 hours before (threshold in RF-BO-SET-03); beyond it non-refundable (RF-MYS-07).
- Refund to the original method via Stripe (A4); partial refunds: to be defined (open point).
- Irreversible action: confirmation window and audit log.

STATES, ERRORS AND EDGE CASES

- Cancellation beyond the threshold: the session is non-refundable under the policy.

DATA INVOLVED

booking: status "Cancelled" · Stripe refund: amount, outcome (webhook) · notifications to user and Mentor; audit log

ACCEPTANCE CRITERIA

☐ Given a booking within the threshold, when the Admin cancels it, then the refund is issued via Stripe and the status is "Cancelled".

☐ Given a cancelled booking, when the Mentor's calendar is opened, then the slot is available again.

☐ Given a cancellation, when it completes, then user and Mentor are notified.

RF-BO-BKG-04 Session closing

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor · Admin

DESCRIPTION

After the session time the Mentor ends the call on the external platform and fills in the questionnaire in the backoffice: **Held** or **User no-show**, with an optional note for the Admin (S3). "Held" moves the booking to "Completed" and adds it to the session report (RF-BO-PAY-04); the platform does not handle technical problems.

BEHAVIOUR

1. After the scheduled time the Mentor ends the call on the external platform.
2. They fill in the questionnaire with the outcome and any note for the Admin.
3. "Held": booking "Completed" and added to the session report; "User no-show": "User no-show".
4. Without a questionnaire within 24 hours the Mentor receives a reminder (RF-NOT-08).
5. If the user then reports a Mentor no-show within 48 hours of the start, the booking moves to "Outcome under review" (RF-BO-BKG-07).

RULES AND VALIDATIONS

- RBAC matrix: Mentor "U own only (questionnaire)".
- S7 outcome rules if active (RF-BO-SET-06): User no-show with no refund, the session enters the Mentor's report.
- With "Outcome under review" the session enters the report only after the Admin's decision; no dispute window (S6 not adopted).
- User reports within 48 hours of the start time; the "How did it go?" rating counts as implicit confirmation (S1, S5).

STATES, ERRORS AND EDGE CASES

- Questionnaire not filled in within 24 hours: reminder to the Mentor in the dashboard and by e-mail.

DATA INVOLVED

session questionnaire: outcome (Held, User no-show), note for the Admin · booking: status · session report (RF-BO-PAY-04)

ACCEPTANCE CRITERIA

☐ Given the questionnaire with "Held", when the Mentor submits it, then the booking is "Completed" and the session appears in the report.

☐ Given the questionnaire with "User no-show", when the Mentor submits it, then the booking is "User no-show".

☐ Given a questionnaire not submitted within 24 hours, when the deadline passes, then the Mentor receives the reminder.

☐ The questionnaire offers only the "Held" and "User no-show" outcomes.

RF-BO-BKG-05 Call link

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor · Admin

DESCRIPTION

The Mentor adds the call link (Google Meet or Zoom) for each booking; there is no default link and no restriction or check on the link. The Mentor starts the call from the **"Join"** button, which opens a new window and logs the access (S2).

BEHAVIOUR

1. The Mentor adds the call link to the booking.
2. E-mails and reminders to the user do not contain the link but a deeplink to the page with "Join" (RF-NOT-02); those to the Mentor lead to the backoffice page.
3. If the link is missing 24 hours before the start: reminder to the Mentor in the dashboard and by email and alert to the Admin on the dashboard (L2).
4. From 10 minutes before the start until the end the Mentor uses "Join"; a message reminds them to use it.

RULES AND VALIDATIONS

- No restriction or check on the link entered (Google Meet, Zoom).
- No default link in the Mentor's profile (L1 not adopted).
- RBAC matrix: Mentor "U own only (call link)"; Admin "R U A".
- Operational tip for Mentors: enable the platform's waiting room.

STATES, ERRORS AND EDGE CASES

- Link not entered: the booking shows "Link missing" and at 24 hours reminder and alert are triggered.
- Before the 10 minutes preceding the start the link is not visible.

DATA INVOLVED

booking: call_link · deeplink to the booking page (user e-mails); link to the backoffice page (Mentor e-mails) · session log: link sent, accesses to "Join"

ACCEPTANCE CRITERIA

☐ Given a link from any platform, when the Mentor saves it, then it is accepted without checks.

☐ Given a booking without a link 24 hours before the start, when the check runs, then the Mentor gets the reminder and the Admin the alert.

☐ Given a session starting within 10 minutes, when the Mentor taps "Join", then the call opens in a new window and the access is logged.

RF-BO-BKG-06 Cancellation by the Mentor

PHASE 1 · New from Figma · Source Backoffice · Figma ref. MYS-13 · Roles Mentor · Admin

DESCRIPTION

The Mentor cancels a booking by proposing a new date among their free slots, with a reason. The booking becomes **"Cancelled by Mentor"** awaiting the user's answer; the case where the user does not accept is an open point.

BEHAVIOUR

1. The Mentor selects **"Propose a new date"** on one of their bookings.
2. They select a date among their free slots and state the reason.
3. The booking becomes "Cancelled by Mentor"; the user receives the notification with the new date (RF-NOT-02).

RULES AND VALIDATIONS

- RBAC matrix: Mentor "U own only (cancellation with new date)".
- New date only among the Mentor's free slots, with a reason.
- New date not accepted: to be defined (open point).

STATES, ERRORS AND EDGE CASES

- User not accepting the new date: handling to be defined (open point).

DATA INVOLVED

booking: status "Cancelled by Mentor", reason, proposed new date · notification to the user

ACCEPTANCE CRITERIA

☐ Given a Mentor, when they propose a new date with a reason, then the booking is "Cancelled by Mentor" and the user is notified.

☐ Given the form, when the Mentor chooses the new date, then they can select only their own free slots.

RF-BO-BKG-07 No-shows and outcome rules

PHASE 1 · New from Figma · Source Backoffice · Figma ref. MYS-14 · Roles System · Admin · Mentor

DESCRIPTION

Statuses **"Mentor no-show"** (reported by the user) and **"User no-show"** (from the Mentor's questionnaire), with the active outcome rules (RF-BO-SET-06). If the Mentor declared "Held" and the user reports a Mentor no-show, the booking moves to **"Outcome under review"**: the user's refund and the session's inclusion in the report stay on hold until the Admin decides the outcome.

BEHAVIOUR

1. The user reports the Mentor's absence with **"Report a problem"** (RF-MYS-14): status "Mentor no-show".
2. S7 rule active: full refund and flag on the Mentor (RF-BO-MEN-07); "Reschedule" notification to the Mentor in the dashboard and by e-mail; the new session is paid.
3. The Mentor selects "User no-show" in the questionnaire: status "User no-show".
4. S7 rule active: no refund; the session enters the Mentor's session report.
5. Mentor's "Held" and user report: "Outcome under review"; the Admin checks and decides the outcome, only then are the refund and inclusion in the report made.

RULES AND VALIDATIONS

- S7 rules switchable individually, each with configurable text shown to the user.
- The platform does not handle technical problems: the questionnaire offers only Held and User no-show.
- Reports within 48 hours of the session start time, after which the session counts as held (S1).

STATES, ERRORS AND EDGE CASES

- Rule not active: the consequence provided by S7 does not apply.

DATA INVOLVED

booking: no-show status or "Outcome under review", Admin decision · outcome rules: active, text · refund; notification to the Mentor with "Reschedule" · session report: inclusion after the Admin's decision

ACCEPTANCE CRITERIA

☐ Given the "Mentor no-show" rule active, when the user reports the absence, then full refund and flag on the Mentor.

☐ Given a Mentor no-show report, when recorded, then the Mentor receives the notification with "Reschedule".

☐ Given the "User no-show" rule active, when the Mentor selects it, then no refund and the session enters the report.

☐ Given a "Held" questionnaire and a Mentor no-show report, then the booking is "Outcome under review"; refund and report stay on hold until the Admin decides.

SESSION NOTES

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-NOTE-01	**Writing the note** Session note editor for each completed appointment. "Save" publishes the note (there is no draft); the Mentor can still edit it after saving and the user receives a notification on publication and on every edit. Source **Backoffice** · **Figma ref.** MYS-09 · **Roles** **Mentor**	NEW · FIGMA	PHASE 1
RF-BO-NOTE-02	**Viewing** List of notes written; the Admin can view them read-only. Source **Backoffice** · **Roles** **Mentor · Admin**	NEW · FIGMA	PHASE 1

RF-BO-NOTE-01 Writing the note

PHASE 1 · New from Figma · Source Backoffice · Figma ref. MYS-09 · Roles Mentor

DESCRIPTION

Editor in which the Mentor writes the session note for each completed appointment. **"Save"** publishes the note (there is no draft); the Mentor can edit it after saving too, and the user is notified on publication and at each edit. Tool required already in Phase 1 (A11).

BEHAVIOUR

1. After the completed session the note appears among the "notes to write".
2. The Mentor writes the note and taps **"Save"**: the note is published and visible to the user.
3. The user receives the notification (RF-NOT-02) and finds it in "Review notes" (RF-MYS-08).
4. The Mentor can edit the note after saving too; at each edit the user receives a new notification.

RULES AND VALIDATIONS

- RBAC matrix: Mentor on own sessions only; Admin read-only; Moderator no access.
- The user can save the note to the Journal, where it stays read-only (RF-DIA-08).
- Counter of notes to write in the side menu.
- No draft: saving equals publishing; the note remains editable by the Mentor.

STATES, ERRORS AND EDGE CASES

- Note not yet written: it stays among the "notes to write" on the dashboard (RF-BO-DASH-03).

DATA INVOLVED

session note: booking, Mentor, text, publication and edit dates · notification to the user: publication, edit

ACCEPTANCE CRITERIA

☐ Given a completed appointment, when the Mentor saves the note, then the note is published and the user is notified.

☐ Given a published note, when the user opens "Review notes", then she sees it and can save it to the Journal.

☐ Given a saved note, when the Mentor edits and saves it, then the user sees the updated text and receives a new notification.

RF-BO-NOTE-02 Viewing

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor · Admin

DESCRIPTION

List of written session notes: the Mentor views their own, the Admin sees them read-only.

BEHAVIOUR

1. The Mentor opens the list of their notes.
2. The Admin opens the list of notes read-only.
3. The user reads published notes in "Review notes" (RF-MYS-08).

RULES AND VALIDATIONS

- RBAC matrix: Mentor "R C U (own sessions only)"; Admin "R"; Moderator "—".
- Lists with search, filters, sorting, pagination and **Export CSV** (cross requirement).

STATES, ERRORS AND EDGE CASES

- Moderator: no access to notes (RBAC matrix).

DATA INVOLVED

session note: Mentor, session, text · list of written notes per Mentor

ACCEPTANCE CRITERIA

☐ Given a Mentor, when they open the list, then they see only their own notes.

☐ Given the Admin, when they open a note, then they see it read-only.

PAYMENTS AND SUBSCRIPTIONS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-PAY-01	**Session transactions** List of Stripe payments with status, user, Mentor, amount; filters and export. Source **Backoffice** · **Figma ref.** BE-09 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-PAY-02	**Paid subscriptions** List of IAP subscriptions: user, plan, store, status, renewal. Source **Backoffice** · **Figma ref.** BE-09 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-PAY-03	**Refunds** Full or partial refund of a Stripe payment. Source **Backoffice** · **Roles** **Admin**	NEW · FIGMA	PHASE 1
RF-BO-PAY-04	**Session report** By Mentor and period: sessions held, no-shows (user and Mentor), outcomes under review and amounts collected; CSV export. In Phase 1 Mentor earnings are paid outside the platform on the basis of this report: no payment status or commission on the platform. A session enters the report when the Mentor closes it (S3) or, in case of "Outcome under review", after the Admin's decision. The Mentor sees only their own. Source **Backoffice** · **Roles** **Admin · Mentor**	TOR	PHASE 1

RF-BO-PAY-01 Session transactions

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. BE-09 · Roles Admin

DESCRIPTION

List of session transactions, restricted to the Admin: Stripe payments for sessions and programs with status, user, Mentor and amount, with filters and export. It provides the backoffice visibility required by RF-PAY-04.

BEHAVIOUR

1. The Admin opens **Payments**, session transactions.
2. They filter the list and export it with **Export CSV** (cross requirement).
3. Payment status comes from Stripe outcome and refund webhooks (RF-PAY-01).

RULES AND VALIDATIONS

- RBAC matrix: Admin "R A (refund, export)"; Mentor "R (own session report only)"; Moderator "—".
- Stripe for sessions and programs (SCA/3DS); programs with a single payment.
- Currency EUR, parametrised (RF-BO-SET-02).
- Payment privacy: the list does not show the payment method used; for specific checks the Stripe dashboard is used, restricted to authorised people.

STATES, ERRORS AND EDGE CASES

- Refunded payment: the status is updated by the refund webhook.

DATA INVOLVED

Stripe payment: status, user, Mentor, amount · export file

ACCEPTANCE CRITERIA

☐ Given a payment in the app, when the Admin opens the transactions, then it appears with status, user, Mentor and amount.

☐ Given the Admin, when they export, then they obtain the transactions file.

RF-BO-PAY-02 Paid subscriptions

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. BE-09 · Roles Admin

DESCRIPTION

List of Bloom Club subscriptions paid via IAP (App Store and Google Play), restricted to the Admin: user, plan, store, status, renewal. It provides the backoffice visibility required by RF-PAY-04.

BEHAVIOUR

1. The Admin opens the list of paid subscriptions.
2. They view user, plan, store, status and renewal.
3. The status reflects the lifecycle events (RF-CLB-04).

RULES AND VALIDATIONS

- Admin only.
- Plan prices editable by the Admin (RF-BO-SET-07; default €4.99/month and €39.99/year), with server-side validation (RF-CLB-02).
- Subscription management refers to the store (RF-CLB-03).
- **Export CSV** available on the subscriptions list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Renewal, payment failed, grace period, expiry, refund events: they update the status.

DATA INVOLVED

subscription: user, plan, store, status, renewal · lifecycle events: renewal, payment failed, grace period, expiry, refund

ACCEPTANCE CRITERIA

☐ Given a subscription purchased in the app, when the Admin opens the list, then they see user, plan, store, status and renewal.

☐ Given a renewal in the store, when the event arrives, then the status is updated.

RF-BO-PAY-03 Refunds

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Full or partial refund of a Stripe payment for sessions and programs, performed only by the Admin from Payments or by cancelling the booking (RF-BO-BKG-03). The refund goes to the original method (A4); the rules for partial refunds are an open point.

BEHAVIOUR

1. The Admin selects the payment or cancels the booking (RF-BO-BKG-03).
2. They choose a full or partial refund and confirm.
3. The refund is issued via Stripe to the original method; the webhook updates the status.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: action "refund").
- Partial refunds: rules to be defined (open point).
- Irreversible action: confirmation window and audit log.
- S7 rule "Mentor no-show", if active: full refund for a "Mentor no-show" (RF-BO-BKG-07).

STATES, ERRORS AND EDGE CASES

- Bloom Club subscriptions: paid via IAP, not with Stripe.
- The original method is not shown to the Admin: Stripe routes the refund to the method used by the user.

DATA INVOLVED

refund: payment, type (full or partial), amount, outcome · audit log

ACCEPTANCE CRITERIA

☐ Given a Stripe payment, when the Admin confirms a full refund, then the refund is issued to the original method.

☐ Given a refund, when it is confirmed, then it appears in the audit log.

RF-BO-PAY-04 Session report

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin · Mentor

DESCRIPTION

Session report by Mentor and period: sessions held, no-shows (user and Mentor), outcomes under review and amounts collected, with CSV export. In Phase 1 Mentor earnings are paid outside the platform based on this report; the Mentor sees only their own.

BEHAVIOUR

1. The Mentor closes the session with the questionnaire (RF-BO-BKG-04): the session enters the report.
2. With "Outcome under review" the session enters the report only after the Admin's decision (RF-BO-BKG-07).
3. The Admin views the report by Mentor and period and exports it with **Export CSV**.
4. The Mentor views and exports their own in **Session report** (RF-BO-MAREA-05); on the dashboard they see the sessions held this month.

RULES AND VALIDATIONS

- RBAC matrix: Admin "R A (refund, export)"; Mentor "R (own session report only)"; Moderator "—".
- No payment status, commission or Stripe Connect in the platform; earnings are paid outside the platform (Phase 2: to be defined, RF-PAY-05).
- S6 not adopted: the session enters the report when the Mentor closes it (S3), with no dispute window.
- User no-show with the S7 rule active: no refund, the session enters the Mentor's report.

STATES, ERRORS AND EDGE CASES

- Questionnaire not completed: the session is not yet in the report; reminder to the Mentor after 24 hours.
- "Outcome under review": shown among outcomes under review; the session is included only after the Admin's decision (RF-BO-BKG-07).

DATA INVOLVED

report: Mentor, period, sessions held, no-shows (user and Mentor), outcomes under review, amounts collected · booking: closing outcome (S3), Admin decision · CSV export file

ACCEPTANCE CRITERIA

- ☐ Given a session closed as "Held", when the Admin opens the Mentor's report for that period, then the session is among the sessions held.
- ☐ Given a booking in "Outcome under review", then the session enters the report only after the Admin's decision.
- ☐ Given a Mentor, when they open Session report, then they see only their own.
- ☐ When the Admin uses **Export CSV**, then they obtain the report for the selected Mentor and period.

CONTENT CMS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-CMS-01	**Daily content** Editorial calendar: carousel, audio, video, quote, practice, Bloom Fact by date; fallback content. Configurable publication time, the same for all users, with the time zone configurable next to the time. Source **Backoffice** · **Figma ref.** DAY-02…07 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-CMS-02	**Articles** Editor with author (Mentor), area, category, image, premium flag, scheduling. Source **Backoffice** · **Figma ref.** DAY-10/11 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-CMS-03	**Areas** For each area: activation, order, illustration, legend, "Featured", tips, "Did you know?", linked sessions. Source **Backoffice** · **Figma ref.** AREA-01…08 · **Roles** **Admin**	NEW · FIGMA	PHASE 1
RF-BO-CMS-04	**Check-in symbols** Animals: name, article, image, phrase, order, active. Source **Backoffice** · **Figma ref.** CHK-01 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-CMS-05	**Bloom Fact / "Did you know?"** Catalog of facts for home and areas. Source **Backoffice** · **Figma ref.** AREA-07 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-CMS-06	**Information modals** Text of each "i" modal by section and language. Source **Backoffice** · **Figma ref.** NAV-03 · **Roles** **Admin**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-CMS-07	**Institutional pages** Support/FAQ, SOS information page, Terms and privacy (with version and date; request for re-acceptance when they change). Source **Backoffice** · **Figma ref.** PRO-08, SOS-01 · **Roles** Admin	NEW · FIGMA	PHASE 1
RF-BO-CMS-08	**Bloom Club content** Selection of exclusive content and order of the sections. Source **Backoffice** · **Figma ref.** CLUB-01 · **Roles** Admin	TOR	PHASE 1
RF-BO-CMS-09	**Communication templates** Texts of transactional e-mails and push notifications by language, including the welcome message with the account activation link. Source **Assumption** · **Roles** Admin	NEW · FIGMA	PHASE 1

RF-BO-CMS-01 Daily content

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. DAY-02…07 · Roles Admin

DESCRIPTION

Bloom Daily editorial calendar (**Daily content**), restricted to the Admin: for each day the Admin schedules carousel, Audio, Video, Quote of the day, the "2 minutes for you" practice and Bloom Fact (RF-DAY-02…07, RF-DAY-14), plus the **Fallback content**. Configurable publication time, the same for all users, with the time zone next to the time.

BEHAVIOUR

1. The Admin opens the calendar (week or month view) with the status per day: Published, Scheduled, Draft, Missing.
2. With **New content** she chooses the type and fills in title, subtitle/author, description and media, in Italian and English.
3. She sets the **Bloom Club content** and **Use as fallback content** flags and the personalisation tags.
4. She checks with **Mobile preview**, then saves as Draft, **Schedule**s date and time or publishes immediately.
5. On the date the item appears in the app's Daily; it can be archived later.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS: read, create, edit, delete, publish); lifecycle Draft → Scheduled → Published → Archived. **Export CSV** on the Daily calendar lists (cross requirement).
- The Daily set is published at the configured time, the same for all users, with the time zone next to the time (RF-BO-SET-08); if an item is missing, the fallback of the same type is used.
- Uploads checked for format and size, limits configurable by the Admin (RF-BO-SET-08); videos in HLS; the "2 minutes for you" timer duration is configurable.
- Club flag: medallion and paywall for non-subscribers (RF-NAV-06); Bloom Facts come from RF-BO-CMS-05.

STATES, ERRORS AND EDGE CASES

- Incomplete day: the cell shows "Missing", the warning "N days without complete content" appears and the app uses the fallback.
- File with a format or size not allowed: upload rejected by the format and size check.
- Deletion: confirmation dialog and entry in the audit log.

DATA INVOLVED

Daily item: type, IT/EN texts, media, Club flag, fallback flag, tags · scheduling: date, time, status; Daily publication time and time zone · media: format, size, duration, HLS transcoding status · audit log of actions

ACCEPTANCE CRITERIA

☐ Given an audio scheduled for a day, when the configured publication time is reached, then the Daily shows it and the calendar marks it Published.

☐ Given a day with no Quote scheduled, when the user opens the Daily, then she sees the fallback Quote.

☐ Given an item with the Club flag, when a non-subscriber taps it, then the paywall opens.

☐ Given a Moderator-only user, when she opens the backoffice, then she does not see Daily content.

RF-BO-CMS-02 Articles

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. DAY-10/11 · Roles Admin

DESCRIPTION

Editor for the Professionals' articles (**Articles**), restricted to the Admin. Articles feed the Daily feed (RF-DAY-10/11), the Area cards, the Mentor's profile page (RF-SES-04) and Alba's recommended article (RF-ARE-09).

BEHAVIOUR

1. The Admin opens the list (title, author, area, Club, date, status) with search and the filters All, Published, Scheduled, Drafts.
2. With **New article** she uploads the cover and writes title and formatted body in Italian and English.
3. She chooses author (Mentor), area, category, tags and the **Bloom Club content** flag.
4. She checks with **Preview**, then saves as Draft, **Schedule**s date and time or publishes immediately.
5. **Export CSV** available on the articles list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Admin only: the Mentor is named as author but has no CMS access (RBAC matrix).
- Lifecycle Draft → Scheduled → Published → Archived, with versions per language.
- Club flag: medallion and, for non-subscribers, paywall on tap (RF-CLB-06).
- Area and tags make the article selectable as recommended article (RF-BO-AI-02); the author in the detail opens the Mentor's profile.

STATES, ERRORS AND EDGE CASES

- Mentor or Moderator user: no CMS access (RBAC matrix: CMS —).

DATA INVOLVED

article: title, body, cover, language (IT, EN) · metadata: author (Mentor), area, category, tags, Club flag · publication: date and time, status

ACCEPTANCE CRITERIA

☐ Given a scheduled article, when the date arrives, then it appears in the feed with author, area, date and image.

☐ Given a user with the Mentor role, when she opens the backoffice, then she cannot access Articles.

☐ Given a published article, when the user taps the author, then the Mentor's profile page opens.

RF-BO-CMS-03 Areas

PHASE 1 · New from Figma · Source Backoffice · Figma ref. AREA-01…08 · Roles Admin

DESCRIPTION

Management of the Areas (**Areas**), restricted to the Admin: activation, order, illustration, legend, "Featured", tips, "Did you know?" and linked sessions of the area template (RF-ARE-01…05). Questionnaire and prompt are configured in Alba settings (RF-BO-AI-01/02).

BEHAVIOUR

1. The Admin opens the list of the 9 areas, reorders them and chooses the **Featured area**, shown first in the hub.
2. In an area she fills in name, subtitle, illustration and legend ("i" modal, RF-BO-CMS-06) in Italian and English.
3. She chooses the **Featured** item, the tip cards (2 vertical, 1 horizontal), the "Did you know?" item and the linked sessions.
4. She switches on **Area active**, checks with **Preview** and saves with **Publish**.
5. **Export CSV** available on the areas list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS).
- In Phase 1 only the 6 Phase 1 areas can be activated (Hormonal education, Food & Nutrition, Beauty & Self-care, Astrology & Intuition, Mind & Balance, Style & Expression); Relationships & Emotions, Menstrual tracking and Training & Movement stay "Available in Phase 2" (A1).
- An inactive area does not appear in hub, home, "Customise areas" or recommendations; the user can also deactivate it from her profile (RF-ARE-10).
- The linking of sessions and programs to Areas is also managed in the catalog (RF-BO-CAT-03).

STATES, ERRORS AND EDGE CASES

- Phase 2 area: shown as "Available in Phase 2" and not displayed in hub, home and profile in Phase 1 (A1).

DATA INVOLVED

area: name, subtitle, illustration, order, phase, active, featured · content: Featured, tips, "Did you know?", legend per language · linked sessions and programs

ACCEPTANCE CRITERIA

☐ Given an active area, when the Admin deactivates it and saves, then it no longer appears in hub, home and "Customise areas".

☐ Given a Phase 2 area in Phase 1, when the user opens the hub, then she does not see it.

☐ Given a new order, when the Admin saves, then the hub shows the areas in that order with the featured area first.

RF-BO-CMS-04 Check-in symbols

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. CHK-01 · Roles Admin

DESCRIPTION

Management of the "How are you feeling today?" check-in symbols (**Check-in**), restricted to the Admin: name, grammatical article, image, sentence, order and status of each animal (RF-MOOD-01, RF-MOOD-07). The symbols are also used by the New thought (RF-DIA-04) and the recommendation rules (RF-BO-REC-01).

BEHAVIOUR

1. The Admin opens the list of symbols in carousel order, with the "Today I feel like a/an …" preview and status (Active, Draft).
2. With **New symbol** she fills in name, article and sentence in Italian and English and uploads the image.
3. She sets order and status and saves: active symbols appear in the app carousel.
4. **Export CSV** available on the symbols list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS).
- The carousel shows the active symbols in the configured order.
- The check-in history keeps everything (RF-MOOD-03).
- The backoffice does not show individual users' check-ins.

STATES, ERRORS AND EDGE CASES

- Inactive symbol: it does not appear in the carousel.

DATA INVOLVED

symbol: name, article, image, sentence per language · order, status (Active, Draft)

ACCEPTANCE CRITERIA

☐ Given an active symbol with order 2, when the user opens the check-in, then it appears in second position.

☐ Given the symbol "a Lioness", when the user selects it, then she sees "Today I feel like a Lioness" with the configured sentence.

☐ Given a deactivated symbol, when the user opens the check-in, then she does not see it.

RF-BO-CMS-05 Bloom Fact / "Did you know?"

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. AREA-07 · Roles Admin

DESCRIPTION

Single catalogue of the "Bloom Fact" / "Did you know?" facts, managed by the Admin: it feeds the home Bloom Fact (RF-DAY-14), scheduled in the Daily calendar (RF-BO-CMS-01), and the areas' "Did you know?" section (RF-ARE-04, RF-BO-CMS-03).

BEHAVIOUR

1. The Admin opens the catalogue (text, area, languages, status) and creates or edits a fact in Italian and English.
2. She links it to one or more areas or leaves it generic for the home page.
3. She publishes: the fact can be selected in the Daily calendar and in the areas.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS); lifecycle Draft → Scheduled → Published → Archived.
- Single catalogue for home and areas (RF-DAY-14): a text change applies to both.
- **Export CSV** available on the facts catalogue, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Bloom Fact not scheduled for a day: the app uses fallback content (Daily rule).

DATA INVOLVED

fact: text per language, status · uses: areas, Daily calendar days

ACCEPTANCE CRITERIA

☐ Given a fact assigned to an area, when the user opens the area, then she sees it in "Did you know?".

☐ Given a changed text, when the Admin saves, then the new text appears on the home page and in the areas using it.

☐ Given a Moderator-only user, when she opens the backoffice, then she cannot access the catalogue (RBAC matrix).

RF-BO-CMS-06 Information modals

PHASE 1 · New from Figma · Source Backoffice · Figma ref. NAV-03 · Roles Admin

DESCRIPTION

Texts of the "i" information modals per section and language (**Pages & texts** › **"i" modals**), restricted to the Admin. Each section has one modal (RF-NAV-03), for example "How are you feeling today?", area legends, Alba's disclaimer, "Booking terms", "My journal", Bloom Club, SOS mode.

BEHAVIOUR

1. The Admin opens the list of modals with section and status.
2. She edits **Modal title** and **Text** in Italian and English.
3. She publishes: the app shows the new text with no release.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS); texts can be changed with no app release.
- The "My sessions" modals are Phase 2 (assumption A12).
- The Alba disclaimer text also appears among the guardrails (RF-BO-AI-03).
- **Export CSV** available on the modals list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- "My sessions" modals: Phase 2, not present in the app in Phase 1 (A12).

DATA INVOLVED

modal: section, title, text per language, status · last change and author

ACCEPTANCE CRITERIA

☐ Given a new text for the Journal modal published, when the user taps "i", then she sees it without updating the app.

☐ Given a user whose language is English, when she opens a modal, then she sees the English version.

RF-BO-CMS-07 Institutional pages

PHASE 1 · New from Figma · Source Backoffice · Figma ref. PRO-08, SOS-01 · Roles Admin

DESCRIPTION

Institutional content in **Pages & texts**, restricted to the Admin: Support/FAQ and contacts (RF-PRO-09), SOS page (RF-SOS-01), Terms and conditions and Privacy notice with version and date. When legal documents change, the app asks users to accept them again (RF-AUT-11).

BEHAVIOUR

1. The Admin edits and publishes Support and the SOS page in Italian and English.
2. For legal documents she checks version, effective date, acceptances and status (In effect, Scheduled, Archived).
3. With **New version** she enters text and effective date, then publishes or schedules it.
4. From the effective date the app asks the user to accept again.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS).
- Terms and privacy with version and date; when they change a new acceptance is requested (RF-AUT-11).
- The user's consents are visible in the user detail (RF-BO-USR-02).
- **Export CSV** available on the pages and legal document versions lists, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- New version of Terms or privacy: at access the app requests the new acceptance.

DATA INVOLVED

institutional page: type, content per language, status · legal document: version, text, effective date, status · acceptance: user, document, version, date and time

ACCEPTANCE CRITERIA

☐ Given a new version of the Terms in effect, when the user accesses the app, then she is asked to accept it.

☐ Given the acceptance, when the Admin opens the user detail, then she sees it among the consents.

RF-BO-CMS-08 Bloom Club content

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. CLUB-01 · Roles Admin

DESCRIPTION

Management of the Bloom Club page (**Bloom Club**), restricted to the Admin: selection of exclusive content and order of the sections Premium sessions and programs, Video and audio, Articles (RF-CLB-05). Plan prices are managed in RF-BO-SET-07.

BEHAVIOUR

1. The Admin opens the page with the sections and the selected content.
2. With **Add content** she chooses published items flagged Bloom Club; with **Reorder** she changes the order of sections and items.
3. She checks with **Preview** and saves: the app's Club page updates.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS).
- Premium flag of articles and Daily content in RF-BO-CMS-01/02; "Bloom Club only" flag of sessions and programs in RF-BO-CAT-01/02.
- Full access for subscribers; for non-subscribers a tap opens the paywall (RF-CLB-06).
- **Export CSV** available on the selected content list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Plan prices: not managed here but in RF-BO-SET-07, aligned with the stores' in-app products.

DATA INVOLVED

sections: type, order · selected items: reference, order within the section

ACCEPTANCE CRITERIA

☐ Given a Club video added to the Video and audio section, when a subscriber opens the Club page, then she sees it in the configured position.

☐ Given a non-subscriber, when she taps an item on the Club page, then the paywall opens.

RF-BO-CMS-09 Communication templates

PHASE 1 · New from Figma · Source Assumption · Roles Admin

DESCRIPTION

Texts of transactional communications, email and push, per language (**Pages & texts** › **Communications**), restricted to the Admin. They include the welcome message with the activation link (RF-AUT-18, RF-NOT-06) and the RF-NOT events: password reset, confirmation and receipt, reminders with the call link, cancellation and refund, new date proposed, Mentor note published or edited, rating request, expert answer, subscription, Mentor reminders (RF-NOT-08), backoffice invitation.

BEHAVIOUR

1. The Admin opens the list with event, channel (Email, Push), languages and last change.
2. She edits subject and text in Italian and English using the event's placeholders (e.g. name, activation link, call link).
3. She publishes: the following messages use the new text.
4. **Export CSV** available on the templates list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Admin only (RBAC matrix, CMS).
- Texts per language (Italian and English); the language is chosen by the user in her profile (RF-PRO-10).
- The welcome message contains the account activation link (RF-NOT-06).
- Session confirmation and reminders contain the link to the booking page with "Join", not the call link (RF-NOT-02).

STATES, ERRORS AND EDGE CASES

- Backoffice users: no email verification, they access by invitation (RF-AUT-18, RF-BO-ACC-01).

DATA INVOLVED

template: event, channel, language, subject, text, placeholders · last change and author

ACCEPTANCE CRITERIA

☐ Given a new welcome text, when a user signs up with email, then she receives the new text with the activation link.

☐ Given a Moderator-only user, when she opens the backoffice, then she cannot access Communications (RBAC matrix).

☐ Given an invited backoffice user, when she receives the email, then it is the "Backoffice invitation" template.

ALBA SETTINGS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-AI-01	**Area questionnaires** Questionnaires defined and configured by the Admin via CMS: title, questions, different question types (e.g. single or multiple selection), options with illustration, order. Source **Backoffice** · **Figma ref.** AREA-09 · **Roles** **Admin**	NEW · FIGMA	PHASE 1
RF-BO-AI-02	**Prompts and output** System prompt and templates per flow (Areas, Journal, chat), output schema, recommended article by tag. Source **Backoffice** · **Figma ref.** ALBA-10 · **Roles** **Admin**	NEW · FIGMA	PHASE 1
RF-BO-AI-03	**Guardrails** Excluded topics, refusal messages, escalation rules to 1522 and SOS, disclaimer text. Source **Backoffice** · **Figma ref.** ALBA-08/09 · **Roles** **Admin**	TOR	PHASE 1
RF-BO-AI-04	**Usage limits** Thresholds for free and Club, parameterised and editable by the Admin. Source **Backoffice** · **Roles** **Admin**	TOR	PHASE 1
RF-BO-AI-05	**Journal factors** Options for the "factor" step of the New thought. Source **Backoffice** · **Roles** **Admin**	TOR	PHASE 1

RF-BO-AI-01 Area questionnaires

PHASE 1 · New from Figma · Source Backoffice · Figma ref. AREA-09 · Roles Admin

DESCRIPTION

Configuration of the questionnaires of the 6 Areas generative flows (**Alba settings** › **Questionnaires**), defined and configured by the Admin via the CMS: title, questions, several question types (e.g. single or multiple choice), options with illustration, order. These are the questionnaires behind the "Create…" CTA (RF-ARE-07); the answers feed the prompt (RF-BO-AI-02).

BEHAVIOUR

1. The Admin selects the flow (Hormonal profile, Daily meal plan, Beauty ritual, Intuition of the day, Breath of the day, Style of the day).
2. She edits title, questions and options in Italian and English, with illustration, order and question type (e.g. **Single choice**, **Multiple choice**); **Add question** creates a new one.
3. She checks with **Try the flow** and goes live with **Publish changes**.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Alba settings: read, create, edit, delete).
- In the app "Save" is enabled only when the questionnaire is complete (RF-ARE-07); questions follow the specific areas (e.g. RF-ALI-01: 4 questions, multiple preferences), with the options in Appendix C.
- **Export CSV** available on the questionnaire questions list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Generated result: it expires every day (RF-ARE-08).

DATA INVOLVED

questionnaire: title; question: flow, text per language, order, question type · option: label per language, illustration, order · audit log with previous and new value

ACCEPTANCE CRITERIA

☐ Given a new question published, when the user starts the flow, then she sees it in the configured position.

☐ Given a Multiple choice question, when the user answers, then she can pick several options.

☐ Given an edited questionnaire title, when the user opens the flow, then she sees the new title.

RF-BO-AI-02 Prompts and output

PHASE 1 · New from Figma · Source Backoffice · Figma ref. ALBA-10 · Roles Admin

DESCRIPTION

Alba's prompts and output per flow (6 Areas flows, Journal New thought, chat) in **Alba settings** › **Prompt and output**, restricted to the Admin: system instructions and template with variables, output schema and rule for the recommended article by tag. The engine follows the offer: RAG, LLM, content policy, rate limiting (RF-ALB-08, A10).

BEHAVIOUR

1. The Admin selects the flow and sees **System instructions** with version and date, available variables and **Output schema**.
2. She edits instructions, template and schema; in **Recommended article** she sets the rule by tag and area.
3. She tests with **Generate preview** on sample answers.
4. She goes live with **Publish changes**: the new version applies to the following generations.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Alba settings).
- Empathetic, non-clinical tone, user's language, no diagnosis (RF-ALB-06); output validated against the schema (RF-ALB-08).
- The recommended article is chosen from the catalogue by tag or area, not generated (RF-ARE-09); the Journal thought is signed "Alba" (RF-ALB-09).
- The backoffice does not show Alba conversations or Journal content; conversations are encrypted and not used to train the provider's models.

STATES, ERRORS AND EDGE CASES

- Off-topic or medical request: handled by the guardrails (RF-BO-AI-03, RF-ALB-07).

DATA INVOLVED

flow configuration: instructions, template, variables, output schema · prompt version: number, date, author · recommended article rule: tags, area

ACCEPTANCE CRITERIA

☐ Given a new Meal plan prompt published, when the user generates the plan, then the new version is used.

☐ Given a flow result, when the user opens it, then the recommended article comes from the catalogue and matches tag or area.

☐ Given a prompt update, when the Admin opens the audit log, then she sees previous and new version.

RF-BO-AI-03 Guardrails

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. ALBA-08/09 · Roles Admin

DESCRIPTION

Alba's guardrails (**Alba settings** › **Guardrail**), restricted to the Admin: excluded topics, refusal message, escalation to 1522 and SOS mode when risk signals appear, and the disclaimer text of the "Alba" modal. They apply the content policy of RF-ALB-06/07.

BEHAVIOUR

1. In **Scope and refusals** the Admin manages the excluded topics and the **Refusal message** in Italian and English.
2. In **Disclaimer** she edits the text of the "Alba" modal.
3. In **Safety escalation** she configures the risk signals and the message proposing 1522 and SOS mode.
4. She publishes: the rules apply to the following answers.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Alba settings).
- Alba refuses or redirects off-topic or medical requests and gives no diagnosis (RF-ALB-06/07).
- When risk signals appear Alba proposes 1522 or SOS mode (RF-ALB-07).

STATES, ERRORS AND EDGE CASES

- Off-topic or medical request: refusal or redirection with the configured message (RF-ALB-07).

DATA INVOLVED

excluded topics, refusal message per language · disclaimer per language · escalation: risk signals, message, emergency number

ACCEPTANCE CRITERIA

☐ Given an excluded topic published, when the user asks Alba about it, then she receives the refusal message.

☐ Given a message with risk signals, when the user sends it, then Alba proposes 1522 or SOS mode.

☐ Given a new disclaimer, when the user opens the "Alba" modal, then she sees the new text.

RF-BO-AI-04 Usage limits

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Alba's usage limits (**Alba settings** › **Usage limits**), restricted to the Admin: per-user rate limiting with different thresholds for free users and Bloom Club (Alba Pro), configurable from the backoffice (RF-ALB-12/13). Threshold values are to be defined (open point).

BEHAVIOUR

1. The Admin opens the table per plan (Free, Bloom Club) with the message and generation thresholds.
2. She edits the thresholds of each plan.
3. She publishes: the new thresholds apply to the following requests.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Alba settings).
- Per-user rate limiting, different for free and Club (RF-ALB-13).
- Thresholds parametrised and editable by the Admin; values to be defined (open point "Alba limits").
- **Export CSV** available on the thresholds table, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- User exceeding her plan's threshold: rate limiting applies (RF-ALB-13).

DATA INVOLVED

thresholds per plan (messages, generations) · usage counters per user

ACCEPTANCE CRITERIA

☐ Given a free user at the free threshold, when she sends a request, then the request is limited.

☐ Given a Club subscriber above the free threshold but below the Club one, when she sends a request, then it is processed.

RF-BO-AI-05 Journal factors

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Options of the "factor" step of the Journal's New thought, managed by the Admin in **Alba settings** (New thought flow). In Phase 1 the flow has 3 steps (RF-DIA-04, A3); options: Myself, People around me, Work/Study, Relationships, Physical wellbeing, Thoughts/Stress.

BEHAVIOUR

1. The Admin selects the **New thought** flow and sees the options with order and status.
2. She edits labels in Italian and English, adds or removes options, changes the order.
3. She publishes: step 2 shows the new options.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Alba settings: read, create, edit, delete).
- The factor is step 2 of the Phase 1 New thought, before Alba's generation (RF-DIA-04).
- **Export CSV** available on the options list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Phase 2: the 3-step flow is replaced by the 4-question creation (RF-DIA-10, A3).

DATA INVOLVED

option: label per language, order · audit log of the changes

ACCEPTANCE CRITERIA

☐ Given a new option published, when the user reaches step 2, then she sees it in the configured position.

☐ Given a Moderator-only user, when she opens the backoffice, then she cannot access Alba settings (RBAC matrix).

RECOMMENDATIONS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-REC-01	**Rules** Association between mood, onboarding goals, areas and content; weights. Source **Backoffice** · **Figma ref.** DAY-09 · **Roles** **Admin**	NEW · FIGMA	PHASE 1
RF-BO-REC-02	**Featured content** Content pinned manually for a period. Source **Backoffice** · **Roles** **Admin**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-REC-01 Rules

PHASE 1 · New from Figma · Source Backoffice · Figma ref. DAY-09 · Roles Admin

DESCRIPTION

Rules of "Bloom recommends" (RF-DAY-09) in the **Recommendations** item, restricted to the Admin. Each rule links a condition (check-in symbol, onboarding goals, active areas) to content to show, with a weight that sets its priority (RF-MOOD-06).

BEHAVIOUR

1. The Admin opens the **Rules** tab: condition (IF), content (THEN SHOW), weight and status.
2. With **New rule** she defines the condition and chooses Daily content, articles, sessions or area content.
3. She sets the weight (in the design: High, Medium, Low) and status (Active, Draft).
4. She checks with **Simulate for a profile** and saves.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Recommendations: read, create, edit, delete).
- Content from areas deactivated (Admin or user, RF-ARE-10) and Phase 2 areas in Phase 1 is excluded; Club content shows medallion and paywall to free users.
- The backoffice does not show individual users' check-ins.
- **Export CSV** available on the rules list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Area deactivated by the user in her profile: its content does not appear in recommendations (RF-ARE-10).

DATA INVOLVED

rule: condition, content, weight, status · user data in the computation: latest check-in, goals, active areas

ACCEPTANCE CRITERIA

☐ Given a rule "check-in = Bear" showing an audio, when the user records Bear, then the audio appears in "Bloom recommends".

☐ Given an area deactivated by the user, when a rule points to its content, then it is not recommended to her.

RF-BO-REC-02 Featured content

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Content pinned manually in "Bloom recommends" for a period (**Recommendations** › **Highlights**), restricted to the Admin, regardless of the rules of RF-BO-REC-01.

BEHAVIOUR

1. In **Manually pinned content** the Admin uses **Manage** and chooses an item.
2. She sets start and end date, or no expiry, and saves.
3. During the period the item appears in "Bloom recommends"; afterwards it is no longer shown.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Recommendations: read, create, edit, delete).
- The period bounds the presence of the pinned item in "Bloom recommends" (RF-DAY-09).
- **Export CSV** available on the pinned content list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- End of the period: the item is no longer pinned.

DATA INVOLVED

pinned item: reference, start date, end date or no expiry · audit log of the changes

ACCEPTANCE CRITERIA

☐ Given an item pinned from 12 to 19 October, when the user opens the Daily on the 15th, then she sees it in "Bloom recommends".

☐ Given the same item, when the user opens the Daily on the 20th, then the pinning is no longer active.

COMMUNITY MODERATION

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-MOD-01	**Report queue** Content, author, reason, number of reports, date. When the report threshold is reached the Moderator receives a notification and decides whether to hide the content; if the automatic hiding flag is enabled (RF-BO-SET-09), the content is hidden from the Community. Source **Backoffice** · Roles **Moderator · Admin**	TOR	PHASE 1
RF-BO-MOD-02	**Actions** Ignore, hide, delete, warn the user, 7-day, 30-day or permanent ban, with reason. Source **Backoffice** · Roles **Moderator · Admin**	TOR	PHASE 1
RF-BO-MOD-03	**Automatic filters** Banned words and content; content held for review. Source **Backoffice** · Roles **Moderator · Admin**	TOR	PHASE 1
RF-BO-MOD-04	**History and statistics** Log of actions and violation statistics. Source **Backoffice** · Roles **Moderator · Admin**	TOR	PHASE 1

RF-BO-MOD-01 Report queue

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Moderator · Admin

DESCRIPTION

Community reports queue (**Moderation**) for Moderator and Admin: posts, comments and users reported from the app with a reason (RF-COM-08), with content, author, reason, number of reports and date. From here the detail with the actions opens (RF-BO-MOD-02).

BEHAVIOUR

1. A user reports in the app: the element enters the queue; further reports on the same element increase the counter.
2. When the report threshold is reached (RF-BO-SET-09) the Moderator is notified and decides whether to hide the content.
3. The Moderator checks the Open, In review and Closed tabs, with search and filters by type (Post, Comments, Users).
4. She opens an element and decides the action; once applied, it moves to Closed.
5. **Export CSV** available on the reports queue, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Moderator and Admin: read and all actions (RBAC matrix); the Mentor has no access.
- For each element: content, author, reason, number of reports and date.
- Content held for review by the filters is handled in RF-BO-MOD-03; the open counter is in the side menu and in RF-BO-DASH-02.
- The queue shows only public Community content, never Journal, Alba or check-ins.

STATES, ERRORS AND EDGE CASES

- Threshold reached with the automatic hiding flag on (RF-BO-SET-09): the content is hidden from the Community; without the flag it stays visible until the decision.

DATA INVOLVED

report: element, reporter, reason, date and time · queue element: type, author, number of reports, status, automatically hidden · notification to the Moderator when the threshold is reached

ACCEPTANCE CRITERIA

- ☐ Given a post reported by three users, when the Moderator opens the queue, then she finds it with 3 reports.
- ☐ Given the Comments filter, when the Moderator applies it, then she sees only comments.
- ☐ Given a Mentor, when she tries to open the queue, then access is denied.
- ☐ When the threshold is reached, the Moderator is notified; with the flag on the content is hidden from the Community.

RF-BO-MOD-02 Actions

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Moderator · Admin

DESCRIPTION

Moderation actions in the detail of a report, for Moderator and Admin: dismiss, hide, delete, warn the user, 7-day, 30-day or permanent ban, always with a reason. The detail shows content, reports received and the author's history.

BEHAVIOUR

1. The Moderator opens the report: content, reports (reporter, reason, time) and **Author history**.
2. She chooses **Dismiss (no violation)**, **Keep hidden**, **Delete content**, **Notify the author**, **Temporary ban** (7 or 30 days) or **Permanent ban**.
3. She fills in the **Reason** and an optional **Internal note**; for a ban she chooses 7 days, 30 days or permanent and confirms with **Confirm ban**.
4. With **Apply decision** the action runs, the report closes and, where applicable, the author is notified with the reason.

RULES AND VALIDATIONS

- Moderator and Admin: all actions (RBAC matrix); reason mandatory.
- Deletion and ban require confirmation and are recorded in the audit log.
- The action is recorded and, where applicable, notified to the author (moderation flow).

STATES, ERRORS AND EDGE CASES

- Missing reason: the action cannot be applied.
- Confirmation dialog cancelled: no action performed.

DATA INVOLVED

decision: action, reason, internal note, author, date and time · ban: user, duration (7 days, 30 days, permanent), reason sent · content status; author history

ACCEPTANCE CRITERIA

☐ Given a reported post, when the Moderator deletes it with a reason and confirms, then it disappears from the app and is in the audit log.

☐ Given a Mentor, when she tries to access moderation actions, then access is denied (RBAC matrix).

☐ Given a ban, when the Moderator chooses the duration, then the options are 7 days, 30 days and permanent.

RF-BO-MOD-03 Automatic filters

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Moderator · Admin

DESCRIPTION

Community automatic filters (**Automatic filters**) for Moderator and Admin: banned words and content; posts and comments containing them are held for review before publication, alongside manual review (RF-COM rule).

BEHAVIOUR

1. The Moderator sees the filters with rule, type, action and recent matches.
2. With **New filter** she defines keywords, a pattern (e.g. external links) or a list of terms and saves.
3. Matching content is held and appears In review in the queue (RF-BO-MOD-01).
4. The Moderator reviews the held content and decides, including with the actions of RF-BO-MOD-02.

RULES AND VALIDATIONS

- Moderator and Admin (RBAC matrix, Moderation).
- Content with banned words or content is held for review and not published immediately.
- Filter changes and decisions are recorded in the audit log.
- **Export CSV** available on the filters list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- User with the Mentor role: no access (RBAC matrix).

DATA INVOLVED

filter: rule, type, action, status · held content: triggered filter, date, outcome

ACCEPTANCE CRITERIA

☐ Given an active filter, when a user publishes a post that triggers it, then the post is not in the feed but In review.

☐ Given a Mentor, when she tries to open Automatic filters, then access is denied.

RF-BO-MOD-04 History and statistics

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Moderator · Admin

DESCRIPTION

History of moderation actions and violation statistics (**Statistics**), for Moderator and Admin. For the Moderator this is the only analytics she can access (RBAC matrix: Analytics, moderation).

BEHAVIOUR

1. The Moderator sees the period indicators: reports received, average handling time, removed content, Q&A answered on time, report reasons.
2. She changes the reference period: indicators and charts update.
3. She checks the history of actions with search and filters.

RULES AND VALIDATIONS

- Moderator and Admin; the full audit log stays restricted to the Admin (RF-BO-ANA-02).
- Each action is in the history with author, date, action, reason and object.
- Statistics are aggregated only, with no private user data.
- **Export CSV** available on the actions history, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Mentor-only user: no access (RBAC matrix).

DATA INVOLVED

history: action, moderator, date and time, reason, object · indicators and report reasons per period

ACCEPTANCE CRITERIA

☐ Given a deletion applied, when the history is opened, then it appears with moderator, date, reason and object.

☐ Given a Moderator-only user, when she opens the backoffice, then she sees Statistics but not Audit log.

EXPERT Q&A

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-QA-01	**Question list** Filters by status (to assign, assigned, answered) and Club. The category filter arrives in Phase 2 (RF-COM-12). Source **Backoffice** · Figma ref. COM-10 · Roles **Moderator · Admin**	NEW · FIGMA	PHASE 1
RF-BO-QA-02	**Assignment** Manual assignment to a Mentor; deadlines highlighted for Club questions. Source **Backoffice** · Figma ref. CLUB-07 · Roles **Moderator · Admin**	NEW · FIGMA	PHASE 1
RF-BO-QA-03	**Answer** The Mentor answers from the backoffice and publishes the answer with "Publish answer" (there is no draft); the answer appears as "Expert's answer". Source **Backoffice** · Figma ref. COM-10 · Roles **Mentor**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-QA-01 Question list

PHASE 1 · New from Figma · Source Backoffice · Figma ref. COM-10 · Roles Moderator · Admin

DESCRIPTION

List of questions to experts (**Expert Q&A**) for Moderator and Admin: Community Q&A posts (RF-COM-06) and Club questions sent with "Ask your question" (RF-CLB-07), filterable by status (to assign, assigned, answered) and Club; the category filter comes in Phase 2 (RF-COM-12).

BEHAVIOUR

1. A question posted in the app enters the **To assign** tab.
2. The Moderator checks the **To assign**, **Assigned** and **Answers** tabs (question, author, Club, deadline, status) and filters by status and Club.
3. She assigns the question (RF-BO-QA-02); once the answer is published it moves to **Answers**.
4. **Export CSV** available on the questions list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Moderator and Admin: read and assign (RBAC matrix); the Mentor sees only her own questions (RF-BO-MAREA-04).
- Club questions have a guaranteed answer and highlight the time left before the deadline.
- The number of pending Q&A is in the side menu and in the dashboards (RF-BO-DASH-01/02).
- Category filter: Phase 2 (RF-COM-12).

STATES, ERRORS AND EDGE CASES

- Mentor user: sees only her assigned questions in her own area, not the list (RBAC matrix).

DATA INVOLVED

question: text, author, date, Club, status (category in Phase 2) · assignment: Mentor, date; deadline (Club)

ACCEPTANCE CRITERIA

☐ Given a new Q&A question in the app, when the Moderator opens Expert Q&A, then she finds it in To assign.

☐ Given the Club filter, when the Moderator applies it, then she sees only subscribers' questions with the deadline.

☐ Given a Mentor-only user, when she opens the page, then access is denied.

RF-BO-QA-02 Assignment

PHASE 1 · New from Figma · Source Backoffice · Figma ref. CLUB-07 · Roles Moderator · Admin

DESCRIPTION

Manual assignment of a Q&A question to a Mentor by the Moderator or Admin, with deadlines highlighted for Club questions. The Mentor finds the question in her area (RF-BO-MAREA-04).

BEHAVIOUR

1. The Moderator selects a question To assign and chooses **Assign**.
2. The **Assign question** dialog shows text, author, Club indicator and Mentors with qualification and open questions.
3. She selects the Mentor and confirms: the question moves to Assigned.

RULES AND VALIDATIONS

- Moderator and Admin (RBAC matrix: assign); manual assignment to a Mentor.
- The Club deadline is highlighted; the assignment is recorded in the audit log.

STATES, ERRORS AND EDGE CASES

- Mentor-only user: cannot assign (RBAC matrix: Mentor read, create on her own questions).

DATA INVOLVED

assignment: question, Mentor, author, date and time · question status

ACCEPTANCE CRITERIA

☐ Given a question To assign, when the Moderator assigns it, then it moves to Assigned with the Mentor's name.

☐ Given the assignment, when the Mentor opens her area, then she finds the question among the assigned Q&A.

RF-BO-QA-03 Answer

PHASE 1 · New from Figma · Source Backoffice · Figma ref. COM-10 · Roles Mentor

DESCRIPTION

The Mentor's answer to assigned questions, written in **Assigned Q&A** in her space. The published answer appears in the post as "Expert answer" (RF-COM-06) and the author is notified (RF-NOT-03).

BEHAVIOUR

1. The Mentor opens **To answer** (question, category, Club, deadline) and selects a question.
2. She writes in **Your answer** and publishes it with **Publish answer** (there is no draft).
3. With **Publish answer** the answer appears in the post with the Mentor's name and, if verified, badge; the question moves to **Published answers**.

RULES AND VALIDATIONS

- Only the assigned Mentor answers; a published answer cannot be edited (RBAC matrix: read, create on own questions, no edit right).
- The badge depends on the "SheBloom Verified" verification (RF-BO-MEN-03); the Club deadline is also in the dashboard (RF-BO-DASH-03).
- **Export CSV** available on the assigned questions list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Question of another Mentor: not visible, access denied.

DATA INVOLVED

answer: text, Mentor, status (published), date · notification to the author

ACCEPTANCE CRITERIA

☐ Given an assigned question, when the Mentor publishes the answer, then the post shows the "Expert answer" and the author is notified.

☐ Given an answer already published, when the Mentor reopens it, then she cannot edit it.

SOS SETTINGS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-SOS-01	**Parameters** Default emergency number, default message text, whitelist of support contacts. There is a single disguised interface (flower shop). Source **Backoffice** · **Figma ref.** SOS-07/09 · **Roles** **Admin**	TOR	PHASE 1

RF-BO-SOS-01 Parameters

PHASE 1 · Defined in the TOR · Source Backoffice · Figma ref. SOS-07/09 · Roles Admin

DESCRIPTION

Default parameters of SOS mode (**SOS**, System group), restricted to the Admin: emergency number (default 1522), default message text and whitelist of support contacts. They feed the call and message of the disguised interface, which is a single one (flower shop, RF-SOS-05…09).

BEHAVIOUR

1. The Admin confirms or changes the **Default emergency number**.
2. She edits the **Default message text** in Italian and English with the placeholders for name and location link.
3. She manages the **Support contacts (whitelist)**; no cover screens are chosen, as the disguised interface is a single one (flower shop).
4. She saves: the values apply to the app and the change is in the audit log.
5. **Export CSV** available on the support contacts whitelist, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Admin only (RBAC matrix, SOS settings: read, edit).
- Default emergency number 1522, configurable from the backoffice; the user can replace it from her profile (RF-SOS-09).
- Preset message with name and location link, customisable by the user (RF-SOS-07); location taken once, at send time; use of Google Maps for the link: open point.
- SOS event log with minimal retention (RF-SOS-11).

STATES, ERRORS AND EDGE CASES

- User without the Admin role: no access (RBAC matrix: SOS settings Admin only).

DATA INVOLVED

default emergency number · default text per language, placeholders · whitelist: name, number

ACCEPTANCE CRITERIA

☐ Given a new default number saved, when a user without a custom number uses the call, then the new number is called.

☐ Given a new default text saved, when the user opens the SOS message in the app, then she finds the new preset text.

APP SETTINGS

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-SET-01	**Feature flags** Activation of features for a percentage of users (including Phase 2 features). Source **Backoffice** · Roles **Admin**	TOR	PHASE 1
RF-BO-SET-02	**Languages and currency** Active languages (Italian and English), default language and currency (EUR by default, parameterised for a possible future change). Source **Backoffice** · Roles **Admin**	TOR	PHASE 1
RF-BO-SET-03	**Session policy** Free cancellation threshold (default 24 h), slot hold duration, versioned text of the policy accepted at booking (S1), reporting window (48 h from the session start time). Source **Backoffice** · Figma ref. SES-09 · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-SET-04	**Mentor defaults** Default value of the "Profile editing allowed" and "Offering editing allowed" flags. Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-SET-05	**Security** Default 2FA policy per role and session timeout. Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-SET-06	**Outcome rules** Two rules that can be enabled individually, each with a configurable text shown to the user: User no-show → no refund; Mentor no-show → full refund and a report against the Mentor (S7). Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-SET-07	**Bloom Club prices** Monthly and annual prices shown in the app (default €4.99/month and €39.99/year), updatable by the Admin and aligned with the in-app products configured in the stores. Source **Backoffice** · Figma ref. CLUB-04 · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-SET-08	**Content parameters** Format and size limits for uploaded media, configurable by the Admin; Daily publication time and time zone (RF-BO-CMS-01). Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-SET-09	**Moderation parameters** Report threshold that triggers the notification to the Moderator and flag to enable automatic hiding of the content from the Community (RF-BO-MOD-01). Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-SET-01 Feature flags

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Feature flags (**Settings** › **Feature flag**), restricted to the Admin: features enabled for a percentage of users, Phase 2 features included, with no new releases. The table shows feature, phase, audience and status.

BEHAVIOUR

1. The Admin opens the features table.
2. For a feature she sets the audience (percentage of users) and the status (e.g. off, in testing, active).
3. She saves: the app applies the new status to the users in the audience; the change is in the audit log.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, App settings: read, edit).
- Activation by percentage of users, Phase 2 features included.
- **Export CSV** available on the features table, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- User without the Admin role: no access (RBAC matrix).

DATA INVOLVED

feature flag: feature, phase, audience, status · audit log with previous and new value

ACCEPTANCE CRITERIA

☐ Given a feature at 0%, when a user opens the app, then it is not available.

☐ Given a feature at 100% and active, when a user opens the app, then it is available.

RF-BO-SET-02 Languages and currency

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Active languages, default language and currency (**Settings** › **General**), restricted to the Admin. App and backoffice languages: Italian and English, chosen by each user in her profile (RF-PRO-10). Currency EUR, parametrised for a possible future change.

BEHAVIOUR

1. The Admin sees the active languages (Italian, English) and the **Default language**.
2. She chooses the default language among the active ones and checks the currency (EUR).
3. She saves: the change is in the audit log.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Settings).
- The user's language is chosen in her profile (RF-PRO-10); each backoffice user chooses her own language.
- Single currency EUR, a system parameter for prices and Stripe payments of sessions and programs; Bloom Club prices are in RF-BO-SET-07 (IAP).

STATES, ERRORS AND EDGE CASES

- Currency change: foreseen as a future possibility; the currency is EUR (decision).

DATA INVOLVED

active languages, default language · system currency (EUR)

ACCEPTANCE CRITERIA

☐ Given English saved as default, when the Admin reopens the tab, then the default language is English and the audit log records it.

☐ Given a user with English in her profile, when she opens the app, then she sees the texts in English.

RF-BO-SET-03 Session policy

PHASE 1 · New from Figma · Source Backoffice · Figma ref. SES-09 · Roles Admin

DESCRIPTION

Session policy (**Settings** › **Session policy**), restricted to the Admin: free cancellation threshold (default 24 h), slot hold during payment, versioned policy text accepted at booking (S1) and reporting window (48 h from the session start time).

BEHAVIOUR

1. The Admin sets **Free cancellation up to** (default 24 hours) and **Slot hold during payment** (10 minutes, RF-SES rules).
2. She sets the **Window for reports** (48 hours from the session start time).
3. She writes the new policy version in Italian and English, shown with the checkbox and the "Booking terms" modal (RF-SES-09), and publishes it with **Publish new version**.
4. The **Published versions** list shows date, acceptances and status; changes are in the audit log.
5. **Export CSV** available on the published versions list, as for every backoffice table (cross requirement).

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Settings).
- Within the threshold a cancellation is refunded to the original method; beyond it, it is not refundable (RF-MYS-07, A4).
- The policy (S1) includes reports within the window, then session held, and no refund for user no-show, including a single program meeting; date, time and version are recorded.
- Open points of the policy: what happens if the user does not accept the new date proposed by the Mentor; partial refunds.

STATES, ERRORS AND EDGE CASES

- Report more than 48 hours after the start time: not possible, the session counts as held.

DATA INVOLVED

thresholds: free cancellation, slot hold, reporting window · policy version: text per language, date, status, acceptances · acceptance: booking, version, date and time

ACCEPTANCE CRITERIA

☐ Given the 24-hour threshold, when the user cancels 30 hours before, then she is refunded; 10 hours before, she is not.

☐ Given a new version published, when the user books, then the checkbox shows the new text and the version is recorded.

☐ Given a report 49 hours after the session start, then it is not accepted and the session counts as held.

RF-BO-SET-04 Mentor defaults

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Default value of the **"Profile editing allowed"** and **"Offering editing allowed"** flags (**Settings** › **Mentor defaults**), restricted to the Admin: the initial value given to new Mentors (RF-BO-MEN-05), then editable for each one.

BEHAVIOUR

1. The Admin switches the two flags on or off as initial values.
2. She saves: the change is in the audit log.
3. When a Mentor is created the flags take these values, then editable on her page.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Settings).
- Flag on: the Mentor's changes are published immediately; flag off: read-only; no approval flow (RF-BO-MAREA-01/02).

STATES, ERRORS AND EDGE CASES

- Flag off: the Mentor sees the data read-only and changes must be requested from the Admin.

DATA INVOLVED

default of the two flags · Mentor's flags at creation

ACCEPTANCE CRITERIA

☐ Given the "Offering editing allowed" default off, when the Admin creates a Mentor, then the Mentor sees her offering as read-only.

☐ Given the "Profile editing allowed" default on, when the Admin creates a Mentor, then the Mentor's profile changes are published immediately.

RF-BO-SET-05 Security

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Backoffice security (**Settings** › **Security**), restricted to the Admin: default 2FA policy per role and session timeout after inactivity. 2FA (TOTP) on by default for Admin and Moderator, can be switched off per user; optional for Mentors (RF-BO-ACC-03).

BEHAVIOUR

1. The Admin checks or changes **2FA required for Admin**, **2FA required for Moderator** and **2FA for Mentors** (optional).
2. She sets the **Session timeout after inactivity** (value proposed in RF-BO-ACC-05: 30 minutes).
3. She saves: the change is in the audit log; per-user exceptions are handled in Backoffice users.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Settings).
- Switching 2FA off for a user and resetting the second factor are Admin actions, recorded in the audit log (RF-BO-ACC-03/04).
- When the inactivity timeout expires the session ends and a new sign-in is required.

STATES, ERRORS AND EDGE CASES

- User whose 2FA was switched off by the Admin: signs in with password only until it is switched back on.

DATA INVOLVED

2FA policy per role, per-user exceptions · session timeout

ACCEPTANCE CRITERIA

☐ Given 2FA switched off by the Admin for a user, when the audit log is opened, then the change is recorded.

☐ Given a Mentor, when she signs in, then 2FA is not mandatory.

☐ Given the configured timeout, when a user stays inactive beyond it, then she must sign in again.

RF-BO-SET-06 Outcome rules

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Outcome rules (S7) in **Settings**, restricted to the Admin: two rules enabled individually, each with a text shown to the user. User no-show → no refund; Mentor no-show → full refund and a flag on the Mentor, with the new session proposed being paid.

BEHAVIOUR

1. The Admin enables or disables each rule and edits its text in Italian and English; she saves.
2. Mentor's questionnaire with **User no-show** (S3): "User no-show", no refund, the session enters the Mentor's session report.
3. User's **Report a problem** for Mentor absence (RF-MYS-14): "Mentor no-show", full refund, flag and "Reschedule" notification to the Mentor.
4. The new session proposed by the Mentor with "Reschedule" after their no-show is paid; the user sees the text of the rule applied.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Settings).
- The refund goes through Stripe to the original method (A4); the flag feeds the counter of RF-BO-MEN-07.
- User reports only within 48 hours of the start time (RF-BO-SET-03); the platform does not handle technical problems.

STATES, ERRORS AND EDGE CASES

- Rule disabled: the outcome is not applied (rules apply "if active", chapter 7.3).
- Report more than 48 hours after the start time: not possible, the session counts as held.
- Mentor who had declared "Held": the report leads to "Outcome under review" and the refund is made only after the Admin's decision (RF-BO-BKG-07).

DATA INVOLVED

rule: type, enabled, text per language · booking: status, questionnaire outcome · refund and flag on the Mentor

ACCEPTANCE CRITERIA

☐ Given the Mentor no-show rule active, when the user reports the absence within 48 hours of the start, then she is refunded and the Mentor's counter increases.

☐ Given the User no-show rule enabled, when the Mentor closes with "User no-show", then there is no refund and the session enters the Mentor's session report.

☐ Given a disabled rule, when the case occurs, then the outcome is not applied automatically.

RF-BO-SET-07 Bloom Club prices

PHASE 1 · New from Figma · Source Backoffice · Figma ref. CLUB-04 · Roles Admin

DESCRIPTION

Prices of the Bloom Club monthly and annual plans shown in the app (**Settings**), restricted to the Admin: default €4.99/month and €39.99/year, editable by the Admin and aligned with the in-app products configured on the stores (RF-CLB-02).

BEHAVIOUR

1. The Admin opens the Bloom Club prices with the current values of the monthly and annual plans.
2. She updates the price of one or both plans and saves; the change is in the audit log.
3. The app paywall shows the new prices (RF-CLB-02).
4. Purchase stays in-app: prices match the products configured on the stores.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, App settings: read, edit).
- Default values: €4.99/month and €39.99/year; currency EUR (RF-BO-SET-02).
- Purchase always in-app (StoreKit 2, Google Play Billing) with server-side validation; the Club does not go through Stripe.
- Prices stay aligned with the in-app products configured on the stores.

STATES, ERRORS AND EDGE CASES

- Backoffice price different from the store product: it must be realigned, because the purchase happens on the store.

DATA INVOLVED

Club prices: plan (monthly, annual), amount, currency · store in-app products linked to the plans · audit log: previous and new value

ACCEPTANCE CRITERIA

☐ Without Admin changes the paywall shows €4.99/month and €39.99/year.

☐ Given a new annual price saved by the Admin, when the user opens the paywall, then she sees the new price.

☐ Given a Moderator or Mentor user, then they cannot access the Bloom Club prices.

RF-BO-SET-08 Content parameters

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Content parameters (**Settings**), restricted to the Admin: format and size limits of uploaded media and the Daily publication time, the same for all users, with the configurable time zone next to the time (RF-BO-CMS-01).

BEHAVIOUR

1. The Admin sets the format and size limits of uploaded media.
2. She sets the Daily publication time and, next to it, the time zone.
3. She saves: the limits apply to later uploads and the Daily is published at the new time; the change is in the audit log.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, App settings: read, edit).
- A single publication time for all users, in the configured time zone (RF-DAY-02).
- The limits apply to upload format and size checks (RF-BO-CMS-01, RF-COM-03); values to be defined (open point "Community media").

STATES, ERRORS AND EDGE CASES

- File outside the configured limits: upload refused.

DATA INVOLVED

media limits: allowed formats, maximum size · Daily publication: time, time zone · audit log: previous and new value

ACCEPTANCE CRITERIA

☐ Given a maximum size reduced by the Admin, when a larger file is uploaded, then the upload is refused.

☐ Given a publication time and time zone saved, when that time is reached, then all users see the new Daily set.

☐ Given a non-Admin user, then they cannot access the content parameters.

RF-BO-SET-09 Moderation parameters

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Moderation parameters (**Settings**), restricted to the Admin: the report threshold that triggers the notification to the Moderator and the flag that enables automatic hiding of the content from the Community (RF-BO-MOD-01).

BEHAVIOUR

1. The Admin sets the report threshold.
2. She turns the automatic hiding flag on or off and saves; the change is in the audit log.
3. When the threshold is reached the Moderator is notified and decides whether to hide the content (RF-BO-MOD-01).
4. With the flag on, the content is also hidden from the Community automatically.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, App settings: read, edit).
- Without the flag the decision stays with the Moderator, with the actions of RF-BO-MOD-02 (dismiss, hide, delete, warn, 7-day, 30-day or permanent ban).
- Moderation actions are recorded in the audit log (RF-BO-MOD-04).

STATES, ERRORS AND EDGE CASES

- Flag off: content reaching the threshold stays visible until the Moderator decides.

DATA INVOLVED

report threshold · automatic hiding flag · audit log: previous and new value

ACCEPTANCE CRITERIA

☐ Given content reaching the threshold, then the Moderator receives a notification.

☐ Given the flag on, when content reaches the threshold, then it is no longer visible in the Community.

☐ Given the flag off, when content reaches the threshold, then it stays visible until the Moderator decides.

ANALYTICS AND AUDIT

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-ANA-01	**Analytics** DAU, WAU, MAU, D1/D7/D30 retention, premium revenue, churn, NPS; period filter and export. Source **Backoffice** · Roles **Admin**	TOR	PHASE 1
RF-BO-ANA-02	**Audit log** Who, what, when, previous and new value; filters; configurable retention. Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1
RF-BO-ANA-03	**Session ratings** Average, response rate, list by session and Mentor with comment; filter for low ratings (S5). Source **Backoffice** · Roles **Admin**	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-ANA-01 Analytics

PHASE 1 · Defined in the TOR · Source Backoffice · Roles Admin

DESCRIPTION

Analytics dashboard, restricted to the Admin: DAU, WAU, MAU, D1/D7/D30 retention, premium revenue, churn and NPS, with period filter and export.

BEHAVIOUR

1. The Admin opens **Analytics**: period indicators compared with the previous period, and charts of active users and cohort retention.
2. She changes the period with the filter: indicators and charts update.
3. With **Export CSV** she downloads the period data as CSV; **Session ratings** opens RF-BO-ANA-03.

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Analytics: read); the Moderator sees only moderation statistics (RF-BO-MOD-04).
- The backoffice does not show individual users' Journal, Alba conversations or check-ins.

STATES, ERRORS AND EDGE CASES

- User with the Mentor role: no access (RBAC matrix).

DATA INVOLVED

active users (day, week, month), cohort retention · premium revenue, churn, NPS · period, CSV export

ACCEPTANCE CRITERIA

☐ Given the last 30 days filter, when the Admin applies it, then all indicators refer to that period.

☐ Given **Export CSV**, when the Admin uses it, then she downloads a CSV of the selected period.

☐ Given a Moderator-only user, when she opens the backoffice, then she does not see Analytics.

RF-BO-ANA-02 Audit log

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Audit log of the actions performed in the backoffice, restricted to the Admin: who, what, when, on which object, with previous and new value; search, filters, export and configurable retention.

BEHAVIOUR

1. Each tracked action (e.g. refund, ban, 2FA change, Mentor profile change) writes an entry.
2. The Admin checks the list (date and time, user, role, action, object), newest first, with search and filters by category and period.
3. She opens an entry to see previous and new value; with **Export CSV** she downloads the filtered entries.

RULES AND VALIDATIONS

- Admin only (RBAC matrix: Audit log, Admin read); Moderator and Mentor have no access.
- Read-only for every role; configurable retention.
- Tracked: irreversible actions, 2FA changes (RF-BO-ACC-03), Mentors' profile and offering changes, moderation actions.

STATES, ERRORS AND EDGE CASES

- User with the Moderator or Mentor role: no access (RBAC matrix).

DATA INVOLVED

entry: date and time, user, role, action, object, previous and new value · configured retention

ACCEPTANCE CRITERIA

☐ Given a refund performed, when the Admin opens the Audit log, then she finds the entry with user, amount and booking.

☐ Given 2FA switched off for a user, when the entry is opened, then it shows "on" before and "off" after.

☐ Given a Moderator, when she tries to open the Audit log, then access is denied.

RF-BO-ANA-03 Session ratings

PHASE 1 · New from Figma · Source Backoffice · Roles Admin

DESCRIPTION

Session ratings page, restricted to the Admin: 1–5 star "How did it go?" ratings requested one hour after the session (S5, RF-MYS-12), with average, response rate, list by session and Mentor with comment, and a low-ratings filter.

BEHAVIOUR

1. One hour after the session the user receives the push and can leave stars and an optional comment.
2. The Admin sees average rating, response rate, confirmed sessions and number of low ratings.
3. She filters the list (user, session, Mentor, rating, comment, date), for example on low ratings, and exports it with **Export CSV** (cross requirement).

RULES AND VALIDATIONS

- Admin only (RBAC matrix, Analytics).
- Optional 1–5 star rating, counts as implicit confirmation of the session and feedback on Mentors (S5).

STATES, ERRORS AND EDGE CASES

- Rating with no comment: the comment is optional (RF-MYS-12).

DATA INVOLVED

rating: booking, user, Mentor, stars, comment, date · indicators: average, response rate, confirmed sessions

ACCEPTANCE CRITERIA

☐ Given a low rating with a comment, when the Admin applies the low-ratings filter, then she sees it with the comment.

☐ Given a completed session, when one hour has passed since its end, then the user receives "How did it go?".

MENTOR AREA

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-MAREA-01	**My profile** Viewing of own profile; editing only if "Profile editing allowed". Source Backoffice · Roles Mentor	NEW · FIGMA	PHASE 1
RF-BO-MAREA-02	**My offering** Own sessions and programs; creation and editing only if "Offering editing allowed". Source Backoffice · Roles Mentor	NEW · FIGMA	PHASE 1
RF-BO-MAREA-03	**Schedule and bookings** Own availability, calendar, bookings, session links. Source Backoffice · Roles Mentor	NEW · FIGMA	PHASE 1
RF-BO-MAREA-04	**Notes and Q&A** Session notes and assigned questions. Source Backoffice · Roles Mentor	NEW · FIGMA	PHASE 1
RF-BO-MAREA-05	**Session report** Viewing and CSV export of their own session report (RF-BO-PAY-04). Source Backoffice · Roles Mentor	NEW · FIGMA	PHASE 1

ID	REQUIREMENT	ORIGIN	PHASE

RF-BO-MAREA-01 My profile

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor

DESCRIPTION

My profile (My space group), restricted to the Mentor: view of her own public profile (RF-BO-MEN-02, RF-SES-03). Editing is possible only with the **"Profile editing allowed"** flag on, and changes are published immediately, with no approval.

BEHAVIOUR

1. The Mentor opens the page: photo, name, qualification, motto, About me, Specialisations, Services, Skills, short audio clips, area and categories.
2. With the flag on she edits the fields, checks with **In-app preview** and saves: the change is published immediately and recorded in the audit log.
3. With the flag off she sees everything read-only and can use **Request a change** towards the Admin.

RULES AND VALIDATIONS

- Own profile only (RBAC matrix: read; edit if allowed); flag set by the Admin (RF-BO-MEN-05), default from RF-BO-SET-04.
- The Mentor does not change "SheBloom Verified" verification, status or flags (RF-BO-MEN-03/04/05).
- A Mentor can never also be Admin or Moderator (RF-BO-ACC-07).

STATES, ERRORS AND EDGE CASES

- Another Mentor's profile: access denied (RBAC matrix: own only).

DATA INVOLVED

Mentor's public profile · Profile editing allowed flag · audit log of the changes

ACCEPTANCE CRITERIA

☐ Given the flag on, when the Mentor changes her motto and saves, then the new motto is immediately visible in the app and in the audit log.

☐ Given the flag off, when the Mentor opens her profile, then the fields are read-only and **Request a change** is shown.

RF-BO-MAREA-02 My offering

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor

DESCRIPTION

My offering (My space group), restricted to the Mentor: her own bookable sessions and programs (RF-SES-06), with the catalog data (RF-BO-CAT-01/02). Creating and editing only with the **"Offering editing allowed"** flag on.

BEHAVIOUR

1. The Mentor opens the **Sessions** and **Programs** tabs (duration, price, "Bloom Club only", status).
2. With the flag on she uses **New service** or edits a service; for a program she enters meetings, frequency, date range and total price.
3. She publishes: the service can be booked immediately and the change is in the audit log; with the flag off the offering is read-only.

RULES AND VALIDATIONS

- Own services only (RBAC matrix: read · create, edit if allowed, own only; no delete right); no approval flow.
- Programs have a single payment; how dates are chosen: to be defined (open point).
- Prices in EUR paid with Stripe; the Mentor can set the "Bloom Club only" flag on her own services; linking to Areas is up to the Admin (RF-BO-CAT-03).
- **Export CSV** available on her own services list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Flag off: **New service** and editing not available.
- Suspended Mentor (RF-BO-MEN-04): her services cannot be booked.

DATA INVOLVED

session: title, description, image, area, category, duration, price, mode, "Bloom Club only" flag, status · program: meetings, frequency, date range, total price · Offering editing allowed flag

ACCEPTANCE CRITERIA

☐ Given the flag on, when the Mentor publishes a new session, then it can be booked immediately in the app.

☐ Given the flag off, when the Mentor opens her offering, then she can neither create nor edit services.

☐ Given the flag on, when the Mentor tries to delete a service, then the operation is not available.

☐ Given the flag on, when the Mentor sets "Bloom Club only" on a session, then in the app only subscribers can book it.

RF-BO-MAREA-03 Schedule and bookings

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor

DESCRIPTION

Schedule and **Bookings** (My space group), restricted to the Mentor: availability and calendar (RF-BO-AGE-01/02); for her own bookings the call link (L2), the **"Join"** button (S2), the closing questionnaire (S3) and cancellation with a new date (RF-BO-BKG-04…07).

BEHAVIOUR

1. In **Schedule** the Mentor sets recurring availability, one-off slots, exceptions and **Absences**; the calendar shows free and booked slots.
2. In **Bookings** (Upcoming, Completed, Cancelled) she enters the call link for each booking with **Save link**.
3. From 10 minutes before until the end **"Join"** opens the call in a new window and records the access.
4. After the session she fills in the questionnaire (**Held** or **User no-show**, optional note) and confirms with **Close session**.
5. If she cannot hold the session she cancels it, proposing a new date among her free slots, with a reason: status "Cancelled by Mentor".

RULES AND VALIDATIONS

- Own availability (read, create, edit, delete) and bookings only; of the user she sees the name. **Export CSV** on her own bookings list (cross requirement).
- Link mandatory, with no default, restriction or check; if missing at 24 hours: reminder to the Mentor in the dashboard and by e-mail, alert to the Admin.
- Held → "Completed" and session in the report; User no-show → "User no-show"; reminder if the questionnaire is missing after 24 hours; technical problems not handled.
- New date not accepted: to be defined (open point); a reported no-show triggers "Reschedule" (new session paid) or, after "Held", "Outcome under review".

STATES, ERRORS AND EDGE CASES

- Outside the access window: "Join" not active.
- Session within 24 hours with no link: the row shows "Link missing" with a warning.
- Questionnaire not filled in: booking still to close, session not yet in the report.

DATA INVOLVED

availability: recurring and one-off slots, exceptions, absences · booking: user, service, date, status, call link · "Join" accesses; questionnaire: outcome, note, date · Mentor cancellation: reason, new date

ACCEPTANCE CRITERIA

- ☐ Given a booking with no link less than 24 hours before, when the check runs, then the Mentor gets a reminder and the Admin the alert.
- ☐ Given a session at 11:00, when the Mentor taps "Join" at 10:50, then the call opens and the access is recorded.
- ☐ Given the questionnaire closed with "Held", when the Mentor confirms, then the booking is "Completed" and the session enters the report.
- ☐ Given another Mentor's booking, when the Mentor tries to open it, then access is denied.

RF-BO-MAREA-04 Notes and Q&A

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor

DESCRIPTION

Session notes and **Assigned Q&A** (My space group), restricted to the Mentor: a note for each completed appointment, visible to the user in "Review notes" and savable to the Journal (RF-BO-NOTE-01, RF-MYS-08); answers to assigned questions (RF-BO-QA-03).

BEHAVIOUR

1. The Mentor sees notes to write and assigned Q&A in the side menu and dashboard (RF-BO-DASH-03).
2. From a completed booking she opens **Session note** and writes title and text.
3. With **"Save"** the note is published (there is no draft) and the user is notified; the Mentor can edit it later, with a notification to the user at each edit.
4. In **Assigned Q&A** she answers as per RF-BO-QA-03.

RULES AND VALIDATIONS

- Notes only for completed appointments of her own sessions, editable after saving too; the Admin reads them (RF-BO-NOTE-02).
- The note is read-only for the user; the Journal where she saves it is not visible to the backoffice.
- The Mentor sees only questions assigned to her; a published answer cannot be edited.
- **Export CSV** available on the notes and assigned Q&A lists, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Session not completed (e.g. cancelled): no note, as notes are written for each completed appointment (RF-BO-NOTE-01).

DATA INVOLVED

note: booking, title, text, publication and edit dates · notification to the user (publication and each edit); notes and Q&A counters

ACCEPTANCE CRITERIA

☐ Given a completed session, when the Mentor saves the note, then the user sees it in "Review notes" and is notified.

☐ Given a published note, when the Admin opens it, then she sees it read-only.

☐ Given a saved note, when the Mentor edits it, then the user receives a new notification.

RF-BO-MAREA-05 Session report

PHASE 1 · New from Figma · Source Backoffice · Roles Mentor

DESCRIPTION

Session report (My space group), restricted to the Mentor: viewing and CSV export of her own session report (RF-BO-PAY-04). A session enters it when closed with the questionnaire (S3) or, in case of "Outcome under review", after the Admin's decision.

BEHAVIOUR

1. The Mentor opens **Session report** and chooses the period.
2. She sees sessions held, including program sessions, no-shows (user and Mentor), outcomes under review and amounts collected.
3. She exports the report with **Export CSV**.
4. The sessions held this month also appear in the dashboard (RF-BO-DASH-03).

RULES AND VALIDATIONS

- Own report only (RBAC matrix, Payments: "R (own session report only)").
- User no-show with the S7 rule active: the session enters the report; no dispute window (S6 not adopted).
- In Phase 1 earnings are paid outside the platform based on the report: no payment status or commission in the platform.

STATES, ERRORS AND EDGE CASES

- Session held but not closed: not in the report; reminder to the Mentor after 24 hours.
- Booking in "Outcome under review": included only after the Admin's decision.

DATA INVOLVED

report: period, sessions held, no-shows, outcomes under review, amounts collected · sessions: booking, date, closing outcome · CSV export file

ACCEPTANCE CRITERIA

☐ Given a session closed as "Held" or "User no-show", when the Mentor opens the report, then it is counted in the period.

☐ Given a session not closed, when the Mentor opens the report, then it is not counted.

☐ Given a Mentor, when she opens Session report, then she sees only her own and can export it to CSV.

PHASE 2 FEATURES

ID	REQUIREMENT	ORIGIN	PHASE
RF-BO-F2-01	**Gamification** Levels, badges, conditions and thresholds. Source **Backoffice** · **Figma ref.** GAM-09 · **Roles** **Admin**	NEW · FIGMA	PHASE 2
RF-BO-F2-02	**Wallet** Balances, adjustments, refunds to Wallet. Source **Backoffice** · **Figma ref.** WAL-* · **Roles** **Admin**	NEW · FIGMA	PHASE 2
RF-BO-F2-03	**Advanced Community** Categories and "Highlights" posts (maximum 5 by default, value editable by the Admin). Source **Backoffice** · **Figma ref.** COM-01/02 · **Roles** **Moderator · Admin**	NEW · FIGMA	PHASE 2
RF-BO-F2-04	**Reschedule requests** Management of requests and proposals of new dates. Source **Backoffice** · **Figma ref.** MYS-05 · **Roles** **Admin · Mentor**	NEW · FIGMA	PHASE 2
RF-BO-F2-05	**Phase 2 area content** Activity types, legends and content for cycle, relationships, training. Source **Backoffice** · **Figma ref.** CIC/ALL/REL · **Roles** **Admin**	NEW · FIGMA	PHASE 2

RF-BO-F2-01 Gamification

PHASE 2 · New from Figma · Source Backoffice · Figma ref. GAM-09 · Roles Admin

DESCRIPTION

Configuration of Phase 2 Gamification, restricted to the Admin: 20 levels (RF-GAM-01) and 45 badges with conditions and thresholds (RF-GAM-04), listed in Appendices A and B and evaluated by the rules engine (RF-GAM-05). Level progression rules and the relationship with badges: to be defined (open point).

BEHAVIOUR

1. The Admin opens the **Levels**, **Badges** and **Points** tabs.
2. With **New badge** she fills in name and description in Italian and English, chooses the condition (first times, streaks, distinct days, time slots) and the threshold.
3. In Levels she manages name, subtitle and illustration; she saves with **Save badge**.

RULES AND VALIDATIONS

- Admin only; Phase 2, can be enabled with a feature flag (RF-BO-SET-01).
- Level rules, points and relationship with badges: to be defined (open point "Gamification").
- **Export CSV** available on the levels and badges lists, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- User with the Moderator or Mentor role: no access (role: Admin).

DATA INVOLVED

level: name, subtitle, illustration · badge: name, description, condition, threshold, status, unlock count

ACCEPTANCE CRITERIA

☐ Given an active badge with a threshold, when the user reaches it, then the badge shows as unlocked in "My badges".

☐ Given a Moderator-only user, when she opens the backoffice, then she cannot access Gamification.

RF-BO-F2-02 Wallet

PHASE 2 · New from Figma · Source Backoffice · Figma ref. WAL-* · Roles Admin

DESCRIPTION

Management of the Phase 2 Wallet (**Management › Payments › Wallet**), restricted to the Admin: balances, manual adjustments and Wallet refunds. The Wallet is the prepaid balance in EUR (RF-PAY-06), usable for the Mentors' one-to-one services (RF-PAY-09).

BEHAVIOUR

1. The Admin sees total balance, Wallet refunds, adjustments and the transaction list (user, type, amount, balance after, reason, date).
2. With **New adjustment** she enters user, type, amount, reason and internal note; she sees the resulting balance.
3. With **Confirm adjustment** the balance updates and the operation is recorded in the audit log.

RULES AND VALIDATIONS

- Admin only; Phase 2.
- The balance is valid only for the Mentors' one-to-one services; Bloom Club goes through IAP (store policy).
- Refunds with confirmation dialog and audit log entry (cross-cutting rules).
- **Export CSV** available on the Wallet transactions list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Bloom Club payment: not with the Wallet balance, it goes through IAP (store policy).

DATA INVOLVED

transaction: user, type, amount, balance after, reason, note, author, date · user's Wallet balance

ACCEPTANCE CRITERIA

☐ Given a €10 credit on a €0 balance, when the user opens her Wallet, then she sees €10.

☐ Given a Moderator-only user, when she opens the backoffice, then she cannot access the Wallet.

RF-BO-F2-03 Advanced Community

PHASE 2 · New from Figma · Source Backoffice · Figma ref. COM-01/02 · Roles Moderator · Admin

DESCRIPTION

Phase 2 Advanced Community (**Categories & Highlights**), for Moderator and Admin: Community categories (RF-COM-12), shared with the Sessions filter (RF-SES-16), and posts of the "Highlights" tab (RF-COM-11), maximum 5 by default, a value the Admin can change.

BEHAVIOUR

1. The Moderator manages the categories (**New category**, name in Italian and English, **Reorder**) with their number of posts.
2. In **Highlights** she adds a published post with an end date or no expiry, up to the configured maximum (5 by default).
3. She saves: the app's "Highlights" tab and filter update.

RULES AND VALIDATIONS

- Moderator and Admin; Phase 2.
- Categories shared between Community and Sessions catalog (RF-SES-16); "Highlights" tab curated by the editorial team (RF-COM-11).
- Maximum "Highlights" posts: 5 by default, editable by the Admin.
- **Export CSV** available on the categories and Highlights lists, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- User with the Mentor role: no access (roles: Moderator · Admin).

DATA INVOLVED

category: name per language, order, number of posts · highlighted post: reference, end date

ACCEPTANCE CRITERIA

☐ Given a new category, when the user opens the Community filter, then she sees it in the configured order.

☐ Given a post added to Highlights, when the user opens the "Highlights" tab, then she sees it.

☐ Once the configured maximum (5 by default) is reached, no more posts can be added to Highlights.

RF-BO-F2-04 Reschedule requests

PHASE 2 · New from Figma · Source Backoffice · Figma ref. MYS-05 · Roles Admin · Mentor

DESCRIPTION

Phase 2 reschedule requests and new date proposals, for Mentor and Admin. The user sends the request with a mandatory reason; status "in progress" and reply by email (RF-MYS-09).

BEHAVIOUR

1. The request appears in the Mentor's **Reschedule requests** tab: **Pending**, current date, reason, proposed dates.
2. The Mentor chooses **Accept**, **Propose another date** among her free slots, or **Decline**.
3. On acceptance the booking moves to the new date; the user receives the reply by email and the notification (RF-NOT-07).
4. The Admin follows up requests with no reply or in conflict in **Management › Bookings › Reschedule requests**.

RULES AND VALIDATIONS

- Mentor (own bookings only) and Admin; Phase 2.
- Reschedule rules, non-acceptance of the new date proposed by the Mentor and partial refunds: to be defined.
- Cancellation by the Mentor with a new date already exists in Phase 1 (RF-BO-BKG-06).
- **Export CSV** available on the reschedule requests list, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Declined request: the user receives the reply by email (RF-MYS-09).

DATA INVOLVED

request: booking, reason, proposed dates, status · reply: outcome, author, date

ACCEPTANCE CRITERIA

☐ Given a Pending request, when the Mentor accepts a date, then the booking moves and the user receives the email.

☐ Given a request with no reply from the Mentor, when the Admin opens Reschedule requests, then she finds it with its status.

RF-BO-F2-05 Phase 2 area content

PHASE 2 · New from Figma · Source Backoffice · Figma ref. CIC/ALL/REL · Roles Admin

DESCRIPTION

Content of the Phase 2 areas (Cycle, Relationships, Training), restricted to the Admin: activity types (RF-ALL-02), calendar legends (RF-CIC-05, RF-ALL-01) and content by cycle phase, relationships and training (RF-ARE-11, RF-REL-02, RF-ALL-03).

BEHAVIOUR

1. The Admin chooses the area tab.
2. She manages the **Calendar legend** (e.g. menstruation, follicular phase, ovulation, luteal phase) in Italian and English, and the activity types.
3. She links content to a phase or to the area in **Content by phase** and publishes it.

RULES AND VALIDATIONS

- Admin only; areas absent in Phase 1 (A1), activated with Phase 2 (RF-BO-CMS-03, RF-BO-SET-01).
- Lifecycle Draft → Scheduled → Published → Archived; activity types are the values of the "Type" field (RF-ALL-02).
- **Export CSV** available on the content-by-phase lists, as for every backoffice table (cross requirement).

STATES, ERRORS AND EDGE CASES

- Phase 2 areas in Phase 1: they do not appear in hub, home and profile (A1).

DATA INVOLVED

activity type, legend entry: name and description per language, order · content by phase: reference, phase, status

ACCEPTANCE CRITERIA

☐ Given a new activity type, when the user adds a Training activity, then she can select it.

☐ Given content published for the luteal phase, when the user is in that phase, then it is proposed in the area.

6.6 Operational flows

PUBLISHING CONTENT

1. The Admin creates the content as Draft and fills in the languages.
2. Checks the mobile preview.
3. Schedules the date or publishes immediately.
4. On that date the content becomes visible in the app; it can be archived later.

MODERATING A REPORT

1. The user reports content from the app.
2. The content enters the queue; when the threshold is reached the Moderator receives a notification (automatic hiding only if the flag is enabled).
3. The Moderator assesses it and chooses an action (ignore, hide, delete, warn, ban).
4. The action is recorded in the audit log and, where applicable, notified to the author.

EXPERT Q&A

1. The user posts a Q&A question.
2. The Moderator or the Admin assigns it to a Mentor (with the deadline highlighted for subscribers).
3. The Mentor answers from their own area.
4. The answer appears in the post as "Expert's answer" and the user receives a notification.

CANCELLATION WITH REFUND

1. The user cancels from the app within the threshold, or the Admin cancels from the backoffice.
2. The system checks the policy and calculates the refund.
3. The refund is processed on Stripe; the booking moves to "Cancelled" and the slot becomes available again.
4. User and Mentor receive a notification.

PROFILE AND OFFERING CHANGES BY THE MENTOR

1. The Mentor opens their own profile or offering.
2. If the corresponding flag is enabled, they edit and save: the change is published immediately and tracked in the audit log.
3. If the flag is disabled, the data is read-only and changes must be requested from the Admin.

ACTIVATING A NEW MENTOR

1. The Admin creates the profile and the account with the Mentor role.
2. The Mentor receives the invitation and sets the password (2FA optional).
3. The Admin completes verification and editing flags.
4. The Mentor defines their availability and the profile becomes bookable.

7. Sessions on an external platform: adopted solution

CLIENT DECISION (28/09–01/10/2026)

Calls between Mentor and user take place on an **external platform** (e.g. Google Meet, Zoom).

Link sharing: **L2**, link entered by the Mentor for each individual booking, with no default link.

Protection of the parties: **S1, S2, S3** (Mentor side), **S5** (user side) and **S7** (outcome rules). Mentor and user start the call with the **"Join"** button.

7.1 Adopted solution

CODE	SOLUTION	USER UX IMPACT	MENTOR / ADMIN IMPACT	PHASE	EST. DAYS*
L2	**Link per individual booking** In the backoffice schedule the Mentor enters the call link (Google Meet or Zoom) for each booking; there is no default link. Reminder to the Mentor and alert to the Admin if the link is missing 24 hours before the start. Mentor and user start the call, in a new window, with the "Join" button.	None	Low: one field per booking	Phase 1	1
S1	**Clear rules accepted at booking** The policy accepted with the checkbox (RF-SES-09) includes: reports within 48 hours of the session start time, after which the session is deemed held; no refund if the user does not show up, including for an individual meeting of a program. Date, time and version of the accepted policy are recorded.	None (text already accepted)	None	Phase 1	0.5
S2	**Passive tracking of access** The system records when user and Mentor tap "Join" (in the app and in the backoffice). It does not prove attendance but is a strong indication; it is visible in the booking log.	None	None	Phase 1	1
S3	**Session closing by the Mentor** After the scheduled time the Mentor ends the call on the external platform (e.g. Google Meet) and answers a short session questionnaire in the backoffice: Held or User no-show. Closing adds the session to the session report; reminder if it does not happen within 24 hours.	None	Questionnaire in the backoffice	Phase 1	2
S5	**Post-session rating** One hour after the session a push notification asks "How did it go?" with a 1 to 5 star rating. The rating acts as implicit confirmation and provides quality feedback on Mentors.	Low (optional, one tap)	None	Phase 1	2
S7	**Predefined outcome rules** User no-show: no refund. Mentor no-show: full refund and a report against the Mentor; the new session proposed with "Reschedule" is chargeable. Rules can be enabled from the backoffice, with configurable text. The platform does not handle technical problems.	None	Quick and consistent decision	Phase 1	1

Estimated total: **7.5 person-days**. * Indicative estimates to be validated, not included in TOR v3.0.

7.2 Call link controls

- **"Join"** button in the booking detail, in the app and in the Mentor's backoffice, active from 10 minutes before the start until the end: it opens the call in a new window; before this window the link is not visible.

- The backoffice reminds the Mentor to start the call from the "Join" button, so that the access is recorded (S2).
- Confirmation and reminder e-mails do not contain the direct link to the call but a link to the booking page with the "Join" button: for the user a deep link into the app, for the Mentor the backoffice page. This way every access goes through "Join" and is recorded (S2).
- No domain restrictions on call links.
- Operational tip for Mentors: enable the platform's waiting room.

7.3 Cancellations and no-shows

In addition to the Upcoming, Completed and Cancelled statuses, a booking can take on four statuses related to the Mentor, to no-shows and to conflicting outcomes. The outcome rules apply only if enabled in Settings (RF-BO-SET-06).

STATUS	WHEN	DETERMINED BY	OUTCOME
Cancelled by Mentor	The Mentor cannot hold the session	The Mentor, from the backoffice, by proposing a new date	The user receives the proposed new date; how to handle a refusal is an open point.
Mentor no-show	The Mentor does not show up for the call	The user, with "Report a problem" in the session detail, within 48 hours of the start time	Rule S7 (if active): full refund and a report against the Mentor; the Mentor receives a notification with the "Reschedule" CTA; the new session is chargeable.
User no-show	The user does not join the call	The Mentor, with the session questionnaire (S3)	Rule S7 (if active): no refund; the session enters the Mentor's report.
Outcome under review	The Mentor declared "Held" and the user reports a Mentor no-show	The system, when the user submits the report	The Admin checks and decides the outcome; the refund to the user and the inclusion of the session in the report take place only after the decision.

Additional estimate: **3 person-days** (cancellation with a new date, reporting of Mentor no-shows, notifications and statuses), to be validated.

7.4 Related requirements

MODULE	REQUIREMENTS
Mentors & Sessions	RF-SES-09: text of the accepted policy (S1).
My sessions	RF-MYS-03: cancellation and no-show statuses; RF-MYS-06: "Join" with the booking link (L2) and tracking (S2); RF-MYS-12: post-session rating (S5); RF-MYS-13/14: cancellation by the Mentor and reporting of a Mentor no-show (S7).
Notifications	RF-NOT-02: link to the page with "Join" in the confirmation and reminders, new date proposed, rating request; RF-NOT-08: reminders and reports to the Mentor in the dashboard and by e-mail (L2, S3, S7).
Backoffice	RF-BO-DASH-01/03, RF-BO-MEN-07, RF-BO-BKG-02/04/05/06/07, RF-BO-PAY-04, RF-BO-SET-03/06, RF-BO-ANA-03.

7.5 Options assessed and not adopted

The following options were assessed in version 1.1 and were not chosen (S7 was added to the solution with the review of 29/09/2026). They remain documented as possible future enhancements.

CODE	OPTION	NOTE
L1	Default link in the Mentor profile	Not adopted: the link is entered for each booking.
L3	Automatic generation via API (Google, Zoom)	Not adopted; possible future enhancement (estimate 6–8 days).

CODE	OPTION	NOTE
S4	Platform participant log	Not adopted; possible future enhancement, also automated with L3.
S6	Dispute window and withheld earnings	Not adopted: the session enters the report when the Mentor closes it (S3).
S8	Abuse detection	Not adopted; possible future enhancement.
S9	Evidence package for Stripe chargebacks	Not adopted; in the event of a chargeback the Admin uses the session log (S2).

8. Integrations and external services

SERVICE	USE	PHASE
Apple / Google Sign-In	Social authentication	PHASE 1
Facebook Login	Social authentication	PHASE 2
Stripe	Payments for sessions and programs with the instant-confirmation methods offered by Stripe and the method saved at checkout, refunds, webhooks; management of saved methods and Wallet in Phase 2	PHASE 1
StoreKit 2 / Google Play Billing	Bloom Club subscriptions, server-side validation	PHASE 1
Keycloak (indicative)	Identities of app and backoffice users, roles, sessions, 2FA; APIs remapped by the backend (chapter 9)	PHASE 1
Cheshire Cat + LLM (indicative)	Alba chat, RAG, Area and Journal generations; APIs remapped by the backend; RAG data store to be defined (chapter 9)	PHASE 1
Text-to-Speech	Voice reading of Alba's answers	PHASE 2
FCM / APNs	Push notifications	PHASE 1
Twilio or AWS SNS	SOS SMS	PHASE 1
E-mail provider	Transactional e-mails and backoffice invitations	PHASE 1
Geolocation	Location for SOS (alternatives to Google Maps to be assessed)	PHASE 1
AWS S3 + CloudFront	Media storage and HLS streaming	PHASE 1
Device calendar and address book	"Add to your Calendar"; import of SOS contacts	PHASE 1
Authenticator app (TOTP)	Backoffice 2FA	PHASE 1
Amplitude, Sentry, Datadog/Grafana	Analytics, crash reporting, metrics	PHASE 1

9. Reference architecture and external platforms (indicative)

> **NOTE**
> This chapter describes the reference architecture and the external platforms envisaged for the backend. **The platforms listed are indicative**: further details and dedicated technical specifications will follow. The chapter does not change any functional requirement: it describes how the requirements already defined could be implemented.

9.1 Single backend and APIs

- A **single backend** exposes the APIs to both the mobile app (Flutter) and the web backoffice (React + Mantine v8): same data model, same business rules and same role-based access control (RBAC) for both clients.
- The external identity platform (Keycloak) and AI platform (Cheshire Cat framework with an LLM) are **not exposed directly** to the app or the backoffice: their APIs are **remapped by the backend**, which is the only access point for the clients.
- As a result, the login, registration and password recovery screens remain those of the app and backoffice design; the clients talk only to the backend APIs.
- The other external services (Stripe, App Store and Google Play, notifications, e-mail, SMS, media storage) remain those of chapter 8 and are integrated by the backend.

FROM	TO	ROLE
Mobile app (Flutter)	Backend APIs	The app's only access point
Web backoffice (React + Mantine v8)	Backend APIs	The backoffice's only access point
Backend	Keycloak (indicative)	Identities, roles, sessions, 2FA — APIs remapped by the backend
Backend	Cheshire Cat + LLM (indicative)	Alba: chat, RAG, generations — APIs remapped by the backend
Backend	Chapter 8 services	Stripe, stores, push, e-mail, SMS, storage, analytics

9.2 Identity management: Keycloak (indicative)

Keycloak (indicative) is envisaged for identity management of all users, both app and backoffice. The backend remaps its APIs: the app and the backoffice do not access it directly.

Requirements already defined that it would cover:

- App login and registration with e-mail and password, Sign in with Apple and Google sign-in; Facebook in Phase 2 (RF-AUT-03, RF-AUT-04, RF-AUT-06, RF-AUT-08, RF-AUT-17).
- Session and refresh token at app start-up (RF-AUT-01); e-mail verification and account activation (RF-AUT-18); password recovery (RF-AUT-07); password change and account deletion (RF-PRO-05, RF-PRO-11).
- Backoffice users by invitation, with the Admin, Moderator and Mentor roles and the constraints between roles (RF-BO-ACC-01, RF-BO-ACC-02, RF-BO-ACC-06, RF-BO-ACC-07).
- 2FA (TOTP) for Admin and Moderator, can be disabled per user, password recovery and 2FA reset, session expiry (RF-BO-ACC-03, RF-BO-ACC-04, RF-BO-ACC-05, RF-BO-SET-05).

To be defined in the dedicated specifications: platform configuration, app and backoffice authentication flows through the backend APIs, integration of Apple and Google sign-in, role mapping, user data management.

9.3 Alba: Cheshire Cat framework with an LLM (indicative)

For **Alba** the open-source **Cheshire Cat** framework is envisaged, integrated with an **LLM** (provider and model to be defined). The backend remaps its APIs: the app talks only to the backend.

Requirements already defined that it would cover:

- Chat with Alba, contextual answers based on She Bloom content (RAG), content cards, history (RF-ALB-01, RF-ALB-02, RF-ALB-03, RF-ALB-04).
- Generation engine for the Areas and the Journal (RF-ALB-08, RF-ALB-09, RF-ARE-07, RF-DIA-05).
- Guardrails, content policy and usage limits (RF-ALB-07, RF-ALB-13).
- Questionnaires, prompts, outputs, guardrails, limits and Journal factors configurable from the backoffice (RF-BO-AI-01…05).

Constraints already defined that remain valid: empathetic, non-clinical tone, in the user's language; encrypted conversations, not used to train the provider's models; the backoffice does not see conversations with Alba.

To be defined in the dedicated specifications: LLM provider and model, data store for RAG, how the backend talks to the framework, management of usage limits and costs.

9.4 Backoffice frontend: React and Mantine v8

- The backoffice frontend is built in **React** with the **Mantine v8** framework: components, props and theme match the Figma design "SheBloom – Backoffice".
- The Mantine theme (theme.ts file) is generated from the design: brand colours in 10-shade palettes, Mantine default sizes, text in Outfit, headings in Erstoria, Tabler icons (@tabler/icons-react).
- Page structure with AppShell ("alt" layout: full-height navbar, header to its right).

9.5 Examples of technical flows (indicative sequence diagrams)

The following diagrams are **indicative examples** of how some flows could be handled technically. Endpoint names, call sequences and the split of tasks between the backend and the platforms will be defined in the dedicated technical specifications. For Cheshire Cat the scenarios use the concepts of version 2 of the framework (agents, directives, hooks, tools, plugin settings, POST /agents/{slug}/message endpoint with AG-UI streaming) and are hypotheses based on the functional analysis of Alba.

FIGURE 9.1 – LOGIN WITH E-MAIL AND PASSWORD, TOKEN USE AND REFRESH

The backend obtains the tokens from Keycloak and returns them to the app; every later API call carries the access token, which the backend verifies (signature, expiry, role). On expiry the app uses the refresh token. The same pattern applies to the backoffice.




FIGURE 9.2 – SIGN-IN WITH APPLE OR GOOGLE

The app gets the provider token with the native SDK and passes it to the backend, which exchanges it for She Bloom tokens through Keycloak (creating the account or linking it to the one with the same e-mail).




FIGURE 9.3 – REGISTRATION AND ACCOUNT ACTIVATION

Registration with consents, creation of the user in Keycloak with unverified e-mail, welcome e-mail with activation link and handling of access before activation (RF-AUT-08, RF-AUT-10, RF-AUT-18).




FIGURE 9.4 – BACKOFFICE LOGIN WITH 2FA AND ROLE CHECK

Login with a second factor for Admin and Moderator; the access token carries the roles and the backend applies the RBAC matrix to every call (e.g. a Mentor sees only their own bookings).




FIGURE 9.5 – CHAT WITH ALBA (CHESHIRE CAT + LLM)

The backend checks limits and consents, enriches the message with the user context and calls the Alba agent; Cheshire Cat applies guardrails and RAG, queries the LLM and streams the answer back, which the backend forwards to the app and stores encrypted.




FIGURE 9.6 – GENERATION OF AN AREA RESULT

If a valid result for today exists the backend returns it; otherwise it calls the dedicated agent, validates the result, picks the recommended article and stores it until the end of the day. The same pattern applies to the Journal thought.




FIGURE 9.7 – UPDATING THE CONTENT USED BY ALBA (RAG)

When content is published, archived or deleted from the backoffice, the backend updates the index used by the RAG directive of the She Bloom plugin.





FIGURE 9.8 – CONFIGURING ALBA FROM THE BACKOFFICE

The Admin edits prompts, guardrails and limits; the backend saves the version with an audit log and updates the plugin settings in Cheshire Cat. Usage limits remain enforced by the backend.



9.6 Technical topics to be defined separately

These topics will be addressed in dedicated documents and meetings; here they are only listed.

TOPIC	CONTENT
Project repositories	Repository structure (backend, app, backoffice), access and permissions.
Environments	Development, test, production and their data.
CI/CD and releases	Build and test pipelines; publication on the App Store and Google Play.
Infrastructure and hosting	Cloud provider, sizing, domains and certificates.
Security	Management of secrets and keys, administrative access.
Logging and monitoring	Application logs, metrics, alerts.
Backup and recovery	Backup policies and recovery times.
Development conventions	Coding standards, branching, code review.
API documentation	Contract of the backend APIs for the app and the backoffice.
Test strategy	Automated and manual tests, test data.
Third-party accounts	Stripe, Apple, Google, LLM provider, notifications, e-mail, SMS.
Technical GDPR	Data processing agreements with providers, including the LLM provider.

10. Non-functional requirements

AREA	REQUIREMENT
RNF-01 Platforms	Flutter 3.x, iOS 16+ and Android 10+, smartphones only (rotation locked). Web backoffice in React with Mantine v8, for recent desktop browsers (Chrome, Safari, Edge, Firefox), minimum resolution 1280 px. A single backend exposes the APIs to both (chapter 9).
RNF-02 Security	TLS 1.3, AES-256 encrypted database at rest, OWASP Mobile Top 10. Backoffice: 2FA for Admin and Moderator, session timeout, audit log (no account lock after incorrect attempts in Phase 1).
RNF-03 Privacy and GDPR	Privacy by design; Journal and mood not visible from the backoffice; separate consents for health data and SOS; deletion with anonymisation; data export.
RNF-04 Localisation	Multilingual app and content; EUR currency.
RNF-05 Accessibility	Contrast, dynamic text, reduced motion, screen reader labels (level to be defined with the design).
RNF-06 Offline	Not required; handling of no-network states.
RNF-07 Performance	Start-up within 3 seconds on mid-range devices; paginated feeds; adaptive streaming; asynchronous Alba generations with loader.
RNF-08 Scalability and APIs	Containerised back end, Redis cache; versioning on the back end only.
RNF-09 Quality	Test coverage of at least 70% on the core; end-to-end tests; tests on real devices for SOS and payments.
RNF-10 Advertising	No advertising.

11. Conceptual data model

ENTITY	CONTENT	MODULES
App user / Profile	Personal data, optional data, preferences, active areas, language, consents	AUT, PRO
Check-in	Symbol, date and time	MOOD, ALB
Content	Type, area, premium, language, status, scheduling	DAY, ARE, CLB, CMS
Questionnaire / Answer / Alba result	Flow configuration and latest result per area	ARE, DIA, AI
Conversation / Message	Alba chat, attachments	ALB
Journal note	Type, text, source, date	DIA
Post / Comment / Reaction / Report	Community and moderation	COM, MOD
Q&A question / Assignment	Question, assigned Mentor, deadline, answer	COM, QA
Mentor	Public profile, verification, editing flags	SES, MEN
Service (Session / Program) / Slot	Offering, prices, availability	SES, CAT, AGE
Booking / Appointment / Mentor note	Status, accepted policy, link, notes	SES, MYS, BKG
Payment / Refund	Stripe references, statuses, amounts; basis of the session report	PAY
Subscription	Plan, store, status, renewal	CLB
Trusted contact / SOS event	Contacts, activations, sends	SOS
BO user / Role / 2FA setting	Backoffice accounts and roles (exclusive Mentor constraint)	BO
Audit log	Actions performed in the backoffice	BO
Wallet / Transaction (Phase 2)	Balance, top-ups, tokenised cards	PAY
Badge / Level / Event (Phase 2)	Definitions, unlocks, events	GAM

12. Decisions

12.1 Decisions taken

TOPIC	DECISION
Baseline	Merge of TOR v3.0 and Figma design, according to the Requirement Check of the review of 28/09/2026.
Scope and phases	Two release phases; scope of each phase defined in TOR v3.0.
Stripe or IAP	IAP for the Bloom Club; Stripe for Mentors' sessions and programs, with the instant-confirmation methods offered by Stripe and the method saved at checkout (option B, 08/10/2026). The backoffice does not show the payment method.
Offline	Offline content not required.
Multilingual and currency	App and backoffice in Italian and English; single currency EUR.
Account deletion	In the app, with back-end anonymisation.
Mentor area	In the backoffice with a dedicated Mentor role.
Session delivery	Call on an external platform (e.g. Google Meet, Zoom); the link is shared by the Mentor.
Check-in and SOS	The design is followed (animals; long press and actions in the disguised interface). The disguised interface is a flower shop.
2FA and Mentor permissions	2FA for Admin and Moderator, can be disabled; Mentor changes governed by configurable flags.
Link and protection of the parties	Link entered by the Mentor for each booking (L2) and launched with the "Join" button; e-mails lead to the page with "Join"; no domain restrictions; safeguards S1, S2, S3, S5 and S7. Decision of 28/09/2026, confirmed on 29 and 30/09/2026 (chapter 7).
Cancellations and no-shows	The Mentor cancels by proposing a new date; statuses Cancelled by Mentor, Mentor no-show, User no-show and Outcome under review (chapter 7.3). After a Mentor no-show the refund is full and the new session is chargeable. The platform does not handle technical problems.
Reporting window	48 hours from the session start time.
Mentor earnings	Phase 1: paid outside the platform on the basis of the exportable session report; no Stripe Connect or commission on the platform. Phase 2: to be defined.
Notifications to the Mentor	In the dashboard and by e-mail.
Bloom Club: purchase and prices	In-app purchase; default prices €4.99/month and €39.99/year, updatable by the Admin and aligned in the stores. Exclusive content marked by the gold medallion with paywall; Club sessions for subscribers only.
Daily actions and Journal	No favourites: saved content ends up in the Journal with "Add to your Journal".
Configurable parameters	Alba limits, media limits, Daily publication time and time zone, report threshold with automatic hiding flag, maximum number of "Highlights" posts.
E-mail verification	Provided for app users (activation link in the welcome e-mail); not provided for backoffice users.
Programs: payment	Single payment per program.
Area results	The generated result expires every day.
SOS: location	Captured once, at the time of sending.
Currency	EUR, parameterised so that the Admin can change it in future.
Missing screens	Added to the updated mobile app design: password recovery, paywall, booking summary and confirmation, note detail, account deletion, notifications, support, Mind guided exercise, "My payments" with payment detail.

12.2 Open decisions

TOPIC	ISSUE	IMPACT	OWNER
Programs	Date selection method for the meetings (payment is a single payment per program).	HIGH	Client
Session policy	What happens if the user does not accept the new date proposed by the Mentor; partial refunds.	MEDIUM	Client
Advertising	Advertising in the free version planned for Phase 2, to be confirmed.	MEDIUM	Client
Alba limits	Free and Club usage thresholds (the validity of Area results is decided: they expire every day).	MEDIUM	Client
Community media	Formats and sizes of images and videos.	MEDIUM	Client
SOS	Use of Google Maps for the location link (the location is captured once).	MEDIUM	Client + Timatica
Gamification (Phase 2)	Level rules and relationship with badges. Open point: to be defined in the next version of the analysis.	MEDIUM	Client
Backend platforms	Keycloak (identity) and the Cheshire Cat framework with an LLM (Alba) are indicative, with APIs remapped by the backend: to be confirmed with dedicated specifications (chapter 9).	HIGH	Client + Timatica

13. Traceability

Mapping between the codes of the design inventory (and of the client review) and the requirements in this document.

FIGMA REF.	REQUIREMENT	TITLE	PHASE	ORIGIN
ONB-01	RF-AUT-01	Splash and session check	PHASE 1	TOR
ONB-02	RF-AUT-02	Welcome	PHASE 1	TOR
ONB-04	RF-AUT-03	Sign in with Apple	PHASE 1	TOR
ONB-03	RF-AUT-04	Sign in with Google	PHASE 1	TOR
ONB-06/07	RF-AUT-06	Login with e-mail and password	PHASE 1	TOR
ONB-08	RF-AUT-07	Password recovery	PHASE 1	TOR ▸ FIGMA
ONB-10	RF-AUT-08	Registration	PHASE 1	TOR
ONB-11	RF-AUT-09	Optional data	PHASE 1	TOR ▸ FIGMA
ONB-09	RF-AUT-11	Terms and conditions modal	PHASE 1	TOR
ONB-12	RF-AUT-12	Account created confirmation	PHASE 1	NEW
ONB-13	RF-AUT-13	Questionnaire: goal	PHASE 1	TOR
ONB-14	RF-AUT-14	Questionnaire: main need	PHASE 1	NEW
ONB-15	RF-AUT-15	Questionnaire progression	PHASE 1	TOR
ONB-16	RF-AUT-16	Welcome and first Bloom Daily	PHASE 1	TOR
ONB-05	RF-AUT-17	Sign in with Facebook	PHASE 2	NEW
NAV-01	RF-NAV-01	Tab bar	PHASE 1	TOR ▸ FIGMA
NAV-02	RF-NAV-02	Personal menu	PHASE 1	TOR
NAV-03	RF-NAV-03	Information modals "i"	PHASE 1	NEW
NAV-04	RF-NAV-04	Native sharing	PHASE 1	TOR ▸ FIGMA
NAV-05	RF-NAV-05	Add to your Journal	PHASE 1	TOR
NAV-06	RF-NAV-06	Premium content	PHASE 1	TOR
NAV-07	RF-NAV-07	Forms and system states	PHASE 1	TOR
NAV-08	RF-NAV-09	Dark mode	PHASE 2	NEW
DAY-01	RF-DAY-01	Header	PHASE 1	TOR
DAY-02	RF-DAY-02	Bloom Daily carousel	PHASE 1	TOR
DAY-03	RF-DAY-03	More ideas for today	PHASE 1	TOR
DAY-04	RF-DAY-04	Video of the day	PHASE 1	TOR
DAY-05	RF-DAY-05	Quote of the day	PHASE 1	TOR
DAY-06	RF-DAY-06	Audio of the day	PHASE 1	TOR
DAY-07	RF-DAY-07	"2 minutes for you"	PHASE 1	TOR ▸ FIGMA
DAY-08	RF-DAY-08	Explore the areas	PHASE 1	NEW

FIGMA REF.	REQUIREMENT	TITLE	PHASE	ORIGIN
DAY-09	RF-DAY-09	Bloom recommends	PHASE 1	TOR
DAY-10	RF-DAY-10	Articles from Professionals	PHASE 1	TOR ▸ FIGMA
DAY-11	RF-DAY-11	Article detail	PHASE 1	TOR ▸ FIGMA
DAY-13	RF-DAY-15	Content sharing	PHASE 1	TOR
DAY-01	RF-DAY-16	Level icon	PHASE 2	NEW
DAY-12	RF-DAY-17	New level popup	PHASE 2	NEW
CHK-01/02	RF-MOOD-01	Symbol selection	PHASE 1	TOR ▸ FIGMA
CHK-03	RF-MOOD-02	Confirmation and history	PHASE 1	TOR
CHK-04	RF-MOOD-03	Repeatable check-in	PHASE 1	NEW
CHK-05	RF-MOOD-04	Close without confirming	PHASE 1	TOR
CHK-06	RF-MOOD-05	Information modal	PHASE 1	NEW
CHK-07	RF-MOOD-08	Animated reward	PHASE 2	NEW
AREA-01/02	RF-ARE-01	Areas hub	PHASE 1	NEW
AREA-03	RF-ARE-02	Area page: header and legend	PHASE 1	NEW
AREA-05	RF-ARE-03	Featured	PHASE 1	NEW
AREA-06/07	RF-ARE-04	Editorial sections	PHASE 1	NEW
AREA-08	RF-ARE-05	Linked sessions and programs	PHASE 1	NEW
AREA-04	RF-ARE-06	Contextual Alba box	PHASE 1	NEW
AREA-09	RF-ARE-07	Generative flow	PHASE 1	NEW
AREA-10	RF-ARE-08	Result persistence	PHASE 1	NEW
AREA-09	RF-ARE-09	Recommended article	PHASE 1	NEW
AREA-12	RF-ARE-10	Area activation	PHASE 1	NEW
AREA-11	RF-ARE-11	Adaptive content	PHASE 2	NEW
EDU-01…03	RF-EDU-01	Hormonal profile	PHASE 1	NEW
EDU-04	RF-EDU-02	Update profile	PHASE 1	NEW
EDU-03	RF-EDU-03	Cycle integration	PHASE 2	NEW
ALI-01	RF-ALI-01	Food questionnaire	PHASE 1	NEW
ALI-02	RF-ALI-02	Daily meal plan	PHASE 1	NEW
BEL-01/02	RF-BEL-01	Beauty ritual	PHASE 1	NEW
AST-01/02	RF-AST-01	Intuition of the day	PHASE 1	NEW
MIN-01/02	RF-MIN-01	Breath of the day	PHASE 1	NEW
MIN-03	RF-MIN-02	Guided exercise	PHASE 1	NEW
STI-01/02	RF-STI-01	Style of the day	PHASE 1	NEW
REL-01/02	RF-REL-01	Emotions calendar	PHASE 2	NEW
REL-03/04	RF-REL-02	Area audio and programs	PHASE 2	NEW

FIGMA REF.	REQUIREMENT	TITLE	PHASE	ORIGIN
CIC-01/02	RF-CIC-01	Cycle onboarding	PHASE 2	NEW
CIC-03	RF-CIC-02	Period logging	PHASE 2	NEW
CIC-04	RF-CIC-03	Predictions and phases	PHASE 2	NEW
CIC-05…07	RF-CIC-04	Weekly view, countdown, fertility	PHASE 2	NEW
CIC-08/09	RF-CIC-05	Legend, notes, history	PHASE 2	NEW
ALL-01	RF-ALL-01	Activity calendar	PHASE 2	NEW
ALL-02/03	RF-ALL-02	Add and edit activity	PHASE 2	NEW
ALL-04/05	RF-ALL-03	Programs and coaching	PHASE 2	NEW
ALBA-01/02	RF-ALB-01	Chat with Alba	PHASE 1	TOR
ALBA-03	RF-ALB-03	Content cards in chat	PHASE 1	TOR ▸ FIGMA
ALBA-08	RF-ALB-06	Information and disclaimer	PHASE 1	TOR ▸ FIGMA
ALBA-09	RF-ALB-07	Guardrails and content policy	PHASE 1	TOR
ALBA-10	RF-ALB-08	Generation engine	PHASE 1	NEW
ALBA-11	RF-ALB-09	Journal thought	PHASE 1	TOR
ALBA-12	RF-ALB-10	Contextual boxes and chips	PHASE 1	TOR ▸ FIGMA
ALBA-04	RF-ALB-14	Text-to-speech (TTS)	PHASE 2	NEW
ALBA-05/06	RF-ALB-15	Copy and regenerate	PHASE 2	NEW
ALBA-07	RF-ALB-16	Feedback	PHASE 2	NEW
DIA-01	RF-DIA-01	Journal home	PHASE 1	TOR
DIA-02	RF-DIA-02	Note card	PHASE 1	TOR
DIA-08	RF-DIA-03	Alba box in the Today tab	PHASE 1	TOR
DIA-06	RF-DIA-05	Generation and saving	PHASE 1	TOR
DIA-03/04	RF-DIA-06	Saved content	PHASE 1	TOR
DIA-09	RF-DIA-09	Information modal	PHASE 1	NEW
DIA-05	RF-DIA-10	Guided 4-question creation	PHASE 2	TOR ▸ FIGMA
DIA-07	RF-DIA-11	Filters	PHASE 2	NEW
COM-03	RF-COM-01	Feed	PHASE 1	TOR
COM-03/04	RF-COM-02	Post card and types	PHASE 1	TOR
COM-05	RF-COM-03	Post creation	PHASE 1	TOR
COM-06	RF-COM-04	Detail and comments	PHASE 1	TOR
COM-09	RF-COM-05	Bloom reaction	PHASE 1	TOR
COM-10	RF-COM-06	Q&A and expert answer	PHASE 1	TOR
COM-13	RF-COM-07	Mentor profile from the feed	PHASE 1	TOR
COM-01	RF-COM-11	"Highlights" tab	PHASE 2	NEW
COM-02/05	RF-COM-12	Categories	PHASE 2	NEW

FIGMA REF.	REQUIREMENT	TITLE	PHASE	ORIGIN
COM-05	RF-COM-13	@ mentions	PHASE 2	NEW
COM-07/08	RF-COM-14	Nested replies	PHASE 2	TOR ▸ FIGMA
COM-11	RF-COM-15	Post sharing	PHASE 2	NEW
COM-12	RF-COM-16	Professionals tab and banner	PHASE 2	TOR ▸ FIGMA
SES-01	RF-SES-01	Sessions catalog	PHASE 1	TOR ▸ FIGMA
SES-04	RF-SES-02	Session and program card	PHASE 1	TOR
SES-05	RF-SES-03	Mentor profile	PHASE 1	TOR
SES-06	RF-SES-04	Mentor content	PHASE 1	TOR ▸ FIGMA
SES-07	RF-SES-05	Follow the Mentor	PHASE 1	NEW
SES-08	RF-SES-06	Mentor offering	PHASE 1	TOR ▸ FIGMA
SES-10/11	RF-SES-07	Session and program detail	PHASE 1	TOR
SES-09/12	RF-SES-08	Date and slot	PHASE 1	TOR
SES-13	RF-SES-09	Policy acceptance	PHASE 1	NEW
SES-14	RF-SES-11	Advance payment	PHASE 1	TOR
SES-02	RF-SES-15	Search	PHASE 2	NEW
SES-03	RF-SES-16	Category filter	PHASE 2	NEW
MYS-01	RF-MYS-01	List	PHASE 1	TOR
MYS-02	RF-MYS-02	Session and program	PHASE 1	TOR
MYS-03	RF-MYS-03	Statuses	PHASE 1	TOR ▸ FIGMA
MYS-04	RF-MYS-04	Detail	PHASE 1	TOR
MYS-07	RF-MYS-07	Cancellation	PHASE 1	NEW
MYS-09	RF-MYS-08	Session notes	PHASE 1	TOR
MYS-05/06	RF-MYS-09	Reschedule request	PHASE 2	NEW
MYS-08	RF-MYS-10	Cancelled session detail	PHASE 2	NEW
MYS-10	RF-MYS-11	Information modals	PHASE 2	NEW
WAL-10	RF-PAY-01	Stripe payments	PHASE 1	TOR
WAL-07	RF-PAY-02	My payments	PHASE 1	NEW
WAL-09	RF-PAY-03	Transaction detail	PHASE 1	NEW
BE-09	RF-PAY-04	Visibility from the backoffice	PHASE 1	TOR
WAL-01/02	RF-PAY-06	Wallet	PHASE 2	NEW
WAL-03	RF-PAY-07	Top-up	PHASE 2	NEW
WAL-04…06	RF-PAY-08	Saved payment methods	PHASE 2	NEW
WAL-08	RF-PAY-10	Transaction filters	PHASE 2	NEW
CLUB-04	RF-PAY-11	Renewals and refunds in the Wallet	PHASE 2	NEW

FIGMA REF.	REQUIREMENT	TITLE	PHASE	ORIGIN
CLUB-04	RF-CLB-02	Plans and purchase	PHASE 1	TOR
CLUB-01	RF-CLB-05	Bloom Club page	PHASE 1	TOR
CLUB-02	RF-CLB-06	Access to premium content	PHASE 1	TOR
CLUB-03	RF-CLB-08	Information modal	PHASE 1	NEW
GAM-01	RF-GAM-01	Levels	PHASE 2	NEW
GAM-02/03	RF-GAM-03	Level display	PHASE 2	NEW
GAM-04…08	RF-GAM-04	Badges	PHASE 2	NEW
GAM-09	RF-GAM-05	Rules and events engine	PHASE 2	NEW
PRO-01	RF-PRO-01	Profile header	PHASE 1	TOR
PRO-02	RF-PRO-02	Menu items (Phase 1)	PHASE 1	TOR ▸ FIGMA
PRO-03	RF-PRO-04	Personal details	PHASE 1	TOR
PRO-04	RF-PRO-05	Change password	PHASE 1	TOR ▸ FIGMA
PRO-05	RF-PRO-06	Customise Areas	PHASE 1	NEW
PRO-06	RF-PRO-07	Service settings	PHASE 1	NEW
PRO-07	RF-PRO-08	Notification settings	PHASE 1	TOR
PRO-08	RF-PRO-09	Support	PHASE 1	TOR
PRO-11	RF-PRO-12	Logout	PHASE 1	TOR
PRO-09	RF-PRO-13	Dark mode	PHASE 2	NEW
PRO-10	RF-PRO-14	Cycle settings	PHASE 2	NEW
PRO-01/02/12/13	RF-PRO-15	Levels, badges and Wallet in the profile	PHASE 2	NEW
SOS-01	RF-SOS-01	Information page	PHASE 1	TOR ▸ FIGMA
SOS-02	RF-SOS-02	Enabling the feature	PHASE 1	TOR ▸ FIGMA
SOS-03	RF-SOS-03	Activation gesture	PHASE 1	TOR
SOS-04…06	RF-SOS-04	Trusted contacts	PHASE 1	TOR ▸ FIGMA
SOS-07	RF-SOS-05	Disguised interface	PHASE 1	TOR
SOS-08	RF-SOS-06	Hidden actions	PHASE 1	TOR ▸ FIGMA
SOS-09	RF-SOS-07	Preset message	PHASE 1	TOR
SES-07	RF-NOT-05	Followed Mentor	PHASE 1	NEW