

HTML CODE:

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8" />

    <meta http-equiv="X-UA-Compatible" content="IE=edge" />

    <meta name="viewport" content="width=device-width, initial-scale=1.0" />

    <link rel="stylesheet" href="css/bootstrap.min.css" />

    <link

      rel="stylesheet"

      href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css"

    />

    <link rel="stylesheet" href="css/dataTables.bootstrap5.min.css" />

    <link rel="stylesheet" href="css/style.css" />

    <title>Admin Dashboard</title>

  </head>

  <body>

    <!-- top navigation bar -->

    <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top">

      <div class="container-fluid">

        <button

          class="navbar-toggler"

          type="button"

          data-bs-toggle="offcanvas"

          data-bs-target="#sidebar"

          aria-controls="offcanvasExample"

        >

          <span class="navbar-toggler-icon" data-bs-target="#sidebar"></span>

        </button>

      </div>

    </nav>

  </body>

</html>
```

```
<button
  class="navbar-toggler"
  type="button"
  data-bs-toggle="collapse"
  data-bs-target="#topNavBar"
  aria-controls="topNavBar"
  aria-expanded="false"
  aria-label="Toggle navigation"
>
  <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="topNavBar">
  <form class="d-flex ms-auto my-3 my-lg-0">
    <div class="input-group">
      <input
        class="form-control"
        type="search"
        placeholder="Search"
        aria-label="Search"
      />
      <button class="btn btn-primary" type="submit">
        <i class="bi bi-search"></i>
      </button>
    </div>
  </form>
  <ul class="navbar-nav">
    <li class="nav-item dropdown">
      <a
        class="nav-link dropdown-toggle ms-2"
```

```

        href="#"
        role="button"
        data-bs-toggle="dropdown"
        aria-expanded="false"
    >
        <i class="bi bi-person-fill"></i>
    </a>
    <ul class="dropdown-menu dropdown-menu-end">
        <li><a class="dropdown-item" href="#">Action</a></li>
        <li><a class="dropdown-item" href="#">Another action</a></li>
        <li>
            <a class="dropdown-item" href="#">Something else here</a>
        </li>
    </ul>
</li>
</ul>
</div>
</div>
</nav>
<!-- top navigation bar -->
<!-- offcanvas -->
<div
    class="offcanvas offcanvas-start sidebar-nav bg-dark"
    tabindex="-1"
    id="sidebar"
>
    <div class="offcanvas-body p-0">
        <nav class="navbar-dark">
            <ul class="navbar-nav">
                <li>

```

<div class="text-muted small fw-bold text-uppercase px-3">

CORE

</div>

<i class="bi bi-speedometer2"></i>

Dashboard

<li class="my-4"><hr class="dropdown-divider bg-light" />

<div class="text-muted small fw-bold text-uppercase px-3 mb-3">

Interface

</div>

<a

class="nav-link px-3 sidebar-link"

data-bs-toggle="collapse"

href="#layouts"

>

<i class="bi bi-layout-split"></i>

Layouts

<i class="bi bi-chevron-down"></i>


```
<div class="collapse" id="layouts">
  <ul class="navbar-nav ps-3">
    <li>
      <a href="#" class="nav-link px-3">
        <span class="me-2"
          ><i class="bi bi-speedometer2"></i>
        </span>
        <span>Dashboard</span>
      </a>
    </li>
  </ul>
</div>
</li>
<li>
  <a href="#" class="nav-link px-3">
    <span class="me-2"><i class="bi bi-book-fill"></i></span>
    <span>Pages</span>
  </a>
</li>
<li class="my-4"><hr class="dropdown-divider bg-light" /></li>
<li>
  <div class="text-muted small fw-bold text-uppercase px-3 mb-3">
    Addons
  </div>
</li>
<li>
  <a href="#" class="nav-link px-3">
    <span class="me-2"><i class="bi bi-graph-up"></i></span>
    <span>Charts</span>
  </a>
```

```

</li>

<li>

  <a href="#" class="nav-link px-3">

    <span class="me-2"><i class="bi bi-table"></i></span>

    <span>Tables</span>

  </a>

</li>

</ul>

</nav>

</div>

</div>

<!-- offcanvas -->

<main class="mt-5 pt-3">

  <div class="container-fluid">

    <div class="row">

      <div class="col-md-12">

        <h4>Dashboard</h4>

      </div>

    </div>

    <div class="row">

      <div class="col-md-3 mb-3">

        <div class="card bg-primary text-white h-100">

          <div class="card-body py-5">Primary Card</div>

          <div class="card-footer d-flex">

            View Details

            <span class="ms-auto">

              <i class="bi bi-chevron-right"></i>

            </span>

          </div>

        </div>

      </div>

    </div>

```

</div>

<div class="col-md-3 mb-3">

<div class="card bg-warning text-dark h-100">

<div class="card-body py-5">Warning Card</div>

<div class="card-footer d-flex">

View Details

<i class="bi bi-chevron-right"></i>

</div>

</div>

</div>

<div class="col-md-3 mb-3">

<div class="card bg-success text-white h-100">

<div class="card-body py-5">Success Card</div>

<div class="card-footer d-flex">

View Details

<i class="bi bi-chevron-right"></i>

</div>

</div>

</div>

<div class="col-md-3 mb-3">

<div class="card bg-danger text-white h-100">

<div class="card-body py-5">Danger Card</div>

<div class="card-footer d-flex">

View Details

<i class="bi bi-chevron-right"></i>

```

        </span>
    </div>
</div>
</div>
</div>
<div class="row">
    <div class="col-md-6 mb-3">
        <div class="card h-100">
            <div class="card-header">
                <span class="me-2"><i class="bi bi-bar-chart-fill"></i></span>
                Area Chart Example
            </div>
            <div class="card-body">
                <canvas class="chart" width="400" height="200"></canvas>
            </div>
        </div>
    </div>
    <div class="col-md-6 mb-3">
        <div class="card h-100">
            <div class="card-header">
                <span class="me-2"><i class="bi bi-bar-chart-fill"></i></span>
                Area Chart Example
            </div>
            <div class="card-body">
                <canvas class="chart" width="400" height="200"></canvas>
            </div>
        </div>
    </div>
</div>
<div class="row">

```



```
<div class="col-md-12 mb-3">

  <div class="card">

    <div class="card-header">

      <span><i class="bi bi-table me-2"></i></span> Data Table

    </div>

    <div class="card-body">

      <div class="table-responsive">

        <table

          id="example"

          class="table table-striped data-table"

          style="width: 100%"

        >

          <thead>

            <tr>

              <th>Name</th>

              <th>Position</th>

              <th>Office</th>

              <th>Age</th>

              <th>Start date</th>

              <th>Salary</th>

            </tr>

          </thead>

          <tbody>

            <tr>

              <td>Tiger Nixon</td>

              <td>System Architect</td>

              <td>Edinburgh</td>

              <td>61</td>

              <td>2011/04/25</td>

              <td>$320,800</td>

            </tr>

          </tbody>

        </table>

      </div>

    </div>

  </div>
```

```
</tr>

<tr>

  <td>Garrett Winters</td>

  <td>Accountant</td>

  <td>Tokyo</td>

  <td>63</td>

  <td>2011/07/25</td>

  <td>$170,750</td>

</tr>

</div>

</div>

</div>

</main>

<script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
  crossorigin="anonymous"
></script>

<script src="https://cdn.jsdelivr.net/npm/chart.js@3.0.2/dist/chart.min.js"></script>
<script src="./js/jquery-3.5.1.js"></script>
<script src="./js/jquery.dataTables.min.js"></script>
<script src="./js/dataTables.bootstrap5.min.js"></script>
<script src="./js/script.js"></script>

</body>

</html>
```

JS CODE:

```
const charts = document.querySelectorAll(".chart");

charts.forEach(function (chart) {

  var ctx = chart.getContext("2d");

  var myChart = new Chart(ctx, {

    type: "bar",

    data: {

      labels: ["Red", "Blue", "Yellow", "Green", "Purple", "Orange"],

      datasets: [

        {

          label: "# of Votes",

          data: [12, 19, 3, 5, 2, 3],

          backgroundColor: [

            "rgba(255, 99, 132, 0.2)",

            "rgba(54, 162, 235, 0.2)",

            "rgba(255, 206, 86, 0.2)",

            "rgba(75, 192, 192, 0.2)",

            "rgba(153, 102, 255, 0.2)",

            "rgba(255, 159, 64, 0.2)",

          ],

          borderColor: [

            "rgba(255, 99, 132, 1)",

            "rgba(54, 162, 235, 1)",

            "rgba(255, 206, 86, 1)",

            "rgba(75, 192, 192, 1)",

            "rgba(153, 102, 255, 1)",

            "rgba(255, 159, 64, 1)",

          ],

          borderWidth: 1,

        },

      ],

    },

  });

});
```

```
    ],  
  },  
  options: {  
    scales: {  
      y: {  
        beginAtZero: true,  
      },  
    },  
  },  
});  
});  
$(document).ready(function () {  
  $(".data-table").each(function (_, table) {  
    $(table).DataTable();  
  });  
});
```

CSS CODE:

```
@import
url("https://fonts.googleapis.com/css2?family=Inter:wght@400;500;600;700;800;900&displa
y=swap");

body,
button {
    font-family: "Inter", sans-serif;
}

:root {
    --offcanvas-width: 270px;
    --topNavbarHeight: 56px;
}

.sidebar-nav {
    width: var(--offcanvas-width);
}

.sidebar-link {
    display: flex;
    align-items: center;
}

.sidebar-link .right-icon {
    display: inline-flex;
}


.sidebar-link[aria-expanded="true"] .right-icon {
    transform: rotate(180deg);
}

@media (min-width: 992px) {
    body {
        overflow: auto !important;
    }

    main {
        margin-left: var(--offcanvas-width);
    }
}
```

```
}  
/* this is to remove the backdrop */  
.offcanvas-backdrop::before {  
  display: none;  
}  
.sidebar-nav {  
  -webkit-transform: none;  
  transform: none;  
  visibility: visible !important;  
  height: calc(100% - var(--topNavbarHeight));  
  top: var(--topNavbarHeight);  
}  
}
```

OUTPUT:



CORE

Dashboard

INTERFACE

Layouts

Pages

ADDONS

Charts

Tables

Search

Show 10 entries

Search:

Name	Position	Office	Age	Start date	Salary
Airi Satou	Accountant	Tokyo	33	2008/11/28	\$162,700
Angelica Ramos	Chief Executive Officer (CEO)	London	47	2009/10/09	\$1,200,000
Ashton Cox	Junior Technical Author	San Francisco	66	2009/01/12	\$86,000
Bradley Greer	Software Engineer	London	41	2012/10/13	\$132,000
Brenden Wagner	Software Engineer	San Francisco	28	2011/06/07	\$206,850
Brielle Williamson	Integration Specialist	New York	61	2012/12/02	\$372,000
Bruno Nash	Software Engineer	London	38	2011/05/03	\$163,500
Caesar Vance	Pre-Sales Support	New York	21	2011/12/12	\$106,450
Cara Stevens	Sales Assistant	New York	46	2011/12/06	\$145,600
Cedric Kelly	Senior Javascript Developer	Edinburgh	22	2012/03/29	\$433,060

Name

Position

Office

Age

Start date

Salary

Showing 1 to 10 of 57 entries

Previous

1

2

3

4

5

6

Next