SQL TIPS AND TRICKS


PART 21

Create Dynamic Insert Statement From Existing Table Data

MAYURI DANDEKAR


Result Grid				
	emp_id	emp_name	salary	dob
-	1	Ankit	11000	2000-09-01
	2	mohit	16500	1997-05-07
	3	vikas	22000	1994-08-05
	4	rohit	30000	1994-08-05
	5	mohit	12000	2000-09-01
	-			

Write the insert statement in CONCAT() the way we write while inserting data in a table,



Copy the insert statements from result and paste them in editor and execute them. Check whether it executes or not.

```
12 •
         INSERT INTO emp3 VALUES(1, 'Ankit',11000, '2000-09-01');
13 •
         INSERT INTO emp3 VALUES(2, 'mohit', 16500, '1997-05-07');
14 •
         INSERT INTO emp3 VALUES(3,'vikas',22000,'1994-08-05');
15 •
         INSERT INTO emp3 VALUES(4, 'rohit', 30000, '1994-08-05');
         INSERT INTO emp3 VALUES(5, 'mohit', 12000, '2000-09-01');
16 •
17
Result Grid Filter Rows:
                                                        Wrap Cell Content: TA
   dynamic_insert
   INSERT INTO emp VALUES(1,'Ankit', 11000,'2000-09-01');
   INSERT INTO emp VALUES(2, 'mohit', 16500, '1997-05-07');
   INSERT INTO emp VALUES(3, 'vikas', 22000, '1994-08-05');
  INSERT INTO emp VALUES(4, rohit', 30000, '1994-08-05');
  INSERT INTO emp VALUES(5,'mohit',12000,'2000-09-01');
```



THANK YOU

MAYURI DANDEKAR