SQL TIPS AND TRICKS

PART 26

PWC INTERVIEW QUESTION

MAYURI DANDEKAR

Example--

source

ID Name


ID A

2 B
3 C
4 D

target

			_
	ID	Name	
•	1	Α	
	2	В	
	4	X	
	5	F	

GET OUTPUT AS ---→



```
11
       -- METHOD 1
     SELECT COALESCE(S.ID, T.ID), -- S.Name, T.Name,

    ○ CASE WHEN T.Name IS NULL THEN "New In Source"

13
14
               WHEN S.Name IS NULL THEN "New In Target"
15
               ELSE "Mismatched" END AS comments
16
       FROM SOURCE S
17 🛭
       FULL JOIN TARGET T ON S.ID = T.ID
18
       WHERE S.Name != T.Name OR S.Name IS NULL OR T.Name IS NULL
19
```

```
20
       -- METHOD 2
      WITH cte AS(
21
      SELECT *, "source" AS table_name FROM source
22
      UNION ALL
23
24
      SELECT *, "target" AS table_name FROM target
25
26
      SELECT ID, -- count(*) AS cmt, MIN(Name) AS min name, MAX(Name) AS max name,
               -- MIN(table name) AS min tablename, MAX(table name) AS max table name,
27
      CASE WHEN MIN(Name) != MAX(Name) THEN "Mismatched"
28
          WHEN MIN(table_name)= "source" THEN "new in source"
29
30
           ELSE "new in target" END AS comment
31
      FROM cte
32
      GROUP BY ID
      HAVING count(*) = 1 OR (count(*) = 2 AND MIN(Name) != MAX(Name))
33
```

THANK YOU

MAYURI DANDEKAR