



## **CANE AND BAMBOO TECHNOLOGY CENTRE**

**CANE AND BAMBOO TECHNOLOGY PARK,  
13<sup>TH</sup> MILE G.S. ROAD BURNIHAT, ASSAM**

### **TENDER DOCUMENT**

**Construction of Artisans Weavers Facilitation Centre  
at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.**

**Document Price: Rs.500/- only**

## **TABLE OF CONTENTS**

	<b>Page No.</b>
1. Brief description of Proposal	03
2. Covering Letter	04
3. Particulars of TENDER	06
4. General Particulars of Tenderer	07
5. Experience	08
6. Submission of TENDER	09
7. TENDER opening	12
8. Award of Contract	13
9. Financial Bid	14

## 1. BRIEF DESCRIPTION:

Cane and Bamboo Technology Centre is a premier organization providing all round support for development of bamboo in the NE region of India. The centre invites Technical and Financial proposals from reputed registered firms having income tax, sales tax registration and who are Experience in the field of Bamboo Construction Work at least 12years for the Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.

This is a two part bid system with Technical bid and financial bid forming the two parts.

The Technical and Financial bid should be sealed in separate envelopes and then both sealed covers to be placed in one envelope clearly super scribing on the envelope, **“Quotation for Construction of Artisans Weavers Facilitation Centre”**.

## 2. PARTICULARS OF TENDER:

1. TENDER No. :  
-----

2. Particulars of the work:

**Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.**

3. Period of work : 4 months from the award of work (exclusive of coordination period with other agencies working on site)

4. Cost of TENDER document : Rs. 300/- in the form of Demand Draft in favour of cane and Bamboo Technology centre ,payable at Guwahati/Burnihat

5. Last date and time of Submission of TENDER (by hand/courier/ post) : 25-03-2020 at 3 PM

6. Security Money : 2% will be deducted from any payment made by CBTC for construction works as security money

7. Period of validity of TENDER for acceptance : 15 days

8. Date and time of opening of TENDER : 25-03-2020 at 4pm

9. Place of opening of TENDER : Cane and Bamboo Technology Centre, 13<sup>th</sup> Mile, G.S. Road, Burnihat, Assam.

10. Name of firm / to whom TENDER document is issued. : -----

**(Signature of Tenderer)  
with seal**

**3. GENERAL PARTICULARS OF TENDERER :**

1. Name of firm :
2. Communication address :
3. Telephone, Telex, Fax No :
5. E-mail :
6. Web site :
7. Name and designation of the representative  
of the Tenderer to whom all references/  
communications shall be made :
8. Amount of earnest money/bid security  
deposited with instrument no / bank and date :
10. Firm Registration number / details :
11. Copies of ITR acknowledgement :
12. VAT registration no :
13. Materials specifications as per DSR 2016 :
14. PAC issued by BMTPC (to be submitted by the  
tenderer before issue of the work order) :
15. Previous experience or work done by the  
Tenderer of similar nature of project. :
16. Name and address of the manufacturer/  
Authorized dealer (please attach  
authorization certificate). :

**(Signature of Tenderer)  
with seal**

**4. EXPERIENCE:**  
(Details of Each Project)

Item	
1. Title of the project	
2. Location	
3. No. of works/projects completed	
4. Entity/ Agency with which project has been executed	
5. Date of commencement of the project	
6. Date of completion/ commissioning	
7. Cost of the Project	
8. Scope of Work	

**5. COVERING LETTER:**

**Letter Comprising of Tender for** the Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.

To,  
The Managing director  
Cane and Bamboo Technology Centre,  
13<sup>th</sup> Mile, G.S. Road, Burnihat, Assam  
PIN – 781023(Assam)

**Sub:** Tender for the Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.

Dear Sir,

1. With reference to your TENDER notice dated 18<sup>th</sup> March, 2020, I have examined the TENDER document and understood its contents. I hereby submit my Bid for Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.
2. The Application is unconditional for the said Tender.
3. It is acknowledged that the Authority will be relying on the information provided in the tender and the documents accompanying such tender for qualification of the bidders for the above subject project, and we certify that all information provided in the tender and in Annexures are true and correct; nothing has been misrepresented and omitted which renders such information misleading; and all documents accompanying the bid are true copies of their respective originals.
4. This statement is made for the express purpose of the above mentioned subject.
5. We shall make available to the Authority any additional information it may find necessary or require to supplement or authenticate the Qualification statement.

6. We acknowledge the right of the Authority to reject our bid without assigning any reason or otherwise and hereby relinquish, to the fullest extent permitted by applicable law, our right to challenge the same on any account whatsoever.

7. It is declared that:

(a) We have examined and have no reservations to the Tender document

(b) We have not directly or indirectly or through an agent engaged or indulged in any corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice in respect of any Bid or request for proposal issued by or any agreement entered into with the Authority or any other public sector enterprise or any government, Central or State.

8. It is understood that the Institute may cancel the Bidding Process at any time without incurring any liability to the institute and that you are neither bound to invite the applicants to Bid for the project nor to accept any bid that you may receive.

9. It is certified that we have not been convicted by a Court of Law or indicted or adverse orders passed by a regulatory authority which could cast a doubt on our ability to undertake the Project or which relates to a grave offence that outrages the moral sense of the community.

10. It is further certified that no investigation by any regulatory agency is pending against us.

11. It is hereby affirmed that we are in compliance of/ shall comply with the O&M requirements for one year.

12. We hereby irrevocably relinquish any right or remedy which we may have at any stage at law or howsoever otherwise arising to challenge or question any decision taken by the Authority in connection with the selection of bidders, selection of the Tenderer, or in connection with the selection/ Bidding Process itself, in respect of the above mentioned Project and the terms and implementation thereof.

13. We agree to undertake to abide by all the terms and conditions of the TENDER Document.

14. We agree to undertake to be liable for all the obligations of the Tenderer under the Agreement. In witness thereof, we submit this application under and in accordance with the terms of the TENDER document.

**Yours faithfully,**

**(Signature, name and designation of the Authorized Signatory)**

Place: Name and seal of the Bidder/ Lead Member

## Instructions:

1. Tenderers are expected to provide information with respect to only Eligible/Qualified Projects.
2. Information provided in this section is intended to serve as a back-up for information provided in the TENDER.
3. An authentic experience certificate should be annexed with respect to each eligible/qualified Project from the Agency for which the project is executed.
4. Provide the estimated capital cost of each Eligible/Qualified Project.

(Signature of Tenderer)  
With Seal

\*Note – please use one page each for each project

## 6. SUBMISSION OF TENDER

### 6.1 SEALING AND MARKING OF TENDER:

- 6.1.1 The TENDER must be complete in all aspect and should contain requisite certificate, drawings, informative literature etc. as required in the specification.
- 6.1.2 Tender Document can be downloaded from CBTC website ([www.cbtc.org](http://www.cbtc.org)).
- 6.1.3 This is a two part bid consisting of Technical bid and financial bid. The Technical and Financial bids should be sealed in separate envelopes and then to be sealed in one Envelope clearly super scribing on the envelope, **“Quotation for the Construction of Artisans Weavers Facilitation Centre”** at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.  
**The bid shall include:**
  - a. Forwarding letter by the Tenderer
  - b. All required documents
  - c. Cost of tender by Demand Draft, towards processing charges (non-refundable)
  - d. Technical bid.
  - e. Financial Bid

### 6.1.4 TENDER should be addressed to:-

Managing Director  
Cane and Bamboo Technology Centre  
13<sup>th</sup> Mile, G.S. Road, Burnihat ,Assam-781023

- a. The TENDER should be submitted at the office of Cane and Bamboo Technology Centre before **3.00 PM** on 25 .03.2020.
- b. Tenders may be received through Post/courier/by hand. Cane and Bamboo Technology Centre will not be responsible for any delay or misplace in postal transit.

## **6.2 EXPENSES OF AGREEMENT:**

All the expenses of completing of the agreement including cost of stamp or any other kind of expenditure incurred in the process of TENDER submission till final compliance shall be borne by the Tenderer.

## **6.3 DEADLINE FOR SUBMISSION OF BIDS:**

TENDER must be received by the Cane and Bamboo Technology Centre, Burnihat at the date, time and address specified in the TENDER notice/ TENDER documents.

## **6.4 LATE BIDS:**

Any TENDER received after the deadline for submission of TENDER prescribed by the Cane and Bamboo Technology Centre, Burnihat at shall be rejected and / or returned unopened to the Tenderer.

### **NOTE:-**

1. Please submit quotations in two separate SEALED envelope, one indicating Technical specifications and the other containing commercial terms & prices. These two envelopes should be again kept in one envelope, indicating Quotation for the Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.
2. Financial bid will be opened only of the bidders who will be qualified in the Technical bid.
3. The Centre will contact only bidders meeting the requirements including the rates.
4. The payment will be made after successful on-site installation of ordered items.
5. Cane and Bamboo Technology Centre, Burnihat reserves the right to split the order among two or more vendors.
6. The price quoted will be applicable to the specifications mentioned in this quotation notice.
7. The bidders may, specifically mention if any higher specifications are offered.
8. The selected vendors will be required to supply the items within the time mentioned in the work order.
9. Please indicate whether you will be able to supply the item within time specified after receiving the order.
11. Please specify the minimum period for delivery if you are not able to supply within the said Period. Early delivery will also be a factor for consideration in deciding the successful bidder.
12. A penalty of 0.5% of the total order value will be imposed per week for late delivery.
13. In addition, before release of payments of the work, 2% of the total cost will be deducted as Performance Security during the warranty period.
14. No advance payment will be made; any offer linked with advance payment is likely to be ignored.
15. After winning the order, if you fail to supply, your EMD will be forfeited and you will be Black listed from participating in any future bid/tender.
16. Only OEM or their Authorized dealers of the Product can participate in the bid.
17. Delivery will be made at:

Managing director  
Cane and Bamboo Technology Centre  
13<sup>th</sup> Mile, G.S. Road, Burnihat ,Assam-781023



19. The decision of acceptance of the quotation will lie with the competent authority of Cane and Bamboo Technology Centre, who does not bind himself to accept the lowest quotation and who reserves the right to himself to reject or partially accept any or all quotations received, without assigning any reason.

**(Signature of Tenderer)  
with seal**

## **7. TENDER OPENING**

### **7.1 OPENING OF TENDER:**

The procedure of opening of the TENDER shall be as under:

Financial Bid (Tenders) of the Tenderer who qualify in the technical bid shall be opened in the presence of designated Authority and Tenderers who wish to be present there. The date of Financial bid opening will be informed to the shortlisted bidders subsequently.

### **CLARIFICATION OF TENDER:**

**7.2.1** To assist in the examination, evaluation and comparison of TENDER, Cane and Bamboo Technology Centre, Burnihat may at its discretion ask the Tenderer for a clarification on the TENDER which is submitted by him. The request for clarification and the response shall be in writing.

**7.2.2** Centre will be at liberty to involve any expert or consultant in evaluating the bid for completing the entire bid process.

**(Signature of Tenderer)  
With seal**

## **8. AWARD OF CONTRACT**

The Tenderer should pass in all items of "Eligibility Criteria". Eligible tenderer quoting the lowest offer price shall be awarded the contract.

8.1 Cane and Bamboo Technology Centre, Burnihat reserves the right of negotiation with eligible Tenderer before the finalization of the TENDER

8.2 Cane and Bamboo Technology Centre, Burnihat reserves the right at the time of award of contract to increase or decrease the numbers of locations/ quantities without any change in terms and conditions.

8.3 Cane and Bamboo Technology Centre, Burnihat reserves the right to accept any bid and to reject any or all bids or accept any TENDER in total or in parts or to split the work among various Tenderers without assigning any reason thereof.

### **8.4 NOTIFICATION OF AWARD**

Prior to the expiration of the period of TENDER validity, the Centre will inform the Tenderer by registered letter or by phone or fax or by e-mail that the bid has been accepted and the work has been awarded.

### **8.5 EXECUTION PERIOD**

The entire work shall be completed in all respect within **120 days including dismantling of existing floor from** the date of award of work. In case time specified the project cannot be completed in 120 days than please mention the minimum time required to complete the project of Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati.

(Signature of Tenderer)  
With seal

## 9. FINANCIAL BID

### Name of Work-

Construction of Artisans Weavers Facilitation Centre at the Crafts Promotion Centre, Pub-Boragaon, Guwahati. I / We

.....(Name of the firm) do hereby apply for the tender and in case of acceptance of our proposal, we agree to carry out the following work for a consolidated amount as mentioned below :-

### NOTE:-

- (i) \* - A list along with contact details of at least **five** clients to who Interior works of bamboo wood flooring and wall panelling at NEC Guest house at New Delhi and Shillong has been supplied by you and with who it is still continuously in use shall be enclosed

(Signature of Tenderer)

(Signature of Officers)

with seal

<b>Name of work :-</b>		<b>Name of work:- Quotation for the work of "Construction of Artisans &amp; Weavers Facilitation Centre at Gorchuk, Guwahati"</b>
------------------------	--	---

### Detail Estimate

Sl. No.	Schedule No.	Item	Unit	Qty.	Rate (Rs.)	Amount (Rs.)
(I)	(II)	(III)	(IV)	(V)	(VI)	(VII)
<b>CIVIL WORKS</b>						
1	1.1	<b>EARTHWORK IN EXCAVATION</b> for foundation trenches of walls, retaining walls, footings of column, steps, septic tank etc. including refilling (return filling) the quantity as necessary after completion of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as	Cu. m	45.00		

		directed and specified. (A) Up to a depth of 2.00m below the existing ground level. (a) In ordinary soil				
2	1.3	<b>EARTH / SAND FILLING IN PLINTH</b> in layers not more than 150mm thick including necessary carriage, watering, ramming etc. complete as directed and specified including payment of land compensation, forest royalty, sales tax and other duties and taxes as may be necessary. (c) With river sand or silt (predominantly non plastic) by truck carriage including loading and unloading.	Cum	601.00		
3	1.4	<b>RAISING LOW SITE AROUND THE BUILDING / PLINTH</b> with approved soil obtained from outside by truck carriage including breaking clods, dressing etc. complete including paying necessary forest royelty, sales tax, land compensation, municipal gate fees, if any monopoly duty etc. (profile measurement to be taken and 12.5% deduction for shrinkage to be made from total quantity) etc. complete as directed and specified. (b) Other than Guwahati city	Cum	800.00		
4	2.1.1	<b>PCC WORKS UNDER FOUNDATION</b> with coarse aggregate of sizes 13mm to 32mm in foundation bed for footing steps, walls, brick works etc. as directed and specified including dewatering if necessary, and curing complete (shuttering where necessary shall be measured and paid separately). (a) In prop 1cement: 3 sand :6 coarse aggregate by volume	Cum	6.50		
5	2.2.1	<b>RCC WORKS IN SUB-STRUCTURE :</b> Providing and laying plain/reinforced cement croncrete works cement, coarse sand & 20mm down graded stone aggregate including dewatering if necessary, and curing complete but excluding cost of form work and reinforcement for reinforced cement concrete work (form work and reinforcement will be measured and paid separately) (I) Using mixture machine <b>(A) In sub - structure up to plinth levelFoundation, footing, columns</b> with base tie and plinth beam, pile cap, base slab, retaining walls, walls of septic tank, inspection pit and the like and other works not less than 100mm thick up to plinth level. <b>P) Using admixture</b> , plasticiser etc for air entraining, water reducing purposes including addition of agent for changing normal setting time of concrete as required. <b>b) M20 grade concrete or Prop. 1:1.5:3</b>	Cum	45.00		

6	2.2.1	<p><b>RCC WORKS IN SUPER-STRUCTURE:</b> Providing and laying plain/reinforced cement concrete works cement, coarse sand &amp; 20mm down graded stone aggregate including dewatering if necessary, and curing complete but excluding cost of form work and reinforcement for reinforced cement concrete work (form work and reinforcement will be measured and paid separately)</p> <p>(I) Using mixture machine</p> <p><b>(B) In super structure from plinth level up to 1st floor level.</b></p> <p>ii) Columns, pillars, posts, struts, suspended floor, roof, landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase (except spiral staircase and landing ) including preparing the top surface and finishing of nosing.</p> <p><b>P) Using admixture, plasticiser etc</b></p> <p><b>b) M20 grade concrete or Prop. 1:1.5:3</b></p>	Cum	45.00		
7	3.1.1.1	<p><b>SHUTTERING WORKS IN SUB-STRUCTURE :</b> Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in-situ reinforced concrete and plain concrete work in: <b>Foundation, footings, bases of columns, pile cap, raft and mass concrete works etc.</b></p> <p>(b) Using 25mm thick plank</p>	Sqm	126.00		
8	3.2.1.1	<p><b>SHUTTERING WORKS IN SUPER-STRUCTURE:</b> Providing form work of 12mm thick Plywood Board so as to give a rough finish including centering, shuttering, strutting and propping etc., height of propping and centering below supporting floor to ceiling not exceeding 4.0M and removal of the same for in situ reinforced concrete and plain concrete work in: <b>Columns, Pillars, Posts &amp; Strut of square/ rectangular/ polygonal in plan or any shape like Tee/L etc. having plane vertical face</b></p>	Sqm	108.00		
9	4.1.1	<p><b>BRICK SOLING :</b> Providing soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete.</p> <p>(a).Brick on flat soling.</p>	Sq.m	601.00		
10	4.1.4	<p><b>BRICKWORK IN SUBSTRUCTURE :</b> Brick work in cement mortar with 1st class brick including racking out joints and curing complete as directed.(I) In Sub-structure upto plinth level including dewatering if necessary(c) In proportion 1:5.</p>	Cum	75.53		

11	4.1.4	<b>BRICKWORK IN SUPERSTRUCTURE :</b> Brick work in cement mortar with 1st class brick including racking out joints and curing complete as directed. (II) In Super-structure above plinth level including dewatering if necessary (b) In proportion 1:4	Cum	100.00		
12	5.1.1	<b>CC TOPPING :</b> Cement concrete works in topping 1:1:2 (1cement :1sand :2 graded aggregates on R.C.C floor, tread and rise of steps finished with a floating coat of neat cement using cement slurry for bond @ 2.75 kg.of cement per sq. m. of floor to be laid in panels including curing complete as directed. (b) 20 mm thick	Sqm	601.00		
13	5.1.4	<b>CC FLOOR BED :</b> 65 mm thick cement concrete floor consisting of 50 mm under layer of cement concrete in prop. 1:3:6 (1cement : 3 coarse sand : 6 coarse aggregate of 25mm and down) and 15 mm thick wearing layer in cement concrete in prop. 1:1:2 (1cement :1 coarse sand : 2 coarse aggregate of size 10mm down) laid in panels and finished with a floating coat of neat cement finish (using cement slurry for bond @ 2.75 kg. per square metre of floor area) including curing etc. complete as directed.	Sqm	601.00		
14	6.2.2	<b>PLASTERING INSIDE :</b> 15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, not exceeding 80mm girth and finished even and smooth including curing complete as directed. B) On fair side b) In cement mortar 1:4	Sqm	601.00		
15	6.2.3	<b>PLASTERING OUTSIDE:</b> 20 mm thick Cement plaster in two coats on single or half brick walls for interior plastering up to 1st floor level including arises, internal rounded angles, chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. A) On rough side (backing coat 15 mm and finishing coat 5mm thick) (b). In cement mortar 1:4	Sqm	1200.00		
16	18.1.1	<b>RIENFORCEMENT :</b> Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete. (No extra measurement for lap, hook, chair, anchor etc. will be entertained in the measurement as they are included in the rate) (Upto 1st floor level) a) From Primary Producer: TATA/ SAIL/ Esser Steel/ Jindal	Qtt	40.00		

		steel/Shyam (ii)Super Ductile (SD) TMT reinforcement bars	steel/RINL			
17	19.2	<b>PLINTH PROTECTION:</b> Providing plinth protection with bricks flat laid in cement mortar 1: 4 and finished with 15mm thick cement plaster in prop. 1:2 with a floating coat of neat cement finish.	Sqm	601.00		
18	26.1.3	<b>ANTI-TERMITE IN PLINTH :</b> Pre construction anti - termite treatment by applying in the entire levelled area after plinth filling and before laying floor by applying the emulsion @ 5 (five) litres per square meter of the surface to be spread with light rodding so as to ensure proper absorption by the filled up earth (supplying of necessary tools and accessories by the contractor) as per the direction of the Department complete.a) with aqueous emulsion having concentration 1:19 with chloropiropose solution (trichel or euivalent) and water, i.e. 1% solution.	Sqm	601.00		
19	5.7.3.4	<b>PAVERS :</b> Providing SUN ROCK HIGH CTS / DEVI paver block / tiles of concrete grade M30 or above of approved quality, size, shape of specified thickness over a levelling bedding layer of 30mm compacted sand over a base course of WBM or PCC including cutting where necessary finished with spreading sweeping jointing sand and compacting the pavers using vibrating compactor as specified and directed. SUN ROCK HIGH CTS / DEVI PAVER TILES (B) 60mm thick	Sqm	400.00		
20	19.4	<b>DRAIN WORKS ALONG BUILDINGS:</b> Providing <b>drain</b> with cement concrete (1:3:6) 10cm thick sides 10cm thick bed over brick flat soling including 15mm thick cement plastering in prop. 1:3 finished with a floating coat of cement slurry as directed with necessary shattering for sides and earth work in excavation of foundation trenches and refilling the sides after completion of work etc. as specified .ii). 300mm wide and average 250mm deep with bed slope 1 in 150 with initial depth of 100mm.	Rm	150.00		
<b>SUB - TOTAL OF CIVIL WORKS (A) RS.</b>						
<b>BAMBOO WORKS</b>						
21	NSCH	<b>BAMBOO STRUCTURAL BARS :</b> Providing fitting and fixing Treated BAMBOO STRUCTURAL BAR ELEMENTS both vertically and horizontally in all directions as per design in complete etc.	Nos	1200.00		

22	NSCH	<b>BAMBOO / WOOD JOINING BLOCKS:</b> Providing fitting and fixing JOINING ELEMENTS made of Bamboo Wood or Concrete blocks as per design in complete etc.	Nos	250.00		
23	NSCH	<b>BAMBOO CLADDING :</b> Providing fitting and fixing Bamboo cladding on the walls and interiors as per design in complete etc.	Sqft	10000.00		
24	9.1.2	<b>BAMBOOWOOD :</b> Providing wood work in frame (chowkaths) of doors, windows, clerestory windows and other similar works wrought, framed and fixed in position in contact with C.C or brick masonry wall including supplying, fitting and fixing with M.S. hold fast (40mmx3mmx250mm) as per design embedded in cement concrete block in proportion 1:2:4 and with two coats of kiricide oiling to the timber faces in contact with C.C and masonry as directed and specified. (a) With sal wood	Cu.m	1.00		
25	9.12.1	<b>FLUSH DOORS WITH BAMBOO MAT BOARDS :</b> Providing and fixing flush door shutters solid core construction with frame of 1st class hard wood with cross band and face veneered ply wood face panels conforming to relevant I.S code including oxidised iron butt hinges (100mm x 75mm x 3.5mm) 6 nos with necessary wood screws. a) Decorative type face panel and block board core. (ii) 35 mm thick .	Sq.m	10.00		
<b>SUB - TOTAL OF BAMBOO WORKS (B) RS.</b>						
<b>FINISHING WORKS</b>						
26	5.7.1.2	<b>CERAMIC WALL TILES IN PUBLIC TOILET :</b> Providing polished ceramic wall tiles of approved quality, size, shape and thickness not less than 8mm on walls and skirtings over cement mortar bed 10 mm thick in prop. 1:3 (1 cement : 3 coarse sand ) including cutting where necessary finished with flush pointing with Fix-A-Tile (Choksey / Sika / Pedelite / Rouf) /white cement slurry mixed with approved pigment to match shade of tiles complete at all levels as specified and directed. (Cement plastering to be measured and paid separately). (Coloured pigment should be in conformity with colour of tiles and as approved and directed by the Department). (Walls means both interior and exterior walls).a) Normal range Somany/ Orient/Nitco/Asian Makeii) Of size 200mmx300mm and above	Sqm	195.00		
27	5.7.2.1	<b>CERAMIC FLOOR TILES IN PUBLIC TOILET:</b> Providing VITRIFIED floor tiles of approved quality of specified size, shape and thickness not less than 18mm on floors, skirtings, risers and treads of steps over 15 mm thick base of cement mortar in prop. 1:3 (1 cement : 3 coarse sand ) including cutting where necessary finished with flush pointing with Fix-A-Tile (Choksey/Sika/Pedelite/Rouf) / white cement slurry mixed with approved pigment to match shade of tiles, mixed with approved pigment to match the shade of the tiles, complete at all levels as specified	Sqm	80.00		

		and directed. (Coloured pigment should be in conformity with colour of tiles and as approved and directed by the Department) a) Normal range Somany/ Orient/Nitco /Varmora/VITA/ Marbito/ Make ii) Of size 600mmx600mm and above				
28	13.3.4	<b>WALL PUTTY</b> : Providing two coats of Birla White Wall Care Putty (Water Resistant White Cement based putty for concrete/ mortar walls and ceiling both internal and external) after removing all loosely adhering material from the wall surface with the help of emery stone, putty blade or wire brush and moistening the wall with sufficient quantity of clean water as specified and directed by the department. (Total thickness of two coats is maximum 1.5mm) (i) Thickness = 1.5 mm thick	Sqm	1800.0 0		
29	13.4.1	<b>WALL PAINTING</b> : Wall painting (two coats) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on new surface to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter and sand papered smooth. (a).Acrylic Emulsion Paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac)	Sqm	1800.0 0		
30	13.6.3	<b>PRIMER ON BAMBOO / WOOD:</b> Applying priming coat over new wood and wood based surfaces over 100mm in girth/width after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter, sand papering and knotting. (b). With ready mixed paint, wood primer (white).	Sqm	1800.0 0		
31	14.1.1	<b>VARNISHING ON BAMBOO / WOOD</b> : Varnishing two coats (excluding priming coat) on new wood and wood based surfaces under coating with flattening varnish and finishing coat with copal varnish or spar varnish to give an even surface including cleaning the surface of all dirt, dust and filling the knots, crack etc with specially made wood putty and sand papering so as to produce a smooth, dry and matt surface. (i). Surfaces over 100mm in width or girth.	Sqm	1800.0 0		
32	14.2.1	<b>POLISHING ON BAMBOO / WOOD :</b> Polishing with french spirit polishing on new wood and wood based surfaces to give an even surface including cleaning the surface of all dirt, dust sand papered smooth and including a coat of wood filter	Sqm	1800.0 0		



33	29.2.1	<b>FIRE EXTINGUISHER:</b> Supply, Installation, Fixing of DRY CHEMICAL POWDER Fire Extinguisher confirming to IS: 2171 with ISI mark and CO2 cartridge will be confirming to IS: 4947 with ISI mark, Powder will be confirming to IS: 4308 with ISI Mark (5 KG) BRAND : FIRESTOP / FIREND / FIRE SHIELD/GETECH/MINIMEX	Each	10.00		
34	8.1.36	<b>ROOFING:</b> Providing Pre Painted Galvanized Iron Sheet Roofing (PPGI) (Dyna roof / Sathyam/ Durakolor/ Century Wells) at all levels including fitting and fixing with self drilling, self tapping screws complete. (Roof trusses, purlins etc. to be measured and paid separately.) (iv) 0.60 mm thick	Sqm	875.00		
35	8.1.37	<b>RIDGES :</b> Providing Pre Painted Galvanized Iron Sheet (PPGI) accessories (Ridges / Valley / Gutter /Flashing) (Dyna roof /Sathyam/ Durakolor/Century Wells) at all levels including fitting and fixing self drilling, self tapping screws complete complete. (iv) 0.60 mm thick.	Sqm	79.00		
<b>SUB - TOTAL OF FINISHING WORKS (C) RS.</b>						
<b>Name of work:- Quotation for the work of "Construction of Artisans &amp; Weavers Facilitation Centre at Gorchuk, Guwahati"</b>						