```
Dt: 2/4/2025
AddBookDetailsDAO.java
package test;
import java.sql.*;
public class AddBookDetailsDAO
{
     public int k = 0;
     public int insert(BookBean bb)
     {
       try {
             Connection con = DBConnection.getCon();//Accessing
Connection Object
            PreparedStatement ps = con.prepareStatement
                        ("insert into BookDetails72 values(?,?,?,?)");
            ps.setString(1, bb.getCode());
            ps.setString(2, bb.getName());
            ps.setString(3, bb.getAuthor());
            ps.setFloat(4, bb.getPrice());
            ps.setInt(5, bb.getQty());
            k = ps.executeUpdate();
       }catch(Exception e) {
            e.printStackTrace();
      return k;
}
AddBookDetailsServlet.java
package test;
import java.io.*;
import jakarta.servlet.*;
import jakarta.servlet.annotation.*;
@WebServlet("/add")
public class AddBookDetailsServlet extends GenericServlet
{
```

@Override

```
public void service(ServletRequest req,ServletResponse res)throws
 ServletException,IOException
 {
      BookBean bb = new BookBean();//Bean Object
      bb.setCode(req.getParameter("bcode"));
      bb.setName(req.getParameter("bname"));
      bb.setAuthor(req.getParameter("bauthor"));
      bb.setPrice(Float.parseFloat(req.getParameter("bprice")));
      bb.setQty(Integer.parseInt(req.getParameter("bqty")));
      int k = new AddBookDetailsDAO().insert(bb);
      if(k>0) {
             req.setAttribute("msg", "BookDetails Added Successfully...<br>");
             RequestDispatcher rd =
                           req.getRequestDispatcher("AddBookDetails.jsp");
             rd.forward(req, res);
      }
 }
}
AddBookDetails.jsp
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"</pre>
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
```

```
</head>
<body>
<%
String msg = (String)request.getAttribute("msg");
out.println(msg);
%>
<a href="BookDetails.html">AddBookDetails</a>
<a href="code.html">ViewBookDetailsByCode</a>
</body>
</html>
                                  0x34

0x35

rd.forward(req,res);
```