


✓ < #32

Rerun ⌵ ⋮

Manually run by mayurshamkuwar ⌚ Started 6 min 24 sec ago ⌚ Queued 1 ms ⌚ Took 15 sec

Graph



Search

- ✓ Tool Install 58 ms
- ✓ cloning-from-github 0.89 sec
- ✓ removing-local-maven-repository
- ✓ build-maven 11 sec
- ✓ copy-war-file-into-slave 0.88 sec
- ✓ run-tomcat-server-on-slave-1 0.51
- ✓ run-tomcat-server-on-slave-2 0.51

✓ run-tomcat-server-on-slave-2 ⌚ 0.51 sec ⌚ Started 6 min 10 sec ago 🖥 slave-2 ⋮

✓ Use a tool from a predefined Tool Installation `apache-maven-3.9.10`

✓ Fetches the environment variables for a given tool in a list of 'FOO=bar' strings suitable for the withEnv step.

✓ `sudo chmod -R 777 /mnt cd /mnt/apache-tomcat-10.1.41/bin sudo ./startup.sh`

0 + sudo chmod -R 777 /mnt

1 + cd /mnt/apache-tomcat-10.1.41/bin

2 + sudo ./startup.sh

3 Tomcat started.

```
pipeline {
  agent {
    node { label 'built-in' }
  }

  tools {
    maven 'apache-maven-3.9.10'
  }

  stages {
    stage('clonning-from-github'){
      agent {
        node {
          label 'built-in'
          customWorkspace '/mnt/project'
        }
      }
      steps {
        git 'https://github.com/Shantanumajan6/project.git'
      }
    }






    stage('removing-local-maven-repository'){
      steps {
        sh 'rm -rf /root/.m2/repository'
      }
    }

    stage('build-maven') {
      steps {
        dir('/mnt/project') {
          sh 'mvn clean install'
        }
      }
    }

    stage('copy-war-file-into-slave') {
      parallel {
        stage('copy-war-file-to-slave-1') {
          steps {
            sh '''
            scp -o StrictHostKeyChecking=no -i /root/.key.pem /mnt/project/target/*.war ec2-user@172.31.10.203:/mnt/apache-tomcat-10.1.41/webapps
            '''
          }
        }
        stage('copy-war-file-to-slave-2') {
          steps {
            sh '''
            scp -o StrictHostKeyChecking=no -i /root/.key.pem /mnt/project/target/*.war ec2-user@172.31.0.31:/mnt/apache-tomcat-10.1.41/webapps
            '''
          }
        }
      }


      stage ('run-tomcat-server-on-slave-1') {
        agent {
          node {
            label 'dev'
          }
        }
        steps {
          sh '''
          sudo chmod -R 777 /mnt
          cd /mnt/apache-tomcat-10.1.41/bin
          sudo ./startup.sh
          '''
        }
      }


      stage ('run-tomcat-server-on-slave-2') {
        agent {
          node {
            label 'qa'
          }
        }
        steps {
          sh '''
          sudo chmod -R 777 /mnt
          cd /mnt/apache-tomcat-10.1.41/bin
          sudo ./startup.sh
          '''
        }
      }
    }
  }
}
```


- + New Item
-  Build History
-  Project Relationship
-  Check File Fingerprint
-  Manage Jenkins
-  My Views


Build Queue 


No builds in the queue.

Build Executor Status 

 Built-In Node 0/2




 slave-1 0/4

 slave-2 0/4

 Add description

All

+

| S | W | Name ↓ | Last Success | Last Failure | Last Duration |
|---|---|--|----------------------------------|----------------------------|--|
|  |  | copying-from-jm-to-slave1-pipeline | 2 min 36 sec #32 | 28 min #29 | 15 sec  |



Icon: S M **L** 

Configure

- General
- Triggers
- Pipeline
- Advanced

General

Enabled

Description

war file copy jm to slave-1

Plain text

Preview

☒ Discard old builds

Strategy

Log Rotation

Days to keep builds

if not empty, build records are only kept up to this number of days

5

Max # of builds to keep

if not empty, only up to this number of build records are kept

5

Advanced

- ☐ Do not allow concurrent builds
- ☐ Do not allow the pipeline to resume if the controller restarts
- ☐ GitHub project
- ☐ Pipeline speed/durability override
- ☐ Preserve stashes from completed builds
- ☐ This project is parameterized
- ☐ Throttle builds

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- ☐ Build after other projects are built
- ☐ Build periodically
- ☐ GitHub hook trigger for GITScm polling
- ☐ Poll SCM
- ☐ Trigger builds remotely (e.g., from scripts)

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script

```
1 pipeline {
2   agent {
3     node { label 'built-in' }
4   }
5
6   tools {
7     maven 'apache-maven-3.9.10'
8   }
9
10  stages {
11    stage('clonning-from-github') {
12      agent {
13        node {
14          label 'built-in'
15          customBehaviors ['/ext/agent']
16        }
17      }
18    }
19  }
20 }
```

☒ Use Groovy Sandbox

Pipeline Syntax

Advanced

Advanced

Save

Apply