

MCQ

1 What will be the output of the following code snippet?

```
def func(a, b):  
    return b if a == 0 else func(b % a, a)  
print(func(30, 75))
```

Ans-c) 15

```
2 numbers = (4, 7, 19, 2, 89, 45, 72, 22)  
sorted_numbers = sorted(numbers)  
even = lambda a: a % 2 == 0  
even_numbers = filter(even, sorted_numbers)  
print(type(even_numbers))
```

And- b) Filter

3) As what datatype are the *args stored, when passed into

Ans-a) Tuple

```
4) set1 = {14, 3, 55}  
set2 = {82, 49, 62}  
set3={99,22,17}  
print(len(set1 + set2 + set3))
```

answer -d) Error

5) What keyword is used in Python to raise exceptions?

Ans-a) Raise

6) Which of the following modules need to be imported to handle date time computations in Python?

Ans-c) datetime

7) What will be the output of the following code snippet?

```
print(4**3 + (7 + 5)**(1 + 1))
```

Ans – c)208

8) Which of the following functions converts date to corresponding time in Python?

Ans- c)both a & b

9) The python tuple is _____ in nature.

Ans- b)immutable

10)

The ____ is a built-in function that returns a range object that consists series of integer numbers, which we can iterate using a for loop.

Ans-a.)range()

11)Amongst which of the following is a function which does not have any name?

Ans- c.)Lambda Function

12)The module Pickle is used to ____.

Ans- c)Both A and B-

Serializing Python object structure&
De-serializing Python object structure

13)Amongst which of the following is / are the method of convert Python objects for writing data in a binary file?

Ans-b.)dump()method

14.)Amongst which of the following is / are the method used to unpickling data from a binary file?

Ans-a.)load()

15.)A text file contains only textual information consisting of ____.

Ans-All of the mentioned

- A. Alphabets
- B. Numbers
- C. Special symbols
- D. All of the mentioned above

16.)Which Python code could replace the ellipsis (...) below to get the following output? (Select all that apply.)

```
captains = {  
"Enterprise": "Picard",  
"Voyager": "Janeway",  
"Defiant": "Sisko",  
}
```

```
Enterprise Picard,  
Voyager Janeway  
Defiant Sisko
```

Ans- d) both a and b

```
a) for ship, captain in captains.items():  
    print(ship, captain)  
b) for ship in captains:  
    print(ship, captains[ship])
```

17)

Which of the following lines of code will create an empty dictionary named captains?

Ans-d)captains={}

18) Now you have your empty dictionary named captains. It's time to add some data! Specifically, you want to add the key-value pairs "Enterprise": "Picard", "Voyager": "Janeway", and "Defiant": "Sisko".

Which of the following code snippets will successfully add these key-value pairs to the existing captains dictionary?

Ans= c) captains = {"Enterprise": "Picard",
"Voyager": "Janeway",
"Defiant": "Sisko",}

19) You're really building out the Federation Starfleet now! Here's what you have:

```
captains = {"Enterprise": "Picard",  
"Voyager": "Janeway",  
"Defiant": "Sisko",  
"Discovery": "unknown",}
```

Now, say you want to display the ship and captain names contained in the dictionary, but you also want to provide some additional context. How could you do it?

Ans-c) for captain, ship in captains.items():
print(f"The {ship} is captained by {captain}")

20)You've created a dictionary, added data, checked for the existence of keys, and iterated over it with

a for loop. Now you're ready to delete a key from this dictionary:

```
captains = {  
"Enterprise": "Picard",  
"Voyager": "Janeway",  
"Defiant": "Sisko",  
"Discovery": "unknown"  
}
```

What statement will remove the entry for the key "Discovery"?

Ans-c) del captains["Discovery"]