1. USER

POST / USER | Create User

This can only be done by the logged in user.

a. Parameters (application/json)

Name	Description
Body Object	Create User Object
	<pre>"id": 0, "username": "string", "firstName": "string", "lastName": "string", "email": "string", "password": "string", "phone": "string", "userStatus": 0 }</pre>

Responses

Code	Description
Default	Succesfull Operation

2. NEEDACTION

POST / NEEDACTION | Add a new NEEDACTION

a. Parameters (application/json)

Name	Description
Body Object	<pre>{ "idProject": 0, "duration": int, "description": "string", "category": "string" }</pre>

b. Responses

Code	Description
405	Invalid input

GET / NEEDACTION | FindByFilter

Multiple status values can be provided with comma separated strings

a. Parameters

Code	Description
Status *required	Status values that need to be considered for
Array[string]	filter
(query)	Available values : All, SuratKesanggupan,
	ReviewKL, SKPH

b. Responses

Code	Description
200	successful operation
	<pre>{ "idProject": 0, "duration": 0, "description": "string", "category": "string" }</pre>
400	Invalid satus value

3. USERAPPROVAL

POST / USERAPPROVAL | Add a new USERAPPROVAL

a. Parameters (application/json)

Name	Description
Body Object	<pre>{ "id": 0, "AppName": "string", "Jabatan": "string", "Role": "string", }</pre>

b. Responses

Code	Description
405	Invalid input

4. REMINDER

POST / REMINDER | Add a new REMINDER

a. Parameters (application/json)

Name	Description
Body Object	{ "idReminder": 0,

```
"time": DATETIME,

"description": "string",

"category": "string"
}
```

b. Responses

Code	Description
405	Invalid input

GET / REMINDER | FindByFilter

Multiple status values can be provided with comma separated strings

a. Parameters

Code	Description
Status *required	Status values that need to be considered for
Array[string]	filter
(query)	Available values : KL, PKS

b. Responses

Code	Description
200	successful operation
	<pre>{ "idReminder": 0, "time": DATETIME, "description": "string" "category": "string" }</pre>
400	Invalid satus value

5. PROJECT

POST / PROJECT | Add a new PROJECT

a. Parameters (application/json)

```
Name

Body Object

{
    "id": 0,
    "ProjectName": "string",
    "Customer": "string",
    "Segmen": "string",
    "Divisi": "string",
    "Status": "string",
    "category": "string",
```

1	
}	
,	

b. Responses

Code	Description
405	Invalid input

GET / REMINDER | FindByFilter

Multiple status values can be provided with comma separated strings

a. Parameters

Code	Description
Status *required	Status values that need to be considered for
Array[string]	filter
(query)	Available values : id, ProjectName,
	Customer, Segmen, Divisi, Status

b. Responses

Code	Description	
200	successful operation	
	<pre>{ "id": 0, "ProjectName": "string", "Customer": "string", "Segmen": "string", "Divisi": "string", "Status": "string", "category": "string", }</pre>	
400	Invalid satus value	

Models

```
USER
  Ιd
                  integer($int64)
                  string
  username
            string
string
string
  firstName
  1astName
  email
                 string
  password
                string
  phone
                 string
                 integer($int64)
User Status
  userStatus
```

```
PROJECT
                integer($int64)
  ProjectName
                string
 Customer
                string
 Segmen
                string
 Divisi
                string
 Status
                string
Category
                string
                reminder category in dashboard
                Enum:
                [id, ProjectName, Customer, Segmen, Divisi, Status]
```