

Virus

is attached to small pieces of computer code, software, or document. The virus executes when the software runs on a computer.



Internal

Employees who have access to data, equipment, and the network. Internal attacks can be characterized as follows:



Malicious
Threats

Accidental
Threats

Worm

is a self-replicating program that is harmful to networks. A worm uses the network to duplicate its code to the hosts on a network, often without any user intervention



Torjan Horse

technically is a worm. It does not need to be attached to other software. Instead, a Trojan threat is hidden in software that appears to do one thing, and yet behind the scenes it does another.



Unstructured Attacks

which use available resources, such as passwords or scripts, to gain access to and run programs designed to vandalize



Prezi

Accidental threats are when the user damages data or equipment unintentionally.



Prezi

External

Users outside an organization who do not have authorized access to the network or resources. External attacks can be characterized as follows:



Unstructured Attacks

Structured Attacks

Structured Attacks

which use code to access operating systems and software.



Network Security

CSS 10 - 3rd Quarter

What is
Network
Security?



Malware (a portmanteau for malicious software)

is any software intentionally designed to cause disruption to a computer, server, client, or computer network, leak private information, gain unauthorized access to information or systems, deprive access to information, or which unknowingly interferes with the user's computer security and privacy.



Network Security

Computer and network security help keep data and equipment safe by giving only the appropriate people access. Everyone in an organization should give high priority to security, because everyone can be affected by a lapse in security. Theft, loss, network intrusion, and physical damage are some of the ways a network or computer can be harmed.



Prezi

Threats to security can come from inside or outside an organization, and the level of potential damage can vary greatly. Potential threats include the following:



Prezi

Internal

External

Security Attacks can be in a form of a **PHYSICAL** attack or **CYBER/DIGITAL** attack also known as **DATA** attack.



Prezi

Malicious threats are when an employee intends to cause damage.



Prezi



Data - Events or attacks that remove, corrupt, deny access to, allow access to, or steal information.



Prezi



Physical - Events or attacks that steal, damage, or destroy such equipment as servers, switches, and wiring.



Prezi



SPECIAL PROGRAM IN ICT 10
COMPUTER SYSTEMS SERVICING 10
Third Quarter, Week 2

Name of Learner: _____

Grade Level /Section: _____ Date: _____

Computer Firewall

BACKGROUND INFORMATION FOR LEARNERS

When you enter any school premises, there's a person who always ask you to wear your ID. That person is the School Security Personnel. He always assure that the person who enters the school premises is authorized so that the safety of the students and school personnel are guaranteed. They prevent intruders or outsiders from entering the school for safety purposes.

Maintenance, including tests, measurements, and repairs, performed specifically to prevent faults from occurring.

Maintenance is divided into two (2) general type.


Preventive maintenance is given for maintaining equipment and facilities in satisfactory operating condition to extend the life of the equipment.

Corrective maintenance is task performed to identify, isolate and rectify a fault so that the failed equipment or system can be restored to an operational conditions within the tolerances or limits.

Common methods of determining what preventive (or other) failure management policies should be applied are: **Original Equipment Manufacturer (OEM)** recommendations, requirements of codes and legislation within a jurisdiction, what an "expert" thinks ought to be done, or the maintenance that is already done to similar equipment, and most important measured values and performance indications.

Maintenance Procedures

In preparing maintenance procedure, you also have to consider designing a systematic plan for both for hardware and software. This saves time, money and frustration and ensures safe conditions to



Planning Maintenance Procedures for Computer System and Network

A. Design a systematic maintenance plan for hardware.

1. Design a monitoring, evaluating and updating plan.
2. Place your computer in a well-ventilated area.
3. Schedule the use of computer for its longer life.
4. Move the computer only when it is turned off and unplugged.
5. Treat your computer properly.

B. Design a systematic maintenance plan for your software.

1. Backup your files.
2. Install or secure passwords.
3. Delete temporary files.
4. Update anti-virus and spyware

SAMPLE MONITORING PLAN

	Date:					Recommendations
	Comp 1	Comp 2	Comp 3	Comp 4	Comp 5	
Monitor is functional.						

Design a systematic monitoring, evaluating and updating plan for hardware.

The guidelines reflect current knowledge

ports, which is where information is exchanged with external devices. It essentially works to filter out the good from the bad, the trusted from the untrusted. It can also help block malicious software from infecting your computer. It can be hardware, software, or both.

TURNING ON YOUR COMPUTER'S FIREWALL


Follow the steps to access Firewall.

Step 1: Click Start Button on your computer. If you are using Windows 8, right click Start Button.

* Located in the lower left corner of your screen having a Windows  icon (logo).

Step 2: Click Control Panel

Step 5. Turn on your Firewall Settings. Settings located in left side of the screen. Configure settings based on the network you use.



Lesson 1. Procedures in Planning and Conducting Maintenance

Preventive Maintenance

Preventive maintenance can be described as maintenance of equipment or systems before fault occurs. It can be divided into two subgroups: Planned Maintenance and Condition-Based Maintenance.

(a) **Planned Maintenance (PM)** is any variety of scheduled maintenance to an object or item of equipment. Specifically, PM is a scheduled service visit carried out by a competent and suitable agent, to ensure that an item of equipment is operating correctly to avoid any unscheduled breakdown and downtime of an equipment.

(b) **Condition Based Maintenance (CBM)** is a maintenance strategy that uses the actual condition of the asset to decide what maintenance needs to be done. CBM dictates that maintenance should only be performed when certain indicators show decreasing performance or upcoming failure. Checking a machine for these indicators may include non-invasive measurements, visual inspection, performance data and scheduled tests. Condition data can be gathered at certain intervals, or continuously.

The purpose of systematic inspection, detection and correction of existing / future problems is very important to maintain equipment / facilities in satisfactory condition before it may cause major problem.




Republic of the Philippines
Department of Education
REGION III
SCHOOLS DIVISION OFFICE OF NUEVA ECija
LEARNING ACTIVITY SHEET
SPECIAL PROGRAM IN ICT 10
COMPUTER SYSTEMS SERVICING 10
Third Quarter, Week 2

Name of Learner: _____


Grade Level /Section: _____ Date: _____

Computer Firewall

Step 4. Click Windows Firewall.



Step 5. Turn on your Firewall Settings. Settings located in left side of the screen. Configure settings based on the network you use.



The image shows two screenshots of the Windows Firewall settings interface. The first screenshot shows the 'System and Security' window with 'Windows Firewall' highlighted in the left-hand navigation pane. The second screenshot shows the 'Windows Firewall' settings window, where the 'On' radio button is selected under the 'Windows Firewall settings' section. A red arrow points to the 'On' option. The 'On' option is also selected for the 'Private' and 'Public' network profiles.




Figure 130. Deleting Temporary Files

Delete temporary files.

□ Deleting the temporary files on your computer will enhance its speed and will create more disk space for your files.

Update anti-virus and spy ware.

□ Regularly update your anti-virus for your computer protection against viruses.





Figure 131. Updating Anti-Virus



Q3 CHS MODULE 1.pdf

Find text or tools

Design a systematic monitoring, evaluating and updating plan for hardware.

The guidelines reflect current knowledge and best practice for the use of computers so you can achieve maximum efficiency and safety in your workplace.

	Comp 1	Comp 2	Comp 3	Comp 4	Comp 5	Recommendations
Monitor is functional.						
Printer Cartridges are replaced.						
Storage devices are functional.						
Optical Drives are functional.						

Place your computer in a well-ventilated area.


☐ This will allow proper circulation of air inside the computer unit.

Schedule the use of computer for its longer life.

☐ This will help lessen the attacks of viruses and increases the life span of your computer.



Figure 124. Computer Laboratory



tools Edit Convert E-Sign

Move the computer only when it is turned off and unplugged.

☐ To avoid damage to the computer unit always turn off and unplugged it when transferring the computer to another location.



Figure 125 Computer Usage




Figure 126. Unplugged Power Cable




Republic of the Philippines
Department of Education
Region VII, Central Visayas
DIVISION OF CARCAR CITY



BACKGROUND INFORMATION FOR LEARNERS

When you enter any school premises, there's a person who always ask you to wear your ID. That person is the School Security Personnel. He always assure that the person who enters the school premises is authorized so that the safety of the students and school personnel are guaranteed. They prevent intruders or outsiders from entering the school for safety purposes.

In computer, we have that kind of security feature that establish a barrier or an invisible wall from trusted or untrusted network. It act as the first line of computer's defense aside from Anti-Virus. It decides whether to allow or block specific traffic based on a defined set of security rules. When we access the internet, we open different websites or links without knowing if that site is safe or not which can expose us from danger like hacking, identity theft, malware, and online fraud. That security feature is called a






Figure 127. Computer care



Treat your computer properly.
☐ This means taking care of your computer. PCs and laptops should be properly turned off.

Do systematic maintenance plan for your computer software.
Back-up your files
☐ Protecting your files means creating backups, storing your file backups on your hard drive or any removable storage device regularly.

Install or secure passwords.
☐ Installing passwords makes your files more secure.

Figure 128.Backup Media

The image shows a screenshot of the 'Password Protect USB' dialog box. It includes a text field for a password, a 'Show/Hide' button, and a 'Type' dropdown menu. The dialog box is titled 'Password Protect USB' and has a standard Windows window border.



TURNING ON YOUR COMPUTER'S FIREWALL

Follow the steps to access Firewall.

Step 1: Click Start Button on your computer. If you are using Windows 8, right click Start Button.

* Located in the lower left corner of your screen having a Windows  icon (logo).

