

Study or Subgroup	Events	Total	Weight (common)	Weight (random)	Proportion [95% CI]	Total Vascular Toxicity	
drug = Afatinib							
Mountzios,2021	1	59	0.2%	0.9%	0.02 [0.00; 0.09]		
Takata,2023	1	103	0.7%	1.3%	0.01 [0.00; 0.05]		
Tu,2022	6	541	3.3%	1.6%	0.01 [0.00; 0.02]		
NCT02131259,2016	8	1602	21.6%	1.6%	0.00 [0.00; 0.01]		
NCT02047903,2018	8	152	0.2%	0.8%	0.05 [0.02; 0.10]		
2009-014563-39,2016	34	1154	2.7%	1.5%	0.03 [0.02; 0.04]		
NCT02044380,2016	1	14	0.0%	0.1%	0.07 [0.00; 0.34]		
Goldberg,2020	5	85	0.1%	0.6%	0.06 [0.02; 0.13]		
Goss,2021	16	392	0.7%	1.3%	0.04 [0.02; 0.07]		
Park,2016	13	160	0.1%	0.7%	0.08 [0.04; 0.13]		
Kato,2015	6	229	0.6%	1.2%	0.03 [0.01; 0.06]		
Miller,2012	13	390	0.8%	1.3%	0.03 [0.02; 0.06]		
Total (common effect, 95% CI)		4881	31.1%	.	0.01 [0.01; 0.01]		
Total (random effect, 95% CI)				12.9%	0.03 [0.02; 0.04]		
Heterogeneity: Tau ² = 0.0002; Chi ² = 62.66, df = 11 (P < 0.0001); I ² = 82.4%							
drug = Osimertinib							
Lorenzi,2022	17	126	0.1%	0.4%	0.13 [0.08; 0.21]		
Park,2020(BM)	2	40	0.1%	0.4%	0.05 [0.01; 0.17]		
Park,2020(LM)	2	40	0.1%	0.4%	0.05 [0.01; 0.17]		
NCT02474355,2019	88	3014	7.1%	1.6%	0.03 [0.02; 0.04]		
NCT02094261,2015	10	210	0.3%	1.0%	0.05 [0.02; 0.09]		
Malik,2022	2	60	0.1%	0.6%	0.03 [0.00; 0.12]		
Zhao,2018(40mg)	1	15	0.0%	0.1%	0.07 [0.00; 0.32]		
Zhao,2018(80mg)	1	16	0.0%	0.1%	0.06 [0.00; 0.30]		
Kiura,2018(80mg, Extension)	10	201	0.3%	1.0%	0.05 [0.02; 0.09]		
Kiura,2018(80mg, First Line)	6	60	0.0%	0.3%	0.10 [0.04; 0.21]		
Kiura,2018(80mg, US-only)	1	12	0.0%	0.1%	0.08 [0.00; 0.38]		
Provencio,2021	5	155	0.3%	1.0%	0.03 [0.01; 0.07]		
NCT02157883,2015	2	38	0.1%	0.3%	0.05 [0.01; 0.18]		
2014-000531-17,2018	14	210	0.2%	0.9%	0.07 [0.04; 0.11]		
NCT03434418,2022	1	17	0.0%	0.2%	0.06 [0.00; 0.29]		
Soo,2022	4	77	0.1%	0.6%	0.05 [0.01; 0.13]		
John,2023	8	337	1.0%	1.4%	0.02 [0.01; 0.05]		
Ohe,2019	13	279	0.4%	1.1%	0.05 [0.03; 0.08]		
Akamatsu,2018	10	279	0.5%	1.2%	0.04 [0.02; 0.06]		
García Campelo,2024	44	428	0.3%	1.0%	0.10 [0.08; 0.14]		
NCT04035486,2023	7	275	0.7%	1.3%	0.03 [0.01; 0.05]		
Lu,2024	5	143	0.3%	1.0%	0.03 [0.01; 0.08]		
Total (common effect, 95% CI)		6032	12.1%	.	0.03 [0.03; 0.04]		
Total (random effect, 95% CI)				15.8%	0.05 [0.04; 0.06]		
Heterogeneity: Tau ² = 0.0002; Chi ² = 49.35, df = 21 (P = 0.0004); I ² = 57.4%							
drug = Gefitinib							
Douillard,2014	1	107	0.8%	1.3%	0.01 [0.00; 0.05]		
Schuette,2018	6	222	0.6%	1.2%	0.03 [0.01; 0.06]		
Cappuzzo,2016	2	58	0.1%	0.6%	0.03 [0.00; 0.12]		
Noronha,2020	6	170	0.3%	1.0%	0.04 [0.01; 0.08]		
Mok,2021	1	224	3.4%	1.6%	0.00 [0.00; 0.02]		
Park,2016	7	159	0.3%	0.9%	0.04 [0.02; 0.09]		
Yang,2016	1	118	0.9%	1.4%	0.01 [0.00; 0.05]		
Goss,2013	5	249	0.8%	1.3%	0.02 [0.01; 0.05]		
Mazieres,2020	7	103	0.1%	0.6%	0.07 [0.03; 0.14]		
Cheng,2016	1	65	0.3%	1.0%	0.02 [0.00; 0.08]		
Wu,2017	4	607	6.2%	1.6%	0.01 [0.00; 0.02]		
Zhang,2012	1	147	1.5%	1.5%	0.01 [0.00; 0.04]		
NCT04248829,2022	10	197	0.3%	0.9%	0.05 [0.02; 0.09]		
Total (common effect, 95% CI)		2426	15.6%	.	0.01 [0.01; 0.01]		
Total (random effect, 95% CI)				14.9%	0.02 [0.01; 0.02]		
Heterogeneity: Tau ² = < 0.0001; Chi ² = 27.5, df = 12 (P = 0.0065); I ² = 56.4%							
drug = Erlotinib							
Markóczy,2018	1	62	0.3%	0.9%	0.02 [0.00; 0.09]		
NCT01183858,2013(150mg)	1	154	1.6%	1.5%	0.01 [0.00; 0.04]		
NCT01183858,2013(300mg)	6	158	0.3%	1.0%	0.04 [0.01; 0.08]		
Park,2015	4	207	0.7%	1.3%	0.02 [0.01; 0.05]		
Brueckl,2018	2	385	5.0%	1.6%	0.01 [0.00; 0.02]		
Kato,2018	3	77	0.1%	0.7%	0.04 [0.01; 0.11]		
Spigel,2017	15	244	0.3%	1.0%	0.06 [0.03; 0.10]		
Scagliotti,2015a	24	517	0.8%	1.3%	0.05 [0.03; 0.07]		
Piccirillo,2022	4	79	0.1%	0.6%	0.05 [0.01; 0.12]		
Nakagawa,2022	3	225	1.1%	1.4%	0.01 [0.00; 0.04]		
Reckamp,2015	1	53	0.2%	0.8%	0.02 [0.00; 0.10]		
Spigel,2018	1	64	0.3%	1.0%	0.02 [0.00; 0.08]		
Deplanque,2016	7	74	0.1%	0.4%	0.09 [0.04; 0.19]		
Lilenbaum,2008	1	52	0.2%	0.8%	0.02 [0.00; 0.10]		
Saito,2019	6	114	0.2%	0.7%	0.05 [0.02; 0.11]		
Scagliotti,2012	28	477	0.6%	1.2%	0.06 [0.04; 0.08]		
Wu,2015	2	110	0.4%	1.1%	0.02 [0.00; 0.06]		
Natale,2011	15	614	1.7%	1.5%	0.02 [0.01; 0.04]		
Cicenas,2016	5	322	1.4%	1.4%	0.02 [0.01; 0.04]		
Scagliotti,2020	1	70	0.3%	1.0%	0.01 [0.00; 0.08]		
Groen,2013	6	64	0.1%	0.3%	0.09 [0.04; 0.19]		
Herbst,2011	21	313	0.3%	1.0%	0.07 [0.04; 0.10]		
Stinchcombe,2019	6	45	0.0%	0.2%	0.13 [0.05; 0.27]		
Neal,2016	2	40	0.1%	0.4%	0.05 [0.01; 0.17]		
Neal,2016	2	40	0.1%	0.4%	0.05 [0.01; 0.17]		
Goss,2021	14	395	0.8%	1.3%	0.04 [0.02; 0.06]		
Sequist,2011	7	83	0.1%	0.4%	0.08 [0.03; 0.17]		
Zhou,2021	1	153	1.6%	1.5%	0.01 [0.00; 0.04]		
Scagliotti,2015b	5	290	1.1%	1.4%	0.02 [0.01; 0.04]		
Ramalingam,2012	4	94	0.2%	0.7%	0.04 [0.01; 0.11]		
Kelly,2015	10	611	2.5%	1.5%	0.02 [0.01; 0.03]		
Ciuleanu,2012	6	196	0.4%	1.1%	0.03 [0.01; 0.07]		
NCT02186301,2017	1	50	0.2%	0.8%	0.02 [0.00; 0.11]		
NCT02318368,2017	1	3	0.0%	0.0%	0.33 [0.01; 0.91]		
Cappuzzo,2010	3	433	4.2%	1.6%	0.01 [0.00; 0.02]		
Ramalingam,2014	13	436	1.0%	1.4%	0.03 [0.02; 0.05]		
Lara,2016	1	32	0.1%	0.4%	0.03 [0.00; 0.16]		
NCT01211483,2013	3	71	0.1%	0.6%	0.04 [0.01; 0.12]		
Hirsch,2011	12	69	0.0%	0.2%	0.17 [0.09; 0.28]		
Gridelli,2012	10	372	1.0%	1.4%	0.03 [0.01; 0.05]		
Khazin,2014	3	84	0.2%	0.7%	0.04 [0.01; 0.10]		
Mazieres,2020	4	87	0.1%	0.7%	0.05 [0.01; 0.11]		
NCT01887886,2015	1	5	0.0%	0.0%	0.20 [0.01; 0.72]		
NCT00977470,2015	3	38	0.0%	0.2%	0.08 [0.02; 0.21]		
NCT00606502,2010	1	101	0.7%	1.3%	0.01 [0.00; 0.05]		
Total (common effect, 95% CI)		8163	30.5%	.	0.02 [0.02; 0.02]		
Total (random effect, 95% CI)				40.6%	0.03 [0.02; 0.03]		
Heterogeneity: Tau ² = 0.0002; Chi ² = 129.18, df = 44 (P < 0.0001); I ² = 65.9%							
drug = Befotertinib							
Lu,2022(50mg)	25	176	0.1%	0.5%	0.14 [0.09; 0.20]		
Lu,2023	51	182	0.1%	0.4%	0.28 [0.22; 0.35]		
Total (common effect, 95% CI)		358	0.2%	.	0.20 [0.15; 0.24]		
Total (random effect, 95% CI)				0.9%	0.21 [0.07; 0.35]		
Heterogeneity: Tau ² = 0.0086; Chi ² = 10.6, df = 1 (P = 0.0011); I ² = 90.6%							
drug = Nazartinib							
Tan,2020(75mg, Phase I Part)	1	17	0.0%	0.2%	0.06 [0.00; 0.29]		
Tan,2020(100mg, Phase I Part)	2	38	0.1%	0.3%	0.05 [0.01; 0.18]		
Tan,2020(150mg, Phase II Part)	3	45	0.0%	0.3%	0.07 [0.01; 0.18]		
Tan,2020(300mg, Phase I Part)	2	5	0.0%	0.0%	0.40 [0.05; 0.85]		
Tan,2020(350mg, Phase I Part)	1	11	0.0%	0.1%	0.09 [0.00; 0.41]		
Total (common effect, 95% CI)		116	0.1%	.	0.07 [0.02; 0.11]		
Total (random effect, 95% CI)				0.9%	0.07 [0.02; 0.11]		
Heterogeneity: Tau ² = 0; Chi ² = 2.56, df = 4 (P = 0.6343); I ² = 0%							
drug = Furmonertinib							
Shi,2021	1	220	3.3%	1.6%	0.00 [0.00; 0.03]		
drug = Almonertinib							
Yang,2020(110mg, Escalation Cohort 2)	5	6	0.0%	0.0%	0.83 [0.36; 1.00]		
Yang,2020(110mg, Phase II Extension)	15	244	0.3%	1.0%	0.06 [0.03; 0.10]		
Lu,2022	12	214	0.3%	0.9%	0.06 [0.03; 0.10]		
Total (common effect, 95% CI)		464	0.6%	.	0.06 [0.04; 0.08]		
Total (random effect, 95% CI)				1.9%	0.13 [0.03; 0.23]		
Heterogeneity: Tau ² = 0.0057; Chi ² = 25.84, df = 2 (P < 0.0001); I ² = 92.3%							
drug = Lazertinib							
Cho,2022(120mg, phase I)	2	25	0.0%	0.2%	0.08 [0.01; 0.26]		
Cho,2022(240mg, phase I)	2	24	0.0%	0.2%	0.08 [0.01; 0.27]		
Cho,2022(240mg, phase II)	8	78	0.1%	0.4%	0.10 [0.05; 0.19]		
NCT04075396,2021(240mg)	5	15	0.0%	0.0%	0.33 [0.12; 0.62]		
NCT04075396,2021(320mg)	2	13	0.0%	0.1%	0.15 [0.02; 0.45]		
García Campelo,2024	28	213	0.1%	0.6%	0.13 [0.09; 0.18]		
NCT04248829,2022	23	196	0.1%	0.6%	0.12 [0.08; 0.17]		
Total (common effect, 95% CI)		564	0.4%	.	0.12 [0.09; 0.15]		
Total (random effect, 95% CI)				2.0%	0.12 [0.09; 0.15]		
Heterogeneity: Tau ² = 0; Chi ² = 4.66, df = 6 (P = 0.5878); I ² = 0%							
drug = Mobocertinib							
Hida,2021(120mg, Phase 1 Part)	2	4	0.0%	0.0%	0.50 [0.07; 0.93]		
Hida,2021(160mg, Phase II Part)	1	33	0.1%	0.4%			