PT Nirwana Bhumi Energy

PROCEDURE WRITING AND FORMATTING SPECIFICATION

Approved By	: Bima Satryo Hartanto (President Director / CEO)
Verified By	: Dennis Raditya (Director of Operations & Technology / CTO)
Created By	: Abdul Qodir Al Jailani (Commissioner / IMS Team Lead)

REVISION INDEX

Revision	Date	Description of Changes	Revised By
0	October 2026	Initial Issue - Standard CSMS Procedure for PT Nirwana Bhumi Energy (0002-SOP-DOC-IMS-X-2026)	IMS & HSE Team

TABLE OF CONTENTS

1.0 OBJECTIVE
2.0 SCOPE
3.0 DEFINITIONS & ABBREVIATIONS
4.0 RESPONSIBILITIES
5.0 PROCEDURE STEPS
6.0 PERFORMANCE INDICATORS & AUDIT
7.0 REFERENCED DOCUMENTS
8.0 ATTACHMENTS & ASSOCIATED FORMS

1.0 OBJECTIVE

The objective of this specification is to standardize the structural architecture, physical typography, layout geometry, and visual formatting of all documentation authored across PT Nirwana Bhumi Energy.

Adherence to this standard guarantees full visual uniformity, zero overflow errors, and complete audit readiness across all printed and digital procedures.

2.0 SCOPE

This specification applies to all personnel authoring, editing, or revising Standard Operating Procedures (SOP), Work Instructions (WIS), Policies (POL), and Standalone Forms (FOR) for PT Nirwana Bhumi Energy.

3.0 DEFINITIONS & ABBREVIATIONS

OpenXML: The ISO/IEC 29500 international standard file format for Microsoft Word (.docx).

Zero-Overflow Rule: The mandatory design principle requiring Cover Pages and single-page forms to conclude within a single physical page without spilling onto subsequent pages.

Hanging Indent: Paragraph geometry where the first line begins to the left of succeeding lines, used for bullet lists.

4.0 RESPONSIBILITIES

Management Representative (MR): Responsible for enforcing 100% adherence to formatting rules during documentation audits.

Document Authors: Responsible for writing clear, concise procedures following the standardized 8-section layout.

5.0 PROCEDURE STEPS

5.1 Standard Page Geometry and Margins

All SOP documents must be configured on A4 paper (210 mm x 297 mm) with exact margins: Left: 2.20 cm (binding gutter), Right: 2.00 cm, Top: 2.00 cm, Bottom: 2.00 cm, Header Distance: 1.25 cm, Footer Distance: 1.25 cm.

5.2 Typography Hierarchy

The Arial font family is the exclusive typeface for all PT Nirwana Bhumi Energy IMS documents. Document title on cover must be Arial 18 pt Bold, Heading 1 must be Arial 13 pt Bold, Subheadings Arial 11 pt Bold, and Body Paragraphs Arial 10.5 pt Regular with Charcoal color (#3B3838).

5.3 Mandatory Initial Page Sequence

Every Standard Operating Procedure must strictly follow the 4 initial page structure:

- Page 1: Zero-Overflow Cover Page with centered company logo, titles, document number, and 3x2 borderless Table 0 Author Sign-off block.

- Page 2: Official 4-column Revision Record table with soft periwinkle header fill.
- Page 3: Clean Outline Table of Contents with tab stops at 0.5 inches.
- Page 4+: Procedure Body Sections starting with Section 1.0 Objective and concluding with Section 8.0 Attachments.

6.0 PERFORMANCE INDICATORS & AUDIT

100% pass rate during automated AST/XML document audit before release.

Zero formatting non-conformances identified during internal audits.

7.0 REFERENCED DOCUMENTS

0001-SOP-GNR-CEO-IX-2026: Document and Records Control Procedure

0003-SOP-DOC-IMS-X-2026: Integrated Management System Document Numbering Standard

8.0 ATTACHMENTS & ASSOCIATED FORMS

Template SOP Master Document (.dotx / .docx)