



Create credentials to access your database instance

Objective(s)

At the end of this lab you will be able to:

- Create your own instance of database on IBM Cloud using DB2 service

Exercise

Database credentials are required to connect from remote applications like Jupyter notebooks which are used in the labs and assignment in the last two weeks of the course.

0. Go to your IBM Cloud Resources dashboard (or click on IBM Cloud in the top left corner):

<https://cloud.ibm.com/resources>

Note: you may need to log into IBM Cloud in the process of loading the resources/dashboard.

If your connection is slow it may take over 30 seconds for the dashboard to fully load.

1. Locate and click on your Db2 service listed under Services.

(NOTE: In the example below the service is called "Db2-xx" but your Db2 service may have a different letters/numbers in the suffix e.g. "Db2-f8", "Db-50", etc.)

<input type="text" value="Filter by name or IP address..."/>	<input type="text" value="Filter by group or org..."/>	<input type="text" value="Filter..."/>	<input type="text" value="Filter..."/>	<input type="text" value="Filter..."/>
<div>Cloud Foundry apps (3)</div>				
<div>js</div> iot-solution-tutorial	<div>@gmail.com / se...</div>	London	SDK for Node.js™	<div>Stopped</div>
<div>py</div> your-name-computer-vision-app	<div>@gmail.com / lav...</div>	London	Python	<div>Started</div>
<div>Cloud Foundry services (1)</div>				
<div>Car Diagnostic API-6b</div>	<div>@gmail.com / dev</div>	London	Car Diagnostic API	<div>Provisioned</div>
<div>Services and software (8)</div>				
<div>Cloudant-ex</div>	Default	London	Cloudant	<div>Active</div>
<div>Db2-f7</div>	Default	London	Db2	<div>Active</div>
<div>Language Translator-iu</div>	Default	London	Language Translator	<div>Active</div>

2. Click on Service Credentials in the left menu

[Resource list](#) /

Db2-f7



Active

Add tags

Manage

Getting started

Service credentials

Connections

3. Click on the button to create **New credential**

New credential +

In the prompt that comes up click the "Add" button in the bottom right:

Create credential ×

Name:

Service credentials-3

Role: ⓘ

Manager ▼

[Advanced options](#) ▼

Cancel

Add

- **port** is the database port
- **db** is the database name
- **host** is the hostname of the database instance
- **username** is the username you'll use to connect
- **password** is the password you'll use to connect

You need to scroll down to get the credentials details.

Author(s)

Rav Ahuja

Other Contributor(s)

Simran Garg

Changelog

Date	Version	Changed by	Change Description
2021-07-09	2.1	Malika	Updated screenshots
2020-08-27	2.0	Simran	Migrated lab to course in GitLab

© IBM Corporation 2020. All rights reserved.