# **Use case**

# **Table of Contents**


klient	4
klient - diagram klas	
klient - diagram sekwencji	
CRC Card Diagram2	
klient - diagram wymaga#	

# **Table of Figures**

klient	4
klient - diagram klasklient - diagram klas	
klient - diagram sekwencji	
CRC Card Diagram2	
klient - diagram wymaga#	

#### **Use Case Diagram**

## klient



Name	Value
Name	klient
Author	9999
Create Date Time	2015-01-25 14:44:31
Last Modified	2015-01-25 18:50:45

# **Summary**

Name	Documentation
Program klienta	
Wyswietl ekran powitalny,	
Dodanie dwoch losowych iczb z przedzialu [0;20]	
zwrot wyniku, odpowiedniego komunikatu, zakonczenie dzialania	
Nie trzeba tworzyc konta	
Projektowany pod konsole	
Wprowadz imie , wyswietlenie	
napisu	
Rysowanie prostokata	

## **Details**



Name	Value			
ID	AC01			
Visibility	public			
Abstract	false			
Leaf	false	false		
Root	false			
Business Model	false			
Project Management	Name	Value		
	Author	9999		
	Create Date Time	2015-01-25 14:44:51		
	Last Modified	2015-01-25 16:21:13		

Unnamed Association						
То	Name Value					
	End Model Element	Wyswietl ekran powitalny,				
	Provide Property Getter Method	false				
	Provide Property Setter Method	roperty Setter false				
	Multiplicity	Unspe	cified			
	Visibility	Unspe	cified			
	Aggregation Kind	None				
	Navigable	Naviga	able			
	Derived	false				
	Derived Union	erived Union false				
Read Only false Static false						
	Leaf	false  Wyswietl ekran powitalny,  ent  Name  Value				
	Туре			witalny,		
	Project Management			Value		
		Author		9999		
		Create		2015-01-25 14:46:56		
Abstract	false					
Leaf	false	false				
Visibility	Unspecified					
Derived	false	false				
Project Management	Name	Name		Value		
	Author	Author		9999		
	Create Date Time	Create Date Time		2015-01-25 14:46:56		
Last Modified 2015-01-25 14:5		1:55:52				
Unnamed Association						

То	Name	Value			
	End Model Element	Nie trzeba tworzyc konta			
	Provide Property Getter Method	false			
	Provide Property Setter Method	false			
	Multiplicity	Unspecified			
	Visibility	Unspe	cified		
	Aggregation Kind	None			
	Navigable	Naviga	ıble		
	Derived	false			
	Derived Union false				
	Read Only	false			
	Static	false			
	Leaf	false			
	Туре	Nie trzeba tworzyc konta			
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 15:00:10	
Abstract	false				
Leaf	false				
Visibility	Unspecified				
Derived	false				
Project Management	Name	Value			
	Author	·	9999		
	Create Date Time	Create Date Time 20		2015-01-25 15:00:10	
	Last Modified	Last Modified		2015-01-25 15:01:52	

#### **Unnamed Association**

То	Name	Value			
	End Model Element	Pro	Projektowany pod konsole		
	Provide Property Getter Method	false			
	Provide Property Setter Method	false			
	Multiplicity	Unspe	Unspecified		
	Visibility	Unspe	Unspecified		
	Aggregation Kind	None			
	Navigable	Naviga	ble		
	Derived	false			
	Derived Union	false			
	Read Only	false			
	Static	false			
	Leaf	false			
	Туре	Projektowany pod konsole			
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 15:13:29	
Abstract	false				
Leaf	false	false			
Visibility	Unspecified	Unspecified			
Derived	false	false			
Project Management	Name	Value			
	Author	Author		9999	
	Create Date Time	Create Date Time		5:13:29	
	Last Modified	Last Modified		2015-01-25 15:15:02	

#### **Unnamed Association**

То	Name	Value			
	End Model Element	Rys	Rysowanie prostokata		
	Provide Property Getter Method	false			
	Provide Property Setter Method	false			
	Multiplicity	Unspecified			
	Visibility	Unspe	cified		
	Aggregation Kind	None			
	Navigable	Naviga	ıble		
	Derived	false			
Derived Union		false	false		
	Read Only	false			
	Static	false			
	Leaf	false			
	Туре	Rysowanie prostokata			
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 16:16:33	
Abstract	false				
Leaf	false				
Visibility	Unspecified				
Derived	false	false			
Project Management	Name	Value           9999           me         2015-01-25 16:16:33			
	Author				
	Create Date Time			6:16:33	
	Last Modified	Last Modified		2015-01-25 16:21:13	

# Program klienta

Name	Value			
Abstract	false	false		
Leaf	false	false		
Root	false	false		
Project Management	Name	Name Value		
	Author	9999		
	Create Date Time	2015-01-25 14:45:10		
	Last Modified	2015-01-25 16:21:13		

#### Children

Name	Documentation
Wyswietl ekran powitalny,	
Dodanie dwoch losowych iczb z przedzialu [0;20]	
zwrot wyniku, odpowiedniego komunikatu, zakonczenie dzialania	
Nie trzeba tworzyc konta	
Projektowany pod konsole	
Wprowadz imie , wyswietlenie napisu	
Rysowanie prostokata	

# Wyswietl ekran powitalny,

Name	Value		
ID	UC01		
Abstract	false		
Leaf	false		
Root	false		
Stereotypes	UseCase		
Business Model	false		
Status	Identify		
Rank	Unspecified		
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 14:45:47	
	Last Modified	2015-01-25 18:41:08	

Unnamed Include				
То	Wprowadz imie , wyswietlenie napisu			
Visibility	Unspecified			
Stereotypes	Include			
Project Management	Name	Value		
	Author	9999		
	Create Date Time 2015-01-25 16:13:27			
	Last Modified 2015-01-25 16:21:13			
Unnamed Association				

From	Name	Value	Value		
	End Model Element	₹ Klie	ent		
	Provide Property Getter Method	false	false		
	Provide Property Setter Method	false	false		
	Multiplicity	Unspe	nspecified		
	Visibility	Unspe	cified		
	Aggregation Kind	None			
	Navigable	Naviga	ıble		
	Derived	false			
	Derived Union	false			
	Read Only	false	false		
	Static	false	false		
	Leaf	false			
	Туре	₹ Klie	₹ Klient		
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 14:46:56	
Abstract	false				
Leaf	false				
Visibility	Unspecified				
Derived	false	false			
Project Management	Name Value		Value	lue	
	Author	Author		9999	
	Create Date Time	Create Date Time		2015-01-25 14:46:56	
	Last Modified	Last Modified		2015-01-25 14:55:52	

# Dodanie dwoch losowych iczb z przedzialu [0;20]

Name	Value
ID	UC03
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified

Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 14:50:05	
	Last Modified	2015-01-25 18:41:08	

Unnamed Include				
То	zwrot wyniku, odpowiedn	zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzialania		
Visibility	Unspecified	Unspecified		
Stereotypes	Include			
Project Management	Name	Value		
	Author	9999		
	Create Date Time	2015-01-25 14:54:39		
	Last Modified	2015-01-25 14:55:52		
Unnamed Include	Unnamed Include			
From	Rysowanie prostokata	Rysowanie prostokata		
Visibility	Unspecified	Unspecified		
Stereotypes	Include			
Project Management	Name	Value		
	Author gggg			
	Create Date Time	2015-01-25 16:16:45		
	Last Modified 2015-01-25 16:21:13			

# zwrot wyniku, odpowiedniego komunikatu, zakonczenie dzialania

Name	Value			
ID	UC04			
Abstract	false			
Leaf	false			
Root	false			
Stereotypes	UseCase			
Business Model	false	false		
Status	Identify			
Rank	Unspecified	Unspecified		
Project Management	Name Value			
	Author gggg			
	Create Date Time 2015-01-25 14:54:02			
	Last Modified	2015-01-25 18:41:08		

#### Relationships

**Unnamed Include** 

From	Dodanie dwoch losowych iczb z przedzialu [0;20]			
Visibility	Unspecified			
Stereotypes	Include	Include		
Project Management	Name         Value           Author         9999           Create Date Time         2015-01-25 14:54:39           Last Modified         2015-01-25 14:55:52			

# Nie trzeba tworzyc konta

Name	Value				
ID	UC06	UC06			
Abstract	false				
Leaf	false				
Root	false				
Stereotypes	UseCase	UseCase			
Business Model	false	false			
Status	Identify	Identify			
Rank	Unspecified	Unspecified			
Project Management	Name	Name Value			
	Author	Author gggg			
	Create Date Time	2015-01-25 14:59:29			
	Last Modified	Last Modified 2015-01-25 18:41:08			

### Relationships

**Unnamed Association** 

From	Name	Value			
	End Model Element	₹ Klie	Klient		
	Provide Property Getter Method	false	false		
	Provide Property Setter Method	false	false		
	Multiplicity	Unspecified			
	Visibility	Unspe	cified		
	Aggregation Kind	None			
	Navigable	Naviga	ible		
	Derived	false			
	Derived Union	false false			
	Read Only				
	Static	false false  Klient			
	Leaf				
	Туре				
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 15:00:10	
Abstract	false				
Leaf	false				
Visibility	Unspecified	Unspecified			
Derived	false				
Project Management	Name	Value			
	Author		9999		
	Create Date Time	2015-01-25 15:00:10		:00:10	
	Last Modified	2015-01-25 15:01:52			

# Projektowany pod konsole

Name	Value
ID	UC07
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase
Business Model	false
Status	Identify
Rank	Unspecified

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 15:10:24
	Last Modified	2015-01-25 15:15:02

Unnamed Association					
From	Name	Value			
	End Model Element	₹ Klie	₹ Klient		
	Provide Property Getter Method	false	false		
	Provide Property Setter Method	false	false		
	Multiplicity	Unspe	cified		
	Visibility	Unspe	cified		
	Aggregation Kind	None			
	Navigable	Naviga	ıble		
	Derived	false false false false false false			
	Derived Union				
	Read Only				
	Static				
	Leaf				
	Туре	₹ Klie	₹ Klient		
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 15:13:29	
Abstract	false				
Leaf	false				
Visibility	Unspecified	Unspecified			
Derived	false	false			
Project Management	Name	Name		Value	
	Author	Author		9999	
	Create Date Time	Create Date Time		2015-01-25 15:13:29	
	Last Modified	Last Modified		2015-01-25 15:15:02	

# Wprowadz imie , wyswietlenie napisu

Name	Value
ID	UC09
Abstract	false
Leaf	false
Root	false
Stereotypes	UseCase

Business Model	false		
Status	Identify		
Rank	Unspecified		
Project Management	Name Value		
	Author gggg		
	Create Date Time	2015-01-25 16:13:08	
	Last Modified	2015-01-25 18:41:08	

Unnamed Include				
From	Wyswietl ekran powitalny,	Wyswietl ekran powitalny,		
Visibility	Unspecified	Unspecified		
Stereotypes	Include	Include		
Project Management	Name Value Author gggg			
Create Date Time 2015-		2015-01-25 16:13:27		
	Last Modified 2015-01-25 16:21:13			

# Rysowanie prostokata


Name	Value		
ID	UC10		
Abstract	false		
Leaf	false		
Root	false		
Stereotypes	UseCase		
Business Model	false		
Status	Identify		
Rank	Unspecified		
Project Management	Name Value		
	Author	9999	
	Create Date Time	2015-01-25 16:16:09	
	Last Modified	2015-01-25 16:21:13	

Unnamed Include	
То	Dodanie dwoch losowych iczb z przedzialu [0;20]
Visibility	Unspecified
Stereotypes	Include

Project Management	Name		Value	
			9999	
			2015-01-25 16:16:45	
	Last Modified		2015-01-25 16	:21:13
Unnamed Association				
From	Name	Value		
	End Model Element	₹ Klie	ent	
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	Unspe	cified	
	Visibility	Unspe	cified	
	Aggregation Kind	None		
	Navigable Navigable			
	Derived	false false false false false false false Klient		
	Derived Union			
	Read Only			
	Static			
	Leaf			
	Туре			
	Project Management	Name		Value
		Author		9999
		Create Date Time		2015-01-25 16:16:33
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25 16:16:33	
	Last Modified		2015-01-25 16:21:13	

#### **Class Diagram**

# klient - diagram klas



Name	Value
Name	klient - diagram klas
Author	9999
Create Date Time	2015-01-25 15:29:04
Last Modified	2015-01-25 18:50:47

### **Summary**

Name	Documentation
Wprowadz imi# , wyswietlenie	
napisu	
Wyswietl ekran powitalny,	
zwrot wyniku, odpowiedniego	
komunikatu , zakoczenie dzialania	
Nie trzeba tworzyc konta	
Projektowany pod konsole	
Dodanie dwoch losowych iczb z	
przedzialu [0;20]	
Rysowanie prostokata	

#### **Details**

Wprowadz imi# , wyswietlenie napisu

Name	Value			
Active	false			
Business Key Mutable	true			
Business Model	false			
Visibility	public	public		
Leaf	false			
Root	false			
Project Management	Name Value			
	Author	9999		
	Create Date Time	2015-01-25 16:18:52		
	Last Modified	2015-01-25 18:41:08		

private imie : string				
Туре	string			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None	None		
Derived Union	false			
Read Only	false			
Is ID	false			
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:19:12
	Last Modified		2015-01-25	16:21:13

private komunikatt : string			
Туре	string		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		
Multiplicity	Unspecified		
Aggregation	None		
Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false	_	

Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 16:25:40	
	Last Modified	2015-01-25 16:31:38	

### **Operations**

public imie () : void				
Leaf	false			
Ordered	false			
Unique	true	true		
Query	false	false		
Project Management	Name	Name Value		
	Author	9999		
	Create Date Time	2015-01-25 16:19:23		
	Last Modified	2015-01-25 18:18:39		

## Relationships

Unnamed Generalization			
То	Wyswietl ekran powitalny,		
Substitutable	false		
Visibility	Unspecified		
Project Management	Name Value		
	Author gggg		
	Create Date Time	2015-01-25 16:28:51	
	Last Modified	2015-01-25 16:31:38	

# Wyswietl ekran powitalny,

Name	Value		
Active	false		
Business Key Mutable	true		
Business Model	false		
Visibility	public		
Leaf	false		
Root	false		
Project Management	Name Value		
	Author	9999	
	Create Date Time	2015-01-25 16:17:56	
	Last Modified	2015-01-25 18:41:08	

#### **Attributes**

private napis : string

Туре	string			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None	None		
Derived Union	false	false		
Read Only	false			
Is ID	false	false		
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:18:23
	Last Modified		2015-01-25	16:21:13

## **Operations**

public wyswietl () : void				
Leaf	false	false		
Ordered	false			
Unique	true	true		
Query	false	false		
Project Management	Name	Name Value		
	Author	9999		
Create Date Time 2015-01-25 16:18:3		2015-01-25 16:18:33		
	Last Modified	2015-01-25 18:18:39		

#### Relationships

<b>Unnamed Generalization</b>					
From	Wprowadz imi#, wyswie	Wprowadz imi# , wyswietlenie napisu			
Substitutable	false	false			
Visibility	Unspecified	Unspecified			
Project Management	Name	Name Value			
	Author	9999			
	Create Date Time	2015-01-25 16:28:51			
	Last Modified	Last Modified 2015-01-25 16:31:38			

# **zwrot wyniku, odpowiedniego komunikatu,** zakoczenie dzialania

Name	Value
Active	false
Business Key Mutable	true

Business Model	false		
Visibility	public		
Leaf	false		
Root	false		
Project Management	Name Value		
	Author	9999	
	Create Date Time	2015-01-25 16:22:15	
	Last Modified	2015-01-25 18:41:08	

private wynik : int				
Туре	int int			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None	None		
Derived Union	false	false		
Read Only	false			
Is ID	false			
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:22:48
	Last Modified		2015-01-25	16:31:38

private komunikat : string				
Туре	string			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None			
Derived Union	false			
Read Only	false			
Is ID	false			
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:23:15
	Last Modified		2015-01-25	16:31:38

## **Operations**

public wyp (): void				
Leaf	false	false		
Ordered	false			
Unique	true	true		
Query	false	false		
Project Management	Name	Name Value		
	Author	Author gggg		
	Create Date Time	2015-01-25 16:23:34		
	Last Modified	2015-01-25 18:18:39		

## Relationships

Moiationionipo			
Unnamed Generalization			
То	Rysowanie prostokata		
Substitutable	false		
Visibility	Unspecified		
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 16:27:24	
	Last Modified 2015-01-25 16:31:38		
Unnamed Generalization			
То	Dodanie dwoch losowych iczb z przedzialu [0;20]		
Substitutable	false		
Visibility	Unspecified		
Project Management	Name Value		
	Author	9999	
	Create Date Time 2015-01-25 16:27:44		
	Last Modified 2015-01-25 16:31:38		

# ■ Nie trzeba tworzyc konta

Name	Value
Active	false
Business Key Mutable	true
Business Model	false
Visibility	public
Leaf	false
Root	false

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 18:46:40
	Last Modified	2015-01-25 18:46:53

## Projektowany pod konsole

Name	Value		
Active	false		
Business Key Mutable	true		
Business Model	false		
Visibility	public		
Leaf	false		
Root	false		
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 18:47:13	
	Last Modified	2015-01-25 18:47:14	

# Dodanie dwoch losowych iczb z przedzialu [0;20]

Name	Value			
Active	false			
Business Key Mutable	true			
Business Model	false			
Visibility	public			
Leaf	false	false		
Root	false	false		
Project Management	Name	Value		
	Author	9999		
	Create Date Time	2015-01-25 16:21:10		
	Last Modified	2015-01-25 18:41:08		

#### **Attributes**

private pierwsza liczba : int				
Туре	o int			
Allow Empty Name	false			
Getter	false	Setter	false	
Derived	false			
Multiplicity	Unspecified			
Aggregation	None	·		

Derived Union	false		
Read Only	false		
Is ID	false		
Leaf	false		
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 16:21:20	
	Last Modified	2015-01-25 16:31:38	

private druga liczba : int				
Туре	o int			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None			
Derived Union	false			
Read Only	false	=		
Is ID	false			
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:21:30
	Last Modified		2015-01-25	16:31:38

private wynik : int				
Туре	o int			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None			
Derived Union	false			
Read Only	false			
Is ID	false			
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:21:35
	Last Modified		2015-01-25	16:31:38

## **Operations**

public losuj () : int				
Leaf	false	false		
Ordered	false			
Unique	true	true		
Query	false			
Project Management	Name Value			
	Author         gggg           Create Date Time         2015-01-25 16:21:46			
	Last Modified	2015-01-25 18:18:39		

Relationships					
Unnamed Generalization					
From	zwrot wyniku, odpowied	zwrot wyniku, odpowiedniego komunikatu , zakoczenie dzialania			
Substitutable	false	false			
Visibility	Unspecified				
Project Management	Name	Value			
	Author	9999			
	Create Date Time	2015-01-25	16:27:44		
	Last Modified	2015-01-25	16:31:38		
Unnamed Association					
From	Name	Value			
	End Model Element	Rysowanie pros	tokata		
	Provide Property Getter Method	false			
	Provide Property Setter Method	false			
	Multiplicity	Unspecified			
	Visibility	Unspecified			
	Aggregation Kind	None			
	Navigable	Navigable			
	Derived	false			
	Derived Union	false	false		
	Read Only	false			
	Static	false			
	Leaf	false			
	Туре	Rysowanie pros	tokata		
	Project Management	Name	Value		
		Author	9999		
		Create Date Time	2015-01-25 16:28:14		
Abstract	false				
Leaf	false	false			
Visibility	Unspecified				

Derived	false		
Project Management	Name Value		
	Author	9999	
	Create Date Time	2015-01-25 16:28:14	
	Last Modified	2015-01-25 16:31:38	

# Rysowanie prostokata

Name	Value			
Active	false			
Business Key Mutable	true			
Business Model	false			
Visibility	public			
Leaf	false	false		
Root	false	false		
Project Management	Name	Value		
	Author	9999		
	Create Date Time	2015-01-25 16:19:54		
	Last Modified	2015-01-25 18:18:39		

#### **Attributes**

private liczba kolumn : int				
Туре	o int			
Allow Empty Name	false			
Getter	false	Setter		false
Derived	false			
Multiplicity	Unspecified			
Aggregation	None			
Derived Union	false			
Read Only	false			
Is ID	false			
Leaf	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25	16:20:04
	Last Modified		2015-01-25	16:21:13

private liczba wierszy : int			
Туре	o int		
Allow Empty Name	false		
Getter	false	Setter	false
Derived	false		

Multiplicity	Unspecified			
Aggregation	None			
Derived Union	false			
Read Only	false			
Is ID	false	false		
Leaf	false	false		
Project Management	Name	Name Value		
	Author	9999		
	Create Date Time	2015-01-25 16:20:11		
	Last Modified	2015-01-25 16:21:13		

## **Operations**

public prostokat () : int				
Leaf	false			
Ordered	false			
Unique	true	true		
Query	false	false		
Project Management	Name	Name Value		
	Author	Author gggg		
	Create Date Time	2015-01-25 16:20:28		
	Last Modified	2015-01-25 18:18:39		


## Relationships

**Unnamed Association** 

То	Name	Value		
	End Model Element	[0;20]	danie dwoch los	owych iczb z przedzialu
	Provide Property Getter Method	false		
	Provide Property Setter Method	false		
	Multiplicity	Unspecified		
	Visibility	Unspecified		
	Aggregation Kind	None		
	Navigable	Naviga	ible	
	Derived	false		
	Derived Union	false		
	Read Only	false		
	Static	false		
	Leaf	false  Dodanie dwoch losowych [0;20]		
	Туре			owych iczb z przedzialu
	Project Management	Name		Value
		Author		9999
		Create Date Time		2015-01-25 16:28:14
Abstract	false			
Leaf	false			
Visibility	Unspecified			
Derived	false			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25 16:28:14	
	Last Modified		2015-01-25 16:31:38	
Unnamed Generalization				
From	zwrot wyniku, odpowiedniego komunikatu , zakoczenie dzialania			
Substitutable	false			
Visibility	Unspecified			
Project Management	Name		Value	
	Author		9999	
	Create Date Time		2015-01-25 16:27:24	
	Last Modified		2015-01-25 16	:31:38

#### **Sequence Diagram**

# klient - diagram sekwencji



Name	Value
Name	klient - diagram sekwencji
Author	9999
Create Date Time	2015-01-25 16:32:59
Last Modified	2015-01-25 18:50:51
Show Parameter Types In Message Operation Signature	true

## **Summary**

Name	Documentation
👱 klient	
F Ekran	
T Konsola	

## **Details**



Name	Value	
Visibility	public	
Abstract	false	
Leaf	false	
Root	false	
Active	false	
Business Model	false	

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 16:35:22
	Last Modified	2015-01-25 16:52:36

veiation simps					
Wyswietl ekran powitalny,- wyswietl() : Message					
То	Name	Value			
	End Model Element	₹ Eki	an		
	Project Management	Name		Value	
		Author	•	9999	
		Create	Date Time	2015-01-25 16:39:07	
Туре	Message				
Sequence Number	1				
Asynchronous	false				
Project Management	Name		Value		
	Author	Author			
	Create Date Time	Create Date Time		2015-01-25 16:39:07	
Last Modified			2015-01-25 18:44:09		
Rysowanie prostokata - pro	ostokat() : Message				
То	Name	Value			
	End Model Element	₹ Ko	nsola		
	Project Management	Name		Value	
		Author	•	9999	
		Create	Date Time	2015-01-25 16:46:10	
Туре	Message				
Sequence Number	3				
Asynchronous	false	false			
Project Management	Name	Value			
	Author		9999		
	Create Date Time	2015-01-25 16:46:10		6:46:10	
	Last Modified	2015-01-25 17:02:37		7:02:37	

## **F** Ekran

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 16:39:07
	Last Modified	2015-01-25 16:52:36

Relationships					
Wprowadz imie , wyswietl	lenie napisu - imie() : Message				
То	Name	Value	Value		
	End Model Element	₹ Koı	nsola		
	Project Management	Name		Value	
		Author	•	9999	
		Create	Date Time	2015-01-25 16:42:52	
Туре	Message				
Sequence Number	2				
Asynchronous	false				
Project Management	Name		Value		
	Author	Author			
	Create Date Time	Create Date Time		2015-01-25 16:42:52	
	Last Modified	Last Modified		2015-01-25 18:44:16	
Wyswietl ekran powitalny	,- wyswietl() : Message				
From	Name	Value			
	End Model Element	₹ klient			
	Project Management	Name		Value	
		Author		9999	
		Create	Date Time	2015-01-25 16:39:07	
Туре	Message				
Sequence Number	1				
Asynchronous	false				
Project Management	Name		Value	Value	
	Author	Author			
	Create Date Time	Create Date Time		6:39:07	
	Last Modified	Last Modified		8:44:09	

# **T**Konsola

Name	Value
Multiplicity	Unspecified
Active	false
Stopped	false
Multi Object	false

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 16:42:52
	Last Modified	2015-01-25 16:52:36

Wprowadz imie , wyswietlenie napisu - imie() : Message					
From	Name	Value			
	End Model Element	₹ Ekr	an		
	Project Management	Name		Value	
		Author	1	9999	
		Create	Date Time	2015-01-25 16:42:52	
Туре	Message	Message			
Sequence Number	2	2			
Asynchronous	false	false			
Project Management	Name		Value		
	Author	Author		9999	
	Create Date Time		2015-01-25 1	2015-01-25 16:42:52	
	Last Modified	Last Modified		2015-01-25 18:44:16	

## **TKonsola**

Name	Value			
Multiplicity	Unspecified			
Active	false			
Stopped	false	false		
Multi Object	false			
Project Management	Name Value			
	Author	9999		
	Create Date Time 2015-01-25 16:46:10			
	Last Modified	2015-01-25 16:52:36		

Dodanie dwoch losowych iczb z przedzialu [0;20] - losuj() : Message				
То	Name	Value		
	End Model Element	F Konsola		
	Project Management	Name	Value	
		Author	9999	
		Create Date Time	2015-01-25 16:46:36	
Туре	Message			
Sequence Number	3.1			
Asynchronous	false			

Project Management	Name		Value		
	Author		9999		
	Create Date Time		2015-01-25 16	:46:36	
	Last Modified		2015-01-25 18	2015-01-25 18:44:34	
Rysowanie prostokata - prosto	kat() : Message				
From	Name	Value			
	End Model Element	♀ klie	nt		
	Project Management	Name Author		Value	
				9999	
		Create	Date Time	2015-01-25 16:46:10	
Туре	Message				
Sequence Number	3				
Asynchronous	false				
Project Management	Author		Value		
			9999		
			2015-01-25 16:46:10		
Last Modified			2015-01-25 17:02:37		

## **T** Konsola

Name	Value			
Multiplicity	Unspecified	Unspecified		
Active	false	false		
Stopped	false	false		
Multi Object	false	false		
Project Management	Name	Value		
	Author	9999		
	Create Date Time	2015-01-25 16:46:36		
	Last Modified	2015-01-25 16:52:36		

zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzialania - wyp() : Message				
То	Name	Value		
	End Model Element	F Konsola		
	Project Management	Name	Value	
		Author	9999	
		Create Date Time	2015-01-25 16:49:16	
Туре	Message			
Sequence Number	3.1.1			
Asynchronous	false			

Project Management	Name		Value			
	Author		9999			
	Create Date Time		2015-01-25 16	2015-01-25 16:49:16		
	Last Modified		2015-01-25 18	:44:53		
Dodanie dwoch losowych iczb	z przedzialu [0;20] - losuj() : N	lessage				
From	Name	Value				
	End Model Element	₹ Kor	nsola			
	Project Management	Name Author		Value		
				9999		
		Create	Date Time	2015-01-25 16:46:36		
Туре	Message					
Sequence Number	3.1					
Asynchronous	false					
Project Management	Name		Value			
	Author	r		9999		
	Create Date Time  Last Modified		2015-01-25 16:46:36			
			2015-01-25 18:44:34			

## **T** Konsola


Name	Value			
Multiplicity	Unspecified	Unspecified		
Active	false	false		
Stopped	false	false		
Multi Object	false	false		
Project Management	Name	Value		
	Author	9999		
	Create Date Time 2015-01-25 16:49:16			
	Last Modified	2015-01-25 16:52:36		


zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzialania - wyp() : Message					
From	Name	Value	Value		
	End Model Element	T Konsola			
	Project Management	Name	Value		
		Author	9999		
		Create Date Time	2015-01-25 16:49:16		
Туре	Message				
Sequence Number	3.1.1				
Asynchronous	false				


Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 16:49:16
	Last Modified	2015-01-25 18:44:53


#### **CRC Card Diagram**


# **CRC Card Diagram2**











Name	Value
Name	CRC Card Diagram2
Author	9999
Create Date Time	2015-01-25 15:19:11
Last Modified	2015-01-25 18:47:51

#### **Summary**

Name	Documentation
Wyswietl ekran powitalny,	Wyswietlenie ekranu powitalnego
Wprowadz imie , wyswietlenie napisu	Wprowadzenie imienia , wyswietlenie konkretnego powitania
Rysowanie prostokata	Rysowanie prostokata o podanych wymiarach
Dodanie dwoch losowych iczb z przedzialu [0;20]	Dodawanie dwoch losowych liczb z przedzia#lu [0;20]
zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzialania	Zwrot wyniku sumy , wyswietlenie odpowiedniego komunikatu , zakonczenie pracy programu

### **Details**

## **■ Wyswietl ekran powitalny,**

Name	Value
Documentation	Wyswietlenie ekranu powitalnego

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:56:21
	Last Modified	2015-01-25 18:41:08

Name	Description
napis	Wyswietlenie napisu

#### Responsibilities

Name	Collaborator
Wprowadz imie , wyswietlenie napisu	Wyswietlanie napisu

## Wprowadz imie , wyswietlenie napisu

Name	Value	
Documentation	Wprowadzenie imienia , wyswietlenie konkretnego powitania	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:51:53
	Last Modified	2015-01-25 18:42:43

#### **Attributes**

Name	Description
imie	Imie uzytkownika

#### Responsibilities

Name	Collaborator
Wyswietl ekran powitalny,	Wyswietlanie napisu

## Rysowanie prostokata

Name	Value	
Documentation	Rysowanie prostokata o podanych wymiarach	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:59:55
	Last Modified	2015-01-25 18:41:08

#### **Attributes**

Name	Description
liczba kolumn	Informacja o liczbie kolumn
liczba wierszy	Informacja o liczbie wierszy

## Responsibilities

Name	Collaborator
Dodanie dwoch losowych iczb z przedzialu [0;20]	liczenie sumy

# ■ Dodanie dwoch losowych iczb z przedzialu [0;20]

Name	Value	
Documentation	Dodawanie dwoch losowych liczb z przedzia#lu [0;20]	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 18:02:05
	Last Modified	2015-01-25 18:41:08

#### **Attributes**

Name	Description	
pierwsza liczba	pierwszy czynnik sumy	
druga liczba	drugi czynnik sumy	
wynik	wynik sumy	

#### Responsibilities

Name	Collaborator
zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzialania	Udostepnienie wyniku

# **zwrot wyniku, odpowiedniego komunikatu,** zakonczenie dzialania


Name	Value	
Documentation	Zwrot wyniku sumy , wyswietlenie odpowiedniego komunikatu , zakonczenie pracy programu	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 18:04:46
	Last Modified	2015-01-25 18:41:08

#### **Attributes**

Name	Description
wynik	wynik sumy
komunikat	komunikat

#### **Requirement Diagram**

## klient - diagram wymaga#



Name	Value
Name	klient - diagram wymaga#
Author	9999
Create Date Time	2015-01-25 17:31:50
Last Modified	2015-01-25 18:47:08

#### **Summary**

Name	Documentation
Wyswietl ekran powitalny,	Wyswietla ekran powitalny
Wprowadz imie , wyswietlenie napisu	Wyswietla imi# oraz powitanie
Dodanie dwoch losowych iczb z przedzialu [0;20]	Dodanie dwoch losowych liczb
Rysowanie prostokata	Rysowanie prostokata wg podanych danych
Nie trzeba tworzyc konta	Nie trzeba tworzyc konta
zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzia#ania	Zwrot sumy i wyswietlenie komunikatu , zakonczenie dzia#ania
Projektowany pod konsole	
Wyglad ekranu	

#### **Details**

## Wyswietl ekran powitalny,

Name	Value
Documentation	Wyswietla ekran powitalny

ID		
Stereotypes	requirement	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:06:00
	Last Modified	2015-01-25 18:41:08

Name	Value	
Text	Wyswietla ekran powitalny	
kind	Functional	
verifyMethod	Test	
risk	High	
status	Deferred	

### Relationships

Unnamed Trace			
То	Wprowadz imie , wyswie	Wprowadz imie , wyswietlenie napisu	
Stereotypes	trace	trace	
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 17:43:44	
	Last Modified	2015-01-25 17:48:39	

# Wprowadz imie , wyswietlenie napisu

Name	Value	
Documentation	Wyswietla imi# oraz powitanie	
ID		
Stereotypes	requirement	
Project Management	Name Value	
	Author	9999
	Create Date Time	2015-01-25 17:12:42
	Last Modified	2015-01-25 18:41:08

#### **Attributes**

Name	Value
Text	Wyswietla imi# oraz powitanie

Unnamed Trace	
From	Wyswietl ekran powitalny,

Stereotypes	trace	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:43:44
	Last Modified	2015-01-25 17:48:39

# Dodanie dwoch losowych iczb z przedzialu [0;20]

Name	Value	
Documentation	Dodanie dwoch losowych liczb	
ID		
Stereotypes	requirement	
Project Management	Name Value	
	Author	9999
	Create Date Time	2015-01-25 17:16:30
	Last Modified	2015-01-25 18:41:08

#### **Attributes**

Name	Value
Text	Dodanie dwoch losowych liczb

### Relationships

Unnamed Trace			
То	zwrot wyniku, odpowiedn	zwrot wyniku, odpowiedniego komunikatu , zakonczenie dzia#ania	
Stereotypes	trace	trace	
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 17:42:30	
	Last Modified	2015-01-25 17:48:39	
Unnamed Trace			
From	Rysowanie prostokata	Rysowanie prostokata	
Stereotypes	trace	trace	
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 17:42:07	
	Last Modified	2015-01-25 17:48:39	

## Rysowanie prostokata

Name	Value
Documentation	Rysowanie prostokata wg podanych danych

ID		
Stereotypes	requirement	
Project Management	Name Value	
	Author	9999
	Create Date Time	2015-01-25 17:15:38
	Last Modified	2015-01-25 17:48:39

Name	Value
Text	Rysowanie prostokata wg podanych danych

#### Relationships

Unnamed Trace		
То	Dodanie dwoch losowych iczb z przedzialu [0;20]	
Stereotypes	trace	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:42:07
	Last Modified	2015-01-25 17:48:39

# Nie trzeba tworzyc konta

Name	Value	
Documentation	Nie trzeba tworzyc konta	
ID		
Stereotypes	requirement	
Project Management	Name Value	
	Author	9999
	Create Date Time	2015-01-25 17:23:20
	Last Modified	2015-01-25 18:41:08

#### **Attributes**

Name	Value
Text	Nie trzeba tworzyc konta

# zwrot wyniku, odpowiedniego komunikatu, zakonczenie dzia#ania

Name	Value
Documentation	Zwrot sumy i wyswietlenie komunikatu , zakonczenie dzia#ania
ID	
Stereotypes	requirement

Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:17:09
	Last Modified	2015-01-25 18:41:08

Name	Value
Text	Zwrot sumy i wyswietlenie komunikatu , zakonczenie dzia#ania

#### Relationships

Unnamed Trace			
From	Dodanie dwoch losowycl	Dodanie dwoch losowych iczb z przedzialu [0;20]	
Stereotypes	trace	trace	
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 17:42:30	
	Last Modified	2015-01-25 17:48:39	

# Projektowany pod konsole

Name	Value	Value	
ID			
Stereotypes	requirement	requirement	
Project Management	Name	Value	
	Author	9999	
	Create Date Time	2015-01-25 17:23:51	
	Last Modified	2015-01-25 17:48:39	

#### **Attributes**

Name	Value
Text	

# Wyglad ekranu

Name	Value	
ID	REQ034	
Stereotypes	requirement	
Project Management	Name	Value
	Author	9999
	Create Date Time	2015-01-25 17:38:17
	Last Modified	2015-01-25 18:41:08

Name	Value
Text	
ID	REQ034