

```

// ==UserScript==
// @name      JIRA XML POC Applied Templates v6.0 - upgrade to xsbt v2.0 refactoring sprint
header columns
// @namespace  http://www.mazzanet.com
// @description Creates output that can be copy/pasted into Excel Roadmap docs.
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13012/SearchRequest-13012.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13411/SearchRequest-13411.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13412/SearchRequest-13412.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13512/SearchRequest-13512.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13622/SearchRequest-13622.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13630/SearchRequest-13630.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13634/SearchRequest-13634.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13716/SearchRequest-13716.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/13717/SearchRequest-13717.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/14010/SearchRequest-14010.xml?*
// @include    https://*/sr/jira.issueviews:searchrequest-xml/14347/
SearchRequest-14347.xml?*
// @version    6
// @grant     none
// ==/UserScript==

var xsl_str = '<?xml version="1.0" encoding="utf-8"?>\n\
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform" xmlns:my="http://localhost"
version="2.0">\n\
    <xsl:output method="html"/>\n\
    <xsl:param name="statusExclude" select="Done"/>\n\
    <xsl:key name="epics-by-investmentTheme" match="item[type='Epic']"
use="//issuekey"/>\n\
    <xsl:key name="items-by-parent" match="item[status!=\n'Done'][issuelinks/
issuelinktype/outwardlinks[@description='belongs to investment theme' or @description='belongs
to epic' or @description='belongs to feature']] use="issuelinks/issuelinktype/outwardlinks/
issuelink/issuekey"/>\n\
    <xsl:key name="items-wo-parent" match="item[issuelinks/issuelinktype/
outwardlinks[@description!=\n'belongs to investment theme' and @description!=\n'belongs to epic'
and @description!=\n'belongs to feature']] use="issuelinks/issuelinktype/outwardlinks/issuelink/
issuekey"/>\n\
    <xsl:key name="items-by-type" match="rss/channel/item" use="type"/>\n\
    <xsl:template match="/">\n\
        <html>\n\
            <head>\n\
                <style>\n\
                    body
                    \{background:#FFF;color:#000;font:normal normal 10px Verdana, Geneva, Arial, Helvetica, sans-
serif;margin:10px;padding:0\}\n\
\n\
table, td, a \{color:#000;font:normal normal 12px Verdana, Geneva, Arial, Helvetica, sans-serif\}
\n\
div.tableContainer \{clear:both;border:1px solid #963;height:680px;overflow:auto;width:1500px\}
\n\
html>body div.tableContainer \{overflow:hidden;width:1500px\}\n\
\n\
div.tableContainer table \{float:left;\}\n\
\n\
thead.fixedHeader tr \{position:relative;height:100%\}\n\
\n\
thead.fixedHeader th \{border-left:1px solid #EB8;border-right:1px solid #B74;border-top:1px
solid #EB8;font-weight:normal;padding:4px 3px;text-align:left;vertical-align:bottom\}\n\
\n\
thead.fixedHeader th.dateHeader \{transform: rotate(0deg);background:#C96;border-left:1px solid
#EB8;border-right:1px solid #B74;border-top:1px solid #EB8;font-weight:normal;padding:3px
4px;text-align:left\}\n\
\n\
thead.fixedHeader th.dateHeaderX \{transform: rotate(0deg);background:#fff377;border-left:1px
solid #EB8;border-right:1px solid #B74;border-top:1px solid #EB8;font-weight:normal;padding:3px
4px;text-align:left\}\n\
\n\
thead.fixedHeader th.textHeader \{transform: rotate(0deg);background:#C96;border-left:1px solid
#EB8;border-right:1px solid #B74;border-top:1px solid #EB8;font-weight:normal;padding:3px
4px;text-align:left\}\n\
\n\
html>body tbody.scrollContent \{display:block;height:640px;overflow:auto;width:100%\}\n\

```

```

html\>body thead.fixedHeader \{display:table;overflow:auto;width:100%\}\n\
tbody.scrollContent td, tbody.scrollContent tr.normalRow td \{border-bottom:none;border-
left:none;border-right:1px solid #CCC;border-top:1px solid #DDD;padding:2px 3px 3px 4px\}\n\
tbody.scrollContent tr.alternateRow td \{background:#EEE;border-bottom:none;border-
left:none;border-right:1px solid #CCC;border-top:1px solid #DDD;padding:2px 3px 3px 4px\}\n\
td.theme\{background:#4f5aaaf;color:#FAFAFA;font-weight:bold;\}\n\
td.epic \{background:#93a0ff;font-weight:bold;\}\n\
td.feature \{background:#bcc4ff;font-weight:bold;\}\n\
td.story \{background:#ebf9e8\}\n\
td.bug \{background:#f9edeb\}\n\
td.task \{background:#bcc4ff\}\n\

```

</style>\n</head>\n<div

```

<body>\n\
id="tableContainer" class="tableContainer">\n\
    <table border="0" cellpadding="0" cellspacing="0" width="100%">
        <thead class="scrollTable">\n\
            <tr>\n\
                <th class="textHeader" width="5%">JIRA</th>\n\
                <th class="textHeader" width="3%">Type</th>\n\
                <th class="textHeader" width="41%">Summary<xsl:text>&#x9;</
xsl:text></th>\n\
                <th class="textHeader" width="6%">Status<xsl:text>&#x9;</xsl:text><
th>\n\
                <th class="textHeader" width="5%">Expected Duration<xsl:text>&#x9;</
xsl:text></th>\n\

```

<!--//<th  
class="textHeader" width="6%">Loop Position<xsl:text>&#x9;</xsl:text></th>//-->\n<th class="dateHeader"

```

width="5%">09-12<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">09-26<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">10-10<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">10-24<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">11-07<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">11-21<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">12-05<xsl:text>&#10;</xsl:text>2018</th>\n\
width="5%">12-19<xsl:text>&#10;</xsl:text>2018</th>\n\

```

</tr>\n</thead>\n<tbody class="scrollContent">\n<xsl:apply-templates select="rss/channel/item[status!=\n'Done\'][type=\n'Investment Theme\'' or type=\n'Change Request\']" mode="top"/>\n<th class="textHeader"

```

width="5%" colspan="13">Incorrectly or Unlinked JIRAs</th>\n

```



```

<xsl:value-of select="\'epic\'"/>\n\
</xsl:when>\n\
<xsl:when test="type='Feature'">\n\
  <xsl:value-of select="\'feature\'"/>\n\
</xsl:when>\n\
<xsl:when test="type='Story'">\n\
  <xsl:value-of select="\'story\'"/>\n\
</xsl:when>\n\
<xsl:when test="type='Bug'">\n\
  <xsl:value-of select="\'bug\'"/>\n\
</xsl:when>\n\
<xsl:otherwise>\n\
  <xsl:value-of select="\'other\'"/>\n\
</xsl:otherwise>\n\
</xsl:choose>\n\
</xsl:variable>\n\
<tr>\n\
<!-- JIRA Id //-->\n\
<td class="${tdClass}">\n\
  <xsl:value-of select="key"/>\n\
</td>\n\
<!-- Issue Type //-->\n\
<td class="${tdClass}">\n\
  <xsl:value-of select="substring(type,1,1)"/>\n\
</td>\n\
<!-- Summary //-->\n\
<xsl:value-of select="summary"/>\n\
<td class="${tdClass}">\n\
<xsl:value-of select="status"/>\n\
<!-- Status //-->\n\
<td class="${tdClass}">\n\
</td>\n\
<!-- Duration //-->\n\
<td class="${tdClass}">\n\
  <xsl:value-of select="customfields/customfield[customfieldname='Expected Duration']/customfieldvalues/customFieldValue"/>\n\
</td>\n\
<!-- Loop Position //-->\n\
<!--<td class="${tdClass}">//-->\n\
<!--<xsl:value-of select="$n_pos"/> of <xsl:value-of select="$n_cnt"/>//-->\n\
<!--</td//-->\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_09_12'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_09_26'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_10_10'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_10_24'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_11_07'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_11_21'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_12_05'">X</xsl:if></td>\n\
<td class="${tdClass}" style="text-align:center;"><xsl:if test="customfields/customfield[@key='com.pyxis.greenhopper.jira:gh-sprint']/customfieldvalues/customFieldValue='FLH_DEV_2018_12_19'">X</xsl:if></td>\n\
</tr>\n\
<xsl:apply-templates select="key(\\"items-by-parent\\',key)" mode="detail"/>\n\
</xsl:for-each>\n\
</xsl:template>\n\
</xsl:stylesheet>;

```

```
//alert('Inner Height: ' + window.innerHeight);
//alert('Inner Width: ' + window.innerWidth);

var processor = new XSLTProcessor ();
var dataXSL = new DOMParser ().parseFromString (xsl_str, "text/xml");

processor.importStylesheet (dataXSL);

var newDoc = processor.transformToDocument (document);

//-- These next lines swap the new, processed doc in for the old one...
window.content = newDoc;

document.replaceChild (
    document.importNode (newDoc.documentElement, true),
    document.documentElement
);
```