Cellular Automata

Steve Mazza

Naval Postgraduate School Monterey, CA



SE4940, Spring/2014

Introduction

A cellular automaton is a collection of "colored" cells on a grid of specified shape that evolves through a number of discrete time steps according to a set of rules based on the states of neighboring cells. The rules are then applied iteratively for as many time steps as desired.

-Wolfram MathWorld



Figure: "Game Of Space" on exhibit at the Museum of Contemporary Art in Hiroshima.

Chapter 10

Cellular Automata, Life, and the Universe

Sections:

- Computation in Nature
- Cellular Automata
- The Game of Life
- The Four Classes
- Wolfram's "A New Kind of Science"

Computation in Nature

Q: In what sense to natural systems compute?

A: "At a very general level, one might say that *computation* is what a complex system does with *information* in order to succeed or adapt in its environment."

Cellular Automata

Description

- The CA consists of a regular *n*-dimensional grid of cells.
- Each cell can exist in one of a finite number of states.
- For each cell, a set of cells called its neighborhood is defined relative to the specified cell.
- An initial condition is established by assigning a state for each cell.
- A given cell's state is updated according to some fixed rule that determines that cell's new state in terms of its current state and the states of the cells in its neighborhood.

Von Neumann was able to show that his cellular automaton was equivalent to a universal Turing machine.

The Game of Life

Improvement

John Conway introduced a 2-state CA capable of universal computation, being able to carry out all the logical combinations of *and*, *or*, and *not*.

Caveat

Despite universality, his CA is not economical in practice.

Goal

"What we really want from cellular automata is to harness their parallelism and ability to form complex patterns in order to achieve computations in a nontraditional way."

The Four Classes

Wolfram observed that the behavior of CA fell into four classes.

- Class 1: Quickly settle to the same uniform final pattern independent of initial configuration.
- Class 2: Produce either a uniform or cyclical patterns that are sensitive to the initial configuration.
- Class 3: Produce mostly random behavior with some regular structures present.
- Class 4: A mixture of order and randomness: simple localized structures are produced which interact with each other in complicated ways.

Wolfram speculated that all Class 4 CAs are capable of universal computation.

In the 1990s Matthew Cook proved a special case, Rule 110.

Wolfram's "New Kind of Science"

Wolfram's proposed principle (in four parts):

- The proper way to think about processes in nature is that they are computing.
- Since even very simple rules can support universal computation, the ability to support universal computation is very common in nature.
- Universal computation is an upper limit on the complexity of conputations in nature. That is, no natural system or process can produce behavior that is noncomputable.
- The computations done by different processes in nature are almost always equivalent in sophistication.

Chapter 11

Computing with Particles

Block Types

This is a Block

This is important information

This is an Alert block

This is an important alert

This is an Example block

This is an example

Questions?

