



HTTP

Обзорный рассказ в вольном стиле



1. HyperText Transfer Protocol



1. Гипертекст



- 1. Гипертекст
- 2. Картинки



- 1. Гипертекст
- 2. Картинки
- 3. Видео
- 4. музыка
- 5. Реклама
- 6. Транспорт для других протоколов прикладного уровня





Адресация: URL

URL - Uniform Resource Locator Отвечает на вопрос "где и как найти что то?"



Адресация: URL

URL - Uniform Resource Locator Отвечает на вопрос "где и как найти что то?"

Общий вид

https://www.pinterest.com/search/pins/?q=%23wallpaper

https://www.pinterest.com/search/pins/?q=%23wallpaper

<схема>://<хост>/<путь>?<параметры>#<якорь>

https://www.pinterest.com/search/pins/?q=%23wallpaper

<схема>://<хост>/<путь>?<параметры>#<якорь>


схема: https

хост: www.pinterest.com

путь: /search/pins/

параметры: q=%23wallpaper







Request / Запрос



Request / 3anpoc

GET /explore/tags/girls/ HTTP/1.1 Host: www.instagram.com User-Agent: curl/7.47.0 Accept: */*



Response / Ответ

HTTP/1.1 200 OK

Content-Type: text/html

Content-Language: en

Server: www.instagram.com

Date: Wed, 21 Feb 2018 22:58:43 GMT

Content-Length: 285942

{ [285942 bytes of data]



Request / 3anpoc

<Mетод> <URI> HTTP/1.1

Заголовки

[пустая строка]

Тело сообщения

POST /r/funny/12 HTTP/1.1

Host: reddit.com

Content-Lenght: 223381

User-Agent: curl/2.2.27

Content-Type: text/plain

Pizza's Here!



Response / Ответ

НТТР/1.1 <Код> <Статус> Заголовки [пустая строка] Тело документа

```
Заголовки Ответ Кэш HTML Cookies
Заголовки ответа
                                           симпатичный print
HTTP/1.1 200 0k
Server: nainx
Date: Thu, 20 Sep 2012 13:59:02 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: close
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Expires: Thu, 20 Sep 2012 13:59:03 GMT
Last-Modified: Thu, 20 Sep 2012 13:59:03 GMT
P3P: policyref="/w3c/p3p.xml", CP="NON DSP ADM DEV PSD IVDo OUR IND STP PHY PRE NAV UNI"
Set-Cookie: t=p; Domain=.yandex.ru; Path=/
z=: Expires=Mon. 23-Sep-2002 13:59:02 GMT; Domain=.yandex.ru; Path=/
X-Frame-Options: DENY
X-XRDS-Location: http://openid.yandex.ru/server_xrds/
Content-Encoding: gzip
                                            симпатичный print
Заголовки запроса
GET / HTTP/1.1
Host: www.yandex.ru
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.6; rv:15.0) Gecko/20100101 Firefox/15.0.1
Accept: text/html.application/xhtml+xml.application/xml:a=0.9.*/*:a=0.8
Accept-Language: ru-ru,ru;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding: gzip, deflate
Connection: keep-alive
Cookie: yandexuid=8187969851326274991; my=YycCAAEoAYDVNqEBAA==; yp=1662904536.udn.eW5keC5jb2xsYXBzdXML
```

▼ GET www.yandex.ru

```
HTTP/1.1 200 0k
Server: nainx
Date: Thu, 20 Sep 2012 13:59:02 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: close
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Expires: Thu, 20 Sep 2012 13:59:03 GMT
Last-Modified: Thu, 20 Sep 2012 13:59:03 GMT
P3P: policyref="/w3c/p3p.xml", CP="NON DSP ADM DEV PSD IVDo OUR IND STP PHY PRE NAV UNI"
Set-Cookie: t=p; Domain=.yandex.ru; Path=/
z=: Expires=Mon, 23-Sep-2002 13:59:02 GMT; Domain=.yandex.ru; Path=/
X-Frame-Options: DENY
X-XRDS-Location: http://openid.yandex.ru/server_xrds/
Content-Encoding: azip
                                            симпатичный print
Заголовки запроса
GET / HTTP/1.1
Host: www.vandex.ru
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.6; rv:15.0) Gecko/20100101 Firefox/15.0.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: ru-ru,ru;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding: gzip, deflate
Connection: keep-alive
Cookie: yandexuid=8187969851326274991; my=YycCAAEoAYDVNqEBAA==; yp=1662904536.udn.eW5keC5jb2xsYXBzdXML
```

симпатичный print

▼ GET www.yandex.ru

Заголовки ответа

Заголовки Ответ Кэш HTML Cookies

```
Заголовки ответа
                                           симпатичный print
HTTP/1.1 200 0k
Server: nginx
Date: Thu, 20 Sep 2012 13:59:02 GMT
Content-Type: text/html; charset=UTF-8
Transfer-Encoding: chunked
Connection: close
Cache-Control: no-cache, no-store, max-age=0, must-revalidate
Expires: Thu, 20 Sep 2012 13:59:03 GMT
Last-Modified: Thu, 20 Sep 2012 13:59:03 GMT
P3P: policyref="/w3c/p3p.xml", CP="NON DSP ADM DEV PSD IVDo OUR IND STP PHY PRE NAV UNI"
Set-Cookie: t=p; Domain=.yandex.ru; Path=/
z=: Expires=Mon. 23-Sep-2002 13:59:02 GMT: Domain=.yandex.ru: Path=/
X-Frame-Options: DENY
X-XRDS-Location: http://openid.yandex.ru/server_xrds/
Content-Encoding: gzip
Заголовки запроса
                                            симпатичный print
GET / HTTP/1.1
Host: www.yandex.ru
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.6; rv:15.0) Gecko/20100101 Firefox/15.0.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: ru-ru,ru;q=0.8,en-us;q=0.5,en;q=0.3
Accept-Encoding: gzip, deflate
Connection: keep-alive
Cookie: yandexuid=8187969851326274991; my=YycCAAEoAYDVNqEBAA==; yp=1662904536.udn.eW5keC5jb2xsYXBzdXM
```

▼ GET www.vandex.ru

Заголовки Ответ Кэш HTML Cookies

```
> User-Agent: curl/7.47.0
> Accept: */*
< HTTP/1.1 200 OK
< Content-Type: text/html
< X-Frame-Options: SAMEORIGIN
< Cache-Control: private, no-cache, no-store, must-revalidate
< Pragma: no-cache
< Expires: Sat, Ol Jan 2000 00:00:00 GMT
< Vary: Cookie, Accept-Language, Accept-Encoding
< Content-Language: en
< Date: Wed, 21 Feb 2018 23:40:05 GMT
< Strict-Transport-Security: max-age=86400
< Set-Cookie: rur=FTW; Path=/
< Set-Cookie: csrftoken=75eqZ3jzvx9lcSSFGRvVe4linVUiahsW; expires=Wed, 20-Feb-2019 23:40:05 GMT; Max-Aqe=31449600; Path=/; Se
cure
< Set-Cookie: mid=Wo4DVQAEAAESxEqmD76HuT3214RG; expires=Tue, 16-Feb-2038 23:40:05 GMT; Max-Age=630720000; Path=/
< Set-Cookie: urlgen="{\"time\": 1519256405}:leodzZ:g9g6-jzDeViGABuTpBr9r YReOo"; Path=/
< Connection: keep-alive
< Content-Length: 23637
<!DOCTYPE html>
<!--[if lt IE 7]>
                      <html lang="en" class="no-js lt-ie9 lt-ie8 lt-ie7 not-logged-in client-root"> <![endif]-->
<!--[if IE 7]>
                       <html lang="en" class="no-is lt-ie9 lt-ie8 not-logged-in client-root"> <![endif]-->
<!--[if IE 8]>
                      <html lang="en" class="no-js lt-ie9 not-logged-in client-root"> <![endif]-->
<!--[if gt IE 8]><!--> <html lang="en" class="no-js not-logged-in client-root"> <!--<![endif]-->
   <head><meta charset="utf-8">
            <meta http-equiv="X-UA-Compatible" content="IE=edge">
                    <title>
                    @ensol3zen on Instagram: "Настроение... Крошить! Ломать! Разбивать и убивать!
                    Зубы на бордюр!
#американскаяисторияХ #мояборьба #настроение #удивляюсь 🥸
                    </title>
```

> GET /p/BcfUZjhHAQH/ HTTP/1.1
> Host: www.instagram.com



Request: Методы

- 1. GET
- 2. POST
- 3. PUT
- 4. DELETE
- 5. PATCH
- 6. HEAD
- 7. OPTIONS
- 8. CONNECT



Request: Методы

			Request	Response
		Idempotency	Body	Body
1.	GET	+	-	+
2.	POST	-	+	+
3.	PUT	+	+	-
4.	DELETE	+	-	-
5.	HEAD	+	_	_



Response: Статусы ответов

2хх - Успешные



Response: Статусы ответов

2xx - Успешные 200 Ok 201 Created 202 Accepted 204 No Content



Response: Статусы ответов

3хх - Перенаправление



Response: Статусы ответов

3хх - Перенаправление

300 Multiple Choices 301 Moved Permanently 302 Moved Temporarily 304 Not Modified



Response: Статусы ответов

```
mbikola@mykola-laptop-dell ~ $ curl -vv http://adtelligent.com
* Rebuilt URL to: http://adtelligent.com/
   Trying 34.203.112.31...

    Connected to adtelligent.com (34.203.112.31) port 80 (#0)

> GET / HTTP/1.1
> Host: adtelligent.com
> User-Agent: curl/7.47.0
> Accept: */*
< HTTP/1.1 301 Moved Permanently
< Server: nginx/1.10.3 (Ubuntu)
< Date: Wed, 21 Feb 2018 23:57:14 GMT
< Content-Type: text/html
< Content-Length: 194
< Connection: keep-alive
< Location: https://adtelligent.com/
```



Response: Статусы ответов

4хх - Ошибки клиента

400 Bad Request

401 Unauthorized

402 Payment Required

403 Forbidden

404 Not Found



Response: Статусы ответов

5хх - Ошибки сервера

500 Internal Server Error 501 Not Implemented 502 Bad Gateway 503 Service Unavailable 504 Gateway Timeout



Response: Статусы ответов

- 2хх Успешно
- 3хх Перенаправление
- 4хх Ошибка клиента
- 5хх Ошибка сервера



Заголовки НТТР

<Request/Response Line>

<Headers>

<Body>

GET /explore/tags/girls/

HTTP/1.1

Host: www.instagram.com

User-Agent: curl/7.47.0

Accept: */*



Заголовки НТТР

- General Headers
- Request Headers
- Response Headers
- Entity Headers



Структура протокола | Заголовки НТТР

```
HTTP/1.1 200 OK
Date: Mon, 17 Sep 2012 13:05:11 GMT
Transfer-Encoding: chunked
Connection: keep-alive
Pragma: no-cache
Cache-Control: no-cache, no-store, max-age=0,
must-revalidate
Server: nginx
Vary: X-Real-SSL-Protocol
Content-Type: text/html; charset=UTF-8
Expires: Mon, 17 Sep 2012 13:05:11 GMT
Content-Encoding: gzip
```



Структура протокола | Заголовки НТТР

General Headers

- Date: Tue, 15 Nov 1994 08:12:03 GMT
- Cache-Control: no-cache, max-age=0
- Transfer-Encoding: chunked
- Via: 1.1 vegur
- Warning: 110 "cache down, use slate"



Структура протокола | Заголовки НТТР

Request Headers

- Accept: application/json, text/html
- Accept-Language: en-US, en;q=0.9
- Authorization: Bearer AE344FD.FFB2.....
- Transfer-Encoding: chunked
- Host: www.instagram.com
- User-Agent: Mozilla/5.0 (Windows) Firefox/42




Request Headers

- Origin: pubads.g.doubleclick.net
- Referer: http://instragram.com/tags
- DNT: 1



Conditional Request Headers


- If-Match: "sometag"
- If-None-Match: "sometag"
- If-Modified-Since: 15 Nov 1994
- If-Unmodified-Since: 15 Nov 1994
- If-Range: [date or etag]



Client

Server

Initial request: the cache is empty and the request is *not* conditional



Resource returned. Both validators are set.



Client

Server

Request with a stale cache: the validators are used as preconditions for the request...



Resource unchanged. Not sent again



Response Headers

- Server: nginx/1.27
- Location: http://instagram.com/tag/мояборьба
- Set-Cookie: banned=1
- ETag: "sometag"
- Last-Modified: Wed, 21 Oct 2015 06:12:32 GMT
- Retry-After: 120



Entity Headers

- Content-Type: text/xml
- Content-Length: 25547
- Content-Encoding: gzip
- Content-Language: en-US, en-CA
- Last-Modified: Wed, 21 Oct 2016 04:12:44 GMT
- **Expires: 3600**



Структура протокола | Заголовки HTTP Extensions / Нестандартные заголовки

- X-Frame-Options: DENY;
- X-Frame-Options: SAMEORIGIN;
- X-Requested-With: XMLHttpRequest



- Set-Cookie: cookiename=value
- Cookie: cookiename=value



- Set-Cookie: cookiename=value; expires=date;
- Cookie: cookiename=value
- Аутентификация
- Отслеживание переходов
- Ведение статистики
- Персонализация: темы, язык, настройки



HTTP/1.0 200 OK

Content-type: text/html

Set-Cookie: yummy_cookie=choco

Set-Cookie: tasty_cookie=strawberry

[page content]

GET /anotherpage HTTP/1.1

Host: www.example.com

Cookie: yummy_cookie=choco; tasty_cookie=strawberry



- Сессионные

Cookie: yummy_cookie=choco; tasty_cookie=strawberry

- Постоянные

Cookie: id=idkfa; Expires=Wed, 21 Oct 2015 07:28:00 GMT

- Secure/HttpOnly

Cookie: id=idkfa; Expires=[date]; Secure; HttpOnly



- Сессионные

Cookie: yummy_cookie=choco; tasty_cookie=strawberry

- Постоянные

Cookie: id=idkfa; Expires=Wed, 21 Oct 2015 07:28:00 GMT


- Secure/HttpOnly

Cookie: id=idkfa; Expires=[date]; Secure; HttpOnly



На что скорее всего не хватит времени

- Content-Security-Policy (CSP)
- Cross Origin Requests (CORS)
- X-XSS-Protection
- X-Content-Type-Options



Main request: defines origin. **CORS** GET / (main page) GET layout.css Web server domain-a.com Image GET image.png domain-a.com Same-origin requests (always allowed) Canvas w/ image from domain-b.com GET image.png Web server GET webfont.eot domain-b.com Web document Cross-origin requests domain-a.com (controlled by CORS)

X-XSS-Protection

- 12:30:42.195 Error parsing header X-XSS-Protection: 1; mode=block; report=https://www.google. ?el=adunit&controls=...is.com&widgetid=1:1 com/appserve/security-bugs/log/youtube: insecure reporting URL for secure page at character position 22. The default protections will be applied. 12:30:43.171 [Violation] 'setTimeout' handler took 201ms www-embed-player.js:291 12:30:43.481 [Violation] 'setTimeout' handler took 156ms www-embed-player.js:291 12:30:43.590 ▶Got an adError: code 900 with error message + `Ad Error: The response does not contain any common.min.js?v=3e4d9732:1 valid ads. for VAST tag http://pubads.g.doubleclick.net/gampad/ads?sz=640x480&iu=/166336097/Filmon...scription url=http%3 A%2F%2Fwww.filmon.com%2Ftv%2Fbbc-news&vid t=BBC%20News 12:30:43.675 ▶XHR finished loading: POST "https://www.youtube.com/ad data 204". www-embed-player.js:343 12:30:44.693 ▶Got an adError : code 900 with error message + `Ad Error: The response does not contain any common.min.js?v=3e4d9732:1 valid ads. for VAST tag http://pubads.g.doubleclick.net/gampad/ads?sz=640x480&iu=/166336097/Filmon...scription url=http%3 A%2F%2Fwww.filmon.com%2Ftv%2Fbbc-news&vid t=BBC%20News 12:30:44.723 ▶Got an adError : code 900 with error message + `Ad Error: The response does not contain any common.min.js?v=3e4d9732:1 valid ads. for VAST tag http://pubads.g.doubleclick.net/gampad/ads?sz=640x480&iu=/166336097/Filmon...scription url=http%3 A%2F%2Fwww.filmon.com%2Ftv%2Fbbc-news&vid t=BBC%20News 12:30:53.404 ▶XHR finished loading: POST "https://www.youtube.com/youtubei/v1/log interaction?alt=json&key=AIz www-embed-player.js:343 aSyAO FJ2SlqU8Q4STEHLGCilw Y9 11qcW8". 12:41:56.683 DOMException: Blocked a frame with origin "https://ssl.duvideo.net" from accessing a cross-origin frame.
 - at new Vars (eval at <anonymous> (https://ssl.duvideo.net/player/player/web/js/uppod.js:4:1), <anonymous>:1:141715) at Init (eval at <anonymous> (https://ssl.duvideo.net/player/player/web/js/uppod.js:4:1), <anonymous>:1:10893) at new Uppod (eval at <anonymous> (https://ssl.duvideo.net/player/web/js/uppod.js:4:1), <anonymous>:1:3475) at html5Player (https://ssl.duvideo.net/player/player/web/js/player.js:72:11) at Object.success (https://ssl.duvideo.net/player/player/web/js/player.js:149:5) at i (https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js:2:27603)

 - at Object.fireWith [as resolveWith] (https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js:2:28369)
 - at A (https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jguery.min.js:4:13858)
 - at XMLHttpRequest.<anonymous> (https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.is:4:16146)
 - 12:41:56.701 ▶XHR finished loading: POST "https://ssl.duvideo.net/data/param". jquery.min.js:4 12:41:56.801 ▶XHR finished loading: POST "https://ssl.duvideo.net/data/bookmarks". jquery.min.js:4



Спасибо за внимание.

```
// Николай Харчевин
// github.com/mblkola
// n.kharchevin@adtelligent.com
// skype: nickolay.kharchevin
```