AUTOBOX ABX-PRO

Automated Hose Tractor for Small Pipe Cleaning



OVERVIEW

The AutoBox ABX-PRO is a hose feed tractor engineered with safety, portability and quick setup in mind. This versatile device is designed with multiple mounting options and accessories to adapt it for a wide variety of pipe, drain and tube cleaning applications.

The ABX-PRO is the perfect tool for limited access applications and includes a lightweight control box for increased safety and mobility.

COMPETITIVE ADVANTAGES

- Comes standard with strap and bolt-on mounting accessories for safe pipe cleaning "out of the box"
- Utilizes a first-of-its-kind corrosion-resistant motor
- Weighs only 25 lbs (11 kg)
- All parts are stocked and ready to ship same day to minimize work interruption
- Attaches to LWP positioner for single tube lancing
- Easily adaptable for drain cleaning
- Full line of accessories available to help you make the most of your investment

| FEATURES | BENEFITS |
|---|--|
| 4 sets of rollers handle hose sizes from 3/2 to 8/4 and 3/8 rubber covered | A single system can handle a wide range of tube/pipe/drain cleaning applications — less equipment to buy |
| Ultra-portable system design | Ideal for limited access applications |
| Independent forward/reverse speed control from 0.2–2.5 ft/sec | Consistent cleaning in both directions produces better results in less time |
| Multiple mounting options for pipes with or without a flange | Quick, easy setup for challenging or unique applica- tions |
| Portable, ergonomic control box — pedestal-style and hand-held versions available | Operate all features from outside the blast zone for safety and better line of sight |
| Built in back-out preventer and splash guard | Increases job site safety |
| FULL RANGE OF HOSE STO AND NOZZL | PS, COLLETS, GUIDE TUBES, ES AVAILABLE |



AUTOBOX ABX-PRO OVERVIEW

CONSIDERATIONS


- What size pipe are you cleaning?
- What size hose/collet will be used?
- Will you mount the system to a pipe flange or use a strap mount?
- Will you require a splash plate?
- Will you require a tube or snout to connect to the pipe?
- Would a 45° snout tube help with accessibility?
- The AutoBox ABX-PRO is well suited for use with Beetle and 2" Badger tools.

TOOL SPECIFICATIONS

| MODEL | ABX-PRO | | |
|------------|---|--|--|
| Pipe Size | 2-8 in. 51-203 mm | | |
| Feed Rate | 1.0-32 in/sec 25-813 mm/s | | |
| Hose Size | 3/2-8/4, 3/8 Rubber Covered | | |
| Dimensions | 7 in. x 9.25 in. x 10 in. 178 mm x 235 mm x 254 mm | | |
| Weight | 25 lb 11.3 kg | | |

Visit our website for tool resources including operation and maintenance videos:

WWW.STONEAGETOOLS.COM



A complete AutoBox ABX-PRO configuration includes the following components:

- 1. Hose feed assembly includes rollers and collets for 3/2-8/4 hose, mounts and small splash plate
- 2. Hose stop collet of appropriate size
- 3. Control box

The following items may also be requested:

- Additional roller and collet sizes
- Snout options
- Large splash plate and flange mount options



ORDERING THE MASTERPACKPACK

The ABX-PRO MasterPack configuration shown below includes all sizes of all **component parts for single** lance pipe, drain, and exchanger cleaning and positioning in two portable job boxes.

| PACKA | AGE PART ID MSTR-PRO-PKG | |
|-------|---|------------------|
| QTY | DESCRIPTION | PART ID |
| 1 | Guide Tube, .459ID, 16"/406.4mm L (BN9.5) | ABX 115-16 |
| 1 | Guide Tube, .546ID, 16in/406.4mm L (BN13) | ABX 116-16 |
| 1 | Guide Tube, .674ID, 16in/406.4mm L (BN15) | ABX 117-16 |
| 1 | Guide Tube, .745 ID, 16in/406.4mm L (BN18) | ABX 119-16 |
| 1 | Guide Tube, 1.010 ID, 16in/406.4mm L (BN24) | ABX 125-16 |
| 1 | Guide Tube, 1.120 ID, 16in/406.4mm L (BN27/BN24) | ABX 126-16 |
| 1 | Guide Tube, 1.380 ID, 16in/203.2mm L (BN33) | ABX 127-16 |
| 1 | AutoBox ABX-PPR (ProDrive) Tractor Assy, 20-1 | ABX-PRO |
| 1 | Kit, Dump Valve Assembly wAir Hose and Fittings, 15K | ACDA 61001007-K |
| 1 | Kit, Dump Valve, 20k, w/Air Fittings | ACDA 61020019-K |
| 1 | Quarter Plate Assy, 2in-4in | BOP 010-2-4-QTR |
| 1 | Flange Mount Plate Assy, 4in-8in | BOP 010-4-8 |
| 1 | Weldment, Splash Plate | BOP 012 |
| 1 | Collet Block Assembly | BOP 030 |
| 1 | Guide Tube Collet Block Assy (Fin Fan - does not include guide tubes) | BOP 035-16 |
| 1 | Hose Stop Adaptor | BOP 048 |
| 1 | Strap Mount Assembly | BOP 050 |
| 1 | Tube, Snout, SS, 1.75 x 6in | BOP 081-6 |
| 1 | Snout Tube, Galvanized, 1.75 x R9 x 45deg | BOP 082-9-45 |
| 1 | Snout Tube and Cam Lock | B0P 085-K |
| 1 | Snout Tube and Cam Lock | BOP 086-K |
| 1 | Rail, 3.5', 2.5" Box, w/round holes | BR 002-3.5-001 |
| 2 | Rail, 3.5', 2.5" Slotted w/round holes | BU 002-3.5-001 |
| 1 | Control Panel Assy, ABX-PRO | CB-ABX-PRO |
| 1 | AutoBox Control Box Assy, Side Latch | CB-ABX-PRO-100-S |
| 2 | Fin Fan Clamp Assy, 30" | FF 102 |
| 2 | Lower Support Bracket Assy | FF 160 |
| 1 | Toolbox Assembly | GPT 105 |
| 1 | Kit, Collet-Roller-Hose Stop w/Case | GPT 106 |
| 4 | Quick Clamp Assy | LWP 518 |
| 2 | Plate Clamp Assy | LWP 519 |
| 1 | Hardline Collet, 9/16 Lance | LWP 560-56 |
| 1 | LWP Rail Extension Kit, 2' (2 Slotted Rail, 1 Box Rail) | LWP 582-2-V2 |
| 1 | Lightweight Positioner Parts | LWP-500.1 |
| 1 | ProDrain Assembly w/Lanyard Assy | PR0-700-U |
| 1 | Box, AutoPack ProDrive, w/Dividers | GPT 063-APP |
| 1 | Box, AutoPack LWP, w/Dividers | GPT 066-LWP |

ORDERING THE AUTOPACK

StoneAge offers a complete package for the AutoBox ABX-PRO that includes **all the available sizes of component parts for pipe, drain, and exchanger cleaning in a portable job box**. The ABX-PRO AutoPack configuration is shown below:

| PACKAGE | PART ID AUTO-PRO-PKG | |
|---------|---|------------------|
| QTY | DESCRIPTION | PART ID |
| 1 | Guide Tube, .459ID, 16"/406.4mm L (BN9.5) | ABX 115-16 |
| 1 | Guide Tube, .546ID, 16in/406.4mm L (BN13) | ABX 116-16 |
| 1 | Guide Tube, .674ID, 16in/406.4mm L (BN15) | ABX 117-16 |
| 1 | Guide Tube, .745 ID, 16in/406.4mm L (BN18) | ABX 119-16 |
| 1 | Guide Tube, 1.010 ID, 16in/406.4mm L (BN24) | ABX 125-16 |
| 1 | Guide Tube, 1.120 ID, 16in/406.4mm L (BN27/BN24) | ABX 126-16 |
| 1 | Guide Tube, 1.380 ID, 16in/203.2mm L (BN33) | ABX 127-16 |
| 1 | AutoBox ABX-PPR (ProDrive) Tractor Assy, 20-1 | ABX-PRO |
| 1 | Kit, Dump Valve Assembly wAir Hose and Fittings, 15K | ACDA 61001007-K |
| 1 | Kit, Dump Valve, 20k, w/Air Fittings | ACDA 61020019-K |
| 1 | Quarter Plate Assy, 2in-4in | BOP 010-2-4-QTR |
| 1 | Flange Mount Plate Assy, 4in-8in | BOP 010-4-8 |
| 1 | Weldment, Splash Plate | BOP 012 |
| 1 | Collet Block Assembly | BOP 030 |
| 1 | Guide Tube Collet Block Assy (Fin Fan - does not include guide tubes) | BOP 035-16 |
| 1 | Hose Stop Adaptor | BOP 048 |
| 1 | Strap Mount Assembly | BOP 050 |
| 1 | Tube, Snout, SS, 1.75 x 6in | BOP 081-6 |
| 1 | Snout Tube, Galvanized, 1.75 x R9 x 45deg | BOP 082-9-45 |
| 1 | Snout Tube and Cam Lock | BOP 085-K |
| 1 | Snout Tube and Cam Lock | BOP 086-K |
| 1 | Adapter Kit, CB-ABX-PRO-LWP | CB 870-K |
| 1 | Autobox ABX-PRO Control Box Assy, Side Latch | CB-ABX-PRO-100-S |
| 1 | Toolbox Assembly | GPT 105 |
| 1 | Kit, Collet-Roller-Hose Stop w/Case | GPT 106 |
| 1 | ProDrain Assembly w/Lanyard Assy | PRO-700-U |
| 1 | Box, AutoPack ABX-PRO (ProDrive), w/Dividers | GPT 063-APP |



The Lightweight Positioner AutoPack for ABX-PRO includes **all component parts for standard and fin fan style exchanger cleaning in a portable job box**. The ABX-PRO Lightweight Positioner AutoPack configuration is shown below:

| PACKAGE PART ID AUTO-LWP-PRO-PKG | | |
|----------------------------------|---|----------------|
| QTY | DESCRIPTION | PART ID |
| 1 | Rail, 3.5', 2.5" Box, w/round holes | BR 002-3.5-001 |
| 2 | Rail, 3.5', 2.5" Slotted w/round holes | BU 002-3.5-001 |
| 1 | Control Panel Assy, ABX-PRO | CB-ABX-PRO |
| 2 | Fin Fan Clamp Assy, 30" | FF 102 |
| 2 | Lower Support Bracket Assy | FF 160 |
| 4 | Quick Clamp Assy | LWP 518 |
| 2 | Plate Clamp Assy | LWP 519 |
| 1 | Hardline Collet, 9/16 Lance | LWP 560-56 |
| 1 | LWP Rail Extension Kit, 2' (2 Slotted Rail, 1 Box Rail) | LWP 582-2-V2 |
| 1 | Lightweight Positioner Parts | LWP-500.1 |
| 1 | Box, AutoPack LWP, w/Dividers | GPT 066-LWP |

ORDERING ACCESSORY PACKAGES

The **AutoBox ABX-PRO Tractor Package** is configured with backout prevention for the size specified and includes the control box.

| PACKA | AGE PART ID ABX-PRO-PKG | |
|-------|--|------------------|
| QTY | DESCRIPTION | PART ID |
| 1 | Autobox ABX-PRO (ProDrive) Tractor Assy, 20-1 | ABX-PRO |
| 1 | Control Box - Pedestal (P), Side Latch (S), or PRO (PRO) | CB-ABX-PRO-100-? |
| 1 | Collet Block Assembly | BOP 030 |
| 1 | Hose Stop, Collet Style | FF 121-??? |

^{???} Specify options

The **Tube Cleaning Accessory Package** includes the guide tube assembly with tubes and backout prevention.

| PACKA | $^{\wedge}$ GE PART ID $^{\setminus}$ | PRO-675-PKG | |
|-------|---------------------------------------|------------------------|------------|
| QTY | | DESCRIPTION | PART ID |
| 1 | Guide Tube Collet Block Assy BOP 035 | | BOP 035-? |
| 1 | Hose Stop Adaptor, ABX-PRO BOP 048 | | BOP 048 |
| 1 | Collet Block Assembly | | ABX ???-?? |
| 1 | Hose Stop, Collet Style FF 121-??? | | FF 121-??? |
| 1 | | Hose Stop, Clamp Style | HS 121-??? |

??? Specify size

The **Pipe Cleaning Accessory Package** includes mounting options, backout prevention, splash guards, and flexible snout for efficient pipe cleaning.

| PACKAGE PART ID PRO-670-PKG | | | |
|-----------------------------|---|-----------------|--|
| QTY | DESCRIPTION | PART ID | |
| 1 | Quarter Plate Assy, 2in-4in | BOP 010-2-4-QTR | |
| 1 | Weldment, Splash Plate | BOP 012 | |
| 1 | Strap Mount Assembly | BOP 050 | |
| 1 | Tube, Snout, SS, 1.75 x 6in | BOP 081-6 | |
| 2 | Tube, Snout, Alum, 1.75 x 1.25 NPT Male | BOP 084 | |
| 1 | Cam Lock 1.25 x 1.25 NPT Female | BOP 085 | |
| 1 | Cam Lock 1.25 Male x 1.25 NPT Female | BOP 086 | |
| 1 | Snout, Corrugated, 1.25 Camlocks, 7ft | BOP 090-7 | |

The **ProDrain Assembly Package** adaptts the ABX-PRO for drain cleaning.

| PACKA | AGE PART ID \setminus | PRO-675-PKG | |
|-------|----------------------------------|-------------------------|-------------|
| QTY | | DESCRIPTION | PART ID |
| 1 | ProDrain Assembly w/Lanyard Assy | | PR0-700-PKG |
| 1 | | Hose Stop, Collet Style | FF 121-??? |

??? Specify size





PACKAGE OPTIONS

Roller and Hose Stop Options

The AutoBox ABX-PRO hose feed assembly comes installed with $2 \times \emptyset$.46 rollers. Additional sizes can be ordered separately or in kits of two. Hose stops are required safety mechanisms and come in collet and clamp styles. The hose OD determines the sizes needed to interface with the hose selected.







HOSE STOP CLAMPS

HOSE STOP COLLETS

ROLLERS

The table below describes recommended rollers, collets and clamps for common hose sizes:

| ROLLER | HOSE OD | SPIR STAR | PARKER | COLLET SIZE | COLLET PART ID | CLAMP SIZE | CLAMP Part ID |
|------------------------------|---------------------------|---------------------|---------------------|---------------------|--------------------|----------------------|------------------|
| | | 3/2 | 2240D-02 | 0.297 in. 8 mm | FF 121-297 | 0.27-0.34 in. | HS 121-27-34 |
| PRO 174-34 Ø 0.34 in. | 0.27–0.41 in. 7–10 mm | 3/4, 4/2 | 2240D-025, 2440D-02 | 0.328 in. 8 mm | FF 121-328 | 7–9 mm | по 121-21-34 |
| 0.01111 | 7 10 11111 | 3/6, 5/2 | 2240D-03 | 0.406 in. 10 mm | FF 121-406 | 0.34-0.42 in. | UC 101 04 40 |
| | 0.44-0.50 in. 11-13 mm | 4/4 | 2448D-025 | 0.438 in. 11 mm | FF 121-438 | 9–11 mm | HS 121-34-42 |
| PRO 174-46 | | 4/6, 5/4, 6/2 | 2240D-04 | 0.460 in. 12 mm | FF 121-460 | 0.42-0.50 in. | UC 404 40 F0 |
| Ø 0.46 in. | | in. 11–13 mm | | 2640D-025 2740D-025 | 0.484 in. 12 mm | FF 121-484 | 11–13 mm |
| | | 6/4 | 2440D-04 | 0.516 in. 13 mm | FF 121-516 | 0.50-0.56 in. | UC 404 FO FC |
| | | 5/6, 8/2 | 2240D-05, 2740D-03 | 0.547 in. 14 mm | FF 121-547 | 13–14 mm | HS 121-50-56 |
| PRO 174-58 Ø 0.58 in. | 0.52-0.61 in. 13-16 mm | 8/4 | | 0.594 in. 14 mm | FF 121-594 | 0.56-0.61 in. | UC 404 FC C4 |
| p 0.00 | 10 10 111111 | | 2440D-05 | 0.625 in. 15 mm | FF 121-625 | 14–16 mm | HS 121-56-61 |
| PRO 174-89 Ø 0.89 in. | 0.80-0.93 in. 20-24 mm | 3/8" Rubber WB Hose | | Use b | packout protection | on the pipe for safe | ty. |

Roller Kits

| PART ID | DESCRIPTION | | |
|--------------|---|--|--|
| PRO 174-34-K | Kit, Roller, Poly Urethane, .34 (2 rollers) | | |
| PRO 174-46-K | Kit, Roller, Poly Urethane, .46 (2 rollers) | | |
| PRO 174-58-K | Kit, Roller, Poly Urethane, .58 (2 rollers) | | |
| PRO 174-89-K | Kit, Roller, Poly Urethane, .89 (2 rollers) | | |

Collet Kits


| PART ID | DESCRIPTION |
|---------|--|
| PRO 621 | Kit (Standard), Collets, (1ea .297516) |
| PRO 622 | Kit (Extended), Collets, (1ea .297625) |

Control Box Options

The control box facilitates remote operation of all functions of the ABX-PRO and comes supplied with air hoses.

| PART ID | DESCRIPTION |
|------------------|--|
| CB-ABX-PRO-100-P | Control Box, Pedestal |
| CB-ABX-PRO-100-S | Control Box, Side Latch |
| CB-ABX-PRO | Control Panel Assy, ABX-PRO |
| CB 875* | Flow Control Kit, CB-ABX to CB-ABX-PRO |
| CB 870-K* | Adapter Kit, CB-ABX-PRO-LWP |

^{*}For customers who have previously purchased an LWP with an ABX-2L-V2 or ABX-3L and would like to repurpose their control box (CB-ABX or CBX-ABX) to use with the ABX-PRO.




Positioner Options

The lightweight positioner frame utilizes 2.5-inch (64 mm) rail components. Two lengths of slotted box rail are used for horizontal and vertical positioning and one length of solid box rail acts as a guide.

| PART ID | DESCRIPTION |
|--------------|---|
| LWP-500-4-V2 | Lightweight Positioner, 4' 24"/610mm Flange |
| LWP-500-6-V2 | Lightweight Positioner, 6ft, 48in/1220mm Flange |

Rails can be connected with standard clamps to a maximum total length of 10 feet (3 m).

Custom lengths are available.



Guide Tube Collet Block Options

| PART ID | DESCRIPTION |
|------------|---|
| BOP 035-8 | Guide Tube Collet Block Assy (Tube Bundles) |
| BOP 035-16 | Guide Tube Collet Block Assy (Fin Fan) |

Guide tubes not included. See below for guide tube options.





Guide Tube Options

| GUIDE TUBE ID | BANSHEE MODEL | LENGTH | 1 | GUIDE TUBE PART ID |
|---------------------|---------------|------------------------|------|--------------------|
| | | 8 in. 203 | 3 mm | ABX 115-8 |
| 0.46 in. 12 mm | BN9.5 | 12.5 in. 316 | 6 mm | ABX 115-12 |
| | | 16 in. 400 | 6 mm | ABX 115-16 |
| | | 8 in. 200 | 3 mm | ABX 116-8 |
| 0.55 in. 14 mm | BN13 | 12.5 in. 316 | 6 mm | ABX 116-12 |
| | | 16 in. 400 | 6 mm | ABX 116-16 |
| 0.67 in. 17 mm | BN15 | 8 in. 200 | 3 mm | ABX 117-8 |
| | | 12.5 in. 316 | 6 mm | ABX 117-12 |
| | | 16 in. 400 | 6 mm | ABX 117-16 |
| | BN18 1 | 8 in. 203 | 3 mm | ABX 119-8 |
| 0.75 in. 19 mm | | 12.5 in. 316 | 6 mm | ABX 119-12 |
| | | 16 in. 400 | 6 mm | ABX 119-16 |
| 1.01 in .25 mm | DNOA | 8 in. 203 | 3 mm | ABX 125-8 |
| 1.01 in 25 mm | BN24 | 16 in. 400 | 6 mm | ABX 125-16 |
| 1.12 in. 28 mm | DNOA DNO7 | 8 in. 203 mm ABX 126-8 | | |
| 1.12 1. 20 1 1 | BN24, BN27 | 16 in. 400 | 6 mm | ABX 126-16 |
| 1.38 in. 35 mm | BN33 | 8 in. 203 | 3 mm | ABX 127-8 |
| 1.30 1. 33 1 1 | DINGS | 16 in. 400 | 6 mm | ABX 127-16 |

Flange Plate Options

| PART ID | DESCRIPTION |
|-----------------|----------------------------------|
| BOP 010-2-4-QTR | Quarter Plate Assy, 2in-4in |
| BOP 010-4-8 | Flange Mount Plate Assy, 4in-8in |



BOP 010-2-4 QTRQuarter flange mount for 2–4" pipes



BOP 010-4-8 Full flange mount for 4–8" pipes

Other Options

| • | | | |
|-----------------|--|--|--|
| PART ID | DESCRIPTION | | |
| ACDA 61001007-K | Kit, Dump Valve wAir Hose and Fittings, 15k | | |
| ACDA 61020019-K | Kit, Dump Valve w/Air Hose and Fittings, 20k | | |
| CB 370-25 | Hose Bundle Assy, as purchased | | |
| CB 371-25 | LWP Hose Bundle Assy, as purchased | | |
| CB 745-15 | Supply Hose Bundle, 15' OAL | | |
| CB 745-25 | Supply Hose Bundle, 25' OAL | | |
| GPT 105 | Toolbox Assembly, Propak | | |
| GPT 106 | Kit, Collet-Roller-Hose Stop w/Case | | |
| LWP 560-56 | Hardline Collet, 9/16 Lance | | |
| PRO 155-001 | Air Motor, Gast, 2AM | | |
| PRO 755 | Kit, Foot Valve Rebuild, PRO-700 | | |