| | 0.95 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 100% | 100% | 100% | | 0.95 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
|-------|----------|------|------|------|------|------|------|------|------|------|------|---------|------|----------|------|------|------|------|------|------|------|------|------|
| | 0.85 | N/A | N/A | N/A | N/A | N/A | 0% | 26% | 0% | 0% | 0% | D Offer | 0.85 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| | 0.75 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 0% | 0% | 0% | | 0.75 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| 1 | 0.65 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 0% | 0% | 0% | | 0.65 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| fer | 0.55 | N/A | N/A | N/A | N/A | N/A | 62% | 74% | 0% | 0% | 0% | | 0.55 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| Offer | 0.45 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 0% | 0% | 0% | | 0.45 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| Ь | 0.35 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 0% | 0% | 0% | | 0.35 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| | 0.25 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 0% | 0% | 0% | | 0.25 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| | 0.15 | N/A | N/A | N/A | N/A | N/A | 0% | 0% | 0% | 0% | 0% | | 0.15 | 0% | 0% | 0% | 0% | 0% | N/A | N/A | N/A | N/A | N/A |
| | 0.05 | N/A | N/A | N/A | N/A | N/A | 38% | 0% | 0% | 0% | 0% | | 0.05 | 100% | 100% | 100% | 100% | 100% | N/A | N/A | N/A | N/A | N/A |
| | | 0.05 | 0.15 | 0.25 | 0.35 | 0.45 | 0.55 | 0.65 | 0.75 | 0.85 | 0.95 | • | | 0.05 | 0.15 | 0.25 | 0.35 | 0.45 | 0.55 | 0.65 | 0.75 | 0.85 | 0.95 |
| İ | P Signal | | | | | | | | | | | | | D Signal | | | | | | | | | |