	0.95	0%	0%	0%	0%	0%	0%	0%	0%	20%	100%		0.95	0%	0%	0%	0%	0%	0%	0%	0%	N/A	N/A
	0.85	0%	0%	0%	0%	0%	0%	0%	100%	80%	0%		0.85	0%	0%	0%	0%	0%	0%	100%	100%	N/A	N/A
	0.75	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.75	0%	0%	0%	0%	0%	0%	0%	0%	N/A	N/A
	0.65	0%	0%	0%	0%	0%	0%	100%	0%	0%	0%	D Offer	0.65	0%	0%	0%	0%	0%	100%	0%	0%	N/A	N/A
Offer	0.55	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.55	0%	0%	0%	0%	0%	0%	0%	0%	N/A	N/A
JO	0.45	0%	0%	0%	0%	100%	100%	0%	0%	0%	0%		0.45	0%	0%	0%	100%	100%	0%	0%	0%	N/A	N/A
Ь	0.35	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.35	0%	0%	0%	0%	0%	0%	0%	0%	N/A	N/A
	0.25	100%	100%	100%	100%	0%	0%	0%	0%	0%	0%		0.25	100%	100%	100%	0%	0%	0%	0%	0%	N/A	N/A
	0.15	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.15	0%	0%	0%	0%	0%	0%	0%	0%	N/A	N/A
	0.05	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.05	0%	0%	0%	0%	0%	0%	0%	0%	N/A	N/A
		0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1			0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1
P Signal													D Signal										