i	0.95	N/A	N/A	0%	0%	0%	0%	0%	100%	100%	100%	<u> </u>	0.95	0%	0%	0%	0%	0%	0%	0%	0%	0%	N/A	
1	0.85	N/A	N/A	0%	0%	0%	47%	100%	0%	0%	0%		0.85	0%	0%	0%	0%	0%	0%	0%	0%	0%	N/A	
1	0.75	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%		0.75	0%	0%	0%	0%	0%	0%	0%	0%	0%	N/A	
1	0.65	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%	1	0.65	0%	0%	0%	0%	0%	0%	0%	0%	0%	N/A	
fer	0.55	N/A	N/A	100%	100%	100%	53%	0%	0%	0%	0%	ffer	0.55	0%	0%	0%	0%	0%	0%	0%	0%	0%	N/A	
Offer	0.45	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%	J	0.45	0%	0%	0%	0%	0%	0%	0%	10%	100%	N/A	
Ь	0.35	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%	Ω	0.35	0%	0%	0%	0%	0%	0%	100%	90%	0%	N/A	
1	0.25	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%		0.25	0%	0%	0%	0%	0%	0%	0%	0%	0%	N/A	
1	0.15	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%	1	0.15	0%	0%	0%	0%	0%	100%	0%	0%	0%	N/A	
1	0.05	N/A	N/A	0%	0%	0%	0%	0%	0%	0%	0%	1	0.05	100%	100%	100%	100%	100%	0%	0%	0%	0%	N/A	
i	-	0.05	0.15	0.25	0.35	0.45	0.55	0.65	0.75	0.85	0.95		·	0.05	0.15	0.25	0.35	0.45	0.55	0.65	0.75	0.85	0.95	
l	P Signal														D Signal									