	0.95	0%	0%	0%	0%	0%	0%	0%	100%	100%	100%		0.95	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
	0.85	0%	0%	0%	0%	0%	0%	43%	0%	0%	0%		0.85	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
	0.75	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0.75 0.65 1 0.55 0.45 0.35	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A	
ı	0.65	0%	100%	100%	100%	100%	100%	57%	0%	0%	0%		0.65	0%	0%	0%	100%	100%	100%	100%	N/A	N/A	N/A
fer	0.55	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.55	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
Offer	0.45	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.45	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
Ь	0.35	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.35	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
	0.25	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.25	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
	0.15	100%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.15	100%	100%	100%	0%	0%	0%	0%	N/A	N/A	N/A
	0.05	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		0.05	0%	0%	0%	0%	0%	0%	0%	N/A	N/A	N/A
		0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1			0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1
P Signal														D Signal									