


asymmetric-risk / p-only-ra; Complete fee shifting; Plaintiff alpha=2; defendant alpha=0; cost multiplier 1

Case: asymmetric-risk__p-only-ra__complete__p-only-ra__cost-1. Primary profile 1; agreement enabled.

Filing, answering and private exit commitments

Filled dots: reached conditional policy. Hollow gray dots: saved off-path policy; the conditional event is undefined.

Exit commitments occur privately before the simultaneous agreement decisions.



Filing: 0.4599; joint filing/answering: 0.4599; answering given filing: 1.





asymmetric-risk / p-only-ra; Complete fee shifting; Plaintiff alpha=2; defendant alpha=0; cost multiplier 1

Case: asymmetric-risk__p-only-ra__complete__p-only-ra__cost-1. Primary profile 1; agreement enabled.

Agreement conditional on private signal and own exit commitment

Both parties choose without observing the other party's agreement choice or private exit commitment.

Offers occur only if both agree. Refusal activates the original commitment-dependent outcomes.



Joint agreement-stage reach: 0.4599. Conditional joint outcomes: both agree 0.9043; only P declines 0; only D declines 0.09573; both decline 0. These use the full joint signal/history distribution. Hollow dots retain saved off-path policies.


asymmetric-risk / p-only-ra; Complete fee shifting; Plaintiff alpha=2; defendant alpha=0; cost multiplier 1

Case: asymmetric-risk__p-only-ra__complete__p-only-ra__cost-1. Primary profile 1; agreement enabled.

Complete mixed offer distributions

Rows show the saved policy at each private signal and own commitment, after both parties agree to bargain.

An asterisk marks an unreachable information set: its saved completion is shown, but no reached conditional distribution exists.



Color and cell labels show action probabilities (white = 0; darkest blue = 1). Empty cell labels mean exact zero. Every positive entry is printed, including arbitrarily small probabilities. Full precision is retained in the editable TeX and profile JSON.