

P Offer

|       |       |      |      |      |      |      |      |      |
|-------|-------|------|------|------|------|------|------|------|
| 0.94  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.81  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.69  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.56  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.44  | 53%   | 53%  | 54%  | 55%  | 55%  | 56%  | 56%  | 57%  |
| 0.31  | 0%    | 0%   | 0%   | 0%   | 24%  | 23%  | 23%  | 23%  |
| 0.19  | 24%   | 24%  | 24%  | 24%  | 0%   | 0%   | 0%   | 0%   |
| 0.063 | 23%   | 23%  | 22%  | 22%  | 21%  | 21%  | 20%  | 20%  |
|       | 0.063 | 0.19 | 0.31 | 0.44 | 0.56 | 0.69 | 0.81 | 0.94 |

P Signal

D Offer

|       |       |      |      |      |      |      |      |      |
|-------|-------|------|------|------|------|------|------|------|
| 0.94  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.81  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.69  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.56  | 0%    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.44  | 53%   | 53%  | 54%  | 55%  | 55%  | 56%  | 56%  | 57%  |
| 0.31  | 0%    | 0%   | 24%  | 24%  | 24%  | 23%  | 23%  | 23%  |
| 0.19  | 24%   | 24%  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   |
| 0.063 | 23%   | 23%  | 22%  | 22%  | 21%  | 21%  | 20%  | 20%  |
|       | 0.063 | 0.19 | 0.31 | 0.44 | 0.56 | 0.69 | 0.81 | 0.94 |

D Signal