

|         |          |      |      |      |      |      |      |      |     |
|---------|----------|------|------|------|------|------|------|------|-----|
| P Offer | 0.94     | 0%   | 0%   | 0%   | 10%  | 22%  | 29%  | 33%  | 34% |
|         | 0.81     | 0%   | 0%   | 8%   | 24%  | 28%  | 30%  | 32%  | 32% |
|         | 0.69     | 0%   | 0%   | 23%  | 26%  | 25%  | 24%  | 23%  | 23% |
|         | 0.56     | 0%   | 0%   | 30%  | 23%  | 19%  | 15%  | 13%  | 12% |
|         | 0.44     | 0%   | 0%   | 16%  | 10%  | 6%   | 2%   | 0%   | 0%  |
|         | 0.31     | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|         | 0.19     | 100% | 100% | 22%  | 6%   | 0%   | 0%   | 0%   | 0%  |
|         | 0.063    | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|         | 0.063    | 0.19 | 0.31 | 0.44 | 0.56 | 0.69 | 0.81 | 0.94 |     |
|         | P Signal |      |      |      |      |      |      |      |     |

|          |       |      |      |      |      |      |      |      |     |
|----------|-------|------|------|------|------|------|------|------|-----|
| D Offer  | 0.94  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|          | 0.81  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|          | 0.69  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|          | 0.56  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|          | 0.44  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|          | 0.31  | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%  |
|          | 0.19  | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 65% |
|          | 0.063 | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 0%   | 35% |
|          | 0.063 | 0.19 | 0.31 | 0.44 | 0.56 | 0.69 | 0.81 | 0.94 |     |
| D Signal |       |      |      |      |      |      |      |      |     |