Laporan Praktikum 7

Nama: Muhammad Ilham Wahiduddin

NIM: 1931730140

Kelas :2E

Gambaran Umum

Mempelajari pendekatan aplikasi yang menerapkan arsitektur MVC

Materi meliputi contoh dan implementasi MVC secara sederhana dengan Menggunakan PHP native

Capaian Pembelajaran

- 1. Mahasiwa Mampu memahami konsep MVC
- 2. Mahasiswa mampu menggunakan modul
- Mahasiswa mampu menggunakan view
- 4. Mahasiswa mampu menggunakan Controller
- Mahasiswa mampu membuat create, update dan delete data dengan MVC
- 6. Mahasiswa mampu membuat flash message

Kegiatan

- 1. Mahasiswa mengerjakan semua contoh yang diberikan dalam modul
- 2. Mahasiswa mengerjakan tugas
- Mahasiswa membuat laporan

Evaluasi

Penilaian kehadiran mahasiswa pada saat pelaksanaan pembelajaran berdasarkan waktu yang telah ditentukan

Penilaian kemampuan mahasiswa dinilai dari tugas dan laporan yang dikumpulkan sesuai batas pengumpulan laporan yang telah dilakukan

Mahasiswa yang tidak hadir dan tidak mengerjakan tugas beserta laporan tidak akan mendapat nilai

Tidak ada pengumpulan susulan laporan bagi mahasiswa yang tidak mengumpulkan berdasarkan waktu yang telah ditentukan

Alat dan Bahan

- !. Aplikasi editor
- 2. Web browser
- 3. XAMPP

Referensi

- 1.w3schools.com
- 2.youtube.com
- 3.petanikoding.com
- 4.jagokoding.com
- 5.medium.com

Catatan

- Mahasiswa yang mengalami kesulitan dan error pada saat mengerjakan dianjurkan menghubungi dosen melalui WA
- Mahasiswa tidak boleh mengcopy paste pekerjaan mahasiswa lain
- Mahasiswa mengerjakan laporan berdasarkan template laporan yang telah disediakan

1. Memisah File


App/views/layouts/header.php

App/views/layouts/navbar.php

App/views/home/index.php

App/views/layouts/footer.php

App/controllers/home.php



2. Constant

App/config/config.php

App/init.php

```
You, 2 hours ago | 1 author (You)

?php You, 2 hours ago * mencopy file

//Dua file dibawah ini adalah file pembentuk MVC

require_once 'core/App.php';

require_once 'core/Controller.php';

require_once 'core/Database.php';


require_once 'config/config.php';

require_once 'core/Flasher.php';

?>
```

App/views/layouts/navbar.php

Output




App/core/Database.php

App/controllers/pelanggan.php

App/views/pelanggan/index.php

App/models/pelanggan_model.php



App/views/layout/navbar.php

3. Mengganti title

App/controllers/home.php

```
You, 2 hours aqo | 1 author (You)

You, 2 hours aqo | 1 author (You)

Vou, 2 hours aqo | 1 author (You)

class Home extends Controller{

public function index() {

//memberikan data titile pada header

$data['title'] = "Beranda";

//mengambil tampilan Header

$this->view('layouts/header', $data);

//mengambil tampilan Navbar

$this->view('layouts/navbar');

//mengambil tampilan Content Beranda

$this->view('home/index');

//mengambil tampilan Footer

$this->view('layouts/footer');

//mengambil tampilan Footer


$this->view('layouts/footer');

}

}
```

App/controllers/pelanggan.php

App/views/layouts/header.php



4. Detail data

App/views/pelanggan/detail.php

```
Now 2 minutes bool 1 km/br (You)

(I - Auril Content --)

(div class="card-body")

(div class="card-body")

(form action="f": BASEURE; ??/pelanggan/update" method="POST")

(Toph

Si=1;

foreach(Sdate['pelanggan'] as 3data) :

(div class="fore-group row")

(abbol for="io" class="col-ism-3")

(div class="fore-group row")

(abbol for="io" class="col-ism-3")

(div class="fore-group row")

(dibol for="io" class="col-ism-3")

(div class="fore-group row")

(dibol for="io" class="col-ism-3")

(div class="fore-group row")

(dibol for="io" class="fore-control" name="name" value="(?= 3data['name"]; ?>")

(div class="fore-group row")

(dibol for="io" class="col-ism-3 col-fore-label">Name(/label)

(div (diss="fore-group row")

(dibol for="alamet" class="col-ism-3 col-fore-label">Name(/label)

(div)

(dipol type="text" class="fore-control" name="name" value="(?= 3data['alamat']; ?>")

(input type="text" class="fore-control" name="name" value="(?= 3data['alamat']; ?>")

(input type="text" class="fore-control" name="name" value="(?= 3data['alamat']; ?>")

(div)

(di
```

App/model/pelanggan_model.php

```
//method untuk query byID

//method untuk query byID

public function pelangganById($id)

{

$data = "SELECT * FROM ".$this->table." WHERE id_pelanggan = '$id'";

$result = $this->db->connect->query($data);

while ($i = mysqli_fetch_array($result)) {


$datapelanggan[] = $i;

}

return $datapelanggan;

}
```

Output



5. Insert data

App/views/pelanggan/index.php

```
94
95
96
97
98
99
4/div>
100
4/div>
101
4/div>
102
4/div>
103
4/In Akhir modal tambah -->

(div class="modal-footer">
(button type="submit" class="btn btn-primary">Simpan</button>
(button)
(button)
(class="btn btn-primary">Simpan</button>
(class="btn btn-primary">Simpan</button>
(class="btn btn-primary">Simpan</button>
(class="modal">Batal</button>
(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br/>(class="modal")>Batal</br>(class="modal")</br/>(class="modal")</br/>(class="modal")</br>
```


App/Controllers/Pelanggan.php

App/Models/Pelanggan_model.php

```
//method untuk query tambah data
public function tambahpelanggan($id_pelanggan, $nama, $alamat, $desa, $kecamatan, $kota, $telepon)

{
    $simpan = "INSERT INTO ".$this->table." VALUES ('$id_pelanggan', '$nama', '$alamat', '$desa', '$kecamatan', '$kota', '$telepon','')";
    $result = $this->db->connect->query($simpan);
    if ($result == true) {
        //Flasher jika berhasil
        Flasher::setFlash('Berhasil', 'ditambahkan', 'success');
    } else {
        //Flosher jika gagal
        Flasher::setFlash('gagal', 'ditambahkan karena '.$this->db->connect->error, 'danger');
        //echo "insert failed";
        echo "Error: ".$simpan."<br/>
}
```

Output



6. Flash Message
App/core/Flasher.php

App/init.php

```
WebLanjut > Praktikum7-MVC-PHP-Lanjutan > app > init.php

You, 2 hours ago | 1 author (You)
{?php You, 2 hours ago * mencopy file

//Dua file dibawah ini adalah file pembentuk MVC
require_once 'core/App.php';
require_once 'core/Controller.php';

require_once 'core/Database.php';

require_once 'config/config.php';

require_once 'core/Flasher.php';

require_once 'core/Flasher.php';

?>
```

Public/index

App/views/pelanggan/index.php

Output



7. Delete data

App/views/pelanggan/index.php


Output



App.controllers/pelanggan.php

App/models/pelanggan_model.php

App/views/pelanggan/detail.php



8. **Pegawai**

App/controllers/pegawai.php

App/models/pegawai_model.php

App/views/pegawai/index.php

```
Vocading National Market Page 1 author (No.)

**Vocading National National Content -->

**cdiv** class='card-header'>Data Pegewai Toko <?= BASENAME; ?></h5>

**cdiv** class='card-header'>Data Pegewai Toko <?= Sata['adepegewai']; ?>" role='button'>

**policition of the pegewai Toko <?= Sata['adepegewai']; ?>" role='button'>


**policition of the pegewai Toko <?= Sata['adepegewai']; ?>" role='button'>

**policition of the pegewai Toko 

**calass='but but-danger but-sm"

**policition of the pegewai Toko 

**calass='bu
```



9. CRUD untuk data pegawai

Modal untuk TAMBAH Pegawai

App/models/pegawai_model.php

```
//method untuk query tambah data
public function tambahpegawai($id_pegawai, $nama_pegawai, $telepon, $kode_wilayah, $jabatan)

{
    $simpan = "INSERT INTO ".$this->table." VALUES ('$id_pegawai', '$nama_pegawai', '$telepon', '$kode_wilayah', '$jabatan','','',
    '')";
    $result = $this->db->connect->query($simpan);
    if ($result == true) {
        //Flasher jika berhasil
        Flasher::setFlash('Berhasil', 'ditambahkan', 'success');
    } else {
        //Flasher jika gagal
        Flasher::setFlash('gagal', 'ditambahkan karena '.$this->db->connect->error, 'danger');
        //echo "insert failed";
        echo "Error: ".$simpan."<br/>
}
```

App/controllers/pegawai.php

```
public function input()
{

$id_pegawai = $_POST['id_pegawai'];
$nama_pegawai = $_POST['nama_pegawai'];
$telepon = $_POST['telepon'];
$jabatan = $_POST['jabatan'];
$kode_wilayah = $_POST['kode_wilayah'];


//mengirim data kedalam model
$this->model('pegawai_model')->tambahpegawai($id_pegawai, $nama_pegawai, $telepon, $kode_wilayah, $jabatan);

//redirect setelah berhasil simpan data
header('Location:' .BASEURL.'/pegawai');
}

}
```

App/views/pegawai/index.php

```
cdiv class="modal tome:on" -->
cdiv class="modal-dade" id="xampleModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel">
cdiv class="modal-dialog" role="document">
cdiv class="modal-header">
cdiv class="modal-title" id="exampleModalLabel">Tambah Pegawai</br/>cbutton type="button" class="close" data-dismiss="modal" aria-label="close">
cspan aria-hidden="true">atimes</span>
cspan>
cspan
cspan>
cspan aria-hidden="true">atimes</span>
cspan>
cspan
cspan>
cspan>
cspan aria-hidden="true">atimes</span>
cspan>
cspan-label="class="form-control" id="name_pegawai" name="talpegawai" placeholder="Nama Pegawai">
cspan true-micrue true-micru
```



DETAIL

App/models/pegawai_model.php

```
//method untuk query byID

public function pegawaiById($id)

{

$data = "SELECT * FROM ".$this->table." WHERE id_pegawai = '$id'";

$result = $this->db->connect->query($data);

while ($i = mysqli_fetch_array($result)) {

$datapegawai[] = $i;

}

return $datapegawai;

}
```

App/view/pegawai/index.php

```
cth scope='row'><?= $i++; ?>
ctd><?= $data['nama_pegawai']; ?>
ctd><?= $data['telepon']; ?>
ctd><?= $data['jabatan']; ?>
ctd><</td>
ctd><?= $data['jabatan']; ?>
ctd>
ctd>
ctd>
ctd>
ctd>
ca class="btn btn-primary btn-sm"
href="<?= BASEURL; ?>/pegawai/detail/<?= $data['id_pegawai']; ?>" role='button'>
Detail<!-- penambahan button -->
c/a>
ca class="btn btn-danger btn-sm"
href="<?= BASEURL; ?>/pegawai/delete/<?= $data['id_pegawai']; ?>" role="button">
Hapus
c/a>
c/a>
```

App/controllers/pegawai.php

```
public function detail($id)

//memberikan data title pada pegawai

$data['title'] = "Detail Pegawai"; You, 2 hours ago * mencopy file

//mengambil data dari pegawai model, dengan method pegawaiByID

$data['pegawai'] = $this->model('pegawai_model')->pegawaiById($id);

//mengambil tampilan

$this->view('layouts/header', $data);

$this->view('layouts/navbar');

$this->view('layouts/footer');

public function update()
{

$id_pegawai = $_POST['id_pegawai'];

$nama_pegawai = $_POST['id_pegawai'];

$shana_pegawai = $_POST['id_pegawai'];

$shana_pegawai = $_POST['id_pegawai'];

$shana_pegawai = $_POST['id_pegawai'];

$chana_pegawai = $_POST['id_pegawai'];

$chana_pegawai, $chana_pegawai, $nama_pegawai, $telepon, $kode_wilayah, $jabatan);

//redirect setelah berbasil simpon data
header('Location:' .BASEURL.'/pegawai');

}
```

App/views/pegawai/detail.php

```
div class="form-group row">

(div class="form-group row">


(div)

(lass="form-group row">

(lass="form-group row")

(lass="form-group ro
```

Output





form untuk UPDATE

App/controller/pegawai.php

app/views/pegawai/detail.php

```
cdfv class="card-body"
cform action="(?= BASEURL; ?>/pegawai/update" methods="POST">
cform action="(?= BASEURL; ?>/pegawai/update")
si = 1;
foreach ($data['pegawai'] as $data):
cdiv class="form=goup row">
clabel for="id" class="col-sm-3 col-form-label">ID Pegawai
clabel for="id" class="form=control">
cinput type="text" class="form-control" name="nama_pegawai" value="(?= $data['nama_pegawai']; ?>">
cfotiv>
cdiv class="form=group row">
clabel for="telepon" class="form-control" name="telepon" value="(?= $data['telepon']; ?>">
cfotiv>
cdiv class="form=group row">
clabel for="telepon" class="form-control" name="telepon" value="(?= $data['telepon']; ?>">
cfotiv>
cdiv class="form=group row">
clabel for="jabatan" class="form-control" name="telepon" value="(?= $data['jabatan']; ?>">
clabel for="jabatan" class="form-control" name="jabatan" value="(?= $data['jabatan']; ?>">
clabel for="sabati" class="form-control" name="jabatan" value="(?= $data['jabatan']; ?>">
clabel for="sabati" class="form-control" name="kode_wilayah" value="(?= $data['kode_wilayah']; ?>">
clabel for=momboh button -->
clauton type="sabati" class="btn btn-primary">Simpanc/button>
cform>
cform>
cform
```





kolom HAPUS, dan pesan jika data sudah terhapus

App/conttrollers/pegawai.php

```
public function delete($id_pegawai)

{

//mengirim data kedalam model

$this->model('pegawai_model')->hapuspegawai($id_pegawai);

//redirect setelah berhasil delete data
header('Location:'.BASEURL.'/pegawai');
}
```

App/models/pegawai_model.php

```
public function hapuspelanggan($id_pelanggan)

{

public function hapuspelanggan($id_pelanggan)

{

public function hapuspelanggan($id_pelanggan)

}

public function hapuspelanggan($id_pelanggan)

{

public function hapuspelanggan($id_pelanggan)

public f
```

App/views/pegawai/index.php

