

--QUESTION 10: Find employees in IT with salary > 65000 and city Johannesburg

SQL Editor

```
--QUESTION 10: Find employees in IT with salary > 65000 and city Johannesburg
SELECT id,
       first_name,
       last_name,
       department,
       salary,
       city
FROM learnbright.company.employees
WHERE department = 'IT' AND salary > 65000 AND city = 'Johannesburg';
```

Add parameter

id	first_name	last_name	department	salary	city
1	Alice	Green	IT	70000	Johannesbu...
2	Eva	Naidoo	IT	72000	Johannesbu...

2 rows 0.513s runtime See performance (1) Refreshed Now

Genie Code

Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 9: Find employees in IT, HR or Finance using IN

SQL Editor

```
--QUESTION 9: Find employees in IT, HR or Finance using IN
SELECT id,
       first_name,
       last_name,
       department
FROM learnbright.company.employees
WHERE department IN ('IT', 'HR', 'Finance');
```

Add parameter

id	first_name	last_name	department
1	Alice	Green	IT
2	Brian	Lee	HR
3	Cathy	Zulu	Finance
4	Eva	Naidoo	IT

4 rows 0.734s runtime See performance (1) Checked for improvements Refreshed Now

Genie Code

Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 8: Find employees not in IT

SQL Editor

```
--QUESTION 8: Find employees not in IT
SELECT id,
       first_name,
       last_name,
       department
FROM learnbright.company.employees
WHERE department != 'IT';
```

Add parameter

id	first_name	last_name	department
1	Brian	Lee	HR
2	Cathy	Zulu	Finance
3	David	Mokoena	Marketing

3 rows 0.803s runtime See performance (1) Checked for improvements Refreshed Now

Genie Code

Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 7: Find employees in HR or Marketing

--QUESTION 7: Find employees in HR or Marketing

```

58
59
60 SELECT id,
61        first_name,
62        last_name,
63        department
64 FROM learnbright.company.employees
65 WHERE department = 'HR' OR department = 'Marketing';

```

Add parameter

id	first_name	last_name	department
1	Brian	Lee	HR
2	David	Mokoena	Marketing

2 rows 0.897s runtime See performance (1) ✓ Checked for improvements Refreshed Now

Genie Code
Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 6: Find employees in Finance with salary > 60000

--QUESTION 6: Find employees in Finance with salary > 60000

```

54
55
56 SELECT *
57 FROM learnbright.company.employees
58 WHERE department = 'Finance' AND salary > 60000;

```

Add parameter

id	first_name	last_name	department	salary	hire_date	city
3	Cathy	Zulu	Finance	65000	2018-07-18	Durban

1 row 0.739s runtime See performance (1) ✓ Checked for improvements Refreshed Now

Genie Code
Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 5: Find employees in the IT department

--QUESTION 5: Find employees in the IT department

```

46
47
48 SELECT id,
49        first_name,
50        last_name,
51        department
52 FROM learnbright.company.employees
53 WHERE department = 'IT';

```

Add parameter

id	first_name	last_name	department
1	Alice	Green	IT
5	Eva	Naidoo	IT

2 rows 0.623s runtime See performance (1) ✓ Checked for improvements Refreshed Now

Genie Code
Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 4: Retrieve the top 3 highest paid employees

--QUESTION 4: Retrieve the top 3 highest paid employees

```

37
38
39 SELECT id,
40        first_name,
41        last_name,
42        salary
43 FROM learnbright.company.employees
44 ORDER BY salary DESC
45 LIMIT 3;

```

Add parameter

id	first_name	last_name	salary
5	Eva	Naidoo	72000
1	Alice	Green	70000
3	Cathy	Zulu	65000

3 rows 0.568s runtime See performance (1) ✓ Checked for improvements Refreshed Now

Genie Code
Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 3: Retrieve first and last names ordered by salary ascending

SQL Editor

```
--QUESTION 3: Retrieve first and last names ordered by salary ascending
31 SELECT first_name,
32        last_name
33 FROM learnbright.company.employees
34 ORDER BY salary ASC;
```

Add parameter

	first_name	last_name
1	Brian	Lee
2	David	Mokoena
3	Cathy	Zulu
4	Alice	Green
5	Eva	Naidoo

5 rows 0.680s runtime See performance (1) Checked for improvements Refreshed Now

Genie Code

Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 2: Find all unique departments

SQL Editor

```
--QUESTION 2: Find all unique departments
27 SELECT DISTINCT department
28 FROM learnbright.company.employees;
```

Add parameter

	department
1	IT
2	HR
3	Finance
4	Marketing

4 rows 0.682s runtime See performance (1) Checked for improvements Refreshed Now

Genie Code

Run multi-step data and AI tasks

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust

--QUESTION 1: Retrieve all columns from the employees table

SQL Editor

```
--QUESTION 1: Retrieve all columns from the employees table
24 SELECT * FROM learnbright.company.employees;
```

Add parameter

	first_name	last_name	department	salary	hire_date	city
1	Alice	Green	IT	70000	2020-01-10	Johannesbu...
2	Brian	Lee	HR	45000	2019-03-22	Cape Town
3	Cathy	Zulu	Finance	65000	2018-07-18	Durban
4	David	Mokoena	Marketing	50000	2021-11-05	Pretoria
5	Eva	Naidoo	IT	72000	2017-09-30	Johannesbu...

5 rows 1.574s runtime See performance (1) Checked for improvements Refreshed 2m ago

Genie Code

What can Genie Code do? Analyze some data

Summarize and interpret the query results

@ for objects, / for commands, ! for history

Only use the agent with code and data you trust