Rpackage for the automatic estimation of the parameters of the Von Bertalanffy fish growth model

Marine Ballutaud*,a, Lyndsay Clavareau**,1, Etienne Rouby**,1, Julien Renoult**,1, Fabienne Ribeyre**,1

^aDepartment, Street, City, State, Zip

Abstract

This is the abstract.

Introduction

This package was created as part of the training course "Good practices for reproducible research in digital ecology" co-organized by the Cesab of the FRB and the GDR EcoStat. It uses the model de Bertalanffy (1938).

Material and methods

Datasource. The data used comes from the website https://www.fishbase.in/home.htm.

Statistical methods. The Growth model of Von Bertalanffy is

$$Linf.(1 - exp^{-K*(a-to)})$$

with Linf = maximum size, a = fish age, K and t0 are fixed parameters. Model was adjusted using the method described by Rafail (1973).

Results

Discussion

Working with others on a project is much more complicated than working alone, but much faster.

^{*}Corresponding Author

^{**}Equal contribution

Email addresses: marine.ballutaud@univ-lille.fr (Marine Ballutaud), lyndsay.clavareau@ifremer.fr (Lyndsay Clavareau), etienne.rouby@univ-lr.fr (Etienne Rouby), julien.renoult@blabla.com (Julien Renoult), fabienne.ribeyre@cirad.fr (Fabienne Ribeyre)




Figure 1: Figure 1. Growth curve obtained with the Growth model of Von Bertalanffy

References

Bertalanffy, L. von, 1938. A quantitative theory of organic growth (inquiries on growth laws ii). Human Biology 10, 181–213.

Rafail, S.Z., 1973. A simple and precise method for fitting a von Bertalanffy growth curve. Marine Biology 19, 354–358. doi:10.1007/BF00348907