

SRAI OFFICIAL STATISTICS AND AI PATHWAY

Learner Guide for the National Information Ecosystem

*Module OS A01 Asset OS A01 A03***A guided route from ecosystem evidence to a defensible workplace product**

Control field	Value
Asset type	Learner guide
Version	1.0
Structured learning time	Approximately 14 hours plus a workplace assignment
Primary product	Scoped ecosystem map with actor, asset, flow, fitness and AI opportunity records
AI position	Assistive only; human specialists retain authority and accountability

This guide helps you turn the canonical lesson into observable professional performance. You will compare a conventional baseline with an AI-assisted workflow, retain prompt and tool records, verify every consequential output, correct failures, and decide whether the method produces a quality-adjusted gain. AI cannot approve statistical meaning, institutional authority, fitness for use or release.

Document control and use

Element	Requirement
Audience	Statisticians, methodologists, data stewards, analysts and sector specialists completing Module OS A01.
Companion assets	Use with the A01 canonical lesson, A06 practical notebook, A07 resources, A08 exercises, A09 assessment and A10 institutional toolkit.
Evidence rule	Treat model output as a candidate until checked against approved sources, tests and specialist judgement.
Information rule	Use synthetic, public or institutionally approved material only. Do not enter protected information into an unapproved tool.
Completion rule	Submit the professional product, prompt or task record, verification and correction log, timing comparison, limitations and specialist review.

How to use this guide

Read the relevant canonical lesson section before each activity. Complete the baseline task first on a representative subset. Then use an approved AI tool or controlled simulation for the same task. Record preparation, execution, verification and rework separately. A faster draft is not an efficiency gain if verification reveals unsupported claims, wrong classifications or unacceptable risk.

1. Define the statistical purpose, product, population, use and boundary before asking an AI system to help.
2. Classify the information and confirm that the tool and environment are permitted.
3. Write the task as a specification with an evidence boundary, output schema, uncertainty rules and prohibited inferences.
4. Generate a candidate output and preserve the prompt, configuration, source set and time record.
5. Verify the output independently, correct errors and record unresolved questions.
6. Obtain the required statistical and subject-matter review before acceptance or reuse.

The governing principle

AI may accelerate extraction, normalization, comparison, documentation and drafting. It should be used only when the task is suitable, the information environment is approved and

independent verification is feasible. The statistician must determine concepts, populations, methods, quality requirements, uncertainty and fitness for use. The subject-matter specialist must confirm institutional reality, domain meaning, operational conditions, affected groups and plausible consequences.

Learning outcomes and evidence

By the end of this module, you should be able to produce and defend the following evidence.

Outcome	Required evidence	AI assisted performance
Define an ecosystem boundary	Scope statement naming decision, domain, geography, period, users and exclusions.	Use AI to test clarity and surface omissions; the statistician approves the final boundary.
Map actors and authority	Actor register with roles, mandates, evidence labels and unresolved authority questions.	Extract candidate actors and citations; specialists verify roles and authority.
Inventory information assets	Asset register with provenance, coverage, identifiers, transformations, quality and access conditions.	Normalize candidate fields and flag gaps; owners confirm meaning and conditions.
Trace critical flows	Flow record showing handoffs, controls, delays, failures, responsibility and fallback.	Draft a structured flow from approved evidence; process owners validate actual practice.
Translate user needs	Fitness-for-use matrix linking uses to quality requirements and consequences.	Generate candidate requirement questions; statisticians and users set tolerances.
Use AI responsibly	Prompt record, candidate outputs, verification, corrections, limits and non-use decisions.	Demonstrate controlled use, failure detection, correction and stopping rules.
Defend a recommendation	Prioritized improvement and bounded AI opportunity decision.	Use AI to organize alternatives; accountable humans decide and sign off.

Your completion evidence

- A scoped ecosystem map and evidence register.
- Actor, asset and flow records with E Evidenced, R Reported, U Unknown or I Inferred labels.
- A user-needs and fitness-for-use matrix.
- A bounded AI opportunity decision with baseline, verification plan and stopping rules.
- A prompt and tool record, error and correction log, and quality-adjusted time comparison.
- A workplace-transfer note reviewed by a statistician and relevant subject-matter specialist.

Learning plan

Session	Focus	Indicative time	Main evidence
1	Purpose, boundary and public value	1 hour 30 minutes	Scope statement and initial ecosystem frame
2	Actors, roles and authority	2 hours	Actor and authority register
3	Assets, provenance and source fitness	2 hours	Asset register and source dispositions
4	Flows, lineage, handoffs and resilience	2 hours	Critical-flow record and failure analysis
5	User needs, quality and fitness for use	2 hours	Fitness-for-use matrix
6	AI opportunity screening and pilot logic	2 hours	AI task-allocation and pilot decision
7	Integration, defence and workplace transfer	2 hours 30 minutes	Final product, time comparison and review record

Preparation checklist

Check	Complete	Evidence or note
Read the module purpose, learning outcomes and safeguards	Yes or no	
Confirm the approved source pack and data classification	Yes or no	
Confirm the AI tool or controlled simulation permitted for the activity	Yes or no	
Identify the responsible statistician and subject-matter reviewer	Yes or no	
Create a working folder with versioned evidence, prompt and output records	Yes or no	
Record the baseline task and acceptance criteria before AI use	Yes or no	

Personal learning objective

State one recurring workplace task in which a defensible ecosystem view could improve your work. Name the present difficulty and the evidence that would show improvement.

Session 1 Purpose boundary and public value

What you need to understand

An information ecosystem map is useful only when its boundary serves a stated decision or statistical product. A national view may support coordination and legislation, a domain view may support sector integration, and a product view may support operational improvement. The boundary must name what is included, what is excluded and why. Otherwise, the map becomes an uncontrolled list of institutions and datasets.

Baseline activity

Without AI assistance, read the assigned case evidence and draft a one-page scope statement. Record the decision, statistical product, population, geography, reference period, intended users, affected groups, exclusions and unresolved boundary questions. Record your start and finish time.

AI assisted activity

Ask the approved tool to challenge the scope statement rather than invent the boundary. Require it to identify ambiguous terms, missing affected groups, possible hidden dependencies and questions that require evidence. Do not allow it to add institutions, legal mandates or factual claims from outside the approved source set.

Prompt practice

Adapt the following pattern to your case.

Prompt element	Your specification
Task	Review the supplied scope statement for ambiguity, omissions and internal inconsistency.
Evidence boundary	Use only the scope statement and listed source excerpts. Do not use outside knowledge.
Output schema	Issue ID, affected field, evidence, proposed clarification, uncertainty and required human reviewer.
Prohibitions	Do not invent mandates, populations, data availability or legal conclusions.
Verification	Flag each suggestion that requires statistical or subject-matter confirmation.

Human decision record

Decision area	AI could do	AI should do	Statistician must do	Subject specialist must do
Boundary	Challenge wording and identify candidate omissions.	Operate only on approved evidence.	Approve purpose, population, product, period and exclusions.	Confirm domain scope, operational reality and affected groups.

Reflection

Which AI suggestion improved the scope? Which suggestion was unsupported or irrelevant?
 What did the human review add that the tool could not establish?

Session 2 Actors roles and authority

Core distinction

Participation does not prove authority. An institution may own a source, produce a statistic, maintain a platform, coordinate standards, approve a method or use the result. Record each role separately and support authority claims with law, policy, an approved methodology, an agreement or another authoritative record. Use Unknown where evidence is absent or conflicting.

Baseline activity

Manually extract actors and roles from a representative subset of the source pack. Record the exact source location for each claim. Do not infer authority from an organization name. Measure the time required to create and check the baseline records.

AI assisted activity

Use a structured prompt to extract candidate records from the same subset. Require exact citations, multiple roles where supported, an uncertainty label and a question for unresolved authority. Compare the candidate records with the baseline and authoritative evidence.

Required field	What good evidence looks like
Actor identity	Current official name plus aliases when the evidence supports them.
Role	Source owner, producer, methodological authority, steward, coordinator, technology provider, user or affected group.
Decision right	Define, access, transform, approve, release, revise, challenge or escalate.
Evidence label	E, R, U or I with the supporting record and reviewer.
Unresolved question	A precise question, its consequence and the person or office that may answer it.

Verification protocol

1. Check every authority claim against the exact cited passage.
2. Confirm that the cited instrument is current and applies to the stated decision.
3. Ask a subject-matter specialist whether formal authority matches current practice.
4. Record contradictions without forcing a single interpretation.
5. Reject unsupported claims and stop batch extraction if material error persists.

Learner record

Metric	Baseline	AI assisted	After verification
Records attempted			
Correct records			
Material errors			
Elapsed minutes			
Disposition			

Session 3 Assets provenance and source fitness

What an asset register must preserve

An information asset is more than a filename or database. Record its owner, population, unit, coverage, time, geography, concepts, classifications, identifiers, transformations, versions, quality evidence, access conditions, confidentiality, dependencies and users. These fields determine whether an asset can support a stated use and whether integration is defensible.

Source family challenge

Source family	Questions that remain human responsibilities
Survey or census	What frame, design, measurement, nonresponse, processing, estimation and revision risks affect the use?
Administrative record	What operational purpose, eligibility rule, population, identifier, process change and quality signal shape the record?
Geospatial or sensor source	What reference labels, domain, resolution, calibration, outage and generalization evidence apply?
Private or research source	Which population and behavior enter the system, under what incentives, and where do findings generalize?
Integrated source	Are population, unit, time, concepts and identifiers aligned, and how do linkage and model errors propagate?

AI assisted inventory task

Provide the approved evidence and a fixed schema. AI may extract candidate fields, normalize names, suggest source types and flag missing entries. It must not decide population coverage, lawful access, representativeness, comparability or fitness for use. Validate these conclusions with data owners, statisticians and subject specialists.

Asset disposition

Disposition	Meaning	Evidence needed
Fit	Evidence supports the stated use under current conditions.	Documented alignment, quality and authorization.
Conditionally fit	Use is permitted only with explicit limitations or controls.	Named conditions, monitoring and owner.
Not fit	A known mismatch or risk prevents the stated use.	Failure evidence and consequence.
Unknown	Evidence is insufficient.	Required check and responsible evidence owner.

Reflection

Identify one source that looked useful because it was timely but became conditionally fit, not fit or unknown after verification. Explain the statistical reason.

Session 4 Flows lineage handoffs and resilience

Flow record

Trace a critical statistical flow from trigger to use. Include each source, destination, transformation, control, handoff, timing requirement, failure mode, correction owner and

fallback. A documented procedure may differ from actual practice, so process-owner validation is mandatory.

Flow element	Learner question
Trigger	What event or schedule starts the process?
Source and destination	Which actor and asset IDs participate at each handoff?
Transformation	What editing, coding, linkage, modelling, aggregation or interpretation occurs?
Control	Who performs validation, approval, access or quality checks?
Timing	Which deadlines, delays and synchronization dependencies matter?
Failure and fallback	What can fail, who corrects it and what continuity route is approved?

AI assisted flow reconstruction

AI may convert interview notes and procedures into a candidate structured flow, compare two documented versions and flag missing controls. It should do so only when the evidence is approved and the output is independently checked. It must not expose sensitive architecture, infer undisclosed security controls or certify that the documented process matches operations.

Adversarial verification

- Remove a handoff and test whether the workflow still identifies downstream consequences.
- Introduce a delayed source and determine which products and users are affected.
- Change a classification version and trace comparability and revision consequences.
- Insert a contradictory process description and confirm that the workflow escalates rather than harmonizes it silently.
- Test the fallback and identify who has authority to activate it.

Flow assurance record

Check	Evidence	Reviewer	Result and correction
Completeness			
Reality			
Authority			
Lineage			

Check	Evidence	Reviewer	Result and correction
Resilience			
Security			

Session 5 User needs quality and fitness for use

Translate use into requirements

A quality statement must refer to a specific use, population and consequence. Ask what decision depends on the information, when the information is needed, which errors matter, which series must remain comparable, how users will interpret the result and which groups may be missed or harmed.

Dimension	Requirement question	Evidence or tolerance
Relevance	Does the product address the actual decision and population?	
Accuracy and reliability	What errors and revisions are tolerable?	
Timeliness and punctuality	When must information be available and released?	
Coherence and comparability	With which series, geographies and classifications must it align?	
Accessibility and interpretability	Can intended users obtain and correctly understand it?	
Equity and impact	Which groups may be missed or harmed by error?	

AI assisted requirements drafting

AI may translate a clear use statement into candidate requirement questions and organize evidence against a fixed schema. The statistician must set statistical tolerances and determine whether evidence supports a fitness conclusion. Users and subject specialists must confirm decision timing, consequences, interpretation and affected groups.

Fitness matrix task

1. Select one user decision and define its population, timing and consequence of error.
2. Create the baseline matrix manually for two quality dimensions.

3. Use AI to draft candidate questions for the remaining dimensions.
4. Verify each question against the actual decision and remove generic or irrelevant items.
5. Gather evidence, assign Fit, Conditionally fit, Not fit or Unknown, and record limitations.
6. Ask the statistician and user or subject specialist to review the conclusion independently.

Reflection

Did AI reduce drafting time without weakening the connection between use and evidence?
Which quality requirement could not be delegated, and why?

Session 6 AI opportunity screening and pilot logic

Separate capability from appropriateness

An AI system may be technically able to extract, classify, summarize or generate code. That does not establish that it should be used. Evaluate purpose, baseline performance, information sensitivity, source quality, representativeness, verification feasibility, consequence, explainability, institutional capability and sustainability.

Decision field	Required statement
AI could do	Candidate capabilities under stated technical and evidence conditions.
AI should do	Approved bounded tasks after proportionality, security and method review.
AI should not do	Excluded tasks and reasons.
Stopping rule	Observable condition that halts or redirects the workflow.
Human owner	Named role accountable for the decision and professional product.

Pilot decision record

Pilot element	Your specification
Claim	Specific quality or efficiency improvement to test.
Baseline	Current method, effort and accepted-quality evidence.
Evaluation	Cases, domains, metrics, tolerances and uncertainty.
Oversight	Named statistician and subject-specialist review points.
Critical failure	Conditions that stop the pilot or prohibit release.
Decision pack	Evidence, limitations, recommendation and accountable sign-off.

Mandatory stopping rules

- Stop and reject an unsupported authority or legal claim.
- Stop and escalate conflicting consequential interpretations to qualified specialists.
- Stop batch processing when extraction errors exceed the approved tolerance.
- Stop, contain and follow institutional procedures if protected information appears.
- Restrict use when outputs cannot be reproduced or traced to sources.
- Return to the conventional method when no quality-adjusted gain remains after verification and rework.

Session 7 Integration defence and workplace transfer

Assemble the professional product

Your final ecosystem product should tell a traceable story from purpose to decision. The boundary establishes scope. Actor and authority records show responsibility. The asset register shows the evidence base. The flow record shows production and failure propagation. The fitness matrix links user needs to quality evidence. The AI opportunity decision states where assistance is appropriate, how it will be verified and when it must stop.

Oral defence questions

- Which decision and population determine your ecosystem boundary?
- Which authority claim has the strongest evidence, and which remains unresolved?
- Where can an error propagate across an institutional handoff?
- Which asset is conditionally fit, and what condition controls its use?
- Which AI task produced a quality-adjusted gain after verification?
- Which model output did you reject or correct, and what evidence changed the decision?

- What must a statistician approve, and what must a subject specialist confirm?

Workplace transfer decision

Question	Learner response
What recurring task will transfer?	
Which approved information and tools will be used?	
Which prompt or task pattern is reusable?	
Which verification evidence is mandatory?	
Who owns statistical and subject-matter review?	
What stopping rules apply?	
When will the method be reviewed or withdrawn?	

Prompt engineering as statistical specification

A professional prompt states the task and the conditions under which an output can be considered. It does not transfer authority to the tool. Use the structure below for extraction, comparison, classification and drafting tasks.

Component	Requirement
Role and task	State the bounded operation and the professional context.
Evidence boundary	Name the approved sources and prohibit outside knowledge when required.
Input interpretation	Define concepts, units, time, geography, classifications and missing-value rules.
Output schema	Specify fields, formats, labels and required source references.
Uncertainty	Require Unknown or an equivalent label when evidence is absent or conflicting.
Prohibited inferences	Name claims the system must not infer, including authority, causality, quality or lawful use.
Verification	Specify checks, benchmarks, reviewers and acceptance criteria.

Component	Requirement
Stopping rule	State the failure signal that ends or redirects the workflow.

Prompt revision record

Version	Observed failure	Revision	Expected effect	Verified result
1				
2				
3				

Prompt quality self check

- The task has one observable purpose and a defined evidence boundary.
- The schema permits comparison with a reference or baseline.
- Uncertainty and missing evidence are represented explicitly.
- The prompt prohibits consequential inferences the tool cannot establish.
- Verification, reviewers, tolerances and stopping rules are stated before execution.

Independent verification and correction

Verification must be independent of the model response. Asking the same system whether its answer is correct is not sufficient. Select checks that can expose the relevant failure and preserve the evidence used to accept, revise, restrict, escalate or reject the output.

Method	Use	Example evidence
Source check	Confirm a claim against the exact authoritative passage or record.	Cited law, methodology, metadata or source row.
Reproduction	Run code or a transformation independently.	Second run, alternative script or controlled calculation.
Benchmark	Compare with accepted reference cases or totals.	Known labels, published total or validated sample.
Dual review	Require separate statistical and subject-matter judgement.	Two signed review records with dispositions.
Adversarial test	Test ambiguity, contradiction, missing data and edge conditions.	Test case, expected result and observed response.

Error and correction log

Record ID	Candidate claim or output	Failure type	Verification evidence	Correction and disposition

Critical failure rule

A submission cannot pass if it fabricates evidence or authority, exposes protected information, accepts a consequential output without independent verification, hides material errors, substitutes AI judgement for required specialist approval, or claims efficiency without counting verification and rework.

Quality adjusted efficiency record

Measure elapsed human effort for a representative task. Use the same scope and acceptance criteria for the baseline and AI-assisted methods. Separate preparation, execution, verification and correction. Report quality before claiming time saved.

Measure	Baseline minutes	AI assisted minutes	Evidence or note
Source preparation			
Task or prompt design	Not applicable or included		
Execution			
Verification			
Correction and rework			
Total accepted effort			
Accepted quality result			

Interpretation

Conclusion	Use when
Faster	Accepted quality is maintained or improved and total human effort falls.
Better	Quality materially improves even if time is unchanged, with a justified use case.
Neutral	Quality and total effort are similar; reuse depends on other documented benefits or costs.
Worse	Quality declines, total effort rises, risk becomes unacceptable or verification is infeasible.

Learner conclusion

State the result, the task conditions, the evidence and whether the method should be reused, revised, restricted or abandoned.

Information protection and safe use

Before every AI-assisted task, classify the information and confirm the approved environment. Redaction does not automatically make a dataset safe, and a public model interface is not an authorized statistical production system. When policy, tool conditions or authority are unclear, stop and escalate.

Decision	When it applies
Use approved tool	The data classification and authorized environment are recorded.
Use redacted or synthetic material	The transformation and residual disclosure risk have been reviewed.
Use secure internal capability	Access, logging, retention and model controls are approved.
Do not use AI	Risk, legal uncertainty or evidence sensitivity exceeds the expected benefit.
Escalate	Authority or policy is unclear and consequential use is proposed.

Pre execution record

Field	Learner entry
Information classification	
Approved tool and environment	
Permitted source material	
Prohibited content	
Retention and logging conditions	
Escalation contact	

Safe use confirmation

- I did not enter protected information into an unapproved tool.
- I preserved provenance and exact source references for consequential claims.
- I recorded tool conditions, prompts and relevant configuration.
- I stopped and escalated when authority, legality or information protection was unclear.

Role allocation and specialist review

Responsibility	AI contribution	Non delegable human responsibility
Statistical	Draft candidate structures, comparisons, code or	Concepts, population, method, uncertainty, fitness, acceptance and

Responsibility	AI contribution	Non delegable human responsibility
	documentation.	release.
Subject matter	Organize documented context and surface questions.	Institutional reality, domain meaning, operational practice, affected groups and consequences.
Data stewardship	Flag missing metadata or inconsistent fields.	Access, classification, metadata, retention, provenance and change control.
Security and legal	Support controlled documentation when approved.	Permitted environment, controls, compliance, incident response and escalation.
Leadership	Summarize bounded options and evidence.	Risk acceptance, resources, ownership and institutional action.

Review record

Reviewer role	Name or identifier	Evidence reviewed	Decision	Conditions or corrections
Lead statistician				
Subject specialist				
Data steward				
Legal or security reviewer when required				

Decision vocabulary

Use Accepted, Revision required, Restricted or Rejected. Record the evidence, unresolved limitations, owner and next review date. Approval of a learning submission does not authorize operational deployment.

Workplace assignment

Apply the method to a bounded ecosystem question in your institution or an approved synthetic case. The assignment should be useful enough to test workplace transfer but small enough for complete evidence tracing and specialist review.

Required submission

Component	Minimum evidence
Authorization	Scope, owner, reviewers, data class and permitted tool conditions.
Boundary	Decision, product, population, domain, geography, period, users and exclusions.
Actor and authority register	Roles, decision rights, evidence labels and unresolved questions.
Asset register	Provenance, coverage, identifiers, transformations, quality and access conditions.
Critical flow	Handoffs, controls, timing, failures, correction owners and fallback.
Fitness matrix	User needs, quality requirements, evidence, consequences and disposition.
AI opportunity decision	Could, should, should not, verification, stopping rule and human owner.
Performance evidence	Baseline and AI-assisted time, prompt record, outputs, tests, corrections and conclusion.
Specialist review	Named roles, decisions, conditions, limitations and next action.

Suggested assignment scope

- One statistical product or decision chain.
- Five to fifteen actors with at least two institutional handoffs.
- Five to twelve information assets from at least two source families.
- One critical flow and one fallback or continuity problem.
- One bounded AI-assisted task with a conventional baseline and independent verification.

Submission declaration

I confirm that the evidence sources, AI-assisted steps, corrections, unresolved limitations and specialist reviews are recorded accurately. I understand that AI output is not evidence until independently verified and accepted by the responsible human authority.

Portfolio checklist

Evidence item	Included	Quality check
Scope statement		Purpose, population, product and exclusions are explicit.
Actor and authority register		Authority claims have exact sources or are labelled Unknown.
Asset register		Provenance, coverage, transformations and access conditions are recorded.
Critical-flow record		Handoffs, controls, failures, owners and fallback are traceable.
Fitness-for-use matrix		Requirements are tied to a real use and consequences.
AI task-allocation decision		Could, should, should not, owner and stopping rule are explicit.
Prompt and tool record		Evidence boundary, schema, uncertainty and prohibitions are reproducible.
Verification and correction log		Checks are independent and material errors are visible.
Quality-adjusted time comparison		Verification and rework are included.
Specialist review record		Statistician and subject specialist decisions are recorded.
Workplace-transfer decision		Reuse conditions, owner and review date are stated.

Self assessment

Criterion	Weight	Self rating	Evidence reference
Scope and statistical purpose	15		
Actors assets and flows	20		
Quality risk and fitness	20		

Criterion	Weight	Self rating	Evidence reference
AI task allocation and prompting	15		
Verification and correction	20		
Judgement and communication	10		

Final reflection and continuing practice

Professional reflection

Answer with evidence from your work rather than general statements.

1. Which part of ecosystem analysis became faster or more complete with AI assistance?

2. Which failure required the strongest statistical or subject-matter judgement?

3. What information or decision should never be delegated to the AI system in this workflow?

4. What verification step created the greatest confidence in the final product?

5. Under what conditions should your institution reuse, revise or abandon this method?

Continuing practice plan

Action	Owner	Evidence of completion	Review date
Reuse one validated prompt or task pattern			
Improve one source or metadata dependency			
Test one stopping rule or edge case			
Conduct one dual statistical and subject review			
Update the workplace-transfer decision			

Key terms and reference points

Term	Working definition
National information ecosystem	The connected actors, assets, standards, infrastructures, decisions, incentives and users through which information is produced, governed and used.
Evidence label	E Evidenced, R Reported, U Unknown or I Inferred, with the source or reasoning record required by the label.

Term	Working definition
Fitness for use	The extent to which evidence supports a stated decision, population, timing and consequence under explicit conditions.
Prompt specification	A controlled statement of task, evidence boundary, schema, uncertainty, prohibitions, verification and stopping rules.
Independent verification	A source check, reproduction, benchmark, dual review or adversarial test that does not rely on the model validating itself.
Quality adjusted efficiency	A comparison of accepted-quality effort that includes preparation, execution, verification, correction and rework.
Stopping rule	An observable failure condition that halts or redirects the AI-assisted workflow.
Workplace transfer	A controlled decision to reuse a validated method under stated information, oversight, quality and review conditions.

Authoritative companion references

- Phase 2A Curriculum Blueprint and Competency Architecture V1.
- SRAI Official Statistics and AI Pathway Production Reference version 1.3.
- SRAI Official Statistics and AI Pathway Wide AI Assisted Statistical Work Standard version 1.0.
- OS A01 A01 Canonical Lesson The National Information Ecosystem version 1.0.

Use the latest approved institutional laws, policies, quality frameworks, classifications, metadata standards and information-protection rules applicable to the workplace assignment. Where sources conflict, preserve the conflict and obtain qualified review.

Completion decision

Field	Record
Learner	
Cohort and submission ID	
Statistician reviewer	
Subject specialist reviewer	
Decision	Accepted Revision required Restricted Rejected
Limitations	
Next action and review date	

Completion confirms demonstrated learning under the recorded conditions. It does not authorize operational deployment, release of official statistics or use of AI with information or systems outside the approved environment.