

Unnamed Project

Replications: 1 Time Units: Hours

Key Performance Indicators

All Entities	Average
Non-Value Added Cost	0
Other Cost	0
Transfer Cost	0
Value Added Cost	0
Wait Cost	0
Total Cost	0

All Resources	Average
Busy Cost	0
Idle Cost	0
Usage Cost	0
Total Cost	0

System	Average
Total Cost	0
Number Out	500,001

Unnamed Project

Replications: 1

Time Units: Hours

Entity

Time

VA Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00000009	0,000000000	0.00000006	0.00000011
NVA Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Wait Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00000018	0,000000009	0.00	0.00000073
Transfer Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Other Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Total Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00000027	0,000000009	0.00000007	0.00000082

Cost

VA Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
NVA Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Wait Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Other Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Entity

Cost

Transfer Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Total Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00

Other

Number In	Value
Fluxos de Dados	500008.00

Number Out	Value
Fluxos de Dados	500001.00

WIP	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	9.7629	(Insufficient)	0.00	32.0000

Unnamed Project

Replications: 1 Time Units: Hours

Process

Time per Entity

VA Time Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00000002	0,000000000	0.00000001	0.00000003
CPU 10	0.00000002	0,000000000	0.00000001	0.00000003
CPU 11	0.00000002	(Correlated)	0.00000001	0.00000003
CPU 12	0.00000002	0,000000000	0.00000001	0.00000003
CPU 2	0.00000002	(Correlated)	0.00000001	0.00000003
CPU 3	0.00000002	0,000000000	0.00000001	0.00000004
CPU 4	0.00000002	(Correlated)	0.00000001	0.00000004
CPU 5	0.00000002	0,000000000	0.00000001	0.00000003
CPU 6	0.00000002	0,000000000	0.00000001	0.00000003
CPU 7	0.00000002	0,000000000	0.00000001	0.00000003
CPU 8	0.00000002	0,000000000	0.00000001	0.00000004
CPU 9	0.00000002	0,000000000	0.00000001	0.00000003

Wait Time Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00000016	0,000000010	0.00	0.00000065
CPU 10	0.00000000	0,000000000	0.00	0.00000005
CPU 11	0.00000000	0,000000000	0.00	0.00000006
CPU 12	0.00000000	0,000000000	0.00	0.00000006
CPU 2	0.00000016	0,000000010	0.00	0.00000066
CPU 3	0.00000017	0,000000010	0.00	0.00000072
CPU 4	0.00000001	0,000000000	0.00	0.00000008
CPU 5	0.00000001	0,000000000	0.00	0.00000008
CPU 6	0.00000001	0,000000000	0.00	0.00000008
CPU 7	0.00000001	(Correlated)	0.00	0.00000007
CPU 8	0.00000001	(Correlated)	0.00	0.00000007
CPU 9	0.00000001	0,000000000	0.00	0.00000007

Unnamed Project

Replications: 1 Time Units: Hours

Process

Time per Entity

Total Time Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00000019	0,000000010	0.00000001	0.00000068
CPU 10	0.00000003	0,000000000	0.00000001	0.00000008
CPU 11	0.00000003	0,000000000	0.00000001	0.00000008
CPU 12	0.00000003	0,000000000	0.00000001	0.00000009
CPU 2	0.00000019	0,000000010	0.00000001	0.00000068
CPU 3	0.00000019	0,000000010	0.00000001	0.00000074
CPU 4	0.00000003	0,000000000	0.00000001	0.00000010
CPU 5	0.00000003	0,000000000	0.00000001	0.00000010
CPU 6	0.00000003	0,000000000	0.00000001	0.00000011
CPU 7	0.00000003	(Correlated)	0.00000001	0.00000009
CPU 8	0.00000003	(Correlated)	0.00000001	0.00000009
CPU 9	0.00000003	0,000000000	0.00000001	0.00000009

Accumulated Time


Unnamed Project

Replications: 1 Time Units: Hours

Process

Accumulated Time

Accum VA Time	Value
Commit Time	0.00
CPU 1	0.00367082
CPU 10	0.00365676
CPU 11	0.00367151
CPU 12	0.00378212
CPU 2	0.00366079
CPU 3	0.00378027
CPU 4	0.00367488
CPU 5	0.00368079
CPU 6	0.00375450
CPU 7	0.00366405
CPU 8	0.00367455
CPU 9	0.00377028
Recovery	0.00



Unnamed Project


Replications: 1 Time Units: Hours

Process

Accumulated Time

Accum Wait Time Value

Commit Time	0.00
CPU 1	0.02705638
CPU 10	0.00071740
CPU 11	0.00072483
CPU 12	0.00074613
CPU 2	0.02699269
CPU 3	0.02809032
CPU 4	0.00135116
CPU 5	0.00135433
CPU 6	0.00137734
CPU 7	0.00089917
CPU 8	0.00090858
CPU 9	0.00092843
Recovery	0.00



Unnamed Project


Replications: 1 Time Units: Hours

Process

Accumulated Time

Total Accum Time Value

Commit Time	0.00
CPU 1	0.03072721
CPU 10	0.00437416
CPU 11	0.00439634
CPU 12	0.00452825
CPU 2	0.03065349
CPU 3	0.03187059
CPU 4	0.00502603
CPU 5	0.00503512
CPU 6	0.00513184
CPU 7	0.00456322
CPU 8	0.00458313
CPU 9	0.00469870
Recovery	0.00



Cost per Entity

Unnamed Project

Replications: 1 Time Units: Hours

Process

Cost per Entity

VA Cost Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00	0,000000000	0.00	0.00
CPU 10	0.00	0,000000000	0.00	0.00
CPU 11	0.00	0,000000000	0.00	0.00
CPU 12	0.00	0,000000000	0.00	0.00
CPU 2	0.00	0,000000000	0.00	0.00
CPU 3	0.00	0,000000000	0.00	0.00
CPU 4	0.00	0,000000000	0.00	0.00
CPU 5	0.00	0,000000000	0.00	0.00
CPU 6	0.00	0,000000000	0.00	0.00
CPU 7	0.00	0,000000000	0.00	0.00
CPU 8	0.00	0,000000000	0.00	0.00
CPU 9	0.00	0,000000000	0.00	0.00

Wait Cost Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00	0,000000000	0.00	0.00
CPU 10	0.00	0,000000000	0.00	0.00
CPU 11	0.00	0,000000000	0.00	0.00
CPU 12	0.00	0,000000000	0.00	0.00
CPU 2	0.00	0,000000000	0.00	0.00
CPU 3	0.00	0,000000000	0.00	0.00
CPU 4	0.00	0,000000000	0.00	0.00
CPU 5	0.00	0,000000000	0.00	0.00
CPU 6	0.00	0,000000000	0.00	0.00
CPU 7	0.00	0,000000000	0.00	0.00
CPU 8	0.00	0,000000000	0.00	0.00
CPU 9	0.00	0,000000000	0.00	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Process

Cost per Entity

Total Cost Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00	0,000000000	0.00	0.00
CPU 10	0.00	0,000000000	0.00	0.00
CPU 11	0.00	0,000000000	0.00	0.00
CPU 12	0.00	0,000000000	0.00	0.00
CPU 2	0.00	0,000000000	0.00	0.00
CPU 3	0.00	0,000000000	0.00	0.00
CPU 4	0.00	0,000000000	0.00	0.00
CPU 5	0.00	0,000000000	0.00	0.00
CPU 6	0.00	0,000000000	0.00	0.00
CPU 7	0.00	0,000000000	0.00	0.00
CPU 8	0.00	0,000000000	0.00	0.00
CPU 9	0.00	0,000000000	0.00	0.00

Accumulated Cost

Accum VA Cost	Value
Commit Time	0.00
CPU 1	0.00
CPU 10	0.00
CPU 11	0.00
CPU 12	0.00
CPU 2	0.00
CPU 3	0.00
CPU 4	0.00
CPU 5	0.00
CPU 6	0.00
CPU 7	0.00
CPU 8	0.00
CPU 9	0.00
Recovery	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Process

Accumulated Cost

Accum Wait Cost	Value
Commit Time	0.00
CPU 1	0.00
CPU 10	0.00
CPU 11	0.00
CPU 12	0.00
CPU 2	0.00
CPU 3	0.00
CPU 4	0.00
CPU 5	0.00
CPU 6	0.00
CPU 7	0.00
CPU 8	0.00
CPU 9	0.00
Recovery	0.00

Total Accum Cost	Value
Commit Time	0.00
CPU 1	0.00
CPU 10	0.00
CPU 11	0.00
CPU 12	0.00
CPU 2	0.00
CPU 3	0.00
CPU 4	0.00
CPU 5	0.00
CPU 6	0.00
CPU 7	0.00
CPU 8	0.00
CPU 9	0.00
Recovery	0.00

Other


Unnamed Project

Replications: 1 Time Units: Hours

Process

Other

Number In	Value
Commit Time	0.00
CPU 1	165189.00
CPU 10	164580.00
CPU 11	165256.00
CPU 12	170165.00
CPU 2	164735.00
CPU 3	170084.00
CPU 4	165371.00
CPU 5	165623.00
CPU 6	169009.00
CPU 7	164898.00
CPU 8	165374.00
CPU 9	169730.00
Recovery	0.00



Unnamed Project

Replications: 1 Time Units: Hours

Process

Other

Number Out	Value
Commit Time	0.00
CPU 1	165189.00
CPU 10	164580.00
CPU 11	165256.00
CPU 12	170165.00
CPU 2	164732.00
CPU 3	170082.00
CPU 4	165371.00
CPU 5	165622.00
CPU 6	169009.00
CPU 7	164898.00
CPU 8	165374.00
CPU 9	169729.00
Recovery	0.00

Unnamed Project

Replications: 1

Time Units: Hours

Queue

Time

Waiting Time	Average	Half Width	Minimum Value	Maximum Value
CPU 1.Queue	0.00000016	0,000000010	0.00	0.00000065
CPU 10.Queue	0.00000000	0,000000000	0.00	0.00000005
CPU 11.Queue	0.00000000	0,000000000	0.00	0.00000006
CPU 12.Queue	0.00000000	0,000000000	0.00	0.00000006
CPU 2.Queue	0.00000016	0,000000010	0.00	0.00000066
CPU 3.Queue	0.00000017	0,000000010	0.00	0.00000072
CPU 4.Queue	0.00000001	0,000000000	0.00	0.00000008
CPU 5.Queue	0.00000001	0,000000000	0.00	0.00000008
CPU 6.Queue	0.00000001	0,000000000	0.00	0.00000008
CPU 7.Queue	0.00000001	(Correlated)	0.00	0.00000007
CPU 8.Queue	0.00000001	(Correlated)	0.00	0.00000007
CPU 9.Queue	0.00000001	0,000000000	0.00	0.00000007

Cost

Waiting Cost	Average	Half Width	Minimum Value	Maximum Value
CPU 1.Queue	0.00	0,000000000	0.00	0.00
CPU 10.Queue	0.00	0,000000000	0.00	0.00
CPU 11.Queue	0.00	0,000000000	0.00	0.00
CPU 12.Queue	0.00	0,000000000	0.00	0.00
CPU 2.Queue	0.00	0,000000000	0.00	0.00
CPU 3.Queue	0.00	0,000000000	0.00	0.00
CPU 4.Queue	0.00	0,000000000	0.00	0.00
CPU 5.Queue	0.00	0,000000000	0.00	0.00
CPU 6.Queue	0.00	0,000000000	0.00	0.00
CPU 7.Queue	0.00	0,000000000	0.00	0.00
CPU 8.Queue	0.00	0,000000000	0.00	0.00
CPU 9.Queue	0.00	0,000000000	0.00	0.00

Other

Unnamed Project

Replications: 1 Time Units: Hours

Queue

Other

Number Waiting	Average	Half Width	Minimum Value	Maximum Value
Commit Time.Queue	0.00	(Insufficient)	0.00	0.00
CPU 1.Queue	1.9482	(Insufficient)	0.00	16.0000
CPU 10.Queue	0.05165586	(Insufficient)	0.00	3.0000
CPU 11.Queue	0.05219056	(Insufficient)	0.00	3.0000
CPU 12.Queue	0.05372411	(Insufficient)	0.00	3.0000
CPU 2.Queue	1.9436	(Insufficient)	0.00	17.0000
CPU 3.Queue	2.0226	(Insufficient)	0.00	17.0000
CPU 4.Queue	0.0973	(Insufficient)	0.00	4.0000
CPU 5.Queue	0.0975	(Insufficient)	0.00	3.0000
CPU 6.Queue	0.0992	(Insufficient)	0.00	4.0000
CPU 7.Queue	0.06474362	(Insufficient)	0.00	3.0000
CPU 8.Queue	0.06542152	(Insufficient)	0.00	3.0000
CPU 9.Queue	0.06685041	(Insufficient)	0.00	3.0000
Recovery.Queue	0.00	(Insufficient)	0.00	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Resource

Usage

Instantaneous Utilization	Average	Half Width	Minimum Value	Maximum Value
Máquina Iniciador	0.00	(Insufficient)	0.00	0.00
Operador 1	0.8001	(Insufficient)	0.00	1.0000
Operador 2	0.8000	(Insufficient)	0.00	1.0000
Operador 3	0.7999	(Insufficient)	0.00	1.0000
Operador 4	0.8000	(Insufficient)	0.00	1.0000
Number Busy	Average	Half Width	Minimum Value	Maximum Value
Máquina Iniciador	0.00	(Insufficient)	0.00	0.00
Operador 1	0.8001	(Insufficient)	0.00	1.0000
Operador 2	0.8000	(Insufficient)	0.00	1.0000
Operador 3	0.7999	(Insufficient)	0.00	1.0000
Operador 4	0.8000	(Insufficient)	0.00	1.0000
Number Scheduled	Average	Half Width	Minimum Value	Maximum Value
Máquina Iniciador	1.0000	(Insufficient)	1.0000	1.0000
Operador 1	1.0000	(Insufficient)	1.0000	1.0000
Operador 2	1.0000	(Insufficient)	1.0000	1.0000
Operador 3	1.0000	(Insufficient)	1.0000	1.0000
Operador 4	1.0000	(Insufficient)	1.0000	1.0000


Unnamed Project

Replications: 1 Time Units: Hours


Resource

Usage

Scheduled Utilization	Value
Máquina Iniciador	0.00
Operador 1	0.8001
Operador 2	0.8000
Operador 3	0.7999
Operador 4	0.8000



Total Number Seized	Value
Máquina Iniciador	0.00
Operador 1	500004.00
Operador 2	500003.00
Operador 3	500002.00
Operador 4	500001.00



Cost

Unnamed Project

Replications:1

Time Units:Hours

Resource

Cost	
Busy Cost	Value
Máquina Iniciador	0.00
Operador 1	0.00
Operador 2	0.00
Operador 3	0.00
Operador 4	0.00
Idle Cost	Value
Máquina Iniciador	0.00
Operador 1	0.00
Operador 2	0.00
Operador 3	0.00
Operador 4	0.00
Usage Cost	Value
Máquina Iniciador	0.00
Operador 1	0.00
Operador 2	0.00
Operador 3	0.00
Operador 4	0.00

User Specified

Counter	
Count	Value
qtdeDescartados	0.00
qtdeNaoProcessados	0.00

Time Persistent				
Variable	Average	Half Width	Minimum Value	Maximum Value
tempoTotal	0.00694389	(Insufficient)	0.00	0.01388805