

Unnamed Project

Replications: 1 Time Units: Hours

Key Performance Indicators

All Entities	Average
Non-Value Added Cost	0
Other Cost	0
Transfer Cost	0
Value Added Cost	0
Wait Cost	0
Total Cost	0

All Resources	Average
Busy Cost	0
Idle Cost	0
Usage Cost	0
Total Cost	0

System	Average
Total Cost	0
Number Out	200,001

Unnamed Project

Replications: 1 Time Units: Hours

Entity

Time

VA Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00000009	0,000000000	0.00000006	0.00000011
NVA Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Wait Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00000018	0,000000016	0.00	0.00000073
Transfer Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Other Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Total Time	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00000027	0,000000016	0.00000007	0.00000082

Cost

VA Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
NVA Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Wait Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Other Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Entity

Cost

Transfer Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00
Total Cost	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	0.00	0,000000000	0.00	0.00

Other

Number In	Value
Fluxos de Dados	200016.00

Number Out	Value
Fluxos de Dados	200001.00

WIP	Average	Half Width	Minimum Value	Maximum Value
Fluxos de Dados	9.6731	(Insufficient)	0.00	32.0000

Unnamed Project

Replications: 1 Time Units: Hours

Process

Time per Entity

VA Time Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00000002	0,000000000	0.00000001	0.00000003
CPU 10	0.00000002	0,000000000	0.00000001	0.00000003
CPU 11	0.00000002	0,000000000	0.00000001	0.00000003
CPU 12	0.00000002	0,000000000	0.00000001	0.00000003
CPU 2	0.00000002	0,000000000	0.00000001	0.00000003
CPU 3	0.00000002	0,000000000	0.00000001	0.00000003
CPU 4	0.00000002	0,000000000	0.00000001	0.00000004
CPU 5	0.00000002	0,000000000	0.00000001	0.00000003
CPU 6	0.00000002	0,000000000	0.00000001	0.00000003
CPU 7	0.00000002	0,000000000	0.00000001	0.00000003
CPU 8	0.00000002	0,000000000	0.00000001	0.00000004
CPU 9	0.00000002	(Correlated)	0.00000001	0.00000003

Wait Time Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00000016	(Correlated)	0.00	0.00000063
CPU 10	0.00000000	0,000000000	0.00	0.00000005
CPU 11	0.00000000	0,000000000	0.00	0.00000006
CPU 12	0.00000000	0,000000000	0.00	0.00000006
CPU 2	0.00000016	(Correlated)	0.00	0.00000062
CPU 3	0.00000016	(Correlated)	0.00	0.00000072
CPU 4	0.00000001	0,000000000	0.00	0.00000008
CPU 5	0.00000001	0,000000000	0.00	0.00000007
CPU 6	0.00000001	0,000000000	0.00	0.00000008
CPU 7	0.00000001	0,000000000	0.00	0.00000007
CPU 8	0.00000001	0,000000000	0.00	0.00000007
CPU 9	0.00000001	0,000000000	0.00	0.00000007

Unnamed Project

Replications: 1 Time Units: Hours

Process

Time per Entity

Total Time Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00000018	(Correlated)	0.00000001	0.00000065
CPU 10	0.00000003	0,000000000	0.00000001	0.00000008
CPU 11	0.00000003	0,000000000	0.00000001	0.00000008
CPU 12	0.00000003	0,000000000	0.00000001	0.00000008
CPU 2	0.00000018	(Correlated)	0.00000001	0.00000064
CPU 3	0.00000019	(Correlated)	0.00000001	0.00000074
CPU 4	0.00000003	0,000000000	0.00000001	0.00000010
CPU 5	0.00000003	0,000000000	0.00000001	0.00000010
CPU 6	0.00000003	0,000000000	0.00000001	0.00000010
CPU 7	0.00000003	0,000000000	0.00000001	0.00000009
CPU 8	0.00000003	0,000000000	0.00000001	0.00000009
CPU 9	0.00000003	0,000000000	0.00000001	0.00000009

Accumulated Time


Unnamed Project

Replications: 1 Time Units: Hours

Process

Accumulated Time

Accum VA Time	Value
Commit Time	0.00
CPU 1	0.00147039
CPU 10	0.00146365
CPU 11	0.00146851
CPU 12	0.00151142
CPU 2	0.00146628
CPU 3	0.00150754
CPU 4	0.00147374
CPU 5	0.00146969
CPU 6	0.00150055
CPU 7	0.00146516
CPU 8	0.00146626
CPU 9	0.00151117
Recovery	0.00



Unnamed Project


Replications: 1 Time Units: Hours

Process

Accumulated Time

Accum Wait Time Value

Commit Time	0.00
CPU 1	0.01070016
CPU 10	0.00028362
CPU 11	0.00028618
CPU 12	0.00029404
CPU 2	0.01064420
CPU 3	0.01104397
CPU 4	0.00053671
CPU 5	0.00053902
CPU 6	0.00054385
CPU 7	0.00035594
CPU 8	0.00035996
CPU 9	0.00037159
Recovery	0.00



Unnamed Project


Replications: 1 Time Units: Hours

Process

Accumulated Time

Total Accum Time Value

Commit Time	0.00
CPU 1	0.01217056
CPU 10	0.00174727
CPU 11	0.00175469
CPU 12	0.00180546
CPU 2	0.01211048
CPU 3	0.01255152
CPU 4	0.00201045
CPU 5	0.00200871
CPU 6	0.00204440
CPU 7	0.00182110
CPU 8	0.00182622
CPU 9	0.00188276
Recovery	0.00



Cost per Entity

Unnamed Project

Replications: 1 Time Units: Hours

Process

Cost per Entity

VA Cost Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00	0,000000000	0.00	0.00
CPU 10	0.00	0,000000000	0.00	0.00
CPU 11	0.00	0,000000000	0.00	0.00
CPU 12	0.00	0,000000000	0.00	0.00
CPU 2	0.00	0,000000000	0.00	0.00
CPU 3	0.00	0,000000000	0.00	0.00
CPU 4	0.00	0,000000000	0.00	0.00
CPU 5	0.00	0,000000000	0.00	0.00
CPU 6	0.00	0,000000000	0.00	0.00
CPU 7	0.00	0,000000000	0.00	0.00
CPU 8	0.00	0,000000000	0.00	0.00
CPU 9	0.00	0,000000000	0.00	0.00

Wait Cost Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00	0,000000000	0.00	0.00
CPU 10	0.00	0,000000000	0.00	0.00
CPU 11	0.00	0,000000000	0.00	0.00
CPU 12	0.00	0,000000000	0.00	0.00
CPU 2	0.00	0,000000000	0.00	0.00
CPU 3	0.00	0,000000000	0.00	0.00
CPU 4	0.00	0,000000000	0.00	0.00
CPU 5	0.00	0,000000000	0.00	0.00
CPU 6	0.00	0,000000000	0.00	0.00
CPU 7	0.00	0,000000000	0.00	0.00
CPU 8	0.00	0,000000000	0.00	0.00
CPU 9	0.00	0,000000000	0.00	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Process

Cost per Entity

Total Cost Per Entity	Average	Half Width	Minimum Value	Maximum Value
CPU 1	0.00	0,000000000	0.00	0.00
CPU 10	0.00	0,000000000	0.00	0.00
CPU 11	0.00	0,000000000	0.00	0.00
CPU 12	0.00	0,000000000	0.00	0.00
CPU 2	0.00	0,000000000	0.00	0.00
CPU 3	0.00	0,000000000	0.00	0.00
CPU 4	0.00	0,000000000	0.00	0.00
CPU 5	0.00	0,000000000	0.00	0.00
CPU 6	0.00	0,000000000	0.00	0.00
CPU 7	0.00	0,000000000	0.00	0.00
CPU 8	0.00	0,000000000	0.00	0.00
CPU 9	0.00	0,000000000	0.00	0.00

Accumulated Cost

Accum VA Cost	Value
Commit Time	0.00
CPU 1	0.00
CPU 10	0.00
CPU 11	0.00
CPU 12	0.00
CPU 2	0.00
CPU 3	0.00
CPU 4	0.00
CPU 5	0.00
CPU 6	0.00
CPU 7	0.00
CPU 8	0.00
CPU 9	0.00
Recovery	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Process

Accumulated Cost

Accum Wait Cost	Value
Commit Time	0.00
CPU 1	0.00
CPU 10	0.00
CPU 11	0.00
CPU 12	0.00
CPU 2	0.00
CPU 3	0.00
CPU 4	0.00
CPU 5	0.00
CPU 6	0.00
CPU 7	0.00
CPU 8	0.00
CPU 9	0.00
Recovery	0.00

Total Accum Cost	Value
Commit Time	0.00
CPU 1	0.00
CPU 10	0.00
CPU 11	0.00
CPU 12	0.00
CPU 2	0.00
CPU 3	0.00
CPU 4	0.00
CPU 5	0.00
CPU 6	0.00
CPU 7	0.00
CPU 8	0.00
CPU 9	0.00
Recovery	0.00

Other


Unnamed Project

Replications: 1 Time Units: Hours

Process

Other

Number In	Value
Commit Time	0.00
CPU 1	66213.00
CPU 10	65873.00
CPU 11	66111.00
CPU 12	68017.00
CPU 2	66008.00
CPU 3	67795.00
CPU 4	66293.00
CPU 5	66144.00
CPU 6	67567.00
CPU 7	65954.00
CPU 8	66007.00
CPU 9	68041.00
Recovery	0.00



Unnamed Project

Replications: 1 Time Units: Hours

Process

Other

Number Out	Value
Commit Time	0.00
CPU 1	66210.00
CPU 10	65873.00
CPU 11	66111.00
CPU 12	68017.00
CPU 2	66001.00
CPU 3	67793.00
CPU 4	66291.00
CPU 5	66144.00
CPU 6	67567.00
CPU 7	65953.00
CPU 8	66007.00
CPU 9	68041.00
Recovery	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Queue

Time

Waiting Time	Average	Half Width	Minimum Value	Maximum Value
CPU 1.Queue	0.00000016	(Correlated)	0.00	0.00000063
CPU 10.Queue	0.00000000	0,000000000	0.00	0.00000005
CPU 11.Queue	0.00000000	0,000000000	0.00	0.00000006
CPU 12.Queue	0.00000000	0,000000000	0.00	0.00000006
CPU 2.Queue	0.00000016	(Correlated)	0.00	0.00000062
CPU 3.Queue	0.00000016	(Correlated)	0.00	0.00000072
CPU 4.Queue	0.00000001	0,000000000	0.00	0.00000008
CPU 5.Queue	0.00000001	0,000000000	0.00	0.00000007
CPU 6.Queue	0.00000001	0,000000000	0.00	0.00000008
CPU 7.Queue	0.00000001	0,000000000	0.00	0.00000007
CPU 8.Queue	0.00000001	0,000000000	0.00	0.00000007
CPU 9.Queue	0.00000001	0,000000000	0.00	0.00000007

Cost

Waiting Cost	Average	Half Width	Minimum Value	Maximum Value
CPU 1.Queue	0.00	0,000000000	0.00	0.00
CPU 10.Queue	0.00	0,000000000	0.00	0.00
CPU 11.Queue	0.00	0,000000000	0.00	0.00
CPU 12.Queue	0.00	0,000000000	0.00	0.00
CPU 2.Queue	0.00	0,000000000	0.00	0.00
CPU 3.Queue	0.00	0,000000000	0.00	0.00
CPU 4.Queue	0.00	0,000000000	0.00	0.00
CPU 5.Queue	0.00	0,000000000	0.00	0.00
CPU 6.Queue	0.00	0,000000000	0.00	0.00
CPU 7.Queue	0.00	0,000000000	0.00	0.00
CPU 8.Queue	0.00	0,000000000	0.00	0.00
CPU 9.Queue	0.00	0,000000000	0.00	0.00

Other

Unnamed Project

Replications: 1 Time Units: Hours

Queue

Other

Number Waiting	Average	Half Width	Minimum Value	Maximum Value
Commit Time.Queue	0.00	(Insufficient)	0.00	0.00
CPU 1.Queue	1.9262	(Insufficient)	0.00	15.0000
CPU 10.Queue	0.05105726	(Insufficient)	0.00	2.0000
CPU 11.Queue	0.05151698	(Insufficient)	0.00	3.0000
CPU 12.Queue	0.05293257	(Insufficient)	0.00	3.0000
CPU 2.Queue	1.9162	(Insufficient)	0.00	16.0000
CPU 3.Queue	1.9881	(Insufficient)	0.00	16.0000
CPU 4.Queue	0.0966	(Insufficient)	0.00	4.0000
CPU 5.Queue	0.0970	(Insufficient)	0.00	3.0000
CPU 6.Queue	0.0979	(Insufficient)	0.00	4.0000
CPU 7.Queue	0.06407482	(Insufficient)	0.00	3.0000
CPU 8.Queue	0.06479840	(Insufficient)	0.00	3.0000
CPU 9.Queue	0.06689288	(Insufficient)	0.00	3.0000
Recovery.Queue	0.00	(Insufficient)	0.00	0.00

Unnamed Project

Replications: 1 Time Units: Hours

Resource

Usage

Instantaneous Utilization	Average	Half Width	Minimum Value	Maximum Value
Máquina Iniciador	0.00	(Insufficient)	0.00	0.00
Operador 1	0.8000	(Insufficient)	0.00	1.0000
Operador 2	0.8000	(Insufficient)	0.00	1.0000
Operador 3	0.7997	(Insufficient)	0.00	1.0000
Operador 4	0.7999	(Insufficient)	0.00	1.0000
Number Busy	Average	Half Width	Minimum Value	Maximum Value
Máquina Iniciador	0.00	(Insufficient)	0.00	0.00
Operador 1	0.8000	(Insufficient)	0.00	1.0000
Operador 2	0.8000	(Insufficient)	0.00	1.0000
Operador 3	0.7997	(Insufficient)	0.00	1.0000
Operador 4	0.7999	(Insufficient)	0.00	1.0000
Number Scheduled	Average	Half Width	Minimum Value	Maximum Value
Máquina Iniciador	1.0000	(Insufficient)	1.0000	1.0000
Operador 1	1.0000	(Insufficient)	1.0000	1.0000
Operador 2	1.0000	(Insufficient)	1.0000	1.0000
Operador 3	1.0000	(Insufficient)	1.0000	1.0000
Operador 4	1.0000	(Insufficient)	1.0000	1.0000


Unnamed Project

Replications: 1 Time Units: Hours


Resource

Usage

Scheduled Utilization	Value
Máquina Iniciador	0.00
Operador 1	0.8000
Operador 2	0.8000
Operador 3	0.7997
Operador 4	0.7999



Total Number Seized	Value
Máquina Iniciador	0.00
Operador 1	200005.00
Operador 2	200003.00
Operador 3	200002.00
Operador 4	200001.00



Cost

Unnamed Project

Replications: 1 Time Units: Hours

Resource

Cost

Busy Cost	Value
Máquina Iniciador	0.00
Operador 1	0.00
Operador 2	0.00
Operador 3	0.00
Operador 4	0.00
Idle Cost	Value
Máquina Iniciador	0.00
Operador 1	0.00
Operador 2	0.00
Operador 3	0.00
Operador 4	0.00
Usage Cost	Value
Máquina Iniciador	0.00
Operador 1	0.00
Operador 2	0.00
Operador 3	0.00
Operador 4	0.00

User Specified

Counter

Count	Value
qtdeDescartados	0.00
qtdeNaoProcessados	0.00

Time Persistent

Variable	Average	Half Width	Minimum Value	Maximum Value
tempoTotal	0.00277733	(Insufficient)	0.00	0.00555502