

POWERACT

CONSULTING

FEEDBACK RESPONSE · ROUND 2

Response to the Feedback — Round 2

Search, process design versions, OBS roles, AI prompt specification and IMS documents aligned with market practice

Table of Contents

Summary.....	3
SRS 1.5 features implemented in DynamicMS.....	3
Requests 1 to 7 — documents and records.....	6
Policy modelled on the example.....	7
Procedure with SIPOC, Go / No-Go and BPMN.....	9
Audit programme and audit report.....	11
Measuring equipment and corrective action.....	13
Request 8 — the other documents.....	14
What changed in the code.....	17
How to check the changes.....	18

Summary

The second round of feedback asked for two groups of changes: the features added to the application standard (SRS 1.5) to be implemented in DynamicMS, and eight improvements to the IMS documents, starting from a French quality policy given as an example. POWERACT Consulting implemented both in the application, the demonstration data and the deliverables.

- **Application.** Global search in the menu; process design editor with full create, read, update and delete and a version history with compare and restore on every element; OBS roles linked to functions and played by several people; AI use cases linked to one step, with a prompt specification of one versioned field per aspect.
- **Documents.** 37 templates revised against market practice; policies modelled on the example; procedures with SIPOC per step, Go / No-Go decision and BPMN diagram; audit programme with frequency; audit report with graded, detailed nonconformities; registers and records made finer grained.
- **Data.** 6,392 documents regenerated across 120 projects; the sample set (Scenario 1 QMS and Scenario 2 QHSE) is delivered in DynamicMS_Sample_IMS_Documents.zip.
- **Deliverables.** This response; SRS 1.5 (Appendix A conformance updated); IMS Document Templates; User Guides 1 and 2; Installation Guide; Coverage Checklist; presentations in English and French; source code.

SRS 1.5 features implemented in DynamicMS

The requirements added to DynamicCortex Apps Standard SRS 1.5 are application agnostic. The table shows how DynamicMS meets each of them.

Request	What changed	Where	SRS
Search button in the left bar	Search button at the top of the menu (and Ctrl+K). One query searches steps, macro processes, records (nonconformities, actions, audits, risks, KPIs), register entries, documents, AI use cases, people and help, within the rights of the user. Results are grouped by type with counts and filters; codes (MP-001.2, NC-...) match exactly; arrow keys and Enter open a result; recent searches are kept. A filter box above the menu narrows the menu items.	Menu › Search; Ctrl+K	FR-DA-SRCH
Full CRUD on functions, macro processes, tasks, steps, gates, checklists and templates	Design › Process design editor: one tab per element type (functions, phases, macro processes, tasks, steps, gates, checklists). Create, edit, retire or delete, restore. Each element shows where it is used (runs, child elements, documents, AI use cases). Templates keep their own library (copy, new, retire, versions) in Records › Documents › Templates.	Design › Process design editor	FR-DA-PDM
Version management with the possibility to go to any version	Every save is a new version with its author, date and change note. History lists the versions, Compare shows the fields changed between two versions, Restore makes any earlier version the current one (as a new version, so nothing is lost). Running projects keep the version they started with; a change applies to projects started after it.	History button of any element	FR-DA-PDM, FR-DA-VER
OBS: a role is linked to one or more functions; a person plays one or many roles	Organization › Roles: roles defined in a unit, linked to at least one function, with mission and responsibilities. People are assigned as holder, deputy or acting, with an allocation (%) and dates. Three views: by role (vacant roles flagged), by function (roles and people), by person (roles played and total allocation). Ending an assignment lists the open actions to hand over. Roles are versioned.	Organization › Roles	FR-DA-OBS
AI use case mapped to the right task or step	Each AI use case is linked to one step (and so to its task and macro process); the link is checked when saved. The step shows only its own use case. Search and the process design editor show the use cases of an element.	Intelligence › AI use cases; any AI-assisted step	FR-DA-AIP

Request	What changed	Where	SRS
Prompt aspects in separate fields: role, context, task, constraints, examples, format, other	Prompt specification with one field per aspect: role (persona), context, task (instruction), inputs, knowledge sources, constraints, examples, output format, tone, quality criteria, human checkpoint and model parameters (model, temperature, maximum length). A completeness bar shows the missing required fields; an incomplete use case cannot be activated.	AI use cases › Prompt specification	FR-DA-AIP
Each prompt aspect versioned, with the possibility to go to any version	Each field has its own history (compare, restore); the whole specification has its history too. View the assembled prompt shows the system and user messages built from the fields and the project data.	Prompt specification › History	FR-DA-AIP, FR-DA-VER
Every suggested AI use case fully populated for its step	All use cases are seeded with every field written from their step: the role of the performer, the macro process and step context, the step instruction, its inputs and records, the constraints of the standard clause, an example and the expected output format.	AI use cases (all)	FR-DA-AIP

The screenshot shows the DynamicMS interface with a global search for "interested parties". The search results are displayed in a modal window, grouped by type: STEPS (2), MACRO PROCESSES (1), and DOCUMENTS (2). The interface includes a sidebar with navigation options like Home, Lifecycle, Alerts, My tasks, Governance, and Records. The main content area displays a list of search results with progress bars and status indicators.

Search Results:

- STEPS (2):**
 - MP-001.4 Identify interested parties Context Analysis and Stakeholder Mapping Done
 - MP-001.5 Determine needs and expectations of interested parties Context Analysis and Stakeholder Mapping Done
- MACRO PROCESSES (1):**
 - UMS016 Context Analysis and Stakeholder Mapping Completed
- DOCUMENTS (2):**
 - AT-UNI-QMS-CTX Context and interested parties analysis v1.0 Published
 - AT-UNI-QMS-REG-IP Interested parties register v1.1 Published

KPI trend: Customer satisfaction index. At risk. Target: 90%.

Global search: results grouped by type, with filters, within the rights of the user.

DynamicMS

AT-UNI-QMS — QMS full run 2025-2026 — Atlas

EN

33

Hugo Lefevre

[→]

Search

Filter the menu...

FAVORITES

Home

Lifecycle

Alerts

WORK

Home

My tasks

Lifecycle

Alerts

GOVERNANCE

Risks and opportunities

KPIs

RACSI matrix

Rules and controls

RECORDS

MP-001.2 — Identify external issues

×

Used by: 2 runs in projects · 0 child elements

Running projects keep the version they started with; this change applies to projects started after it.

Name *

Identify external issues

Macro process

UMS016 Context Analysis and Stakeh

Task

MP-001.T1

Order

2

Responsible role

IMS Manager

Form kind

Register items

Brief

Identify external issues — step 2 of 10 in UMS016 Context Analysis and Stakeholder Mapping.

Detailed description

Purpose: Understand internal/external issues; identify interested parties; define IMS scope.

Record one line per item. For each item give its category, a short description, its impact or relevance, and the evidence it comes from (a document, a record, a meeting). Items become entries of the related register.

Inputs to use: Internal issues, External issues, Stakeholder expectations, Legal requirements, Contractual obligations

Change note

Why this change; kept with the version.

Name a step or task with a verb and its object, e.g. "Identify the interested parties".

History (1)

Retire or delete

Cancel

Save as new version

+

New element

Origin

Status

ReferenceActive

ReferenceActive

ReferenceActive

ReferenceActive

ReferenceActive

ReferenceActive

ReferenceActive

ReferenceActive

ReferenceActive

Process design editor: every element has its version, origin, usage and history.

DynamicMS

AT-UNI-QMS — QMS full run 2025-2026 — Atlas

EN

33

Hugo Lefevre

[→]

Search

Filter the menu...

FAVORITES

Home

Lifecycle

Alerts

WORK

Home

My tasks

Lifecycle

Alerts

GOVERNANCE

Risks and opportunities

KPIs

RACSI matrix

Rules and controls

RECORDS

INDEPENDENT ORGANIZATION

Atlas Universal SME

AT-UNI · UNI · SME (Medium) · 197 employees · Agadir

Profile and configuration

Projects · 2

Structure (OBS)

Roles and functions

Users

Tenancy

By role · 19

By function

By person · 19

+

New role

A role is linked to one or more functions and can be played by several people; a person can play several roles. Roles describe what people do; access rights stay with the access roles.

Role	Unit	Functions	Played by	Version		
AI Governance Officer	Information Technology	Information Technology & Data, Innovation & Digital Transformation	Sofia Bennani	v1	History	Edit
					Assign	Retire
Auditor (read-only)	Atlas Universal SME	Internal Audit & Assurance	Mehdi Fassi	v1	History	Edit
					Assign	Retire
Compliance Officer	Finance	Compliance & Certification	Hind Berrada	v1	History	Edit
					Assign	Retire
Document Controller	Quality	Documentation & Knowledge	Samira Benali	v1	History	Edit
					Assign	Retire
ESG Manager	HSE	Sustainability & ESG	Leila Mansouri	v1	History	Edit
					Assign	Retire

OBS roles: each role linked to its functions and played by one or more people.

POWERACT Consulting · Page 5 of 18

AIUC-01 — Draft management system policy clauses

Linked step: MP-002.11 — Generate the quality policy draft from the template

Completeness: Complete — the use case can be activated

Role (persona) * History (1)

You are an expert assistant to the IMS Manager, experienced in ISO 9001 §5.1, §5.2 and in the process "Quality Policy and Strategic Direction Definition".

Context * History (1)

Step: MP-002.11 — Generate the quality policy draft from the template
 Macro process: UMS022 Quality Policy and Strategic Direction Definition, phase E2E-01. Purpose of the step: Establish quality policy; define strategic direction; secure top mgmt commitment.
 Phase: Context To Strategy
 Inputs of the process: Purpose, Context analysis, Strategic plan, Legal requirements, Stakeholder needs

Task (instruction) * History (1)

You assist the IMS Manager on the step "Generate the quality policy draft from the template" (MP-002.11) of the macro process UMS022 Quality Policy and Strategic Direction Definition, phase E2E-01. Purpose of the step: Establish quality policy; define strategic direction; secure top mgmt commitment. Use these inputs: Purpose, Context analysis, Strategic plan, Legal requirements. Produce: Draft management system policy clauses. References: ISO 9001 §5.1, §5.2. Answer with numbered...

Inputs (variables) History (1)

{org} — organization profile (name, sector, size)

Organization	This project
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit
Active	Inherit

Prompt specification: one field per aspect, each with its own history, and a completeness bar.

Requests 1 to 7 — documents and records

#	Request	What changed	Where
1	Policy: more consistent, with real content from the market (example: the French quality policy provided)	The four policies (quality, integrated QHSE, environment, OHS) follow the structure of the example and of published policies: our vision and ambition; our strategic axes, each with its commitments and the objective that measures it; commitments of top management (ISO §5.2 commitments stated explicitly: requirements, continual improvement, and for ISO 14001 protection of the environment and compliance obligations, for ISO 45001 elimination of hazards and consultation of workers); everyone's role; communication and review of the policy; dated signature of the chief executive. One page, no table of contents, the organization's own name, activity and figures.	Records > Documents > Quality policy (AT-UNI-QMS-POL-Q)
2	Procedures: SIPOC for the steps, Go / No-Go decision, BPMN diagram	The procedure and the macro process sheet now carry: the SIPOC of the process; the BPMN flow (vertical swimlanes by role, gateways, exception flows) drawn as an image in Word and PDF; the description of activities with, for each step, a SIPOC table (suppliers, inputs, activity, outputs, customers); a Go / No-Go decision with its criteria, the evidence required, who decides and what happens on No-Go.	Procedure (TPL-PROC), macro process sheet (TPL-PSHEET)
3	All documents reflect market best practices	All 37 templates were revised against the practice of certification bodies and published models: a document identification block (reference, version, owner, approver, dates, classification), purpose and scope, method or rating scales, data tables with one row per item, analysis and conclusions, revision history and approval block. The IMS Document Templates guide lists, for each template, the practice it follows.	IMS Document Templates; every template
4	Audit programme: frequency with a dropdown list and custom	Frequency of each audit: Monthly, Quarterly, Semi-annual, Annual, Every 2 years, Every 3 years or Custom with its own text (for example "once, six weeks before the certification audit"). Also added: criteria, objectives, duration and processes audited. The programme document shows the frequency per process, set from the risks and the results of previous audits, and the auditors with their qualification.	Records > Audits > New audit or Edit; Internal audit programme
5	Audit report: detailed nonconformity report with grading (minor, major, ...) and other relevant information	Findings graded Major nonconformity, Minor nonconformity, Observation or Opportunity for improvement, with the grading rules in the report. Each nonconformity has its own detailed sheet: requirement (standard and clause), statement of nonconformity, objective evidence, process and auditee, root cause, correction, corrective action with owner and due date, verification of effectiveness and status. The report adds an executive summary, strengths, summary of findings by grade and clause, conclusion and follow-up.	Records > Audits > an audit > Findings; Internal audit report

#	Request	What changed	Where
6	Monitoring and measuring equipment register: more consistent, fine grained and complete	Per instrument: identifier, category, manufacturer, model, serial number, location, user, range, resolution, required accuracy, method (internal or accredited external), provider, certificate, interval, last and next calibration, last result, error found (% of the maximum permissible error), traceability to national standards, and the assessment of earlier results when found out of tolerance (ISO 9001 §7.1.5.2). The document adds the calibration status summary and the calibration records.	Records › Registers › Measuring equipment; TPL-CAL
7	Corrective action report: more consistent, fine grained and complete	8D report: D0 identification; D1 team; D2 problem description (5W2H: what, where, when, who, how, how many, why it matters); D3 containment with its effectiveness; D4 root cause (5 Why and Ishikawa per category, occurrence and non-detection causes); D5–D6 corrective actions with owner, due date and validation evidence; D7 prevention of recurrence (documents, FMEA, similar products and sites); D8 closure, lessons learned and team recognition.	Nonconformities › a nonconformity; TPL-CAPA

Policy modelled on the example

The example provided (a French quality policy) opens with the ambition of the company, sets out a few strategic axes each carrying concrete commitments, names the role of every employee and ends with the signature of the chief executive. The DynamicMS policies now follow that pattern while keeping every commitment required by ISO 9001, ISO 14001 and ISO 45001 §5.2 explicit, and link each axis to a measurable objective.

ATLAS UNIVERSAL SME · AT-UNI-QMS-POL-Q

Quality policy

AT-UNI-QMS-POL-Q · Version 1.1 · Published

Our vision and ambition

Our vision is to be the reference provider of technical services for local businesses, recognized for reliability, responsiveness and the professionalism of our teams.

Aware of the challenges of our context - Strategic (market, customer loss); Operational (process failure, supply chain) - and relying on the daily commitment of our women and men to meet the expectations of our customers, we have built our quality management system on ISO 9001.

Our strategic axes

We affirm this ambition through 7 strategic axes, each with measurable objectives reviewed every year:

Axis 1 - Meet the expectations of our customers

- Improve responsiveness to customer complaints (answer within 48 h)
- Improve the customer satisfaction barometer
- Raise customer satisfaction on technical services - target $\geq 85\%$ by 2026-11-10 (Q-KPI-01)
- Deliver technical services on time - target $\geq 95\%$ by 2026-08-12 (Q-KPI-02)

Axis 2 - Operational excellence, right first time

- Update and standardize workstations and work instructions
- Control our processes with control plans and calibrated equipment
- Reduce the cost of poor quality - target $\leq 2\%$ by 2026-11-10 (Q-KPI-04)

Axis 3 - Continual improvement

- Involve every team in the PDCA dynamic and develop personal leadership
- Treat root causes and verify the effectiveness of corrective actions
- Close corrective actions on time - target $\geq 90\%$ by 2026-05-14 (Q-KPI-05)

Axis 4 - Develop our people and their competence

- Preserve and develop organizational knowledge
- Plan careers and anticipate jobs and skills

Axis 5 - Meet applicable requirements

- Determine, monitor and review all applicable requirements (legal, customer, other)
- Develop a culture of quality and integrity

Axis 6 - Grow with our suppliers and partners

- Select and evaluate suppliers on quality, delivery and HSE
- Share scorecards and build development plans


Atlas Universal SME · AT-UNI-QMS-POL-Q v1.1 · 2026-09-30

Page 1 / 2

Quality policy generated for Atlas Universal SME (page 1).

Procedure with SIPOC, Go / No-Go and BPMN

6. Process overview (BPMN)



Context To Strategy - overview, part 1 of 2

Procedure: BPMN flow drawn in vertical swimlanes by role.

#	Step (P)	Suppliers (S)	Inputs (I)	Outputs (O)	Customers (C)	Responsible
9	MP-001.9 Document and communicate the context analysis	IMS Manager	List with sources: the management system scope	Draft document: the context analysis	IMS Manager	IMS Manager
10	MP-001.10 Review organizational context periodically	IMS Manager	Draft document: the context analysis	Review minutes and decisions; Context analysis report; Stakeholder register	Top mgmt, Strategy	IMS Manager

SIPOC per step: the supplier and input of a step are the role and output of the previous step; the first step receives the inputs of the process and the last step delivers its outputs.

Go criteria	all mandatory steps completed; outputs approved: Context analysis report, Stakeholder register, Requirements matrix; no open critical risk or nonconformity
No-Go handling	Steps not meeting the criteria are reopened with justification (Recycle); the process owner informs the phase gate.
Decided by	IMS Manager
Current status	10 / 10 steps done - Go

7.2 UMS022 Quality Policy and Strategic Direction Definition

Purpose	Establish quality policy; define strategic direction; secure top mgmt commitment.
Trigger	Receipt or update of Purpose, Context analysis from Top mgmt, Board.
Process owner	IMS Manager
Status in this project	Completed

Procedure: description of activities with the SIPOC of each step.

Audit programme and audit report

DynamicMS

AT-UNI-QMS — QMS full run 2025-2026 — Atlas

EN

13

Tariq Saleh

[>]

Q Search

Filter the menu...

FAVORITES

Home

Lifecycle

Alerts

WORK

Home

My tasks

Lifecycle

Alerts

GOVERNANCE

Risks and opportunities

KPIs

RACSI matrix

Rules and controls

RECORDS

INTERNAL · AUD-AT-UNI-QMS-01

Internal audit — People To Capability

ISO 9001 · Planned 15 Mar 2026 · Done 15 Mar 2026

All audits

Add finding

Scope

People To Capability

Lead auditor: Nabil Zerouali

Criteria: ISO 9001; procedures and records of the processes audited; applicable legal requirements

Frequency: Annual

Change

Attachments

Attach files

Note for the next upload (optional)

No file attached. PDF, images, Office and CSV files up to 10 MB.

Findings

Ref.	Grading	Clause	Finding	Response due	Status	Action
F-01-1	Minor	7.5.3	Two controlled documents at service delivery had no revision status Objective evidence: Work instruction and inspection form at the workstation printed without version or date; master list shows version 2.	14 May 2026	Closed	Closed
F-01-2	Minor	8.5.1	Control plan for service delivery not updated after process change Objective evidence: Control plan revision 1 does not include the new test step added in March; 3 job records without the test result.	14 May 2026	Closed	Closed
F-01-3	Opportunity for improvement	9.1.3	KPI trend analysis not documented for two months Objective evidence: KPI dashboard values present for June and July but no analysis or comment on the two off-target indicators.	—	Noted	—

Audit with its frequency and findings graded major, minor, observation or opportunity.


POWERACT Consulting · Page 11 of 18

Contents

1. Audit identification	3
2. Executive summary	3
3. Strengths	3
4. Summary of findings	3
5. Nonconformities - detailed report	4
6. Observations and opportunities for improvement	5
7. Grading of findings	5
8. Audit conclusion and follow-up	5
9. Approval	5

Internal audit report: detailed sheet of a nonconformity.

Measuring equipment and corrective action



Register entry with all its fields (measuring equipment).

Document identification

Reference	AT-UNI-QMS-CAL
Version	1.1
Owner	Quality Manager
Applies to	Atlas Universal SME
Standards	ISO 9001
Review	Semi-annual - next 2027-03-25

Calibration status

Equipment in the register	8
Valid	6
Due soon	1
Overdue	1
Out of tolerance at last calibration	1
Rule	Overdue equipment is withdrawn and labelled "Do not use" until recalibrated.

Equipment register

ID	Equipment	Category	Make / model	Serial	Location / user	Range	Required accuracy	Method	Interval	Next due	Status
EQ-01	Torque wrench 5-60 N·m	Mechanical	Norbar TTI 60	SN-66585	service delivery - Julien Moreau	5-60 N·m	± 4 %	External - ISO/IEC 17025 accredited laboratory	12 months	2026-09-24	Overdue
EQ-02	Digital caliper 0-150 mm	Dimensional	Mitutoyo CD-15APX	SN-65617	service delivery - Claire Martin	0-150 mm	± 0.02 mm	Internal - against reference standard, procedure CAL-01	12 months	2026-12-07	Valid
EQ-03	Outside micrometer 0-25 mm	Dimensional	Mitutoyo 293-240	SN-33846	service delivery - Julien Moreau	0-25 mm	± 0.002 mm	External - ISO/IEC 17025 accredited laboratory	12 months	2027-01-24	Valid

Atlas Universal SME - AT-UNI-QMS-CAL v1.1 - 2026-09-30

Page 2 / 4

Monitoring and measuring equipment register.

Atlas Universal SME

ATLAS UNIVERSAL SME · AT-UNI-QMS-CAPA-002

Corrective action report (8D) - NC-AT-UNI-QMS-002

Eight disciplines for one major nonconformity: D0 identification, D1 team, D2 problem (5W2H), D3 containment, D4 root cause (Ishikawa, 5 Whys, occurrence and non-detection), D5–D6 corrective actions and validation, D7 prevention, D8 closure and lessons learned.

Version	1.0
Status	Published
Standards	ISO 9001
Owner	Quality Manager
Next review	2026-07-29

Atlas Universal SME · AT-UNI-QMS-CAPA-002 v1.0 · 2026-09-30

Page 1 / 4

Corrective action report (8D).

Request 8 — the other documents

The same approach — more consistent, finer grained and more complete — was applied to the documents listed and to the rest of the sample set.

Document	What it now contains
Control of changes record	Change type, requester, reason, impacted processes and documents, likelihood and impact (risk level), resources, approval (who, when), implementation, verification, post-change review and integrity of the management system (ISO 9001 §6.3, §8.5.6).
Communication plan and records	Plan: what, with whom, who, how, when, why (ISO §7.4), internal or external, language, record kept, feedback expected. Records: date, audience, channel, by, reach, evidence and feedback; communications recorded in the steps are listed too.

Document	What it now contains
Competence matrix and training records	Competence requirements per role; matrix with levels 1–4, required level, gap and criticality; how the competence was acquired and its evidence; training plan; training records with provider, trainer, hours, participants, evaluation, result, effectiveness method and certificate.
Control plan	Identification of the product and process; per characteristic: product or process, class (critical, significant), specification, measurement technique, sample and frequency, control method, responsible, record and reaction plan; reaction plan rules; operational controls and business rules.
Context and interested parties analysis	Method; external issues by PESTLE with impact; internal issues; SWOT synthesis; interested parties with needs and expectations, relevance and how they are addressed; influence and interest grid; process interactions; conclusions as risks and opportunities to address; monitoring and review.
Master list of documented information	Documentation structure (levels 1–4); documents to maintain with reference, version, owner, approval and review dates; records to retain with retention period, storage, protection and disposal; documents of external origin; cross-reference to the documented information required by each standard.
KPI dashboard and measurement results	Summary (on target, watch, off target); results and trends per indicator with baseline, target, last values and trend; analysis of indicators off target with cause and action; indicator definitions (formula, frequency, source, owner).
Compliance obligations register	Per obligation: type (legal, regulatory, customer, voluntary), reference, authority, requirement, applicability, how complied, owner, evaluation interval, last and next evaluation, result, evidence and action; summary of the evaluation of compliance; actions for partial or non compliance.
Management system manual	Presentation of the organization; scope and exclusions; context; processes and their interactions; leadership; roles and authorities; planning; support; operation; performance evaluation; improvement; each chapter answering the clauses of the standards with links to the documents that apply them.
Management review minutes	Attendance; agenda; every input of ISO §9.3.2 with data (status of previous actions, changes, satisfaction, objectives, process performance, nonconformities, audits, suppliers, resources, risks, opportunities); outputs of §9.3.3 as decisions with owner and due date; conclusion on suitability, adequacy and effectiveness.
All other documents of the sample	Scope, process map, RACSI, registers (risks and opportunities, interested parties, suppliers, nonconforming outputs, aspects, HIRA), objectives and action plan, work instruction, requirements review, release, emergency plan, incident report, nonconformity register and improvement plan were revised in the same way (identification block, method and scales, one row per item, analysis, approval).

Contents

1. Meeting identification and attendance	3
2. Agenda	3
3. Review inputs (§9.3.2)	3
4. Process performance and conformity	3
5. Extent to which objectives have been met	4
6. Audit results	5
7. Nonconformities and corrective actions	5
8. Performance of external providers	6
9. Effectiveness of actions on risks and opportunities	6
10. Review outputs: decisions and actions (§9.3.3)	6
11. Conclusions on the management system	7
12. Approval	7

Management review minutes: inputs of §9.3.2 with data.

Contents

1. Document identification	3
2. Purpose and scope	3
3. Method	3
4. External issues (PESTLE)	3
5. Internal issues	4
6. SWOT synthesis	4
7. Interested parties and their requirements	4
8. Influence and interest grid	5
9. Assessment of needs and expectations	5
10. Process interactions	5
11. Conclusions: risks and opportunities to address	5
12. Monitoring and review	6
13. Revision history	7
14. Approval	7

Context and interested parties analysis.

What changed in the code

Part	Change
Server	services/diagram.js (BPMN and process map drawn in SVG, rendered to images for Word and PDF), services/docdata.js (content of every template), services/render.js (tables, diagrams, landscape pages, Excel sheets per table), content/templates.js, content/registers.js, routes/design.js (search, process design, OBS roles, prompt specification), routes/records.js (audit frequency, findings), services/obsroles.js, services/aiprompt.js, services/revert.js.
Web client	SearchModal (search), pages/ProcessDesign (process design editor), components/ObsRoles (roles), components/PromptSpec (prompt specification), Versions (history, compare, restore), Audits (frequency, graded findings), Registers (entry details with all fields), Documents (diagrams, key-value blocks).
Tests	13 automated tests pass, including search, process design versions and restore, OBS roles and assignments,

Part	Change
	prompt specification and activation rule, audit frequency and findings.

How to check the changes

1. Install and seed the application (Installation Guide). Sign in as `ims@atlas-sme.example` (password `Demo@2026`) and select project AT-UNI-QMS.
2. Press Search in the menu (or Ctrl+K) and type "policy" or a code such as MP-002: results are grouped by type.
3. Open Design › Process design editor, choose a step, change its detailed description and save: the version goes up. Open History, compare two versions and restore the first one.
4. Open Organization › Roles: view the roles by function and by person; assign a person as deputy with 50 % allocation.
5. Sign in as `admin@atlas-sme.example` (Admin@2026). Open Intelligence › AI use cases › Prompt specification: change the constraints, save, open the history of that field and restore the earlier text.
6. Open Records › Audits: create an audit with a custom frequency; open an audit with findings to see the grading and the details of each nonconformity.
7. Open Records › Documents and download the quality policy, a procedure, the audit report, the measuring equipment register and the corrective action report in Word, PDF or Excel.

Note. Changes made in the process design editor apply to projects started after the change. Projects already running keep the version they started with, so their records stay consistent with the design they followed.