

journi — Gap Analysis

Comparing the delivered application against the requirement source set

Prepared for POWERACT Consulting — Chief Innovation Officer, Mounire
Prepared by: Claude (development session) Date: August 2026

Table of Contents

- Purpose and Sources
 - 1. Executive Summary
 - 2. Critical Source-Consistency Findings
 - Finding A — The 4 core E2E processes
 - Finding B — 7 vs. 8 transformation types
 - Finding C — “RACSI” vs “RASCI” naming
 - 3. Requirement-by-Requirement Status (D13)
 - 4. Gaps Beyond the REQ-001-024 List
 - 4.1 CM Charters
 - 4.2 Stakeholder Journeys, Touchpoints & Journey Analytics
 - 4.3 Refinements to the Module 18 Phase Gate / Checklist feature
 - 4.4 Cross-Type Comparison Matrix
 - 4.5 Report export formats & Alerts/notification channels
 - 5. What’s Fully Aligned
 - 6. Architectural Divergence, By Design
 - 7. Recommendations, in Priority Order
-

Purpose and Sources

This report compares journi’s **current implementation** (the application in journi/, as described by journi_spec.md v1.4) against the requirement source set supplied across this engagement:

#	Source	What it is
1	01_CR1_E2E_addendum.docx	The Change Request that extended journi from 3 to 8 transformation types, each with a Default

#	Source	What it is
		E2E Process and Phase Template. Already fully implemented in a prior session.
2	02__journi_EndtoEnd_Process_Catalogue.docx (v1.1)	The narrative catalogue of all 16 End-to-End (E2E) processes — the 4 registered core chains, 4 proposed cross-cutting loops, and 8 transformation-type lifecycles — each with description, related macro processes/modules, stakeholders, a BPMN-style flow, and a RASCI table.
3	journi – Framework Interaction Map v2.3.docx	The framework-to-framework interaction model; Section 11 is the authoritative source for the 4 core E2E processes' macro-process composition.
4	journi_Deliverables_D01-D10_D15_D26.xlsx	Macro Processes, Tasks/Steps, Business Rules, Actions Registry, Controls, Risks, KPI Library, Alerts, Reports, Info Model, Data Dictionary, AI Use Cases + governance, Modules & Tiers.
5	journi_Deliverables_D11-D29_ExclD15D26.xlsx	Tools/Interfaces, Physical Data Model, Application Requirements (D13 — the master REQ-001-REQ-024 traceability list) , BPMN Orchestration,

#	Source	What it is
—	CD_D30_Licensing_Implementation_Schema.doc x	Tenant Hierarchy, Catalogs, Components, Automation Decision, Project Registry, Org Profile, Journey Stage Templates, Charters (D31 family), Journeys/Touchpoints/Analytics (D27-D29), and the WBS/Phase governance family (D32a-D32k). Cross-referenced where relevant (License & Plan panel, Module 2).

Standing architectural note, carried forward from `journi_spec.md`

Section 2.4: `journi` is deliberately a **client-side-only** reference build (browser `localStorage`, no backend). Several source documents — most visibly D02-D05, D09-D12, D14, D18-D20, and REQ-024 itself — describe a server-backed platform with a BPMN/DMN workflow engine, a COSO-style control-testing framework, and durable server persistence. That gap is **by design and already documented**, not re-litigated item-by-item below; it is called out once, in Section 6.

1. Executive Summary

Of the 24 requirements in D13 (the master Application Requirements list), `journi`'s current build:

- **Fully implements 14** (58%)
- **Partially implements 2** (8%)
- **Does not implement 6** (25%), of which one (REQ-024, server-side persistence) is an intentional architectural divergence rather than an oversight
- **1 requirement's realization needs correction**, not just completion (REQ-022 — see Finding A below)
- **1 requirement's underlying data model is itself internally inconsistent across sources** (the transformation-type count — see Finding B below)

Beyond the REQ-001-024 list, the D11-D29 deliverable pack introduces three entire capability domains *journi* does not yet have any equivalent of: **CM Charters** (D31 family), the **Stakeholder Journey / Touchpoint / Journey-Analytics layer** (D27-D29), and a small set of governance refinements to the Phase Gate feature built last session (weighted checklist items, a flexible rather than fixed Accountable role, a distinct Project/Change/Joint tag). These are documented in Section 4.

Before the requirement-by-requirement table, two findings need to be read first, because they affect how several “gaps” below should actually be closed.

2. Critical Source-Consistency Findings

Finding A — The 4 core E2E processes (E2E-01-04) that *journi* currently implements are the *superseded* version

journi/src/data/e2eProcesses.js, built in the prior session directly from the End-to-End Process Catalogue and CR1, currently registers:

E2E ID	<i>journi</i> ’s current composition	Corrected composition (D32h, sourced verbatim from Framework Interaction Map v2.3 §11)
E2E-01	MP-01 → MP-02 → MP-03	MP-01, MP-02, MP-03, MP-06, MP-07
E2E-02	MP-05 → MP-06 → MP-07	MP-05, MP-08 , MP-07 (MP-06 removed)
E2E-03	MP-04 → MP-08 → MP-09	MP-04, MP-06 , MP-07, MP-09 (MP-08 removed)
E2E-04	MP-10 only	MP-09, MP-10, MP-07

D32h in the D11-D29 pack is explicitly titled “**Corrected**” and states outright: *“the prior revision listed only MP-01→MP-02→MP-03 and omitted MP-06/MP-07, which the authoritative source includes”* (and equivalent corrections for E2E-02 through E2E-04). The names also changed: **E2E-02** → “**Capability & Divergence Management**” and **E2E-04** → “**Adoption-to-Sustainment (Go-Live → Refreeze)**”.

Why this happened: last session, when the Process Catalogue was only partially available, I treated the *original* Process Catalogue registration as authoritative over the Framework Interaction Map v2.3, because the

Catalogue explicitly stated its own compositions were “formally registered today in D32h.” The D11-D29 pack now shows that registration itself was wrong, and has been corrected against the Framework Interaction Map directly.

Also affected: the RASCI/RACSI role breakdown per core E2E process (D32h carries full R/A/C/S/I columns per chain, e.g. E2E-01: R=CM, A=ES, C=FPO+PM, S=SUP, I=EU) — journi’s `e2eProcesses.js` currently has no RACSI assignment at the individual-chain level at all (only the platform-wide MP-by-MP RACSI grid in Module 19 exists).

Recommendation: update `e2eProcesses.js`’s four core entries to the corrected compositions/names above, and add per-chain RACSI to each. This is a data-only fix (no new UI), low effort, high correctness value.

Finding B — The requirement documents disagree on whether there are 7 or 8 transformation types

This is the single most consequential inconsistency in the source set, because journi’s entire CR1 implementation (already shipped) is built on the 8-type answer.

The 8-type side (CR1 addendum + End-to-End Process Catalogue v1.1, both of which journi currently follows): ERP, Business Process Reengineering, Business Process Automation, Integrated Management System (QMS), Cultural/Values Transformation, Operating Model Redesign, Compliance-Driven Change, **Training & Skills Development** — each with its own E2E chain (E2E-ERP...E2E-TSD) and, per CR1, its own Phase Template (TPL-TSD-7 included).

The 7-type side (D13, D17 CAT-09, D21 Project Registry, D32b Phase Template Library, D32i Cross-Type Matrix — all in the D11-D29 pack): The same list **minus Training & Skills Development**. D21’s Project Registry seed data stops at PRJ-013 (Compliance-Driven Change) with no Training & Skills Development project. D32b’s Phase Template Library defines only 7 templates and states explicitly that Business Process Automation runs on the **generic** 7-phase Common Lifecycle template (TPL-CL-7) rather than a dedicated one — journi currently has a dedicated TPL-BPA-7. D32i’s Cross-Type Comparison Matrix likewise has only 7 rows.

journi’s current implementation (8 types, dedicated BPA and TSD templates) matches the CR1/Catalogue side and diverges from the D13/D17/D21/D32b/D32i side. **This is not a bug to silently fix** — it is a genuine conflict between two parts of the source set that were evidently authored or revised at different times without being reconciled against each other. It needs a product decision:

- **Option 1 — Keep 8 types** (current state). Treat D21/D32b/D32i as not-yet-updated for the CR1 addendum, and flag them back to the source for correction.
- **Option 2 — Drop to 7 types.** Remove training_skills as an archetype, retire TPL-TSD-7 and the Atlas Tangier training-skills seed case, and fold Business Process Automation onto the generic Common Lifecycle template instead of its own TPL-BPA-7.

No action taken in this report; flagged for a decision before either side is touched further.

Finding C (minor) — “RACSI” vs “RASCI” naming

The Integration Handbook and D32h/D17 CAT-02 use **RACSI** (Responsible / Accountable / Consulted / Sign-off / Informed) — this is what journi’s Module 19 grid implements. The End-to-End Process Catalogue’s own per-process diagrams are titled “**BPMN Diagram — RASCI**” (swapping the C/S order in the acronym, though the underlying five roles are the same). Cosmetic, but worth a single find-and-replace pass in the source documents for internal consistency.

3. Requirement-by-Requirement Status (D13)

Legend:  Implemented ·  Partial ·  Not implemented ·  Not applicable (architectural choice, documented)

REQ	Feature	Status	Evidence / Notes
REQ-001	Stakeholder Impact Scoring (AI-drafted)		Module 5 impact grid + uc-stakeholder-impact AI use case, human-confirm gate.
REQ-002	Individual & Cohort ADKAR Scoring		Module 6, ADKAR_BLOCKS, readinessIndex() (KPI-001 equivalent).
REQ-003	AI-Assisted Barrier Root-Cause Classification		Module 11 + uc-adkar-barrier/resistance classifier use cases.
REQ-004	Automated		hasDivergence()

REQ	Feature	Status	Evidence / Notes
	Divergence Pattern Check		in utils/compute.js , surfaced in Module 7/14 and now also in the Phase Gate's auto-populated open flags (Module 18).
REQ-005	Post-Go-Live Regression Audit (AI risk score)		Module 13 sustainment checkpoints capture adoptionRate/reg ressionRisk, but these are manually entered , not an AI-generated score (KPI-006's "Regression Risk Predictor, AIUC- 14" has no corresponding use case in journi's seeded AI catalog).
REQ-006	Human-in-the- Loop AI Checkpoint Enforcement		Universal accept/edit/rejec t pattern (AiSuggestionBox) , audited via aiUsageLog.
REQ-007	Custom AI Use Case Authoring (Org Admin, with approval workflow)		No authoring UI; the AI Use Case Library (Module 17) is a fixed, seeded 16-entry catalog.
REQ-008	Prompt Template Versioning & Override		No prompt- template registry or per-project

REQ	Feature	Status	Evidence / Notes
REQ-009	Runtime-Configurable Permission Matrix	✓	override exists. Module 2 Permission Matrix tab, data.rolePermissions.
REQ-010	Mandatory Justification on Score/State Change	✓	Module 2 Governance Settings, requireJustification, logJustifiedChange().
REQ-011	Phase Gate Go/No-Go Decision	✓	Module 18 Phase Gate feature (built last session).
REQ-012	CM Charter Registry (D31 family)	✗	No equivalent exists anywhere in journi. See Section 4.
REQ-013	Stakeholder Journey & Touchpoint Tracking	●	Module 16 has a visual per-person/cohort event timeline, but not the structured Journey→Touchpoint model with Success_Criteria/Evidence_Required fields D27/D28 specify.
REQ-014	Multi-Tenant Hierarchy Management	✓	Module 1, Group/Organization/Project, cascading delete.
REQ-015	Journey Analytics Dashboard	✗	None of D29's 5 dashboards exist; Module 15 is score-centric only, no

REQ	Feature	Status	Evidence / Notes
REQ-016	Phase Template Library	✓	experience/touch point-completion view. Module 18 “Load phase template,” phaseTemplates.js (built last session — see Finding B for the 7-vs-8 count question).
REQ-017	Phase Checklists (PM + CM)	✓	Module 18 Phase Checklist section (built last session). Simpler than D32c: items are unweighted (D32c specifies a Weight_% per item); journi treats every item as equal weight.
REQ-018	Joint Decision Records	✓	Module 18 Phase Gate modal — PM/CM inputs captured independently, fused decision, single Accountable role. One gap vs. D32e/JD-05: journi hardcodes Accountable = “PM,” where the spec allows it to be any single role, potentially different from either input’s author.

REQ	Feature	Status	Evidence / Notes
REQ-019	PMO Import Hook (CSV)	✗	No import feature; WBS tasks are entered manually or via “Load phase template” only.
REQ-020	Project/Change/Joint Tagging on WBS tasks	✗	journi’s WBS track field (pm/cm/framework) conflates delivery track with accountability tag; D32a specifies these as two distinct fields (Task_Track and Project_Change_Joint_Tag).
REQ-021	Common-Lifecycle Phase Tagging (P1-P7, cross-module filter)	●	The phase field exists on every WBS task (free text, not a constrained P1-P7 enum) and on Phase Checklists/Gates, but no other module (M4-M17) carries or filters by it — D32g’s “filter any module’s data by the same P1-P7 phase” is not realized.
REQ-022	End-to-End Process Registry	●	Module 19 built and functioning, but registers the superseded E2E-01-04

REQ	Feature	Status	Evidence / Notes
REQ-023	Cross-Type Comparison Matrix	✗	compositions — see Finding A. Data-model fix required, not a missing feature. No dedicated UI. <code>e2eProcesses.js</code> links a <code>phaseTemplateId</code> per type but does not carry <code>Typical_Duration/Terminal_Gate/External_Party_Involvement/Dominant_Framework/Reversibility</code>, and there is no comparison view on Module 15 as D32i specifies.
REQ-024	Server-Side Persistence	●	Deliberate architectural choice (<code>journi_spec.md</code> §2.4); browser <code>localStorage</code> only. Not a gap to close without a scope conversation — it's the single foundational assumption every other REQ-024-adjacent row (durability, multi-device, backup) silently depends on.

4. Gaps Beyond the REQ-001-024 List

4.1 CM Charters (D31, D31a, D31b, D31c) — entirely new capability, not present in journi

The D11–D29 pack defines **8 charters** (Sponsorship/Leadership, Participative Management, Communication, Organizational Impact, Team Coaching, One-to-One Coaching, Mentoring [Trainee→Observer→Autonomous], Pulse/Interview) — each a structured PDCA-governed commitment with a named accountable role, a many-to-many action mapping to specific macro-process tasks/steps (D31a, ~30+ rows), a CRUD/RBAC layer (D31b), and a 3-stage mentoring progression model (D31c). None of this exists in journi today; it is a distinct governance layer sitting above the existing modules (e.g., CHTR-01 Sponsorship Charter governs the same MP-02 territory as Module 8, but as a signed, trackable commitment rather than free-text sponsor-visibility notes).

Scope note: this is a substantial addition — closer in size to Module 19 than to a single field. If pursued, it would reasonably become its own module (a natural “Module 20”).

4.2 Stakeholder Journeys, Touchpoints & Journey Analytics (D27, D28, D29)

8 named personas journeys (End User, Executive Sponsor, Frontline Supervisor, Champion, Mentee, Divergence Case, QMS Certification, AI Suggestion Lifecycle), each broken into touchpoints carrying Days_From_Trigger, Automation_Level, Success_Criteria, and Evidence_Required — plus 5 dedicated analytics dashboards (End User Journey Completion, Sponsor & Charter Compliance, Mentoring Progression, Divergence Case Resolution, Journey Analytics Executive Roll-Up). Module 16’s existing Journey Map is the closest analog but is a simpler visual timeline without the touchpoint/success-criteria/evidence structure or any of the 5 dashboards.

4.3 Refinements to the Module 18 Phase Gate / Checklist feature (small, targeted)

These are precise deltas against D32a/c/d/e now that the field-level specs are available (they weren’t when the feature was built last session from CR1 alone):

- Weighted checklist items (Weight_% per item) instead of equal-weight completion %.
- Accountable role on a Phase Gate should be **selectable** (any single role), not hardcoded to “PM.”

- WBS tasks need a distinct `Project_Change_Joint_Tag` (Project/Change/Joint) separate from the existing track field (REQ-020).
- Common-Lifecycle Phase should be a constrained P1-P7 enum, filterable across other modules (REQ-021), not free text scoped to Module 18 alone.

4.4 Cross-Type Comparison Matrix (REQ-023 / D32i) — repeated here as a concrete build target

A filterable table/view — proposed location: a new tab on Module 15 — comparing the 7 or 8 transformation types (pending Finding B) on Typical Duration, Terminal Gate, External Party Involvement, Dominant Framework, and Reversibility, each row citing its seed-project example.

4.5 Report export formats & Alerts/notification channels (D07, D08)

No PDF/Excel/CSV/PowerPoint export exists anywhere in journi (confirmed: package.json has no export library — react, react-dom, react-router-dom only), where D08 specifies export formats per report. Similarly, D07's 7 alerts specify escalation via Email/Push/Teams notification channels; journi's equivalent conditions (e.g., divergence detected, sponsor coverage gap) surface only as in-app badges/flags, with no outbound notification of any kind. Both are consistent with the client-side-only architecture (Finding, Section 6) — a notification channel needs a backend to send from — but are worth naming explicitly since D07/D08 assume them.

5. What's Fully Aligned

For balance: the following areas are in strong, verified alignment with the source set, most of it delivered in the prior CR1 implementation session and re-verified in this analysis:

- **CR1's 8-transformation-type expansion** (Finding B's "which side is right" question aside, the *mechanism* — archetype → Default E2E Process → Phase Template — is correctly built and functioning).
- **Modules 1-17** (hierarchy, RBAC, initiative registry, ADKAR, Bridges/Kübler-Ross, sponsor/coalition, communications, training, resistance, coaching, sustainment, risk register, analytics, journey map, AI governance) match D01-D10/D15/D26 at the functional level, modulo the BPMN/DMN/COSO infrastructure layer discussed in Section 6.
- **Module 18** WBS/Gantt + Phase Templates + Phase Checklists + Phase Gates/Joint Decision Records — REQ-011, 016, 017, 018 all functioning end-to-end, verified via Playwright.

- **Module 19** Macro Process catalog + E2E Registry browser + editable RACSI grid — structurally correct (REQ-022), pending Finding A's data correction.
 - **License & Plan panel** (Module 2) — a proportionate, correctly-scoped reflection of D30's licensing model for a client-side app (SaaS/OnPrem mode, .lic upload, feature flags), not the literal Ed25519/Firebase SDK D30 specifies for a server-backed deployment.
 - **13 (or 14, pending Finding B) seed projects** — `journi_Deliverables_D01D10_D15_D26.xlsx`'s D21 Project Registry IDs (PRJ-001-013) match journi's seeded case set 1:1 by name, type, and organization.
-

6. Architectural Divergence, By Design (not re-scored above)

The following source material describes infrastructure a **server-backed, enterprise-deployed** journi would have, which the current **client-side, browser-only reference build** intentionally does not implement. This is documented in `journi_spec.md` Section 2.4 and is not treated as a per-item gap in Section 3:

- **D02/D03 BPMN/DMN workflow and decision-table engine** — journi's business logic (justification gating, divergence detection, competency thresholds) is implemented directly in JavaScript (`utils/compute.js`, `utils/rbac.js`), not as executable BPMN processes or DMN decision tables with hit-policies and audit-grade rule versioning.
- **D04 Controls / COSO control-testing framework** — no formal control-testing cadence, evidence-retention period, or "Line of Defense" model; journi's equivalent governance is the Permission Matrix + justification logging.
- **D09/D10/D12 Info Model, Data Dictionary, Physical Data Model** — journi's data shapes are plain JS objects in `localStorage`, not a normalized relational schema with foreign keys and a formal object-class catalog.
- **D14/D18/D20 BPMN Orchestration, Components, BPMN Execution Pack** — no service-oriented backend components exist to orchestrate.
- **D19/D19b Automation Decision Engine, Formula Registry** — journi's few formulas (readiness index, divergence check) are hardcoded functions, not a registered, versioned formula catalog.
- **D24/REQ-024 Server-Side Persistence** — the foundational item; every one of the above assumes it.

None of this is a defect in the delivered application — it is the documented cost of the client-side-only architecture choice, and reversing it would be a platform decision (adopt a backend), not a feature addition.

7. Recommendations, in Priority Order

Do first (data corrections, no new UI, low effort/high correctness):

1. Correct `e2eProcesses.js`'s four core E2E entries (E2E-01-04) to D32h's corrected macro-process compositions and names (Finding A); add per-chain RACSI. 2. Resolve Finding B (7 vs. 8 transformation types) as a product decision, then align whichever side loses.

Do next (small, scoped additions consistent with existing patterns):

3. Build the Cross-Type Comparison Matrix (REQ-023/D32i) as a Module 15 tab. 4. Add `Project_Change_Joint_Tag` to WBS tasks (REQ-020) and promote phase to a constrained P1-P7 enum filterable from other modules (REQ-021). 5. Make Phase Gate Accountable role selectable rather than hardcoded (D32e/JD-05); add per-item checklist weighting (D32c).

Consider as a larger, separately-scoped addition: 6. CM Charters (D31 family) — likely its own module. 7. Stakeholder Journey/Touchpoint model + the 5 Journey Analytics dashboards (D27-D29) — a substantial extension of Module 16/15.

Explicitly out of scope without a platform decision: 8. Server-side persistence, BPMN/DMN workflow engine, COSO control-testing framework, report export formats, outbound alert notifications — all downstream of “does journi get a backend,” which is a scope conversation, not an implementation task.