



ADMINISTRATION GUIDE

CortexSkills

Configure, govern and operate the platform

Version 1.10.0 · 2026-10-07

Prepared by POWERACT Consulting

Table of Contents

1. About this guide.....	3
2. Organizations, users and access.....	4
3. Configuration.....	6
4. Process design.....	8
5. Organization (OBS) and RACSI.....	10
6. Project templates and blueprints.....	12
7. Artificial intelligence.....	13
8. Documented information.....	15
9. Audits.....	17
10. Data protection and operations.....	18
Traceability.....	19

1. About this guide

This guide is for the people who configure and run CortexSkills: the platform administrator, who manages every organization, and the organization administrator, who manages one organization. Every procedure is written as a step followed directly by what to type.

Account	Scope	Sign in
Platform administrator	All groups and organizations, licences, reference process design	admin@cortexskills.app · Admin#2026
Organization administrator	One organization: users, configuration, design copy, OBS, AI, documents	admin@maghrebhospitalsgr.ma · CortexSkills#2026
Head of L&D	Runs, templates, documents; approves with the HR Director	headld@maghrebhospitalsgr.ma · CortexSkills#2026
HR Director	Second approver: releases, documents, gates	hrd@maghrebhospitalsgr.ma · CortexSkills#2026

Two-person rule

A process-design release, a document and a gate decision are published by a person other than the one who submitted them. Plan two administrators per organization.

2. Organizations, users and access

The demonstration holds 59 organizations: one large company and one SME for each of the 29 verticals, and the multi-sector Horizon Services Group used for the sample documents. Each has a licence, a pack and its add-ons.

Create an organization (platform administrator, through the API)

1. Sign in with the API as the platform administrator.

Type: POST /api/auth/login {"email":"admin@cortexskills.app","password":"Admin#2026"}

2. Create the organization with the token received.

Type: POST /api/organizations {"name":{"en":"Atlas Cold Chain","fr":"Atlas Cold Chain","ar":"أطلس للتبريد"},"sector":"LOGI","segment":"SME","employees":40,"city":"Agadir","email_domain":"atascoldcha.in.ma","pack_id":"SME-CMP","seats":25,"starter_team":true,"default_language":"fr"}

3. The organization receives its functions, governance catalog, AI use cases and checklists; the starter team receives one account per role with the password Welcome#2026, to change at first sign-in.
4. Open Groups & organizations to see it in the tree.

Add a user and give a role

1. Open Administration > Users and click New user.
2. Type the identity.

Type: Name — Salma Tazi; E-mail — salma.tazi@maghrebhospitalsgr.ma; Language — French; Title — Training coordinator

3. Type a first password, tick the role L&D Planner and click Save. Give the password to the user, who changes it in Settings.

Type: Welcome#2026

Name	Email	Job title	Roles	Status	Last sign-in
Amine Hajji	ldbp@maghrebhospitalsgr.ma	L&D Business Partner	L&D Business Partner	Active	5 Oct 2026
Ayoub Naciri	km@maghrebhospitalsgr.ma	Knowledge Manager	Knowledge Manager	Active	5 Oct 2026
Ghita Amrani	purchasing@maghrebhospitalsgr.ma	Purchasing Officer	Purchasing Officer	Active	28 Sept 2026
Hajar Amrani	auditor@maghrebhospitalsgr.ma	Auditor (Read-Only)	Auditor (Read-Only)	Active	6 Oct 2026
Hamza Amrani	compliance@maghrebhospitalsgr.ma	Compliance Officer / DPO	Compliance Officer / DPO	Active	4 Oct 2026
Hamza Ziani	change@maghrebhospitalsgr.ma	Change Manager	Change Manager	Active	4 Oct 2026
Hicham Naciri	trainer@maghrebhospitalsgr.ma	Trainer / Coach	Trainer / Coach	Active	2 Oct 2026
Hicham Naciri	gpec@maghrebhospitalsgr.ma	GPEC Specialist	GPEC Specialist	Active	6 Oct 2026
Hind Hajji	strategy@maghrebhospitalsgr.ma	Strategy Analyst / Head of Strategy	Strategy Analyst / Head of Strategy	Active	6 Oct 2026

Figure 1 — Users of the organization

Adjust a permission

1. Open Administration > Permissions. Rows are permissions, columns are roles.
2. Tick documents.approve for the role Quality Manager.
3. Type the justification and confirm. The change is in the audit log.

Type: Quality Manager approves procedures from 2026.

The screenshot displays the 'Permission matrix' in the CortexSkills Administration section. The interface includes a sidebar with navigation options like FAVORITES, HOME, and PORTFOLIO. The main content area shows a table where permissions are listed on the left and roles (R-01 to R-17) are listed on the top. The table contains checkboxes for each permission-role combination. Most permissions are checked for all roles, but 'projects.create' and 'projects.manage' are unchecked for roles R-04 through R-17.

Permission	R-01	R-02	R-03	R-04	R-05	R-06	R-07	R-08	R-09	R-10	R-11	R-12	R-13	R-14	R-15	R-16	R-17
dashboard.view	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
alerts.view	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
assistant.view	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
reports.view	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
help.view	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
profile.edit	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
projects.view	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒	☒
projects.create	☒	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
projects.manage	☒	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Figure 2 — Permission matrix

3. Configuration

Configuration sets the pack, add-ons, compliance standards, quotas and the justification rule. A field marked as governed asks for a justification when it changes.

Activate a compliance standard

1. Open Administration › Configuration, section Compliance standards.
2. Tick ISO 21001 and click Save.

Type: Justification — Certification audit planned in March 2027.

3. Open Reports › Master list › Required by standards: ISO 21001 now lists its documented information.




Figure 3 — Configuration of the organization

Connect the e-mail and WhatsApp channels

1. Open Administration › Channels.
2. In E-mail, fill the SMTP account.

Type: Host — smtp.magrebhospitalsgr.ma; Port — 587; User — formation@magrebhospitalsgr.ma; Sender — CortexSkills Formation

3. In WhatsApp, paste the phone-number ID and the access token of the WhatsApp Business account.
4. Click Send a test. Without credentials, messages stay in sandbox and are listed as simulated.



Ctrl K
EN FR AR
15

Ctrl K

FAVORITES

- Dashboard
- My tasks
- Projects

HOME

- Dashboard
- My tasks
- Alerts
- AI Assistant

PORTFOLIO

- Groups & organization...
- Projects
- New project
- Portfolio overview
- Module workspaces
- Business records
- Questionnaires



Administration > Channels (e-mail, WhatsApp)

Maghreb Hospitals Group

AI Skills Full Run 2026 — Maghreb Hos...

ADMINISTRATION

Channels (e-mail, WhatsApp)

E-mail and WhatsApp providers used to reach questionnaire respondents.

Email

Sandbox — messages kept in the outbox

SMTP server of the Organization (Microsoft 365, Google Workspace, your mail provider). The password is stored encrypted and never shown again.

☐ Enabled Sandbox — messages kept in the outbox

SMTP server

Port

☐ TLS from the start (port 465)

User name

Sender (From)

Reply-to

Password

Not set

Save name@example.com Send a test

WhatsApp

Sandbox — messages kept in the outbox

WhatsApp Business Cloud API (Meta): phone number ID, access token and an approved message template for the first contact. Delivery statuses and replies come back through the webhook.

☐ Enabled Sandbox — messages kept in the outbox

Phone number ID

Business account ID

Approved template name

Template language code

Webhook verify token

Default country code

API base URL

Access token

Not set

App secret (webhook signature)

Figure 4 — Channels

4. Process design

The reference design (33 end-to-end processes, 54 macro processes, their tasks and steps) is read-only. Your organization edits its own copy: the first change to an element copies it. Every change creates a version; a release freezes the design for projects.

Rename a step

1. Open Process design. In the tree, choose By macro process, open MP-01 and its first task, then click step MP-01.1.
2. In Details, change the name in each language.
Type: EN — Record the corporate strategic objectives; FR — Enregistrer les objectifs stratégiques de l'entreprise; AR — تسجيل الأهداف الاستراتيجية للمؤسسة
3. Leave the name field. The naming rules are checked: verb first, no generic word, no unexplained abbreviation, no duplicate.
4. Type the change note and click Save.

Type: Clearer object for the strategy team.




Figure 5 — Process design: tree and element form

Compare and restore a version

1. Open the tab Versions of the element. Tick v0 (reference) and the latest version, then click Compare.
2. Click Restore on the version to bring back, and type why.

Type: Back to the reference wording after the steering committee.

Publish a release (two people)

1. Open the tab Releases and click New release.

Type: Name — 2027 design; Note — After the internal audit.

2. Click Submit.
3. Sign in as the HR Director, open the same release and click Publish.
Type: Reviewed with the process owners.
4. New projects run on the published release. To move a running project, open the project and use Migrate release: the preview lists affected open records.

The screenshot displays the 'Process design' interface in CortexSkills. The left sidebar contains navigation links: FAVORITES (Dashboard, My tasks, Projects), HOME (Dashboard, My tasks, Alerts, AI Assistant), and PORTFOLIO (Groups & organization..., Projects, New project, Portfolio overview, Module workspaces, Business records, Questionnaires). The main area is titled 'Process design' and shows the 'Releases' tab. A description states: 'A release freezes the current design. A second person publishes it; new projects then run on it.' Below this is a table of releases:

Code	Name	Status	Elements	Author	Approver	Published	
DR-001	2026 baseline	Published	1	Mehdi Hajji	Meryem Sefrioui	6 Oct 2026	Retire

At the bottom of the table, it indicates '1 rows'. Above the table, there are buttons for 'Export JSON', 'Export Excel', and 'Import', along with a 'New release' button. The interface also includes a search bar at the top and a language selector (EN, FR, AR).

Figure 6 — Releases

Export JSON produces a file that another installation imports with Import; Export Excel gives one sheet per level. The tab Reference changes lists copied elements whose reference changed since the copy.

5. Organization (OBS) and RACSI

Functions group roles; a role has a mission and is held by people with dates and an allocation. Holding an OBS role gives no access right. When an assignment ends, open work assigned through the role moves to the remaining holder.

Create a role and assign it

1. Open Governance > Organization (OBS), tab Roles, and click New role.

Type: Code — OR-31; Role EN — Training coordinator; FR — Coordinateur formation; AR — منسق التكوين; Function — Human Resources; Reports to — OR-02

2. Click Assign on the new role.

Type: Person — Salma Tazi; Type — Holder; Allocation — 60; Start — 2026-11-01

The screenshot shows the CortexSkills interface. The top navigation bar includes a search bar, language selection (EN, FR, AR), and user information. The left sidebar contains a 'Filter the menu' search bar and a list of navigation items: FAVORITES (Dashboard, My tasks, Projects), HOME (Dashboard, My tasks, Alerts, AI Assistant), and PORTFOLIO (Groups & organization..., Projects, New project, Portfolio overview, Module workspaces, Business records, Questionnaires). The main content area is titled 'Organization (OBS)' under the 'GOVERNANCE' section. It includes a description: 'Functions, roles and the people who hold them, on any date, and who does what in each process.' Below this is a note: 'An OBS role says who does the work. It grants no access right: access rights are set in Users and Permissions.' The 'Roles' tab is selected, showing a table of roles. The table has columns: Code, Role, Functions, and Held by. Three roles are listed: OR-01 (Platform Administrator, Operations, Omar Alaoui - 80%), OR-02 (HR Director / Steering Committee Chair, Quality & HSE, Meryem Sefrioui - 80%), and OR-03 (Head of L&D, Finance, Hind Ouazzani (Deputy) - 20% · Mehdi Hajji). Each role has an 'Assign' button and a pencil icon for editing. The interface also includes a search bar for roles, a filter button, and a 'New role' button.

Code	Role	Functions	Held by
OR-01	Platform Administrator	Operations	Omar Alaoui · 80%
OR-02	HR Director / Steering Committee Chair	Quality & HSE	Meryem Sefrioui · 80%
OR-03	Head of L&D	Finance	Hind Ouazzani (Deputy) · 20% · Mehdi Hajji

Figure 7 — Roles and holders

Set the RACSI of a macro process

1. Open the tab RACSI by process and choose MP-01.
2. Click the pencil of a step and pick roles rather than names.

Type: R — L&D Analyst; A — Head of L&D (exactly one); C — HR Director; I — Finance Manager

3. Click Save. The matrix shows Complete when every step has one Accountable.

CortexSkills

Q Search everything...Ctrl K

ENFRAR

15

Q SearchCtrl K

Filter the menu

FAVORITES

Dashboard

My tasks

Projects

HOME

Dashboard

My tasks

Alerts

AI Assistant

PORTFOLIO

Groups & organizatio...

Projects

New project

Portfolio overview

Module workspaces

Business records

Questionnaires

AI Value

Governance & risk > Organization (OBS)

Maghreb Hospitals Group

AI Skills Full Run 2026 — Maghreb Hos...

GOVERNANCE

Organization (OBS)

Functions, roles and the people who hold them, on any date, and who does what in each process.

An OBS role says who does the work. It grants no access right: access rights are set in Users and Permissions.

Roles

Functions

Views

Organization chart

RACSI by process

RACSI by process

Macro process

MP-01 (Strategy & Governance Alignment)

Assign roles rather than names: the work follows the role when people change.

5 CompleteExactly one Accountable (A) per step.

Step	R	A	C	S	I	
MP-01.1 Record the corporate strategic objectives	L&D Analyst (Role)	Head of L&D (Role)	HR Director / Steering Committee Chair (Role)	—	Finance Manager (Role)	
MP-01.2 Link objectives to functions and sites	L&D Analyst (Role)	Head of L&D (Role)	HR Director / Steering Committee Chair (Role)	—	Finance Manager (Role)	

Figure 8 — RACSI by macro process

POWERACT Consulting · CortexSkills — Administration Guide

Page 11 of 19

6. Project templates and blueprints

A template's blueprint says what a project receives. Library templates are read-only; Customize copies one into the organization. Published organization templates are offered first at project creation; the project keeps the template code and version it was created from.

Customize a template

1. Open Process design > Project templates and open Healthcare Providers — full run — AI. Click Customize (copy).
2. In Processes and steps, untick a task the organization does not run; click the pencil of a task to rename it in projects.
Type: Name in projects — Validate the plan with the executive committee
3. Click + on a task to add a custom step.
Type: Level — Step; Name — Record the board minutes
4. In Reporting plan, click Add manually.
Type: Report — Monthly steering pack; Audience — Executive committee; Frequency — Monthly; Format — PDF; Owner — Head of L&D
5. Click Publish. A template with no included step cannot be published. Export it in Word, PDF or Excel from the header.

The screenshot shows the CortexSkills interface. The sidebar on the left contains navigation links: FAVORITES (Dashboard, My tasks, Projects), HOME (Dashboard, My tasks, Alerts, AI Assistant), and PORTFOLIO (Groups & organization..., Projects, New project, Portfolio overview, Module workspaces, Business records, Questionnaires). The main content area is titled 'PROJECT TEMPLATES · PT-HCPR-FULL-AI-CO0GL · V6' and 'Healthcare Providers — full run — AI (copy)'. It includes a description: 'What a project created from this template receives: processes and steps, rules, controls, risks, alerts, KPIs and reports.' Below the description are buttons for 'Project templates', 'DOCX', 'PDF', 'XLSX', 'Duplicate', and 'Retire'. A summary bar shows: PHASES (7), END-TO-END PROCESSES (35), TASKS (264), and STEPS (462). An 'Overview' table lists the following details:

Code	PT-HCPR-FULL-AI-CO0GL
Status	Published
Mode	Full mode
Focus	AI
Vertical	HCPR
Rules	81
Controls	71
Risks	12
Alerts	41

Figure 9 — Blueprint of an organization template

7. Artificial intelligence

Without a model, CortexSkills answers with its built-in engine. With an organization model, each AI use case sends its assembled prompt; nothing proposed by the AI is saved before a person validates it.

Connect the organization model

1. Open AI & knowledge > AI settings.
2. Choose the provider and the model.
Type: Provider — Anthropic; Model — claude-sonnet-5-5
3. Paste the API key. It is stored encrypted and never shown again.
4. Set the maximum answer length, tick Use this model for the organization and click Save.

Type: 1500

5. Click Test connection. The result names the cause of any failure: key refused, model not found, parameter rejected, rate limit, unreachable.




Figure 10 — AI settings

Complete a prompt specification and activate the use case

1. Open AI use cases and click Specification on AIUC-01.
2. Fill each required field in each language; each field is saved when you leave it.
Type: Constraints — Never assign a level without evidence; cite the evidence for each level.
3. Click Assembled prompt to check the variables, then Test on this project. The test writes nothing.
4. Back in AI use cases, tick the use case in the column Organization. Activation is refused while a required field is empty.




Figure 11 — Prompt specification

8. Documented information

The library holds 37 templates: one per end-to-end deliverable, the Training Engineering Report, the training plan, the audit report and the master list. An organization copy replaces the library template with the same code. The layout applies to every generated document.

Adapt a template

1. Open Reports > Document templates and click DT-E2E-01.
2. Click Copy to my organization. Drafts that use an older version are listed.

The screenshot shows the CortexSkills interface. On the left is a sidebar with navigation links: FAVORITES (Dashboard, My tasks, Projects), HOME (Dashboard, My tasks, Alerts, AI Assistant), and PORTFOLIO (Groups & organization..., Projects, New project, Portfolio overview, Module workspaces, Business records, Questionnaires). The main area is titled 'Document templates' under the 'REPORTS' section. It includes a search bar and a filter button. Below is a table of templates:

Code	Name	Category	End-to-end process	Origin	Sections	Version
DT-AUDIT	Audit report	Report	E2E-18	Library	1	1
DT-E2E-01	Annual L&D plan and budget	Plan	E2E-01	Library	15	1
DT-E2E-02	Skills gap diagnosis	Report	E2E-02	Library	14	1
DT-E2E-03	Training needs report and roadmap	Report	E2E-03	Library	15	1
DT-E2E-04	Curriculum design document	Design	E2E-04	Library	14	1
DT-E2E-05	Training delivery report	Record	E2E-05	Library	14	1
DT-E2E-06	Learner engagement report	Report	E2E-06	Library	14	1
DT-E2E-07	Training evaluation report	Evaluation	E2E-07	Library	13	1
DT-E2E-08	ROI and business impact report	Evaluation	E2E-08	Library	14	1

Figure 12 — Document template library

Set the organization layout

1. Open Reports > Document layout.
2. Choose fonts, sizes, alignment and colors from the allowed lists.
Type: Body font — Open Sans 11 pt; Heading font — Montserrat 16 pt; Alignment — Left; Table header color — 123A5F (Navy); Paper — A4; Margins — 20 mm
3. Type the header and footer texts, choose Uploaded image as logo and upload a PNG of 5 MB or less.
Type: Header — Maghreb Hospitals Group · Training; Footer — Internal use
4. Click Preview as PDF, then Save. Each save is a version.




Figure 13 — Document layout

Reports > Master list lists every document of the project with version, status, owner and review dates; the tab Required by standards shows, clause by clause, the template and the document that answer each standard.




Figure 14 — Master list

9. Audits

Plan an audit and treat a nonconformity

1. Open Governance > Audits and click New.

Type: Code — AUD-2027-01; Name — Internal audit of the training process; Standard — ISO 9001; Frequency — Annual; Planned date — 2027-03-15

2. Save. The next date is computed from the frequency.

3. Open the audit and add a finding.

Type: Grade — Minor; Requirement — ISO 9001 §7.2; Statement — Two trainers have no evidence of competence on file.

4. Click Raise the action. The corrective action enters the action process; the finding moves to Action planned.

The screenshot displays the CortexSkills interface for the 'Audits' section. The left sidebar contains navigation options like Dashboard, My tasks, Projects, Alerts, AI Assistant, and Portfolio. The main content area shows the 'Audits' title and a description: 'Audit and inspection plans, findings graded on a shown scale, nonconformities with their corrective actions, and the audit report.' Below this is a 'Grading scale' section with five categories: 1 Major nonconformity (red), 2 Minor nonconformity (orange), 3 Observation (yellow), 4 Opportunity for improvement (light green), and 5 Strength (dark green). A detailed explanation for 'Major' is provided. At the bottom, a table lists two audit programmes:

Code	Name	Standard	Frequency	Planned	Next audit	Status
AUD-AI-2026	Internal audit of the training process — AI	ISO 7101	Annual	31 Aug 2026	31 Aug 2027	Reported
AUD-DG-2026	Internal audit of the training process — Digital	ISO 7101	Annual	3 Aug 2026	3 Aug 2027	Reported

2 rows

Figure 15 — Audit programmes and grading scale

10. Data protection and operations

Topic	Rule in CortexSkills
Retention of responses	Questionnaire responses older than the retention period (5 years by default, record Retention policy) are anonymized every day: identity and free text removed, scores kept.
Anonymized questionnaires	Tick Anonymized on the questionnaire: identity is stripped before storage and no link to the respondent is kept.
Audit log	Append-only: every change with user, time, before and after values and justification.
Backups	Daily copy of the database while the service runs; retention set in the server configuration; Backup now on demand (platform administrator).
Keys and secrets	Model keys and channel tokens are sealed on the server; only the last characters are shown.

Purge expired responses now

1. Set the period: open Portfolio > Business records > RetentionPolicy and create the record.

Type: Questionnaire years — 5; Mode — anonymize

2. The purge runs every day. To run it now, call the API as organization administrator.

Type: POST /api/retention/purge {"mode":"anonymize"}

3. Check the count in the audit log entry RetentionPolicy · purge.

Date ↑↓	User ↑↓	Entity ↑↓	Action ↑↓	After ↑↓	Justification ↑↓
10/11/2026, 11:39:27 PM	Hicham Naciri	Task	status	{"status":"Completed"}	—
10/8/2026, 11:39:27 PM	Hind Mansouri	Task	status	{"status":"Completed"}	—
10/8/2026, 11:39:27 PM	Imane Berrada	Task	status	{"status":"Completed"}	—
10/6/2026, 11:40:59 PM	Meryem Sefrioui	DesignElement	release.publish	—	Reviewed with the process owners
10/6/2026, 11:40:59 PM	Mehdi Hajji	DesignElement	release.submit	—	—
10/6/2026, 11:40:59 PM	Mehdi Hajji	DesignElement	release.create	{"name":"2026 baseline"}	—
10/6/2026, 11:40:59 PM	Mehdi Hajji	DesignElement	update	{"name":{"en":"Record the corporate strategic objectives","fr":"Enregistrer les objectifs stratégiques de l'entreprise"}}	Clearer object
10/5/2026,	Reda Rami	Task	status	{"status":"Completed"}	—

Figure 16 — Audit log

Traceability

Administration › Traceability lists the 580 requirements of the Dynamic Apps Standard SRS v1.10 with their status and evidence: 558 met, 10 partial and 12 left to the production hosting (sizing, uptime, encryption at rest, residency).




Figure 17 — Requirement traceability