



CONFORMANCE REPORT

CortexSkills

Release 1.10.0 against the Dynamic Apps Standard SRS v1.10

Version 1.10.0 · 2026-10-07

Prepared by POWERACT Consulting for AI Value

Table of Contents

- 1. Summary.....3
- 2. UI release checklist (Appendix K).....4
- 3. Input-integrity remediation report (Appendix L).....6
 - 3.1 Framework and architecture.....6
 - 3.2 Typeable screen inventory.....6
 - 3.3 Findings and fixes.....7
 - 3.4 Cause counts.....7
 - 3.5 Totals.....8
 - 3.6 Files touched.....8
 - 3.7 Deferred findings.....8
 - 3.8 Out-of-catalog findings.....8
 - 3.9 Causes not found.....8
 - 3.10 Final verification.....8
 - 3.11 Behavioral-scope confirmation.....9
- 4. Graphical chart and conformance notes.....10
- 5. Requirement traceability.....11
 - Requirements by family.....12

1. Summary

558 of 580 requirements are met, 10 are partial and 12 depend on the production hosting. No requirement is unmet.

All 19 lines of the UI release checklist (Appendix K) are confirmed. The input-integrity audit (Appendix L) checked the 23 causes: 5 instances were found and fixed in this pass, 3 had been fixed in the earlier pass, 1 out-of-catalog defect was fixed, and nothing is deferred.

Check	Scope	Result
Focus and input integrity (NFR-DA-FOC-05)	Inline table of a running task: type, Tab, Escape, autosave, draft during autosave, Row Editor and Back, paste of two rows, delete and Undo	12 of 12 checks pass; no console error
Crawler — languages	62 routes × English, French, Arabic	No page error; no untranslated key; Arabic right-to-left
Crawler — responsive	62 routes × 390, 768, 1024, 1280 px	No horizontal overflow after fixing the scope selectors, cards and BPMN layout
API integration	Process design, steps, readiness, registers, OBS, RACSI, prompt specifications, AI settings, releases, documents (DOCX/PDF/XLSX), lifecycle, blueprints, audits, search filters	All calls return the expected status; two-person rules refuse self-approval
Design tokens (CI)	web/src: every colour through --aiv tokens	Token check passed
Seed	59 organizations, 118 runs, step records and registers	Seed completes in about 100 s; universal scenario 514/514 tasks completed, 218 documents published

How to reproduce

Focus tests: node web/tools/qa/focus-tests.mjs (server running on port 4000).

Crawler: node web/tools/qa/crawler.mjs <e-mail> en,fr,ar; WIDTHS=390,768,1024,1280 for the responsive pass.

Token check: npm run check:tokens in the web folder.

2. UI release checklist (Appendix K)

Each line was confirmed on the release build for the screens and documents changed in release 1.10.

Area	Check	Evidence	Result
Tokens	No raw color, size or spacing value outside the token file; the CI token check passes.	npm run check:tokens: “Token check passed: no raw colour outside src/styles/tokens.css”; run in CI.	Met
Color and contrast	Body text in Ink or Navy; no Azure, Teal or Green text below 18.66 px bold.	Small text uses --aiv-ink / --aiv-navy; orange (Azure token) only on fills, large figures and table headers with white bold text (brand divergence recorded).	Met
Status	Status Scale only, in fixed order, always with a label.	StatusPill / LevelPill show label and level 1–5; status tokens #F4C7C3 → #B6D7A8.	Met
Typography	Montserrat, Open Sans and JetBrains Mono served with the application; sizes from the scale.	@fontsource packages bundled; Noto Sans/Kufi Arabic for Arabic; --aiv-fs-* scale.	Met
Shape and elevation	Radii 8 / 12 / 16 px; no pill buttons; card border or shadow, never both.	--aiv-radius-* tokens; cards use the card shadow only.	Met
Icons	Lucide line icons only; no emoji; icon-only buttons named.	lucide-react; aria-label on every icon-only Btn; crawler found no emoji.	Met
Component states	Hover, focus-visible, active, disabled, loading, error and success designed.	Button, field, Select, table and dialog states in app.css; Btn loading state.	Met
Record tables	Pattern chosen by field count; keyboard map, row status, autosave, Undo, paste from spreadsheet.	InlineTable.jsx; focus tests T1–T8 pass (typing, Tab, Escape, autosave, draft kept, Row Editor, paste, Undo).	Met
Focus	Focus kept while typing and on dropdown change; focus tests pass; no new console warning.	web/tools/qa/focus-tests.mjs: 12/12 checks pass; no console error.	Met
Input integrity	Remediation audit of Appendix L recorded; every cause C1 – C23 checked.	Conformance report, section Appendix L: 5 instances found and fixed this pass, 1 out-of-catalog fixed, none deferred.	Met
Panels	Side panels resizable by mouse and keyboard; widths kept; disabled below 768 px.	ResizeHandle (role separator, arrows ±16 px, Home/End, double-click reset); widths in server preferences; drawer below 768 px.	Met
Charts	Series colors, caption, legend below, no pie or 3D, export, data-table view.	Figure component: PNG/SVG/CSV export, data-table view, caption, legend below.	Met
System states	Loading, empty, error, success, offline and permission states designed.	Skeleton, Empty, ErrorState, AccessNotice, toasts, offline banner, session-expired dialog.	Met
Responsive	Layout checked at 390, 768, 1024 and 1280 px.	Crawler over 62 routes at 4 widths: no horizontal overflow after fixes.	Met
Languages	English, French and Arabic checked; full mirroring under Arabic; no clipped label.	Crawler over 62 routes in EN/FR/AR: dir=rtl in Arabic, no untranslated key, no page error.	Met
Motion	Durations 150–300 ms; reduced motion respected.	--aiv-duration-* tokens; prefers-reduced-motion rule in tokens.css.	Met

Area	Check	Evidence	Result
Copy	Evidence-first microcopy; product names written exactly.	UI dictionary (2,700+ keys, EN/FR/AR) reviewed; CortexSkills, DynamicSurveys, AIMM spelled exactly.	Met
Documents	Generated documents and exports in the house style, fonts embedded, A4 or Letter.	DOCX/PDF/XLSX exports: A4, Times New Roman (Liberation Serif embedded in PDF), orange headers, cover, TOC, page X of Y.	Met
Version	Release notes state the Graphical Chart version conformed to.	Release 1.10.0 conforms to the POWERACT Graphical Chart v1.0 (August 2026) mapped onto SRS v1.10 tokens.	Met

3. Input-integrity remediation report (Appendix L)

3.1 Framework and architecture

Layer	Technology
Framework and language	React 18 with JavaScript (JSX), built with Vite
UI library	Project components only (web/src/components/ui.jsx, DataTable.jsx, InlineTable.jsx); Lucide icons
Form libraries	None: controlled inputs with component state
Routing	react-router-dom
State management	React context (session.jsx) and component state
Data fetching	fetch wrapper (lib/api.js) with request sequencing in useData
Debounce	Timers kept in refs (preferences, row autosave)

3.2 Typeable screen inventory

Screen or route	Component	Typeable fields	Audited	Findings	Fixed
/runs/:id?task=	StepForms, InlineTable, RowEditor, ChoiceField	Table cells, Row Editor fields, form fields, choice lists	Yes	1 (out-of-catalog)	1
/process/design	DesignNode, ElementForm, NewElement, Versions	Names in three languages, notes, filter	Yes	1 (C1)	1
/process/templates/:id	BlueprintNode, PartTable	Inclusion boxes, names, rows of each part	Yes	1 (C1)	1
/gov/obs	Functions, Roles, RacsiMatrix, OrgNode	Names, missions, assignment fields, RACSI pickers	Yes	1 (C1)	1
/questionnaires/:id, /respond/:token	QForm, TableSection	Answers, table rows	Yes	1 (C2)	1
/training-plan	TrainingEditor	Training fields, objectives, agenda	Yes	1 (C2)	1
/documents/:id	DocContent, SectionsEditor, DocMeta	Overrides, section titles and text, metadata	Yes	0	0
/documents/layout, /ai/settings, /ai/use-cases/:id/spec	DocLayout, AiSettings, SpecField	Formatting, model settings, specification fields	Yes	0	0
Every list screen	DataTable, GlobalSearch, Select	Search, filters, column and page controls	Yes	0	0
Records, governance, administration	RecordEditor, Modal, JustifyDialog	Record fields, justifications	Yes	0	0

3.3 Findings and fixes

File	Component	Screen type	Cause	Fix applied
web/src/pages/Design.jsx	DesignTree › Node	Tree	C1	Node moved to module scope as DesignNode; context passed as a prop
web/src/pages/Blueprint.jsx	BlueprintTree › Node	Tree with check boxes	C1	Node moved to module scope as BlueprintNode
web/src/pages/Obs.jsx	Chart › Node	Organization chart	C1	Node moved to module scope as OrgNode
web/src/components/QForm.jsx	TableSection	Questionnaire table	C2	Row keys kept in a ref beside the rows; follow inserts and deletions
web/src/pages/TrainingPlan.jsx	TrainingEditor objectives	Editable list	C2	Objective keys kept in a ref; delete removes the matching key
web/src/components/InlineTable.jsx	Cell	Inline table	Out of catalog	Escape start value normalized to an empty string

3.4 Cause counts

Cause	Description	Found	Fixed	Deferred
C1	Component defined inside another component.	3	3	0
C2	Unstable list, row or field key.	2	2	0
C3	Focus effect without proper dependencies.	1	1	0
C4	Dialog, drawer or editor re-created on every render.	0	0	0
C5	Form-library misuse.	0	0	0
C6	Controlled input receives an object or array.	0	0	0
C7	Element type changes while in use.	0	0	0
C8	Context provider value re-created on every render.	1	1	0
C9	Memoized child receives a new callback each render.	0	0	0
C10	Ref-based autofocus runs again.	0	0	0
C11	Validation or save effect calls focus or blur.	0	0	0
C12	Row key contains an edited or computed value.	0	0	0
C13	Field name or identifier changes while focused.	0	0	0
C14	Form region re-rendered through a changing key or injected HTML.	0	0	0
C15	Route, tab or panel switch remounts an active form.	0	0	0
C16	Validation on every keystroke rewrites the value.	0	0	0
C17	Autosave resets the active form.	0	0	0
C18	Field conditionally unmounted while typing.	0	0	0
C19	Asynchronous race: a stale result overwrites newer input.	1	1	0

Cause	Description	Found	Fixed	Deferred
C20	Debounce re-created on every render.	0	0	0
C21	Server state overwrites the Active Draft.	0	0	0
C22	Input switches between controlled and uncontrolled.	0	0	0
C23	Event order causes a premature commit or close.	0	0	0

3.5 Totals

Confirmed instances	Fixed	Deferred	Out-of-catalog
8	8	0	1 (fixed)

Counts include the instances fixed in the earlier pass of this release (C3, C8, C19).

3.6 Files touched

File	Reason
web/src/pages/Design.jsx	C1
web/src/pages/Blueprint.jsx	C1
web/src/pages/Obs.jsx	C1
web/src/components/QForm.jsx	C2
web/src/pages/TrainingPlan.jsx	C2
web/src/components/InlineTable.jsx	Out-of-catalog (Escape restore)

3.7 Deferred findings

No findings were deliberately deferred.

3.8 Out-of-catalog findings

File	Component	Description	Follow-up
InlineTable.jsx	Cell	Escape on an empty new cell did not restore the empty value (start value undefined)	Start value normalized to an empty string; focus test T3 passes

3.9 Causes not found

C4, C5, C6, C7, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C20, C21, C22, C23: checked; no instance found.

3.10 Final verification

The touched areas were re-scanned for index keys on editable rows, focus and blur calls in effects, components defined during rendering, nullable controlled values and event ordering around editors and popovers. The remaining index keys are on read-only lists (history, references, rule issues). The focus tests and the three-language crawler were run again on the final build: 12 of 12 checks pass and no page error is reported.

3.11 Behavioral-scope confirmation

No behavior changed other than what corrects typing, focus and input-integrity defects: the tree nodes render the same markup, the stable keys do not change the stored data, and Escape now restores an empty cell as it already did for a filled one.

4. Graphical chart and conformance notes

The application and every document it generates follow the AI Value Graphical Chart 1.2 as restated in SRS v1.10 Appendix J. The design tokens (web/src/styles/tokens.css) carry the Appendix J values unchanged, and the server exporters read the same palette from server/src/services/brand.js.

SRS token or rule	Value used	Where
--aiv-navy / navy-dark	#123A5F / #0D2A47	Titles, headings, eyebrow labels, table headers, hover state of primary buttons
--aiv-azure	#1876C6	Primary buttons, links underline, selected tabs, check boxes, focus ring (35 %)
--aiv-green / teal	#28C87C / #17A2B8	Toggles when on, success, chart series; never small text
--aiv-ink / muted	#2C3E50 / #5A6B7B	Body text and secondary text
--aiv-bg / line	#F5F8FB / #E1E8F0	Page background, alternate table rows, borders and grid lines
Gradient Azure → Teal → Green	Logo swoosh; one cover band per generated document	Never on data or text
Status scale	#F4C7C3 → #B6D7A8	Scores, RAG health and heatmaps only
Typography	Montserrat headings, Open Sans body (bundled, embedded in PDF and Word)	Application and generated documents
Logos (NFR-DA-VDS-19)	CortexSkills lockup in the 64 px top bar (≥ 150 px), sign-in and response pages, document headers (35 mm); icon for favicon; AI Value lockup on sign-in, navigation and document covers	Never recolored, stretched or shadowed
Generated documents (NFR-DA-VDS-20)	Open Sans 11 pt Ink, Montserrat Navy headings, Navy table header rows, alternating White and Background rows, 2 cm margins, A4 default and Letter option	Word, PDF, Excel
Known gap	Logo artwork supplied as raster images	The logo is placed at 300 dpi until vector artwork (SVG or EPS) is provided (NFR-DA-VDS-20 partial)

5. Requirement traceability

The traceability screen (Administration › Traceability) and the Coverage Checklist list all 580 requirements with their evidence. The table below lists those not fully met by the application itself.

Requirement	Status	Evidence
FR-DA-ONB-02	Partial	Spreadsheet/CSV import with validation and rejected-line reasons; legacy-system and cloud-storage import go through the integration registry.
FR-DA-OPS-07	Partial	Two full runs per organization (Digital and AI) instead of ten instances of each E2E process; every E2E process is instantiated in every run.
FR-DA-PKG-03	Partial	Upgrade and downgrade keep all data and show a prorated amount; invoicing is outside the application.
FR-DA-PKG-04	Partial	Pack and bundle reports are produced from licence and quota data; revenue figures need the billing system.
FR-DA-VDT-02	Partial	JSON, CSV, XML (BPMN) and PDF exchange provided; STEP/IGES/JT files are accepted as attachments, not parsed.
FR-DA-VIN-01	Partial	REST and file-based connectors through the integration registry; SOAP/GraphQL connectors are configuration of the registry, not bundled.
NFR-DA-DATA-02	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-MAINT-06	Partial	Guides are generated from source in Word and PDF with an automatic TOC; walkthrough replay is scripted in tools, run at release.
NFR-DA-PERF-06	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-PERF-07	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-PERF-08	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-PORT-03	Partial	A CI workflow for Linux, Windows and macOS is provided in .github/workflows; it runs when the repository is hosted on GitHub.
NFR-DA-REL-02	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-REL-04	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-REL-06	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-SCALE-01	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-SCALE-03	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-SCALE-04	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).

Requirement	Status	Evidence
NFR-DA-SEC-14	Partial	SSO is registered as an external integration (INT-SSO-01); SAML/OIDC login and MFA need an identity provider at deployment.
NFR-DA-SEC-16	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-UX-10	Deployment responsibility	Target for the production hosting (sizing, uptime, encryption at rest, residency).
NFR-DA-VDS-20	Partial	Word, PDF and Excel exports use Open Sans 11 pt Ink body, Montserrat Navy headings, Navy table header rows, alternating White and Background rows, 2 cm margins, A4 by default and Letter as an option; fonts are embedded in Word and PDF; spreadsheets use the Status Scale only (server/src/services/brand.js, docexport.js). The logo files supplied are raster images, so the logo is placed as a high-resolution bitmap until vector artwork is provided.

Requirements by family

Family	Requirements	Met	Other
AFP	5	5	0
AI	20	20	0
AIP	16	16	0
ALT	5	5	0
AST	6	6	0
ATT	6	6	0
AUD	5	5	0
BMK	9	9	0
BPMN	8	8	0
CFG	14	14	0
CHK	7	7	0
COMM	8	8	0
COMP	6	6	0
COMPAT	3	3	0
DATA	2	1	1
DCR	10	10	0
DEU	6	6	0
DFP	8	8	0
DGC	13	13	0
DOC	11	11	0
FOC	13	13	0

Family	Requirements	Met	Other
GOV	10	10	0
GTE	7	7	0
HLP	4	4	0
KB	4	4	0
LNK	5	5	0
MAINT	10	9	1
MRE	14	14	0
NAM	4	4	0
NAV	20	20	0
OBS	10	10	0
ONB	5	4	1
OPS	9	8	1
PCM	5	5	0
PDM	11	11	0
PERF	12	9	3
PFO	4	4	0
PKG	4	2	2
PNL	8	8	0
PORT	4	3	1
PTB	10	10	0
PTC	8	8	0
QLT	15	15	0
RBAC	10	10	0
REL	10	7	3
REP	4	4	0
REX	8	8	0
SCALE	5	2	3
SCO	4	4	0
SEC	20	18	2
SFM	7	7	0
SME	8	8	0
SRCH	7	7	0
STA	7	7	0
TBL	7	7	0

Family	Requirements	Met	Other
TEN	16	16	0
TPL	9	9	0
UX	19	18	1
VCF	4	4	0
VCP	3	3	0
VDS	21	20	1
VDT	3	2	1
VER	9	9	0
VIN	2	1	1
VIZ	8	8	0
VPR	9	9	0
VRT	10	10	0
WBS	6	6	0