

POWERACT

CONSULTING

COVERAGE CHECKLIST

DynamicMS — Coverage Checklist

Every element of the five source files and of the request, mapped to the application

Table of Contents

Method and result.....	3
01 — Process Design E2E v7.....	3
02 — Packs, Integrations and Add-ons v1.....	4
PDD Deliverables workbook (D00–D26).....	4
Dynamic Apps Standard SRS v1.3.....	5
Notes on partly covered or simulated families.....	6
Requirement by requirement.....	7
CD D30 — Licensing implementation.....	21
Request — seeded full runs.....	21
Request — interface rules.....	24
Request — deliverables.....	24
Feedback on User Guide 2 — SME QMS, Scenario 1.....	25

Method and result

POWERACT Consulting checked each content element of the five source files and each deliverable of the request against the delivered application. An element is Covered when it is loaded in the application or implemented as a working feature and verified (automated API tests, screenshots, seed counts). Covered (simulated) means the feature works end to end inside DynamicMS but does not call a real external system. Partly covered means part of the requirement is implemented; the gap is stated.

Source	Scope	Status
01_DynamicMS_Process_Design_E2E_v7.docx	12 E2E, 162 macro processes, 1572 steps, 30 segments, activation 4860 cells	Covered
02_DynamicMS_Packs_Integrations_Add Ons_v1.docx	12 packs, 12 add-ons, 12 integrations, 7 deployment modes, price matrix, bundles	Covered
DynamicMS_PDD_Deliverables_D01D10_D15_D26.xlsx	34 sheets (D00a–D26) loaded into the reference catalog	Covered
Dynamic_Apps_Standard_SRS_v1.3.docx	321 requirements traced to screens and APIs	Covered
CD_D30_Licensing_Implementation_Schema.docx	Licence provider (SaaS / on-premises), Ed25519 signed licence, read-only mode	Covered
Request — seeded full runs	60 organizations, 120 projects, 84,603 steps in English, French and Arabic	Covered
Request — deliverables	Zip, installation guide, 2 user guides, 2 presentations, PDFs, source code	Covered

01 — Process Design E2E v7

Element	Count	Where in DynamicMS	Status
End-to-end processes (goals, trigger, terminal event, narrative, business value)	12	Process design › E2E processes; Lifecycle phases of every project	Covered
Macro processes with goal, objective, owner, tier, module and SIPOC	162	Process design › Macro processes; Lifecycle › macro process › SIPOC	Covered
Tasks (Task_Name grouping of the SIPOC P column)	499	Macro process › Tasks and steps	Covered
Workflow steps with role, type and description	1572	Step screen with one of 20 input forms (record tables, decision matrix, KPI picker, SMART, review, RACSI); explicit verb-first names; brief and detailed description; seeded in every run	Covered
Unified functional steps (UF) and E2E flow (Part 6)	76 UF · 77 flow rows	E2E detail › Unified flow	Covered
RACSI per E2E activity	113	Governance › RACSI matrix (one Accountable enforced)	Covered
Tier 6 RACSI	15	Process design › Reference lists	Covered
E2E chains and relation types	19	E2E detail › Chains	Covered
Composite E2E (C01–C03)	3	Catalog API /catalog/composites	Covered
Segments / verticals with KPIs, risks and audits	30	Process design › Verticals; sector KPIs and risks seeded in each run	Covered
Activation matrix macro process × segment (✓ / S / —)	4860	Process design › Activation matrix; drives the macro processes of each project	Covered

Element	Count	Where in DynamicMS	Status
Standards map (standard → macro processes)	80	Knowledge base › Standards map	Covered
Compliance packs per segment	30	Process design › Packs and pricing	Covered
DMS048 sample and E2E-01 expanded example	2	Catalog API /catalog/sample	Covered

02 — Packs, Integrations and Add-ons v1

Element	Count	Where in DynamicMS	Status
Solution packs (base, industry, capability) with modules and macro processes	12	Administration › Configuration; entitlement enforced by the server	Covered
Add-ons ADD-01 to ADD-12 as independent toggles	12	Administration › Configuration › Add-ons	Covered
Deployment modes DEP-1 to DEP-7 with price multipliers	7	Configuration › Deployment; price quote	Covered
Price matrix, bundle discounts (5–20 %), annual commitment (15 %)	all	Configuration › Monthly price (live quote)	Covered
Integrations INT-01 to INT-12 (ERP, HRMS, CRM, MES, LIMS, CMMS, EHS, SCADA, payroll)	12	Administration › Integrations: enable, endpoint, credential reference, test, log	Covered (simulated)
Segment-to-pack recommendations	30	Process design › Verticals (base and industry pack)	Covered
Customer clusters and service agreements	9 · 4	Catalog API /catalog/commercial	Covered

PDD Deliverables workbook (D00–D26)

Sheet	Where in DynamicMS	Status
D00a End-to-End Processes	Process design › E2E processes	Covered
D00b Functions	Catalog /catalog/functions	Covered
D00c Process Levels	Catalog /catalog/functions (levels)	Covered
D00d Sample Process Elements	Catalog /catalog/sample	Covered
D01 Macro Processes	Process design › Macro processes	Covered
D01a Macro Process Sheets	Catalog /catalog/sample	Covered
D01b Sheet Interactions	Catalog /catalog/sample	Covered
D01c Sheet Tasks	Catalog /catalog/sample	Covered
D01d Sheet KPIs	Catalog /catalog/sample	Covered
D01e Sheet Custom Sections	Catalog /catalog/sample	Covered
D01f Composite Sheets	Catalog /catalog/sample	Covered
D01g Sheet Monitoring	Catalog /catalog/sample	Covered
D01h SIPOC Register	Catalog /catalog/sample; SIPOC tab of every macro process	Covered
D02 Tasks & Steps	Every step of every run (84,603 executions)	Covered
D02a Task Procedures	Catalog /catalog/sample	Covered
D02b Procedure Steps	Catalog /catalog/sample	Covered

Sheet	Where in DynamicMS	Status
D03 Business Rules	Governance › Rules and controls; checked at step completion	Covered
D03a Actions Registry	Process design › Reference lists	Covered
D04 Controls	Governance › Controls (COSO)	Covered
D05 Risks	Governance › Risks (seeded per project)	Covered
D06 KPIs	Governance › KPIs (12 monthly values per project)	Covered
D07 Alerts	Alerts › Alert catalog; raised in runs	Covered
D08 Reports & Cockpits	Reports › Report catalog	Covered
D08a Doc Templates & Formats	Records › Documents › Templates: 37 IMS templates (sections, data sources, formats, TOC), tenant copies and layout	Covered
D08b Document Versions	Documents › Versions	Covered
D08c MS Policies	Documents (policy per project, QMS single-standard / QHSE integrated)	Covered
D09 Information Class Model	Process design › Reference lists	Covered
D09a Tenant Reference Registry	Catalog /catalog/sample	Covered
D10 Data Dictionary	Process design › Reference lists	Covered
D10a Value Lists	Process design › Reference lists; form select lists	Covered
D15 AI Use Cases (Extended)	AI use cases (library per organization)	Covered
D15b Role Menus	Process design › Reference lists; roles of the permission matrix	Covered
D26 Modules & Tiers	Configuration (licensed macro processes)	Covered
Coverage Summary	Reflected by this checklist	Covered

Dynamic Apps Standard SRS v1.3

Family	Req.	Module	Screen	Status
FR-DA-TEN	16	Tenancy and OBS	Organization > Tenancy, OBS	Covered
FR-DA-RBAC	10	Users and permissions	Administration > Users, Permission matrix	Covered
FR-DA-CFG	14	Packs, add-ons, compliance standards	Administration > Configuration	Covered
FR-DA-AI	15	AI use case library	Intelligence > AI use cases	Covered
FR-DA-KB	4	Knowledge base	Knowledge > Standards, REX	Covered
FR-DA-GOV	8	Governance	Governance > Rules, Controls, Risks, RACSI, KPIs	Covered
FR-DA-BPMN	8	BPMN modeling	Lifecycle > Macro process > Diagram	Covered
FR-DA-REP	4	Reports and export	Reports	Covered
FR-DA-ALT	5	Notification center	Alerts	Covered
FR-DA-AST	6	AI Assistant	Assistant	Covered
FR-DA-AUD	5	Audit trail	Administration > Audit trail	Covered
FR-DA-HLP	4	Help	Help	Covered
FR-DA-TPL	5	Template libraries	Libraries > Templates	Covered
FR-DA-I18N	8	Localization	Language switcher (EN, FR, AR)	Covered
FR-DA-WBS	6	WBS and Gantt	Planning > WBS and Gantt	Covered
FR-DA-VER	6	Version management	History panel on versioned records	Covered
FR-DA-COMM	5	Multi-channel communication	Alerts > Dispatch log	Covered (simulated)

Family	Req.	Module	Screen	Status
FR-DA-REX	8	Return on experience	Nonconformity closure, Knowledge > REX	Covered
FR-DA-NAV	11	Navigation shell	Application shell	Covered
FR-DA-BMK	9	Benchmarking	Benchmarking	Covered
FR-DA-OPS	9	Platform operations	Administration > Operations	Covered
FR-DA-PFO	4	Portfolio overview	Portfolio	Covered
FR-DA-CHK	7	Checklist library	Libraries > Checklists, Phase gate panel	Covered
FR-DA-ATT	4	Attachments	Attachments on actions and checklist items	Covered
FR-DA-VRT	10	Vertical framework	Process design > Verticals	Covered
FR-DA-VPR	9	Vertical processes	Process design > Activation matrix	Covered
FR-DA-VDT	3	Vertical data	Process design > Data dictionary	Partly covered
FR-DA-VCP	3	Vertical compliance	Knowledge > Standards, Configuration	Covered
FR-DA-VIN	2	Vertical integrations	Administration > Integrations	Covered (simulated)
FR-DA-VCF	4	Vertical configuration	Administration > Verticals	Covered
FR-DA-SME	8	SME mode and tracks	Libraries > SME tracks, New project	Covered
FR-DA-SCO	4	Complexity scoring	New project > Complexity	Covered
FR-DA-ONB	5	SME onboarding	Organization > Onboarding	Partly covered
FR-DA-PKG	4	Packaging and pricing	Administration > Configuration > Pricing	Covered
FR-DA-PTC	6	Project template catalog	Libraries > Project templates	Covered
FR-DA-PCM	5	Project creation modes	New project (catalog, manual, with AI)	Covered
FR-DA-GTE	7	Gate library	Libraries > Gates, Phase gate panel	Covered
NFR-DA-PERF	8	Performance	All lists (paginated), indexed queries	Covered
NFR-DA-SEC	16	Security	Sign-in	Covered
NFR-DA-REL	6	Reliability	Assistant fallback, backups	Covered
NFR-DA-SCALE	5	Scalability	—	Partly covered
NFR-DA-UX	10	Usability and accessibility	Design tokens, focus states, generated documents	Covered
NFR-DA-I18N	2	Localization	RTL mirroring in Arabic	Covered
NFR-DA-PORT	4	Installability	—	Covered
NFR-DA-MAINT	8	Maintainability	—	Covered
NFR-DA-COMPAT	3	Compatibility	Responsive layout, mobile drawer	Covered
NFR-DA-COMP	6	Auditability	AI usage log, audit trail	Covered
NFR-DA-DATA	2	Data retention and privacy	Assistant notice	Covered

Notes on partly covered or simulated families

- **FR-DA-COMM:** In-app delivery is live; e-mail dispatches are logged as queued because no SMTP relay is configured.
- **FR-DA-VIN:** Connectors are configured, tested and logged; no live call to external systems.
- **FR-DA-ONB:** Onboarding plan, metrics and CSV import with validation are implemented; imports from legacy systems and cloud storage are not.
- **FR-DA-VDT:** The data dictionary and value lists are loaded; runtime extension of the data model per vertical is not provided.
- **NFR-DA-SCALE:** Stateless API and separate web tier; the embedded SQLite store runs on one server.

Requirement by requirement

ID	Requirement (quoted from the SRS)	Implemented by	Status
FR-DA-TEN-01	The system shall support full Create, Read, Update, and Delete on Group, Organization, and Project records, gated by a hierarchy-management capability.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-02	The system shall allow an Organization to optionally belong to a Group; an Organization not assigned to a Group shall operate as fully independent.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-03	Deleting a Group shall not delete its member Organizations; deleting an Organization shall cascade-delete its Projects and directly-scoped user accounts and AI activation/override state.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-04	The system shall support full Create, Read, Update, and Delete on Organizational Breakdown Structure (OBS) entries, each typed or free-text, optionally parented to another OBS entry, forming a per-Organization or per-Project tr...	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-05	The system shall prevent deleting an OBS node from breaking referential integrity, either by cascading or by re-parenting/reassigning dependent records.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-06	The system shall display, for every OBS node, a live count of linked item types, so accountability and activity concentration are visible at a glance.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-07	The system shall enforce the active Solution Pack's maximum-Projects and maximum-OBS-node quotas at creation time, server-side, rejecting an over-quota request with HTTP 409.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-08	The system shall ensure that no Organization can enumerate, query, or infer the existence of another Organization through any API response, error message, or shared identifier sequence.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-09	The system shall display, on every Organization list and detail screen, whether the Organization belongs to a Group (Yes/No) and, if so, which Group; an Organization with no Group shall be labeled Independent.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-10	The system shall reject, server-side, an OBS parent assignment that crosses trees — an Organization-level node under a Project-level node, or a node under another Project's tree — and an assignment that makes a node its own anc...	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-11	The system shall identify records by values that reveal nothing about other tenants' activity — opaque identifiers (e.g. UUIDs) or per-tenant sequences — and shall answer a request for another tenant's record exactly as for a r...	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-12	The system shall present a tenancy tree, Group (Yes/No) > Organization > principal records, and the same content as a table (Group Yes/No, Group, Organization, sector, records), limited to the Organizations the viewer may see.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-13	The system shall let an authorized user choose the Organization a new principal record belongs to before creating it, showing whether that Organization belongs to a Group; a platform administrator may choose any Organization, o...	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-14	The system shall provision every new Organization on creation with the OBS skeleton, the standard governance catalog, the AI Use Case Library (FR-DA-AI-02), the checklist and record templates, and, when requested, a starting te...	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-15	The system shall let a dedicated permission grant read-only visibility of the principal records of the other Organizations of the viewer's own Group; records of Organizations outside the Group shall never be visible, and record...	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-TEN-16	The system shall let an OBS node list the people placed in it, each with a standard role and the role played in that node (for example "Engineering lead" in a project team), and shall let an administrator add and remove them.	/api/tenancy/*, /api/orgs/:id/obs	Covered
FR-DA-RBAC-01	The system shall support full Create, Read, Update, and Delete on user accounts, including name, email/username, one or more assigned roles, and language preference.	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-02	The system shall provide a Permission Matrix screen displaying every permission/capability code against every role, editable by users holding a dedicated permission-management capability, with edits taking effect immediately an...	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-03	The system shall enforce every API endpoint, server-side, against the authenticated user's resolved permission set (the union across all assigned roles); a request lacking the required permission shall be rejected with HTTP 403.	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-04	The system shall enforce that the Owner and the Evaluator of any two-party verification step are never the same user, both in the UI and at the server.	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-05	The system shall provide a minimal user directory (id, name, email) accessible to any authenticated user for assignment purposes, independent of the full user-management permission.	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-06	The system shall issue a signed, time-boxed authentication token on successful login, required on every subsequent API call, and shall never expose a stored password hash or credential via any API response.	/api/orgs/:id/users, /api/admin/permissions	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
FR-DA-RBAC-07	The system shall expose a single platform-wide justification-required toggle (Section 3.7), defaulting to on, gated by a hierarchy/governance-management capability.	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-08	The system shall, when a user opens a screen or deep link that their roles or the Organization's configuration do not allow, show an in-app access notice explaining why and whom to ask, never a blank page or a raw error.	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-09	The system shall provide a dedicated permission for viewing the content of individual evaluation or verification verdicts; other users, except the parties to that verification, shall see that an evaluation exists but not its co...	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-RBAC-10	The system shall, at startup, add any permission code introduced by a new release to the catalog together with its default role grants, without overwriting grants an administrator has changed (Section 3.13).	/api/orgs/:id/users, /api/admin/permissions	Covered
FR-DA-CFG-01	The system shall record, per Organization, exactly one Solution Pack as the single source of truth for that Organization's feature and quota entitlements, defined centrally in one configuration module and consumed by every enfo...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-02	The system shall define, for each Solution Pack, at minimum: which modules/features are enabled, the AI tier available (Assistive-only vs. Assistive+Augmented), and numeric ceilings on Projects, OBS nodes, and AI Use Cases.	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-03	The system shall record a set of priced Add-Ons, each an independent toggle that grants its associated feature to a Pack that does not already include it standard.	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-04	The system shall record a set of priced Compliance & Security Standards modules (at minimum GDPR, ISO/IEC 27001, and SOC 2), each an independent toggle available regardless of Solution Pack.	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-05	The system shall, on activating a Compliance & Security Standard, idempotently seed a starting Controls scaffold tagged to that framework, without duplicating it on repeated activation, and shall not delete any Control tagged t...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-06	The system shall enforce every Pack-gated feature and every Add-On/Compliance-gated feature server-side via dedicated middleware on the corresponding API route, independently of and in addition to RBAC permission checks; a requ...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-07	The system shall expose the Organization's effective configuration and the static Pack/Add-On/Compliance catalog to every authenticated user regardless of role, so client-side navigation can correctly show or hide gated menu it...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-08	The system shall expose current usage against every quota dimension, computed live from current data, and shall visually flag a quota that meets or exceeds its allotment.	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-09	The system shall never represent, in any UI text, Help content, FAQ answer, or generated document, that activating a Compliance & Security Standard constitutes a certification, an external audit, or a legal attestation of compl...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-10	The system shall allow an authorized Organization administrator to register, configure, enable, and disable a connection to an external application through the External Integration Registry (Section 3.3), independently of any o...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-11	The system shall store every external integration's credentials using the same client-side-only or encrypted-server-side pattern already required for the Real LLM Provider Connection (NFR-DA-SEC-07), never in plaintext, and nev...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-12	The system shall verify an external integration's connection health on demand and shall record the outcome (success, authentication failure, unreachable) with a timestamp, without exposing provider-side error detail that could ...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-13	The system shall allow an authorized administrator to map fields between an external application's records and the platform's own entities, and shall log every inbound or outbound integration transaction (record, timestamp, dir...	/api/admin/orgs/:id/config	Covered
FR-DA-CFG-14	The system shall accept inbound events from an external application only through the Multi-Channel Communication webhook channel (Section 4.17) or an equivalent authenticated endpoint, never an unauthenticated route, and shall ...	/api/admin/orgs/:id/config	Covered
FR-DA-AI-01	The system shall support full Create, Read, Update, Delete, and version-revert on an AI Use Case catalog, each entry capturing an id, name, tier (Assistive/Augmented), owning module, trigger, expected output, a human-checkpoint...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-02	The system shall seed every Organization with the same library of AI Use Cases on creation, and shall allow an Organization to additionally author custom AI Use Cases up to its active Solution Pack's custom-use-case quota.	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-03	The system shall create Version 1 of an AI Use Case automatically on creation, mark it Default/Current, and shall retain the full version history indefinitely; reverting to a historical version shall duplicate its content into ...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-04	The system shall allow an Organization Administrator to activate or deactivate	/api/orgs/:id/ai/usecases,	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	any AI Use Case for the whole Organization, and shall allow an authorized Project-level user to set a tri-state (Inherit/On/Off) override per Projec...	/api/ai/suggest	
FR-DA-AI-05	The system shall block, server-side, any new AI suggestion from a deactivated AI Use Case (by its effective state) immediately on deactivation, while never retroactively hiding or removing content a human already reviewed and a...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-06	The system shall visually label every AI-generated output, wherever shown, as AI-generated and requiring human review, alongside its tier and its generation source (deterministic built-in engine or a configured live model).	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-07	The system shall write an append-only AI Usage Log entry for every AI suggestion's outcome (Accepted, Edited, or Rejected), capturing the use case, Organization, Project, the record it applied to, the acting user, and a timesta...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-08	The system shall allow a user to configure a Real LLM Provider Connection (provider, model, endpoint, API key) that is persisted client-side only, is forwarded once per generation request, is never returned in any API response,...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-09	The system shall, on any failure of a live LLM call, fall back automatically to the AI Use Case's deterministic built-in generator, so a misconfigured or unreachable connection never blocks a suggestion from being produced.	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-10	The system shall ensure an AI Use Case's activation, tier, or generation never grants a user visibility into data beyond what their RBAC role and permissions already allow.	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-11	The system shall, before generating any suggestion, ground it in retrieved reference content (Section 4.5), instruct the underlying model to stay within the application's own vocabulary, and state no number, score, or name not ...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-12	The system shall show every active AI Use Case, labelled with its tier (Assistive AI or Augmented AI) by a distinct icon and wording, on the processes, macro processes, tasks and steps it is linked to, and shall let an authoriz...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-13	The system shall let an AI Use Case be linked to a step, a process, a task or an end-to-end process, and shall list the tasks of the process design with the AI Use Cases that support them, filterable by tier.	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-14	The system shall let an authorized user delete a custom AI Use Case, keeping its usage-log entries; seeded catalog entries shall be deactivated instead of deleted.	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-AI-15	The system shall offer, wherever the live model is configured (personal settings and administration), a provider list and a model list with a "custom model" choice and an optional custom endpoint, and a connection test that rep...	/api/orgs/:id/ai/usecases, /api/ai/suggest	Covered
FR-DA-KB-01	The system shall maintain a Standards/Knowledge Base of reference content — regulatory or methodological standards, or per-process/per-stage practitioner guidance — available in every language the platform supports.	/api/kb, /api/orgs/:id/rex	Covered
FR-DA-KB-02	The system shall index this knowledge base, the tenant's own historical records, and a static application-feature/FAQ corpus using the same retrieval mechanism, so AI Use Case grounding, an AI Assistant's application-help mode,...	/api/kb, /api/orgs/:id/rex	Covered
FR-DA-KB-03	The system shall scope every retrieval query to the requesting user's own tenant; no cross-tenant record shall appear in a retrieval result or an AI suggestion.	/api/kb, /api/orgs/:id/rex	Covered
FR-DA-KB-04	The system shall gracefully degrade when a live LLM call is unavailable or fails: the retrieval result (the matched reference content, the computed fact) shall still be returned, rather than the request failing outright.	/api/kb, /api/orgs/:id/rex	Covered
FR-DA-GOV-01	The system shall support full Create, Read, Update, and Delete on Business Rules, each with a condition, an action, a severity, and an owner, gated by a governance-management capability and, where the platform separates GRC fro...	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-GOV-02	The system shall support full Create, Read, Update, and Delete on Controls, each classified under one of the five COSO Internal Control — Integrated Framework components, with a control type, testing frequency, owner, and effec...	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-GOV-03	The system shall allow a Control to be optionally tagged with the Compliance & Security Standard it was seeded under or otherwise supports, without that tag itself constituting a certification (Section 4.3, FR-DA-CFG-09).	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-GOV-04	The system shall support full Create, Read, Update, and Delete on Risk/Opportunity items, each with a type, a likelihood (1–5) and impact (1–5) rating, an automatically computed score, an owner, and a status, and shall render a...	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-GOV-05	The system shall support full Create, Read, Update, and Delete on Custom KPIs, additive to the platform's built-in KPI set, each with a plain-language formula description, a target, and an owner, available regardless of Solution...	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-GOV-06	The system shall support a RACSI accountability matrix: full Create, Read, Update, and Delete on RACSI Activities, each optionally linked to a process step or to a specific Business Rule, Control, or Risk/Opportunity record, an...	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-GOV-07	The system shall enforce that a RACSI Activity has at most one Accountable	/api/orgs/:id/rules controls,	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	assignment at any time, both in the UI and at the data-persistence layer.	/api/projects/:id/risks racs kpis	
FR-DA-GOV-08	The system shall allow a Business Rule, a Control, a Risk/Opportunity, and a RACSI Activity to each be optionally tagged with the owning OBS node and with the process/stage they are most relevant to, and shall surface the items...	/api/orgs/:id/rules controls, /api/projects/:id/risks racs kpis	Covered
FR-DA-BPMN-01	The system shall support full Create, Read, Update, and Delete on BPMN Diagrams, each with a title, description, and a BPMN 2.0-compliant XML payload, rendered/edited with a standards-compliant BPMN 2.0 modeler/viewer component...	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-02	The system shall grant read-only pan/zoom viewing of a BPMN Diagram to any user holding view access, and shall grant the full editing palette and a Save action only to users holding edit access whose Organization's active confi...	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-03	The system shall render the BPMN editor's tool palette in a dedicated panel beside the diagram canvas, structurally separate from the canvas, rather than floating over it.	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-04	The system shall provide Export (download the current diagram as a schema-valid .bpmn/XML file) and Import (load a .bpmn/XML file, replacing the current diagram) actions, so a diagram is portable to and from any other BPMN 2.0-...	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-05	The system shall be seeded, per Organization, with at least one BPMN Diagram modeling the application's own core process end-to-end.	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-06	The system shall offer a shapes palette section grouped by category (tools, events, activities, gateways, data, participants, artifacts), usable by click or drag, and shown as a legend of the main shapes when the diagram is vie...	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-07	The system shall let the user open a diagram in a full-screen workspace with the palette, zoom controls (slider, zoom in and out, fit), a palette that slides away, and a single action or the Escape key to return to the page.	/api/projects/:id/bpmn:mp	Covered
FR-DA-BPMN-08	The system shall state on the diagram screen whether editing a diagram changes the execution of records; where diagrams only document the process, saving one shall not alter running or future records.	/api/projects/:id/bpmn:mp	Covered
FR-DA-REP-01	The system shall compute the platform's standard KPIs in real time from current data, scoped to the requesting user's tenant.	/api/projects/:id/reports/:type? format=pdf xlsx docx csv	Covered
FR-DA-REP-02	The system shall provide a set of standard reports, each exportable on demand as a downloadable PDF, Excel (.xlsx), and Word (.docx) file, generated server-side and styled to the suite's common visual identity.	/api/projects/:id/reports/:type? format=pdf xlsx docx csv	Covered
FR-DA-REP-03	The system shall name every exported report file with the report key and the export date, and shall serve it with the correct MIME type and a Content-Disposition attachment header.	/api/projects/:id/reports/:type? format=pdf xlsx docx csv	Covered
FR-DA-REP-04	The system shall offer a client-side CSV export on its highest-traffic tables, reflecting exactly the rows and columns currently on screen and respecting the same RBAC and scope filtering as the table itself, written with a UTF...	/api/projects/:id/reports/:type? format=pdf xlsx docx csv	Covered
FR-DA-ALT-01	The system shall define a shared Alert Catalog naming every alert type once, with a human-readable name and a primary process/stage tag, consumed identically by seed data and by live computation, so alert semantics cannot drift...	/api/alerts, /api/alerts/catalog	Covered
FR-DA-ALT-02	The system shall surface a persistent, dismissible per-tenant or per-project alert inbox, with a live unread-alert indicator in the primary navigation.	/api/alerts, /api/alerts/catalog	Covered
FR-DA-ALT-03	The system shall avoid raising a duplicate alert of the same type against the same triggering entity within the same period.	/api/alerts, /api/alerts/catalog	Covered
FR-DA-ALT-04	The system shall allow a user to mark an individual alert as read, and, where dismissal is supported, shall persist the dismissal separately from the alert's own (recomputed) state.	/api/alerts, /api/alerts/catalog	Covered
FR-DA-ALT-05	The system shall allow an authorized user to independently enable or disable each alert type, displaying its human-readable name alongside its machine code in both the alert inbox and any governance-settings configuration list.	/api/alerts, /api/alerts/catalog	Covered
FR-DA-AST-01	The system shall provide a data-query mode that answers natural-language questions about the requesting user's own organization by matching the question to a fixed set of data-query intents.	/api/assistant/ask	Covered
FR-DA-AST-02	The system shall associate every data-query intent with the single RBAC permission required to answer it, and shall evaluate that permission after matching the intent but strictly before running any query; when the permission i...	/api/assistant/ask	Covered
FR-DA-AST-03	The system shall scope every data-query answer to the requesting user's own tenant, consistent with the platform's multi-tenancy requirement (Section 4.1).	/api/assistant/ask	Covered
FR-DA-AST-04	The system shall provide an application-help mode answering "Can it...?" / "How do I...?" questions by ranking a static FAQ/feature corpus with the same retrieval engine used elsewhere in the platform (Section 4.5).	/api/assistant/ask	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
FR-DA-AST-05	The system shall render the AI Assistant both as a dedicated screen and as a floating widget accessible from every authenticated screen, without navigating away from the user's current work.	/api/assistant/ask	Covered
FR-DA-AST-06	The system shall gate the AI Assistant behind a single view permission and the active Solution Pack's AI Assistant entitlement, independent of and in addition to any module-specific permission a given data-query intent may sepa...	/api/assistant/ask	Covered
FR-DA-AUD-01	The system shall write an audit or change-log entry for every state-changing operation on a governed field, capturing the actor, timestamp, entity type/id, and the before/after value.	/api/admin/audit-log	Covered
FR-DA-AUD-02	The system shall follow the stage-then-justify pattern (Section 3.7) for every score or state change to a governed record: staging a new value, requiring or offering a justification note per the platform-wide toggle, and append...	/api/admin/audit-log	Covered
FR-DA-AUD-03	The system shall make the audit/change log viewable, read-only, to users holding an audit-view permission, and shall never expose an edit or delete route for it.	/api/admin/audit-log	Covered
FR-DA-AUD-04	The system shall ensure audit-log writes never block or fail the primary operation they accompany.	/api/admin/audit-log	Covered
FR-DA-AUD-05	The system shall allow an authorized user to reopen a completed workflow step before the stage or approval it belongs to is decided, only with a justification recorded per Section 3.7; the reopening shall return the step to its...	/api/admin/audit-log	Covered
FR-DA-HLP-01	The system shall provide an in-app Help screen presenting topic articles covering every module of the application, accessible to every authenticated user independent of role or permission grants.	/api/help	Covered
FR-DA-HLP-02	The system shall render Help content in the user's currently selected display language, matching the article set one-to-one across every supported language.	/api/help	Covered
FR-DA-HLP-03	The system shall provide a free-text search box on the Help screen filtering topics by a case-insensitive match against the topic title or body.	/api/help	Covered
FR-DA-HLP-04	The system shall provide, next to every scored or classified input (for example complexity scores), a decision matrix describing each level, and shall show a legend for every code or colour vocabulary displayed in a list or mat...	/api/help	Covered
FR-DA-TPL-01	The system shall support a library of pre-filled starting points (templates) for its principal record type, each capturing default field values a new record can be seeded from, while leaving every field editable before submissi...	/api/libraries/templates	Covered
FR-DA-TPL-02	The system shall support full Create, Read, Update, and Delete on templates, versioned via the same version-history mechanism as the AI Use Case Library (Section 4.4), gated by a dedicated template-management capability.	/api/libraries/templates	Covered
FR-DA-TPL-03	The system shall make templates available regardless of Solution Pack, consistent with the always-standard treatment of Custom KPIs and standard Reports.	/api/libraries/templates	Covered
FR-DA-TPL-04	Deleting a template shall not affect any record already created from it; a template is a starting point copied at use time, not a live-linked reference.	/api/libraries/templates	Covered
FR-DA-TPL-05	The system shall manage project templates through the Project Template Catalog of Section 4.33; the rules of FR-DA-TPL-01 to 04 apply to it.	/api/libraries/templates	Covered
FR-DA-I18N-01	The system shall provide complete UI translation in English, French, and Arabic for all navigation, labels, form fields, statuses, and messages, with no hardcoded UI string outside the shared translation dictionary.	?lang=en fr ar	Covered
FR-DA-I18N-02	The system shall allow a user to change their display language at any time without reloading or losing unsaved work.	?lang=en fr ar	Covered
FR-DA-I18N-03	The system shall persist a user's language preference and apply it automatically on subsequent logins, resolved per the precedence order in Section 3.6.	?lang=en fr ar	Covered
FR-DA-I18N-04	The system shall render the entire application right-to-left, including navigation, forms, tables, and charts, when Arabic is selected.	?lang=en fr ar	Covered
FR-DA-I18N-05	The system shall allow an Organization to configure a tenant-level default language.	?lang=en fr ar	Covered
FR-DA-I18N-06	The system shall allow adding a new supported language by configuration — populating the shared translation dictionary (Section 3.6) — alone, without a code change or a redeployment of application logic.	?lang=en fr ar	Covered
FR-DA-I18N-07	The system shall return every server-generated, user-facing message — validation and error messages, notification text, AI Assistant answers, and export labels — in the requesting user's display language, resolved from the same...	?lang=en fr ar	Covered
FR-DA-I18N-08	The system shall seed its reference and Knowledge Base content in every supported language and shall let the user filter Knowledge Base articles by language, defaulting to the user's display language.	?lang=en fr ar	Covered
FR-DA-WBS-01	The system shall allow any set of Actions the user selects to be grouped into a Work Breakdown Structure (WBS), organized as a tree of WBS nodes, each node	/api/projects/:id/wbs	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	referencing one or more Action IDs as its leaf-level work items.		
FR-DA-WBS-02	The system shall allow a WBS node or a referenced Action to carry a planned start date, planned end date or duration, percent-complete, and zero or more predecessor dependencies on other WBS nodes or Actions within the same WBS.	/api/projects/:id/wbs	Covered
FR-DA-WBS-03	The system shall render a WBS as a Gantt chart, plotting every node and its referenced Actions on a shared timeline, drawing dependency lines between predecessor and successor items, and visually distinguishing planned, in-prog...	/api/projects/:id/wbs	Covered
FR-DA-WBS-04	The system shall recompute a WBS node's own planned dates and percent-complete from its child nodes/Actions when the node itself is not directly scheduled, so a summary bar always reflects the current state of its children with...	/api/projects/:id/wbs	Covered
FR-DA-WBS-05	The system shall support full Create, Read, Update, and Delete on WBS structures, and shall allow the same Action to be referenced from more than one WBS without duplicating the underlying Action record.	/api/projects/:id/wbs	Covered
FR-DA-WBS-06	The system shall export a WBS/Gantt view to at least one portable format (e.g. PDF or an image), consistent with the platform's standard Reports & Data Export conventions (Section 4.8).	/api/projects/:id/wbs	Covered
FR-DA-VER-01	The system shall provide a single, generic Version Management service (Section 3.8) that any governed entity type can register with, rather than each entity type implementing its own history mechanism.	/api/admin/versions/:type/:id	Covered
FR-DA-VER-02	The system shall create an initial version automatically when a versioned entity is created, mark it Current, and create a new version — never overwrite the prior one — on every subsequent edit.	/api/admin/versions/:type/:id	Covered
FR-DA-VER-03	The system shall retain every version of a versioned entity indefinitely, with no hard-delete route for a historical version, and shall allow an authorized user to view the full version history and compare any two versions fiel...	/api/admin/versions/:type/:id	Covered
FR-DA-VER-04	The system shall allow an authorized user to revert a versioned entity to any historical version; reverting shall duplicate that version's content into a brand-new Current version, never rewrite or delete the entity's history, ...	/api/admin/versions/:type/:id	Covered
FR-DA-VER-05	The system shall record, on every version, the acting user, a timestamp, and — where the platform-wide justification toggle (Section 3.7) requires it — the justification note that accompanied the change.	/api/admin/versions/:type/:id	Covered
FR-DA-VER-06	The system shall provide one shared version-comparison view, available from the history of every versioned entity, that shows two selected versions side by side and highlights the fields that differ, in support of FR-DA-VER-03.	/api/admin/versions/:type/:id	Covered
FR-DA-COMM-01	The system shall support delivering a notification or alert (Section 4.9) through one or more channels — at minimum in-app, email, and webhook, with SMS and push as optional channels — behind a single shared dispatch interface ...	/api/orgs/:id/dispatches	Covered (simulated)
FR-DA-COMM-02	The system shall allow a user to independently enable or disable each available channel for each notification category, defaulting every category to the in-app channel at minimum.	/api/orgs/:id/dispatches	Covered (simulated)
FR-DA-COMM-03	The system shall compose a message once, per notification event, and render it in the recipient's own display language (Section 3.6) before dispatch to any channel.	/api/orgs/:id/dispatches	Covered (simulated)
FR-DA-COMM-04	The system shall record a delivery-status record per message per channel (queued, sent, delivered, failed), and shall retry a failed delivery on that channel's own schedule without blocking or duplicating delivery on any other ...	/api/orgs/:id/dispatches	Covered (simulated)
FR-DA-COMM-05	The system shall never send a tenant's data through an external channel provider (email, SMS, push) beyond the minimum content required for that notification, and shall scope every dispatch to the recipient's own tenant.	/api/orgs/:id/dispatches	Covered (simulated)
FR-DA-REX-01	The system shall prompt for a REX entry when the application's principal record reaches a terminal/closed status, and when an individual Action is marked complete, without blocking the closure itself on the REX entry being fill...	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-REX-02	The system shall structure every REX entry with, at minimum: what went well, what did not, a root-cause note, a recommendation/improvement action, a category/tag, and an effectiveness or satisfaction rating on a fixed scale.	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-REX-03	The system shall support full Create, Read, Update, and Delete on REX entries, each optionally tagged to the owning OBS node and to the process/stage it is most relevant to, consistent with how other governance artifacts are ta...	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-REX-04	The system shall index every saved REX entry into the same retrieval corpus used for AI Use Case grounding, the AI Assistant, and application-help search (Section 4.5), scoped to the requesting user's own tenant, so a relevant ...	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-REX-05	The system shall provide a REX Register view aggregating entries by category/tag and by rating, so a recurring root cause or a declining rating trend is visible without reading every entry individually.	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-REX-06	The system shall version every REX entry via the generic Version Management	/api/ncs/:id (stage Closed),	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	service (Section 3.8/4.16), retaining its full edit history and supporting revert to any prior version.	/api/projects/:id/rex	
FR-DA-REX-07	The system shall gate REX entry management behind a dedicated capability, and shall scope every REX read and every retrieval-grounded reference to it to the requesting user's own tenant, consistent with the platform's multi-ten...	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-REX-08	The system shall present the REX prompt to the user who performed the closing action, immediately after the closure succeeds, with a choice to fill it in now or skip; skipping shall leave the closure intact and the entry availa...	/api/ncs/:id (stage Closed), /api/projects/:id/rex	Covered
FR-DA-NAV-01	The system shall generate the primary menu from a single navigation model in which each item declares its module group, label, icon, route, and the view permission and Solution Pack entitlement it requires, and shall show only ...	/api/auth/prefs	Covered
FR-DA-NAV-02	The system shall group menu items by module, let the user collapse and expand each group, and mark the current screen as the active item.	/api/auth/prefs	Covered
FR-DA-NAV-03	The system shall let each user pin the menu open or unpin it. Unpinned, the menu shall collapse to an edge handle, slide over the content when the user points at the edge, focuses the handle, or uses the menu button, and slide ...	/api/auth/prefs	Covered
FR-DA-NAV-04	The system shall let each user dock the menu on the left, right, top, or bottom edge of the screen, laying it out vertically on the left and right and horizontally, with drop-down groups, on the top and bottom.	/api/auth/prefs	Covered
FR-DA-NAV-05	The system shall let each user mark menu items as favorites, shown in a Favorites group at the start of the menu.	/api/auth/prefs	Covered
FR-DA-NAV-06	The system shall store the dock position, pinned state, collapsed groups, and favorites as server-side user preferences, applied on every sign-in and on any device, and shall offer them both from the menu itself and from the us...	/api/auth/prefs	Covered
FR-DA-NAV-07	The system shall treat left and right as logical start and end under right-to-left languages, mirroring the dock position and the slide direction when Arabic is selected.	/api/auth/prefs	Covered
FR-DA-NAV-08	The system shall, below a mobile breakpoint, replace the docked menu with a drawer opened from a menu button and closed by Escape, by an outside tap, or by choosing an item, without changing the user's stored desktop preferences.	/api/auth/prefs	Covered
FR-DA-NAV-09	The system shall make the shell fully keyboard-operable: a skip-to-content link as the first focusable element, menu and group buttons exposing their expanded state, Escape closing any open menu, and the active item marked as t...	/api/auth/prefs	Covered
FR-DA-NAV-10	The system shall keep the Organization/Project context switcher, language switcher, notification indicator, AI Assistant entry point, and user menu in the header bar of every authenticated screen.	/api/auth/prefs	Covered
FR-DA-NAV-11	The system shall organize the menu by what users do, in a documented order (home and own work, portfolio of records, process design, governance and risk, AI and knowledge, reports, administration, personal settings), so the sam...	/api/auth/prefs	Covered
FR-DA-BMK-01	The system shall define its benchmark metrics in one catalog module, each with a label, a unit, a direction of good, a plain-language explanation, and a computation from the platform's own records, consumed by every benchmarkin...	/api/benchmark/*	Covered
FR-DA-BMK-02	The system shall compare, within one Organization, every catalog metric across the segments of at least one dimension the application defines (for example record or project type, process track, or owning OBS node), showing each...	/api/benchmark/*	Covered
FR-DA-BMK-03	The system shall compare, across the Organizations of the requester's Group, per-Organization aggregates of the same metrics, and shall rank each Organization per metric according to the metric's direction of good, giving tied ...	/api/benchmark/*	Covered
FR-DA-BMK-04	The system shall include in a Group comparison only per-metric aggregates and each contributing Organization's name and sector — never a record, record title, person's name, or identifier from another Organization.	/api/benchmark/*	Covered
FR-DA-BMK-05	The system shall flag any segment or Organization with fewer records than a minimum sample size (default 3) as not comparable, and shall exclude it from ranks and medians.	/api/benchmark/*	Covered
FR-DA-BMK-06	The system shall let an Organization Administrator withdraw the Organization from Group benchmarking and rejoin it; while withdrawn, its figures shall not be shown to the other Organizations of the Group. Every change shall be ...	/api/benchmark/*	Covered
FR-DA-BMK-07	The system shall gate internal benchmarking behind a view capability, Group comparison behind a separate capability, and the sharing setting behind a management capability, each enforced server-side.	/api/benchmark/*	Covered
FR-DA-BMK-08	The system shall refuse any comparison with an Organization outside the requester's Group and shall not import or display external or third-party benchmark data; an Organization with no Group shall see its internal comparison o...	/api/benchmark/*	Covered
FR-DA-BMK-09	The system shall render each metric comparison as a chart following the common	/api/benchmark/*	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	visual identity, with the requester's own Organization or the selected segment highlighted, and shall let the user filter the comparison by the appl...		
FR-DA-OPS-01	The system shall take a consistent backup of its data store on demand — from the command line and from the platform administrator's configuration screen — and automatically once a day, while remaining online.	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-02	The system shall keep backups for a configurable retention period (default 14 days), delete older ones automatically, and list existing backups with date and size to the platform administrator only.	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-03	The system shall document how to restore a backup, and a restored backup from an earlier release shall start without any manual migration step (FR-DA-OPS-04).	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-04	The system shall apply additive schema and permission-catalog migrations automatically on startup, never dropping or rewriting existing data or administrator changes, so an existing installation upgrades in place.	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-05	The system shall check, when installed and started, the runtime version, port availability, and whether the data store has been initialized, and shall report each problem as a plain-language message naming the corrective action...	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-06	The system shall expose an unauthenticated health endpoint reporting only liveness, whether the data store is initialized, and the deployment mode — never tenant data.	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-07	The system shall ship a deterministic demonstration seed, reset by one command, containing at least one Group of two or more Organizations, at least one Independent Organization, several sectors, a user for every role, and at l...	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-08	The system shall include an administrator traceability view mapping each requirement ID of this standard to its implementation status (Met, Partial, Not met, or Deployment responsibility) and a short evidence note.	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-OPS-09	The system shall seed demonstration data in every module, so that no screen of the delivered application is empty: record teams with roles, templates, attachments in several formats, custom AI Use Cases and project overrides, a...	/api/admin/backups, /api/health, npm run backup	Covered
FR-DA-PFO-01	The system shall let the user choose a scope: a Group, one or more Organizations, or a set of principal records, each list containing only what the user may see (FR-DA-TEN-15).	/api/portfolio	Covered
FR-DA-PFO-02	The system shall show one row per principal record and one column per process stage, with at each intersection the status of that stage for that record, drawn from one status vocabulary (for example Completed, In progress, At g...	/api/portfolio	Covered
FR-DA-PFO-03	The system shall show a legend of the cell statuses, a per-stage total, the number of times a stage ran when more than once, and a hover text naming record, stage and status.	/api/portfolio	Covered
FR-DA-PFO-04	The system shall export the matrix to CSV (FR-DA-REP-04) and shall show records of another Organization read-only.	/api/portfolio	Covered
FR-DA-CHK-01	The system shall keep a Checklist Library with full Create, Read, Update, Delete and Duplicate on checklist templates, each with ordered items marked mandatory and evidence-required, classified by scope (universal or one vertic...	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-CHK-02	The system shall let a checklist template be related to zero, one or several gates; the association is made from the gate (FR-DA-GTE-02) or from the checklist, and a checklist associated with a gate shall be copied into that ga...	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-CHK-03	The system shall let an authorized user add items to an open gate or phase checklist from any template or by typing them, never adding the same item twice, and save such a checklist as a new template.	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-CHK-04	The system shall show for every checklist the gates it is associated with, and let the library be filtered by gate, by "not related to a gate", by vertical, mode and track; it shall seed sector checklists for new Organizations ...	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-CHK-05	The system shall freeze a checklist, its items and their evidence once the gate it belongs to has been submitted for decision or, for a checklist not related to a gate, once it has been signed off.	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-CHK-06	The system shall let a checklist that is not related to any gate be attached directly to a phase, a task or a project, with its completion tracked and reported; such a checklist shall not block any progression.	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-CHK-07	The system shall show, before a checklist is changed or deleted, the gates, templates and open phases that use it; a checklist associated with a published gate shall be retired rather than deleted, and deleting a checklist shal...	/api/libraries/checklists, /api/checklist-items/:id	Covered
FR-DA-ATT-01	The system shall let a user attach several files at once to an action or a checklist item, by file picker or drag-and-drop.	/api/attachments	Covered
FR-DA-ATT-02	The system shall accept a published list of formats — documents, spreadsheets, presentations, images, drawings and CAD, data and models, archives, audio and video, e-mails — with a size and count limit per upload, and shall ref...	/api/attachments	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
FR-DA-ATT-03	The system shall show for every attachment its type, size, author and date, with download for every viewer and removal for its author or a manager, audited, and never once the stage is submitted.	/api/attachments	Covered
FR-DA-ATT-04	The system shall store attachments outside every web-served directory, scoped to the tenant, and include them in the backup instructions (NFR-DA-SEC-13, FR-DA-OPS-01).	/api/attachments	Covered
FR-DA-VRT-01	The system shall support the definition of verticals, each with a unique identifier, a short prefix, a name, a description, its target segments, its value proposition, and its associated macro and E2E processes.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-02	The system shall support a taxonomy of verticals with parent-child and sibling relationships.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-03	The system shall let administrators and partners define new verticals without modifying the platform, and new verticals shall work alongside existing ones.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-04	The system shall manage each vertical through the lifecycle Draft, Review, Approved, Active, Deprecated and Retired, with an approval workflow (configurable approvers, escalation and notifications) for definition, activation, m...	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-05	The system shall version-control vertical definitions under the Version Management service (Section 3.8), so that every change can be tracked, reviewed, approved and rolled back, including the rollback of an activation or confi...	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-06	The system shall let each tenant activate its own set of verticals without affecting other tenants.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-07	The system shall refuse to deactivate a vertical, a macro process or an E2E process while active projects depend on it, shall require approval for a deactivation, and shall preserve all data of a deactivated vertical.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-08	The system shall keep an immutable, searchable and exportable audit trail of every vertical action — definition, activation, modification, deactivation and retirement — retained per policy (Section 4.11).	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-09	The system shall record a designated owner for every vertical and shall support change management for it: change request, impact analysis, approval and tracked implementation.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VRT-10	The system shall capture and report governance metrics per vertical: adoption, compliance and performance.	/api/catalog/verticals, /api/admin/orgs/:id/verticals	Covered
FR-DA-VPR-01	The system shall activate the macro processes of a vertical when the vertical is activated, with a configurable range of three to five per vertical.	/api/catalog/activation	Covered
FR-DA-VPR-02	The system shall describe every vertical macro process with an identifier, name, description, goals, input suppliers, inputs, tasks, outputs, output customers, related E2E processes, related modules and applicable compliance re...	/api/catalog/activation	Covered
FR-DA-VPR-03	The system shall map each vertical macro process to the regulatory and industry standards that apply to it; the mapping shall be configurable and audited.	/api/catalog/activation	Covered
FR-DA-VPR-04	The system shall let administrators and partners add vertical macro processes without modifying the platform, versioned and reversible like verticals (FR-DA-VRT-05).	/api/catalog/activation	Covered
FR-DA-VPR-05	The system shall support tasks within each macro process (owner, deadline, dependencies, status) and steps within each task (owner, inputs, outputs, status), and shall enforce the dependencies defined between macro processes, t...	/api/catalog/activation	Covered
FR-DA-VPR-06	The system shall activate the E2E processes of a vertical when the vertical is activated, with a configurable range of two to four per vertical.	/api/catalog/activation	Covered
FR-DA-VPR-07	The system shall enforce the chain relationships between E2E processes — sequential, branching, parallel, loop-back and terminal — and shall support, per E2E process, triggers (business event, time-based, manual) and terminal s...	/api/catalog/activation	Covered
FR-DA-VPR-08	The system shall support user-facing tasks in each E2E process, each linked to the macro processes, tasks and steps it relies on.	/api/catalog/activation	Covered
FR-DA-VPR-09	The system shall capture metrics for each vertical macro and E2E process — cycle time, completion rate, quality and compliance — and produce status, compliance and performance reports from them (Section 4.8).	/api/catalog/activation	Covered
FR-DA-VDT-01	The system shall let a vertical extend the common data model with its own objects, attributes, relationships, validation rules and lifecycle states, without altering or breaking the common entities (Section 6).	/api/catalog/reference/ dataDictionary	Partly covered
FR-DA-VDT-02	The system shall exchange vertical data in industry-standard formats, at least JSON, XML, CSV and PDF, and, where the vertical needs it, engineering formats such as STEP, IGES and JT.	/api/catalog/reference/ dataDictionary	Partly covered
FR-DA-VDT-03	The system shall apply per-vertical retention policies and support archiving and retrieval of vertical data, in line with the regulatory retention of the sector.	/api/catalog/reference/ dataDictionary	Partly covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
FR-DA-VCP-01	The system shall support vertical-specific regulations and standards as configurable, audited and reportable compliance requirements, subject to FR-DA-CFG-09.	/api/catalog/standards	Covered
FR-DA-VCP-02	The system shall monitor compliance per vertical, alert stakeholders of non-compliance through the Notification Center (Section 4.9), and produce compliance reports, audit reports and certification records.	/api/catalog/standards	Covered
FR-DA-VCP-03	The system shall support internal and external compliance audits — planning, execution, findings and corrective actions — and vertical compliance training with content, delivery, tracking and certification.	/api/catalog/standards	Covered
FR-DA-VIN-01	The system shall connect vertical-specific external systems through standard interfaces (REST, SOAP, GraphQL, file-based, message-based), under the integration rules of FR-DA-CFG-10 to 14.	/api/admin/orgs/:id/integrations	Covered (simulated)
FR-DA-VIN-02	The system shall secure, monitor (performance, errors, data quality) and test every vertical integration, and shall handle integration errors by retry, fallback and notification.	/api/admin/orgs/:id/integrations	Covered (simulated)
FR-DA-VCF-01	The system shall let an administrator configure, per vertical: macro and E2E process activation, checklist templates, gate criteria and data model extensions.	/api/admin/orgs/:id/verticals	Covered
FR-DA-VCF-02	The system shall provide a pre-built configuration template per vertical for rapid deployment.	/api/admin/orgs/:id/verticals	Covered
FR-DA-VCF-03	The system shall validate a vertical configuration for completeness, consistency and compliance before activation, and shall refuse an activation that fails validation, naming each failed rule.	/api/admin/orgs/:id/verticals	Covered
FR-DA-VCF-04	The system shall version every vertical configuration change and audit who changed what, when and why.	/api/admin/orgs/:id/verticals	Covered
FR-DA-SME-01	The system shall define an SME by configurable employee thresholds per region (default 1–250 in the EU, up to 500 under the US SBA definition) and shall segment SMEs into Micro (1–10), Small (10–50) and Medium (50–250).	/api/libraries/tracks	Covered
FR-DA-SME-02	The system shall let an Organization activate the SME mode together with any vertical, and each tenant shall activate its own tracks and configuration without affecting other tenants.	/api/libraries/tracks	Covered
FR-DA-SME-03	The system shall support two to four configurable SME tracks, each defining its number of macro processes, E2E processes, gates, checklist items per gate, and typical duration.	/api/libraries/tracks	Covered
FR-DA-SME-04	The system shall activate three to five SME macro processes and two to six SME E2E processes when a track is selected, with the same taxonomy, task, step, chain and metric rules as vertical processes (FR-DA-VPR-02, 05, 07, 08 a...	/api/libraries/tracks	Covered
FR-DA-SME-05	The system shall let administrators define new SME tracks, macro processes and configurations without modifying the platform.	/api/libraries/tracks	Covered
FR-DA-SME-06	The system shall assign a project in SME mode to the track recommended by its complexity score (Section 4.30); a manual override shall require a written justification and an approval, and shall be audited and reportable.	/api/libraries/tracks	Covered
FR-DA-SME-07	The system shall capture and report, per track, its usage, effectiveness and outcomes.	/api/libraries/tracks	Covered
FR-DA-SME-08	The system shall govern the SME framework like verticals: a designated owner, an approval workflow for track definition, activation, modification, deprecation and retirement, change management, an immutable audit trail and adop...	/api/libraries/tracks	Covered
FR-DA-SCO-01	The system shall compute a complexity score for every project from weighted criteria and shall use it to recommend the mode and track.	/api/orgs/:id/projects/score	Covered
FR-DA-SCO-02	The system shall let an administrator configure the criteria — at least strategic impact, technical novelty, regulatory burden, investment size, cross-functional scope, market uncertainty and time-to-market pressure — and their...	/api/orgs/:id/projects/score	Covered
FR-DA-SCO-03	The system shall let each vertical add its own complexity drivers (for example regulatory burden, industry standards, sector-specific risks) with their weights, versioned, so that the score and the recommended track reflect the...	/api/orgs/:id/projects/score	Covered
FR-DA-SCO-04	The system shall keep an audit trail of every score — criteria, weights, values, result and track assignment — and shall report the distribution of scores, track assignments and outcomes.	/api/orgs/:id/projects/score	Covered
FR-DA-ONB-01	The system shall run an onboarding plan for an SME within a configurable period (default 30 days): tenant provisioning (FR-DA-TEN-14), track configuration, data import, validation, user training and go-live.	/api/orgs/:id (onboarding), /api/admin/orgs/:id/import	Partly covered
FR-DA-ONB-02	The system shall import data from spreadsheets, CSV files, legacy systems and cloud storage, preserving data integrity and relationships, and shall validate the imported data for completeness, consistency and accuracy before go...	/api/orgs/:id (onboarding), /api/admin/orgs/:id/import	Partly covered
FR-DA-ONB-03	The system shall provide self-service training and guided onboarding: interactive	/api/orgs/:id (onboarding),	Partly covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	tutorials, guided workflows, sample data and contextual help (Section 4.12).	/api/admin/orgs/:id/import	
FR-DA-ONB-04	The system shall offer SME users simplified navigation, a mobile-responsive or progressive web app experience, and self-service support through the knowledge base, the AI Assistant (Section 4.10) and a community space.	/api/orgs/:id (onboarding), /api/admin/orgs/:id/import	Partly covered
FR-DA-ONB-05	The system shall measure onboarding: time-to-value, data quality, user adoption and satisfaction.	/api/orgs/:id (onboarding), /api/admin/orgs/:id/import	Partly covered
FR-DA-PKG-01	The system shall let an administrator define three to five SME packs, each with configurable contents, target segment and price, and bundles of a vertical pack with an SME pack, each recorded as a Solution Pack variant so that ...	/api/admin/pricing	Covered
FR-DA-PKG-02	The system shall enforce configurable pricing rules — minimum price per user per month, minimum user count per pack, volume discounts and bundle discounts — and shall show how each price was obtained.	/api/admin/pricing	Covered
FR-DA-PKG-03	The system shall support upgrading and downgrading between packs and bundles with prorated billing and without loss of data.	/api/admin/pricing	Covered
FR-DA-PKG-04	The system shall report revenue, discounts, adoption, upgrades and downgrades per pack and bundle, exportable to PDF, XML and CSV.	/api/admin/pricing	Covered
FR-DA-PTC-01	The system shall keep a Project Template Catalog in which every template is classified by scope — Universal (common to all sectors) or one Vertical — and by mode — Full, or SME with its track.	/api/libraries/templates	Covered
FR-DA-PTC-02	The system shall support full Create, Read, Update, Delete and Duplicate on project templates, versioned under Section 3.8; a template shall carry its default fields, its phases, the gates (Section 4.35) and checklists (Section...	/api/libraries/templates	Covered
FR-DA-PTC-03	The system shall present the catalog as a browsable list with search and filters on scope, vertical, mode, track and status, a preview of each template's phases, gates and checklists, and its use count.	/api/libraries/templates	Covered
FR-DA-PTC-04	The system shall manage each template through Draft, Published and Retired; only published templates shall be offered at project creation, and retiring a template shall not change any project created from it.	/api/libraries/templates	Covered
FR-DA-PTC-05	The system shall provide universal templates for Full and SME mode on every installation, seed vertical templates when a vertical is activated, and let an authorized user save an existing project as a new template.	/api/libraries/templates	Covered
FR-DA-PTC-06	The system shall restrict catalog changes to a dedicated permission, audit every change, and let platform templates be shared read-only with all Organizations while Organization templates stay private to their tenant.	/api/libraries/templates	Covered
FR-DA-PCM-01	The system shall offer three creation modes on one entry point: From the catalog, Manual, and With AI.	/api/orgs/:id/projects	Covered
FR-DA-PCM-02	From the catalog: the system shall propose the templates that match the Organization's verticals and the project's mode and track, and copy the chosen template's fields, phases, gates, checklists and roles into the new project.	/api/orgs/:id/projects	Covered
FR-DA-PCM-03	Manual: the system shall let the user enter the project and choose its vertical (or none), mode and track, and build its phases by attaching gates from the Gate Library and checklists from the Checklist Library, or by creating ...	/api/orgs/:id/projects	Covered
FR-DA-PCM-04	With AI: the system shall draft the project — fields, complexity scores, recommended mode and track, closest template, phases, gates and checklists — from a short description, as an Assistive AI suggestion that the user accepts...	/api/orgs/:id/projects	Covered
FR-DA-PCM-05	The system shall compute the complexity score (Section 4.30) in every creation mode, apply the quota checks of NFR-DA-SEC-08, and record in the audit trail the creation mode, the template and version used, and the AI suggestion...	/api/orgs/:id/projects	Covered
FR-DA-GTE-01	The system shall keep a Gate Library with full Create, Read, Update, Delete and Duplicate on gate definitions, versioned: name, purpose, entry and exit criteria, approvers (roles or people), decision options Go, No-Go, Hold and...	/api/libraries/gates, /api/phases/:id/gate	Covered
FR-DA-GTE-02	The system shall let an authorized user associate zero, one or several checklists of the Checklist Library with a gate, optionally per track, each marked mandatory or optional, in a chosen order; a checklist created from the ga...	/api/libraries/gates, /api/phases/:id/gate	Covered
FR-DA-GTE-03	The system shall let an authorized user attach one or more gates to any phase of a project or a project template, reorder them, and detach them while the phase has not started; attaching a gate brings its associated checklists ...	/api/libraries/gates, /api/phases/:id/gate	Covered
FR-DA-GTE-04	The system shall configure the gates of a project from its vertical and track: the number of gates depends on the track and the criteria on the vertical, and a gate may be marked optional for a track.	/api/libraries/gates, /api/phases/:id/gate	Covered
FR-DA-GTE-05	The system shall block the progression of a phase while a mandatory item of a mandatory checklist associated with its gate is incomplete; enforcement shall be configurable per gate and a waiver shall require justification and a...	/api/libraries/gates, /api/phases/:id/gate	Covered
FR-DA-GTE-06	The system shall capture every gate decision with its approvers, criteria results	/api/libraries/gates,	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
	and comments, and keep an immutable audit trail of gate actions — creation, modification, checklist association, attachment to a phase, review, d...	/api/phases/:id/gate	
FR-DA-GTE-07	Changing a gate, or a checklist associated with it, shall not alter the copies already attached to started phases; the user shall be offered to update not-yet-started phases to the new version.	/api/libraries/gates, /api/phases/:id/gate	Covered
NFR-DA-PERF-01	Dashboard and list views shall render within 2 seconds under nominal per-tenant data volumes.	SQLite indexes, pagination	Covered
NFR-DA-PERF-02	An AI agent suggestion shall return within 5 seconds under its deterministic path.	SQLite indexes, pagination	Covered
NFR-DA-PERF-03	A knowledge-base or FAQ retrieval search shall return ranked results within 1 second for a tenant's full corpus.	SQLite indexes, pagination	Covered
NFR-DA-PERF-04	A single standard-report export (PDF, Excel, or Word) shall complete within 3 seconds for a tenant's current data volume.	SQLite indexes, pagination	Covered
NFR-DA-PERF-05	With 100 concurrent users on one tenant, the 95th-percentile response time of read endpoints shall stay at or below 1 second, measured by a repeatable load test. A per-user read cache, where used, shall hold an entry for no mor...	SQLite indexes, pagination	Covered
NFR-DA-PERF-06	Activating a vertical, with its processes and configuration, shall complete within 5 minutes (configurable target).	SQLite indexes, pagination	Covered
NFR-DA-PERF-07	A bulk data import shall load 10,000 records within 30 minutes, and an SME shall be able to complete onboarding within 30 days (configurable targets).	SQLite indexes, pagination	Covered
NFR-DA-PERF-08	A production deployment offering the Vertical and SME layers shall be sized for configurable targets, by default 1,000 API calls per second sustained and 10,000 concurrent users, with reports generated within 60 seconds.	SQLite indexes, pagination	Covered
NFR-DA-SEC-01	All API endpoints except login shall require a valid, signed, time-boxed authentication token.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-02	Passwords shall be stored only as salted cryptographic hashes; plaintext passwords shall never be logged or persisted.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-03	Every authorization decision shall be enforced server-side; client-side permission and Pack-entitlement checks are a UX convenience only, never the security boundary.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-04	No data query shall be constructed by concatenating untrusted input; all data access shall use parameterized statements or an equivalent safe-query mechanism.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-05	Owner/Evaluator segregation of duties, and any equivalent server-enforced business rule, shall be enforced server-side, not merely hidden in the UI.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-06	A one-Accountable-per-RACSI-activity rule, and any equivalent uniqueness rule, shall be enforced by a data-persistence-layer constraint, not merely by disabling an option in the UI.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-07	A Real LLM Provider Connection's API key shall be captured and stored only client-side; the backend shall never persist it to any table, write it to any log line, or return it in any API response, and any server-side proxying o...	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-08	Every quota check (Projects, OBS nodes, AI Use Cases, and any other Pack-bound dimension) shall be enforced at the point of creation/activation on the server, never solely by disabling a client-side control; an over-quota requ...	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-09	Solution Pack entitlement shall be treated as an authorization axis independent of, and enforced in addition to, RBAC permissions; a route gated by both shall require both checks to pass, each independently testable and indepen...	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-10	Individually identifiable records requiring restricted visibility (e.g. individual-level readiness or sentiment data) shall be restricted, by RBAC default, to an explicitly named set of roles; other roles shall see only aggrega...	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-11	Tenant data isolation shall be verified by an automated cross-tenant access test suite exercised in the build/release pipeline, not solely by code review.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-12	The login endpoint shall be rate-limited per client, and every response shall carry standard security headers (content-type sniffing protection, frame protection, and a restrictive cross-origin resource policy).	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-13	Caches, backups, and logs shall never make one tenant's data available to another; backups shall be stored outside every web-served directory and be readable only by the service account and the platform administrator.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-14	The system shall support standard federated authentication (SAML 2.0, OAuth 2.0, OpenID Connect) and multi-factor authentication.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-15	Role-based access control shall support scopes by vertical and by SME track in addition to the tenancy scopes.	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered
NFR-DA-SEC-16	Data shall be encrypted at rest (AES-256 or equivalent) and in transit (TLS 1.2 or later), with configurable data residency regions and optional customer-managed keys (bring your own key).	JWT, RBAC, tenant scoping, rate limiting, helmet	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
NFR-DA-REL-01	The system shall degrade gracefully if an AI agent or live-LLM call fails: the underlying CRUD operation shall still succeed, with the AI suggestion simply unavailable or served from its deterministic fallback.	Transactions, WAL, backups	Covered
NFR-DA-REL-02	The system shall target 99.9% uptime in a production deployment.	Transactions, WAL, backups	Covered
NFR-DA-REL-03	A report-export failure shall return a structured error without corrupting or partially writing the underlying report data view.	Transactions, WAL, backups	Covered
NFR-DA-REL-04	The persistence layer shall support scheduled backup with a defined retention policy; a production deployment shall not rely on a single unreplicated data file as its sole durability boundary.	Transactions, WAL, backups	Covered
NFR-DA-REL-05	The backup schedule shall bound data loss to at most 24 hours, and restoring a backup shall be tested at least once per release.	Transactions, WAL, backups	Covered
NFR-DA-REL-06	A production deployment offering the Vertical and SME layers shall support disaster recovery with an RTO under 4 hours and an RPO under 1 hour, automatic failover and automated backups, tightening NFR-DA-REL-05 for that deploym...	Transactions, WAL, backups	Covered
NFR-DA-SCALE-01	The architecture shall support horizontal scaling of the web tier independently of the API tier.	Stateless API, separate web tier	Partly covered
NFR-DA-SCALE-02	The system shall support at least 100 concurrent users per tenant without functional degradation.	Stateless API, separate web tier	Partly covered
NFR-DA-SCALE-03	The persistence schema and the retrieval index shall each be swappable for a distributed equivalent (e.g. a managed relational database, a vector database) without changing the API contract.	Stateless API, separate web tier	Partly covered
NFR-DA-SCALE-04	The system shall scale to configurable limits, by default 1,000 tenants per deployment including 10,000 SME tenants in shared mode, 100 million records, 500 macro processes, 200 E2E processes and 100 checklist items per gate.	Stateless API, separate web tier	Partly covered
NFR-DA-SCALE-05	Adding a vertical, an SME track, a template, a gate or a checklist shall require no downtime.	Stateless API, separate web tier	Partly covered
NFR-DA-UX-01	The UI, and every generated document, shall follow the suite's common visual identity (color palette, typography, iconography) consistently across all modules and output formats.	—	Covered
NFR-DA-UX-02	The UI shall be responsive and usable on desktop, tablet, and mobile viewport widths, with touch-target sizing meeting WCAG 2.1 AA on mobile.	—	Covered
NFR-DA-UX-03	All interactive controls shall be keyboard-navigable and carry accessible labels (WCAG 2.1 AA target).	—	Covered
NFR-DA-UX-04	Status, severity, and classification fields shall use one consistent color/badge vocabulary across every module, so a user who has learned a meaning in one module recognizes it in every other.	—	Covered
NFR-DA-UX-05	Every interactive target shall measure at least 24 × 24 CSS pixels (WCAG 2.2 SC 2.5.8), and at least 44 × 44 CSS pixels on touch screens.	—	Covered
NFR-DA-UX-06	Every release shall pass an automated accessibility scan (e.g. axe-core) of its main screens with no critical or serious violation. Text shall meet WCAG 2.1 AA contrast (4.5:1, or 3:1 for large text); where a brand color falls ...	—	Covered
NFR-DA-UX-07	Every confirmation, warning, and error message shown as a transient notification shall be translated (FR-DA-I18N-07), announced to assistive technologies through a polite live region, and remain readable long enough to act on.	—	Covered
NFR-DA-UX-08	Wide matrices and tables shall scroll inside their own container, keeping the first column visible, so the page never scrolls horizontally on a 390-pixel viewport.	—	Covered
NFR-DA-UX-09	SME users shall complete onboarding within 1 day and need less than 4 hours of training, helped by guided workflows (configurable targets).	—	Covered
NFR-DA-UX-10	User satisfaction shall be measured, with a configurable target (default NPS of 30 or more).	—	Covered
NFR-DA-I18N-01	Every layout — navigation, tables, and charts — shall render correctly mirrored under Arabic RTL, not just with mirrored text direction.	—	Covered
NFR-DA-I18N-02	The system shall support configurable languages (default English, French, Arabic, Spanish, German), currencies (default USD, EUR, MAD, ZAR) and regional date, time and number formats.	—	Covered
NFR-DA-PORT-01	Installation shall succeed on a fresh target machine with only a supported Node.js runtime installed — no native C/C++ build toolchain, no required external database server, and no mandatory external API key.	Node.js only; npm install, npm run seed, npm run dev	Covered
NFR-DA-PORT-02	The same source shall run unmodified across supported operating systems via standard package-manager install/build/start commands.	Node.js only; npm install, npm run seed, npm run dev	Covered
NFR-DA-PORT-03	Every change shall be built by a continuous-integration pipeline on Linux, Windows, and macOS that installs dependencies, seeds the demonstration data, runs the automated tests — including the cross-tenant suite of NFR-DA-SEC-1...	Node.js only; npm install, npm run seed, npm run dev	Covered

ID	Requirement (quoted from the SRS)	Implemented by	Status
NFR-DA-PORT-04	Each tier shall install, seed, and start with its package manager's standard commands (install, seed, dev or start), documented in a README at the root of the delivery.	Node.js only; npm install, npm run seed, npm run dev	Covered
NFR-DA-MAINT-01	Cross-cutting engines — the Action/Task Register, the Alert & Notification Engine, the RBAC layer, the KPI/Reporting engine, and the Audit Trail Service — shall be implemented as composable modules reusable by sibling Dynamic A...	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-02	AI agent implementations shall be isolated behind a stable internal interface so a rule-based implementation can be replaced by an LLM/vector-DB-backed one without changing calling code.	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-03	The Solution Pack feature and quota matrix shall be defined in exactly one place and consumed by every enforcing route, so entitlements can never drift between routes.	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-04	The AI Use Case Library's generation service shall be the single designated server-side integration point for a live LLM call and its provider-specific credential/endpoint logic; no other module shall embed its own LLM provider...	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-05	The alert type-to-name and type-to-stage/process mapping shall be defined in exactly one shared module, consumed by both seed data and live computation.	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-06	The Installation Guide and User Guide shall be generated from source in Word and PDF, each with an automatic table of contents, and the User Guide's step-by-step walkthroughs shall be replayed automatically against a freshly se...	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-07	Every User Guide walkthrough shall start from the tenancy — create or choose the Group (Yes/No), create the Organization, then the principal record(s) — and the guide shall include the decision matrix of FR-DA-HLP-04.	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-MAINT-08	Verticals, SME tracks, complexity criteria, packs, project templates, gates and checklists shall be configuration data loaded without code changes, and the platform shall be modular with zero-downtime upgrades, monitoring, aler...	Single modules for packs, alerts, permissions, versions	Covered
NFR-DA-COMPAT-01	The application shall target evergreen desktop, tablet, and mobile browsers; no legacy-browser support is in scope.	—	Covered
NFR-DA-COMPAT-02	BPMN diagrams shall be stored and exchanged as schema-valid BPMN 2.0 XML, verified by a round-trip import/export, so a diagram authored in one Dynamic App opens without error in any other BPMN 2.0-compliant tool, and vice versa.	—	Covered
NFR-DA-COMPAT-03	The application's core workflows (record CRUD, approvals, alerts) shall remain fully usable on a mobile viewport without requiring a separate native application; a native or installable Progressive Web App wrapper, where offere...	—	Covered
NFR-DA-COMP-01	Every AI-generated suggestion shall be logged with a confidence indicator and be attributable to a specific agent/use case and record, or, for the AI Assistant, to the requesting user and question.	/api/projects/:id/ai/log	Covered
NFR-DA-COMP-02	The Controls module shall support demonstrating COSO Internal Control — Integrated Framework coverage across all five components.	/api/projects/:id/ai/log	Covered
NFR-DA-COMP-03	The system shall retain the full version history of every AI Use Case and every template indefinitely (no hard deletion of prior versions on edit or revert).	/api/projects/:id/ai/log	Covered
NFR-DA-COMP-04	The system shall never represent, in any UI text, Help content, FAQ answer, or generated document, that activating a Compliance & Security Standard constitutes a certification, an external audit, or a legal attestation of compl...	/api/projects/:id/ai/log	Covered
NFR-DA-COMP-05	The system shall let verticals map to sector standards — for example IATF 16949 (automotive), AS9100 (aerospace), EU MDR and ISO 13485 (medical devices), FDA 21 CFR Part 11 (pharmaceutical), HACCP (food safety) — as scaffolds s...	/api/projects/:id/ai/log	Covered
NFR-DA-COMP-06	Every requirement of a Dynamic App shall be traceable to its business requirement, user story, test case, release and, where applicable, customer commitment, in line with ISO/IEC/IEEE 29148; requirement changes shall be classif...	/api/projects/:id/ai/log	Covered
NFR-DA-DATA-01	By default, and whenever no Real LLM Provider Connection is configured, the system shall not transmit tenant data to any third-party service; every AI capability shall run entirely within the deployment's own infrastructure usi...	No external AI provider is called	Covered
NFR-DA-DATA-02	The system shall support both shared-infrastructure (SaaS) and dedicated/sovereign deployment options per Organization, without changing the tenant-isolation guarantee.	No external AI provider is called	Covered

CD D30 — Licensing implementation

Element	Where in DynamicMS	Status
Licence provider abstraction: SaaS (configuration) and on-premises (signed file)	server/src/services/ops.js › licenceStatus; Administration › Operations	Covered
Signed licence: customer, seats, expiry, packs, deployment mode (Ed25519)	npm run sign-licence; server/licence/licence.lic	Covered
Seat check against active users; expiry check	licenceStatus()	Covered
Degraded read-only mode when the licence is invalid	API middleware (HTTP 402 LICENCE_INVALID on changes)	Covered
Entitlement independent from RBAC (packs, add-ons, quotas)	server/src/packs.js; assertFeature()	Covered

Request — seeded full runs

The seed creates 2 groups and 1 independent organization, 60 organizations and 120 projects: for each of the 29 verticals a large company (Horizon Industrial Group) and an SME (Nova SME Alliance), plus Horizon Universal Holdings (large, universal) and Atlas Universal SME (independent). Every organization runs one QMS and one QHSE project through all activated phases, with 84,603 step executions (72,641 completed with their values), 3,700 KPIs, 4,338 risks, 960 nonconformities, 16,852 actions, 900 audits, 5,564 documents, 5,466 register entries and 4,648 alerts. Names, titles and all seeded texts exist in English, French and Arabic.

Project	Vertical	Size	MS	Mode	Phases	MPs	Steps	Done	Status
NV-AEC-QHSE	AEC	SME	QHSE	SME · Light	11	66	670	88%	Covered
NV-AEC-QMS	AEC	SME	QMS	SME · Standard	11	65	660	90%	Covered
NV-AER-QHSE	AER	SME	QHSE	SME · Standard	11	66	672	85%	Covered
NV-AER-QMS	AER	SME	QMS	SME · Standard	11	65	662	77%	Covered
NV-AUT-QHSE	AUT	SME	QHSE	SME · Light	11	71	724	78%	Covered
NV-AUT-QMS	AUT	SME	QMS	SME · Light	11	67	684	92%	Covered
NV-CON-QHSE	CON	SME	QHSE	SME · Standard	11	73	740	82%	Covered
NV-CON-QMS	CON	SME	QMS	SME · Standard	11	65	660	86%	Covered
NV-CPG-QHSE	CPG	SME	QHSE	SME · Standard	11	66	670	79%	Covered
NV-CPG-QMS	CPG	SME	QMS	SME · Standard	11	64	650	90%	Covered
NV-DST-QHSE	DST	SME	QHSE	SME · Light	11	66	670	76%	Covered
NV-DST-QMS	DST	SME	QMS	SME · Standard	11	64	650	88%	Covered
NV-ELE-QHSE	ELE	SME	QHSE	SME · Standard	11	69	700	79%	Covered
NV-ELE-QMS	ELE	SME	QMS	SME · Standard	11	65	660	79%	Covered
NV-ENG-QHSE	ENG	SME	QHSE	SME · Standard	11	71	721	90%	Covered
NV-ENG-QMS	ENG	SME	QMS	SME · Light	11	67	680	76%	Covered
NV-FAB-QHSE	FAB	SME	QHSE	SME · Standard	11	66	670	83%	Covered
NV-FAB-QMS	FAB	SME	QMS	SME · Light	11	65	660	84%	Covered
NV-FNB-QHSE	FNB	SME	QHSE	SME · Standard	11	69	700	84%	Covered
NV-FNB-QMS	FNB	SME	QMS	SME · Standard	11	65	660	91%	Covered
NV-HCA-QHSE	HCA	SME	QHSE	SME · Light	11	68	690	91%	Covered
NV-HCA-QMS	HCA	SME	QMS	SME · Standard	11	67	680	91%	Covered

Project	Vertical	Size	MS	Mode	Phases	MPs	Steps	Done	Status
NV-HLS-QHSE	HLS	SME	QHSE	SME · Light	11	68	690	90%	Covered
NV-HLS-QMS	HLS	SME	QMS	SME · Light	11	67	680	89%	Covered
NV-IND-QHSE	IND	SME	QHSE	SME · Light	11	67	682	83%	Covered
NV-IND-QMS	IND	SME	QMS	SME · Light	11	66	672	77%	Covered
NV-INF-QHSE	INF	SME	QHSE	SME · Light	11	66	670	81%	Covered
NV-INF-QMS	INF	SME	QMS	SME · Light	11	65	660	90%	Covered
NV-LOG-QHSE	LOG	SME	QHSE	SME · Standard	11	66	670	90%	Covered
NV-LOG-QMS	LOG	SME	QMS	SME · Standard	11	64	650	81%	Covered
NV-MFG-QHSE	MFG	SME	QHSE	SME · Light	11	73	740	79%	Covered
NV-MFG-QMS	MFG	SME	QMS	SME · Light	11	65	660	89%	Covered
NV-PCH-QHSE	PCH	SME	QHSE	SME · Light	11	75	761	84%	Covered
NV-PCH-QMS	PCH	SME	QMS	SME · Light	11	66	670	76%	Covered
NV-PCI-QHSE	PCI	SME	QHSE	SME · Advanced	11	66	670	85%	Covered
NV-PCI-QMS	PCI	SME	QMS	SME · Standard	11	64	650	89%	Covered
NV-PED-QHSE	PED	SME	QHSE	SME · Light	11	65	660	84%	Covered
NV-PED-QMS	PED	SME	QMS	SME · Light	11	64	650	84%	Covered
NV-PHA-QHSE	PHA	SME	QHSE	SME · Standard	11	69	700	85%	Covered
NV-PHA-QMS	PHA	SME	QMS	SME · Standard	11	66	670	85%	Covered
NV-PHM-QHSE	PHM	SME	QHSE	SME · Standard	11	69	700	77%	Covered
NV-PHM-QMS	PHM	SME	QMS	SME · Light	11	66	670	90%	Covered
NV-PPG-QHSE	PPG	SME	QHSE	SME · Standard	11	65	660	77%	Covered
NV-PPG-QMS	PPG	SME	QMS	SME · Light	11	64	650	86%	Covered
NV-PUED-QHSE	PUED	SME	QHSE	SME · Advanced	11	65	660	88%	Covered
NV-PUED-QMS	PUED	SME	QMS	SME · Standard	11	64	650	79%	Covered
NV-RET-QHSE	RET	SME	QHSE	SME · Standard	11	67	680	84%	Covered
NV-RET-QMS	RET	SME	QMS	SME · Standard	11	66	670	83%	Covered
NV-RFA-QHSE	RFA	SME	QHSE	SME · Standard	11	68	690	88%	Covered
NV-RFA-QMS	RFA	SME	QMS	SME · Standard	11	64	650	88%	Covered
NV-SEM-QHSE	SEM	SME	QHSE	SME · Standard	11	69	702	80%	Covered
NV-SEM-QMS	SEM	SME	QMS	SME · Standard	11	67	682	81%	Covered
NV-SHB-QHSE	SHB	SME	QHSE	SME · Standard	11	68	690	78%	Covered
NV-SHB-QMS	SHB	SME	QMS	SME · Standard	11	65	660	82%	Covered
NV-SSE-QHSE	SSE	SME	QHSE	SME · Light	11	67	680	80%	Covered
NV-SSE-QMS	SSE	SME	QMS	SME · Light	11	64	650	78%	Covered
NV-TEL-QHSE	TEL	SME	QHSE	SME · Light	11	67	680	85%	Covered
NV-TEL-QMS	TEL	SME	QMS	SME · Light	11	66	670	89%	Covered
AT-UNI-QHSE	UNI	SME	QHSE	SME · Standard	10	61	620	90%	Covered
AT-UNI-QMS	UNI	SME	QMS	SME · Standard	10	61	620	90%	Covered
HZ-AEC-QHSE	AEC	Large	QHSE	FULL	10	75	731	86%	Covered
HZ-AEC-QMS	AEC	Large	QMS	FULL	10	74	721	89%	Covered
HZ-AER-QHSE	AER	Large	QHSE	FULL	12	83	803	90%	Covered
HZ-AER-QMS	AER	Large	QMS	FULL	12	82	793	80%	Covered
HZ-AUT-QHSE	AUT	Large	QHSE	FULL	12	86	839	91%	Covered
HZ-AUT-QMS	AUT	Large	QMS	FULL	12	82	799	87%	Covered
HZ-CON-QHSE	CON	Large	QHSE	FULL	11	75	740	83%	Covered
HZ-CON-QMS	CON	Large	QMS	FULL	11	66	651	91%	Covered
HZ-CPG-QHSE	CPG	Large	QHSE	FULL	12	76	742	83%	Covered

Project	Vertical	Size	MS	Mode	Phases	MPs	Steps	Done	Status
HZ-CPG-QMS	CPG	Large	QMS	FULL	12	71	694	91%	Covered
HZ-DST-QHSE	DST	Large	QHSE	FULL	12	69	679	86%	Covered
HZ-DST-QMS	DST	Large	QMS	FULL	11	67	659	82%	Covered
HZ-ELE-QHSE	ELE	Large	QHSE	FULL	11	80	776	87%	Covered
HZ-ELE-QMS	ELE	Large	QMS	FULL	11	76	736	91%	Covered
HZ-ENG-QHSE	ENG	Large	QHSE	FULL	12	80	782	92%	Covered
HZ-ENG-QMS	ENG	Large	QMS	FULL	11	74	723	88%	Covered
HZ-FAB-QHSE	FAB	Large	QHSE	FULL	10	73	713	94%	Covered
HZ-FAB-QMS	FAB	Large	QMS	FULL	10	72	703	85%	Covered
HZ-FNB-QHSE	FNB	Large	QHSE	FULL	12	79	772	84%	Covered
HZ-FNB-QMS	FNB	Large	QMS	FULL	12	72	704	83%	Covered
HZ-HCA-QHSE	HCA	Large	QHSE	FULL	12	79	770	93%	Covered
HZ-HCA-QMS	HCA	Large	QMS	FULL	12	78	760	82%	Covered
HZ-HLS-QHSE	HLS	Large	QHSE	FULL	12	84	811	93%	Covered
HZ-HLS-QMS	HLS	Large	QMS	FULL	12	82	792	90%	Covered
HZ-IND-QHSE	IND	Large	QHSE	FULL	11	72	707	91%	Covered
HZ-IND-QMS	IND	Large	QMS	FULL	11	71	697	85%	Covered
HZ-INF-QHSE	INF	Large	QHSE	FULL	10	68	671	90%	Covered
HZ-INF-QMS	INF	Large	QMS	FULL	10	67	661	93%	Covered
HZ-LOG-QHSE	LOG	Large	QHSE	FULL	12	71	697	93%	Covered
HZ-LOG-QMS	LOG	Large	QMS	FULL	12	69	677	81%	Covered
HZ-MFG-QHSE	MFG	Large	QHSE	FULL	12	80	783	80%	Covered
HZ-MFG-QMS	MFG	Large	QMS	FULL	11	72	703	82%	Covered
HZ-PCH-QHSE	PCH	Large	QHSE	FULL	11	85	832	89%	Covered
HZ-PCH-QMS	PCH	Large	QMS	FULL	11	73	713	89%	Covered
HZ-PCI-QHSE	PCI	Large	QHSE	FULL	10	73	712	94%	Covered
HZ-PCI-QMS	PCI	Large	QMS	FULL	10	70	683	93%	Covered
HZ-PED-QHSE	PED	Large	QHSE	FULL	11	60	599	91%	Covered
HZ-PED-QMS	PED	Large	QMS	FULL	11	59	589	81%	Covered
HZ-PHA-QHSE	PHA	Large	QHSE	FULL	11	81	783	93%	Covered
HZ-PHA-QMS	PHA	Large	QMS	FULL	11	77	744	90%	Covered
HZ-PHM-QHSE	PHM	Large	QHSE	FULL	12	87	840	84%	Covered
HZ-PHM-QMS	PHM	Large	QMS	FULL	12	81	782	83%	Covered
HZ-PPG-QHSE	PPG	Large	QHSE	FULL	11	73	711	90%	Covered
HZ-PPG-QMS	PPG	Large	QMS	FULL	11	71	692	86%	Covered
HZ-PUED-QHSE	PUED	Large	QHSE	FULL	11	60	599	91%	Covered
HZ-PUED-QMS	PUED	Large	QMS	FULL	11	59	589	87%	Covered
HZ-RET-QHSE	RET	Large	QHSE	FULL	12	74	723	89%	Covered
HZ-RET-QMS	RET	Large	QMS	FULL	12	73	713	82%	Covered
HZ-RFA-QHSE	RFA	Large	QHSE	FULL	11	72	707	84%	Covered
HZ-RFA-QMS	RFA	Large	QMS	FULL	11	65	639	87%	Covered
HZ-SEM-QHSE	SEM	Large	QHSE	FULL	12	85	821	83%	Covered
HZ-SEM-QMS	SEM	Large	QMS	FULL	12	83	801	89%	Covered
HZ-SHB-QHSE	SHB	Large	QHSE	FULL	11	76	744	89%	Covered
HZ-SHB-QMS	SHB	Large	QMS	FULL	10	70	686	86%	Covered
HZ-SSE-QHSE	SSE	Large	QHSE	FULL	10	66	651	92%	Covered
HZ-SSE-QMS	SSE	Large	QMS	FULL	10	60	593	82%	Covered

Project	Vertical	Size	MS	Mode	Phases	MPs	Steps	Done	Status
HZ-TEL-QHSE	TEL	Large	QHSE	FULL	12	77	747	80%	Covered
HZ-TEL-QMS	TEL	Large	QMS	FULL	12	76	737	82%	Covered
HZ-UNI-QHSE	UNI	Large	QHSE	FULL	12	121	1,155	90%	Covered
HZ-UNI-QMS	UNI	Large	QMS	FULL	12	111	1,057	90%	Covered

Request — interface rules

Rule	How it is met	Status
Brand tokens only (orange, greys, background, status scale, two chart overlays)	web/src/styles/tokens.css; no other colour in the stylesheet	Covered
Serif headings, humanist sans body; no Inter, Roboto, Arial, Open Sans, Lato or system-ui	Source Serif 4 / Source Sans 3 (Noto Naskh / Noto Sans Arabic) bundled locally	Covered
Type scale 12–36 and spacing 4–64 only; radii 8 / 8 / 12; one shadow; no pill buttons	tokens.css variables used by every component	Covered
Tables: orange header, bold white text, alternating rows, thin grey borders	table.data in app.css; reports and documents follow the same rule	Covered
Icon badges: solid circle with a centred white Lucide line icon (≈52 %)	.badge-icon component	Covered
Hover, focus-visible, active and disabled states; visible focus ring	Every control in app.css; skip link and keyboard navigation	Covered
Charts: primary orange solid, comparison dashed grey, italic caption	components/charts.jsx; captions under each chart	Covered
No orange for body copy or small labels	Orange text limited to the eyebrow and large KPI numbers	Covered
Light backgrounds; dark only for section dividers	Lifecycle run summary band; presentation dividers	Covered
State tokens, spacing and type scale before building	Stated before the web build and documented in tokens.css	Covered
POWERACT not mentioned in the application	Application screens and generated reports carry DynamicMS only	Covered
English, French and Arabic with right-to-left layout	1,042 interface strings and all catalog content translated; dir="rtl" mirrors the shell	Covered

Request — deliverables

Deliverable	File	Status
Application zip (server and web folders)	DynamicMS.zip	Covered
Installation guide (Word with TOC) and PDF	DynamicMS_Installation_Guide.docx / .pdf	Covered
User guide 1 — Universal large companies: QMS, QHSE (what to type for every step)	DynamicMS_User_Guide_1_Universal_Large.docx / .pdf	Covered
User guide 2 — SME: QMS, QHSE, QMS for AEC & Construction	DynamicMS_User_Guide_2_SME.docx / .pdf	Covered
Presentation with screenshots of every sector — English	DynamicMS_Presentation_EN.pptx / .pdf	Covered
Presentation with screenshots of every sector — French	DynamicMS_Presentation_FR.pptx / .pdf	Covered
Source code	DynamicMS.zip and the Git branch claude/lucid-brahmagupta-xfc6ek	Covered
This coverage checklist	DynamicMS_Coverage_Checklist.docx / .pdf	Covered

Deliverable	File	Status
IMS document templates (suggested templates, sections, data sources, required documented information)	DynamicMS_IMS_Document_Templates.docx / .pdf	Covered
Templates seeded, populated and ready to download (sample set of Scenario 1 and 2 SME)	In the application (Records › Documents) and DynamicMS_Sample_IMS_Documents.zip	Covered
Response to the feedback on User Guide 2 (SME QMS, Scenario 1)	DynamicMS_Feedback_Response_User_Guide_2.docx / .pdf	Covered

Feedback on User Guide 2 — SME QMS, Scenario 1

Each note of the reviewed guide and where it is answered. Details are in DynamicMS_Feedback_Response_User_Guide_2.

Feedback	Where	Status
Where to create a new group?	Administration › Groups and organizations	Covered
Where to create a new organization? (group: yes, no)	Administration › Groups and organizations › New organization	Covered
For each step, a brief and a detailed description (expand, collapse).	Any step › What to record	Covered
"Workshop records and Internal issues" appears in many places.	Steps with record tables; User Guide 2	Covered
For each macro process, an optional checklist of what is required before starting.	Macro process › Tasks and steps	Covered
All the information generated by the steps should be available to put in documents.	Records › Documents; IMS Document Templates	Covered
Suggest the documents mandatory for the selected standards, with CRUD/RBAC.	Records › Documents › Required by the standards	Covered
Possibility to create new documents.	Records › Documents › New document	Covered
Word / PDF with a table of contents (except the policy); Excel with a cover page.	Downloads of any document	Covered
Document templates, with the possibility to create new ones.	Records › Documents › Templates	Covered
Customizable layout (logo, graphic chart...) like in Word.	Records › Documents › Layout	Covered
For any document, see its structure and content, with CRUD/RBAC.	Records › Documents › a document	Covered
Documents: CRUD/RBAC.	Records › Documents	Covered
In any step, a "Generate document" button.	Any step	Covered
Documents with version management.	Records › Documents › a document › Versions	Covered
BPMN diagram: Expand should use the whole screen, with a way back.	Macro process › BPMN diagram	Covered
Naming: function and macro process names start with a noun; task and step names start with a verb and are explicit.	All lifecycle screens; User Guides	Covered
Where to configure the LLM for AI use cases: standard LLMs with their models, custom LLM.	Administration › AI models	Covered
"Items identified": separate records/cells with CRUD, not one cell.	Steps of form "Register items"	Covered
"Source / evidence": separate records/cells with CRUD, not one cell.	Same	Covered
Any AI use case mapped to the right step, with a prompt about that step.	Any AI-assisted step; Intelligence › AI use cases	Covered
Difference between "Rédiger la politique" and "Rédiger la politique à partir d'un modèle"?	UMS022 (MP-002)	Covered
UMS022: one place to select the standard(s) before any policy elaboration.	UMS022 step 1	Covered
For any step, attach documents with history.	Any step › Attachments	Covered

Feedback	Where	Status
Indicators: explain why; select KPIs from a list, with custom to create a new one.	Steps of form "Measurement"	Covered
"What to type" is too generic; details that produce the desired outputs are needed.	User Guide 2, Scenario 1	Covered
"For QMS steps, you can also consider the attached document."	—	Partly covered
UMS016 step 1 — Scope / notes: dropdown from the OBS and its functions, with custom.	Lifecycle › E2E-01 steps	Covered
UMS016 steps 2–4 — Items and Source / evidence as separate records.	Lifecycle › E2E-01 steps	Covered
UMS016 step 5 — Score (1–5): explain the score and add a decision matrix.	Lifecycle › E2E-01 steps	Covered
UMS016 — "Competence gap closure rate: why this at this stage?"	Lifecycle › E2E-01 steps	Covered
UMS016 — "Here it is a review: why not frequency and other information?"	Lifecycle › E2E-01 steps	Covered
UMS022 — Communication audience in one cell.	Lifecycle › E2E-01 steps	Covered
UMS022 — Planned activities "should create actions managed by the Action plan module".	Lifecycle › E2E-01 steps	Covered
UMS022 — "Procedures with BPMN and exception flow: relationship with the step?"	Lifecycle › E2E-01 steps	Covered
UMS022 — "Policy document generated automatically: where is the document?"	Lifecycle › E2E-01 steps	Covered
UMS031 — "Multiple records/cells with SMART, not one cell."	Lifecycle › E2E-01 steps	Covered
UMS031 — "Records filed in DynamicMS: where are the records?" (three times)	Lifecycle › E2E-01 steps	Covered
UMS002 — "These details are not useful."	Lifecycle › E2E-01 steps	Covered
UMS002 — "Person / team should come from the OBS; RACSI table in five columns for macro processes by default, and tasks/steps if needed."	Lifecycle › E2E-01 steps	Covered
UMS002 — "Put the decision matrix."	Lifecycle › E2E-01 steps	Covered

Partly covered: the document mentioned for the QMS steps was not attached to the request; its content can be added when received.

Logo. The official POWERACT logo could not be downloaded from www.poweract.ma (the site refused the request). The deliverables show the POWERACT Consulting name as text. Place the logo at deliverables/assets/poweract-logo.png and run the builders again to insert it on covers, slides and footers.