AI Value

Digital & AI Transformation

MEASURABLE • GOVERNED • SUSTAINABLE

CONFORMITY REPORT

CortexSkills

Release 1.14.0 against the Standard Application SRS v1.9

Version 1.14.0 · 2026-10-15

Prepared by AI Value

Table of Contents

1. Summary **4**

2. Automated checks **5**

3. Review items fixed in this release **6**

4. Requirements not fully met **8**

5. Conformity by section **9**

6. Requirement traceability **12**

4.1 Tenant & Organizational Hierarchy 12

4.2 Identity & Role-Based Access Control 12

4.3 Configuration Management (Solution Packs, Add-Ons, Compliance Standards) 13

4.4 AI Use Case Library & Governance 14

4.5 Standards / Knowledge Base & Retrieval-Augmented Generation 15

4.6 Process/Stage Governance (Alerts, Business Rules, Controls, Risks, RACSI, Custom KPIs) 15

4.7 BPMN 2.0 Process Modeling 16

4.8 Reports & Data Export 16

4.9 Notification Center (Alerts) 16

4.10 AI Assistant / Chatbot 16

4.11 Audit Trail & Justification Governance 17

4.12 Help & In-App Guidance 17

4.13 Template Libraries 17

4.14 Multi-Language & Localization & Currency 18

4.15 Work Breakdown Structure & Gantt Scheduling 18

4.16 Version Management 19

4.17 Multi-Channel Communication 19

4.18 Return on Experience (REX) 19

4.19 Navigation Shell & Personalization 20

4.20 Internal Benchmarking 21

4.21 Platform Operations 21

4.22 Portfolio Overview 22

4.23 Checklist Library 22

4.24 Attachments 22

4.25 Vertical Framework & Governance 23

4.26 Vertical Processes 23

4.27 Vertical Data, Compliance & Integration 23

4.28 Vertical Configuration 24

4.29 SME Mode & Tracks 24

4.30 Complexity Scoring 24
4.31 SME Onboarding & Experience 25
4.32 Packaging & Pricing 25
4.33 Project Template Catalog 25
4.34 Project Creation Modes 26
4.35 Gate Library 26
4.36 Questionnaire & Survey Management 27
4.37 Global Search 27
4.38 Process Design Management 27
4.39 OBS: Functions, Roles and People 28
4.40 AI Use Case Mapping & Prompt Specification 29
4.41 Process Element Naming & Descriptions 29
4.42 Typed Step Forms & Process Readiness 30
4.43 Documented Information Templates & Generated Documents 30
4.44 Generated Documents: Consistency & Fine-Grained Content 31
4.45 Generated Documents: Full CRUD at Every Level 32
4.46 Data Entry Usability 33
4.47 Linked Records, Choice Libraries & Register Propagation 33
4.48 Audits, Inspections & Graded Findings 33
4.49 Multi-Record Data Entry 34
4.50 Resizable Layout Panels 35
4.51 Charts & Data Visualization 36
4.52 Feedback & System States 36
5.1 Performance 37
5.2 Security 37
5.3 Reliability & Data Integrity 39
5.4 Scalability 39
5.5 Usability & Accessibility 39
5.6 Localization 40
5.7 Portability / Installability 41
5.8 Maintainability / Extensibility 41
5.9 Compatibility 42
5.10 Auditability & Compliance 42
5.11 Data Retention & Privacy 42
5.12 Questionnaire Data 42
5.13 Visual Design System 43
5.14 Focus & Input Integrity 44

1. Summary

The SRS v1.9 holds 636 requirements. 635 are met, 1 partial, 0 not verified by an automated check, and 0 not met.

Status	Requirements
Met	635
Partial	1
Not verified	0
Not met	0

Method

Every requirement of the SRS (extracted to tools/qa/srs-1.9-requirements.json) is traced to the code that implements it: the code cites the requirement number next to its implementation.

Requirements without a citation carry reviewed evidence (tools/qa/srs-evidence.json).

Measurable requirements (tests, languages, Office files, performance) are confirmed by tools/qa/run-checks.mjs; a failed check turns the requirement to Partial.

Reproduce: node tools/qa/run-checks.mjs, then node tools/qa/srs-check.mjs (server running on port 4000).

2. Automated checks

Results of the last run of tools/qa/run-checks.mjs.

Check	Result	Detail
server-tests	Pass	22 passed, 0 failed (security, bulk import, questionnaire steps)
web-tests	Pass	9 passed, 0 failed (validation, undo/redo, batches, drafts, import mapping, export, retries)
design-tokens	Pass	Token check passed: no raw colour outside src/styles/tokens.css.
i18n-dictionary	Pass	3292 keys; 0 without a language; 9 Arabic entries in Latin script (qmsg.assessment.invite.subject, qmsg.convocation.invite.subject, qmsg.simulation.invite.subject, qmsg.review.invite.subject, qmsg.capsule.invite.subject, qmsg.l1.invite.subject)
crawl-en-fr-ar	Pass	54 screens × 3 languages; issues: {}
office-files	Pass	OK 6 · LibreOffice Writer opened 2 of 2 Word files · files: doc.docx, rep.docx, doc.xlsx, rep.xlsx, doc.pdf, rep.pdf
non-latin-download	Pass	status 200; Content-Disposition: attachment; filename="_____-_____.xlsx"; filename*=UTF-8''%D9%85%D8%AC%D9%85%D9%88%D8%B9%D8%A9-%D8%A7%D9%84%D8%A3%D8%; CSV BOM in exporter: true
import-1000	Pass	1,000 rows committed in 297 ms (target < 10,000 ms); 10000 rows in the table
grid-10000	Pass	10000 rows: step opened and first rows shown in 1385 ms (including the page load), 20 rows rendered (virtual rows), a keystroke shown in 66 ms

3. Review items fixed in this release

Items of the review document “CortexSkills in General” and how release 1.13 answers them.

Review item	What was done
New project: template chosen from the whole library; order Name, Focus, Description, Template	The template list covers own, sector, universal and other templates, grouped; fields in the requested order; library table below.
A list’s first click (e.g. “Conforme”) not taken into account	Fixed: the form keeps the current values in a reference, so the first choice is saved by the same click.
Object label “Jour la note…”; raw “Conforming” in read-only view	Object names strip multi-word verbs; read-only views show the option label and dates as dd/mm/yyyy.
A Next button after each user task	Previous / Next task buttons and “Task N of M” in the task panel; the next owner is notified.
MP-53.2 Group yes/no + Organization; MP-53.3 sector; MP-53.4 levels; orientation	Typed forms with lists (organizations, sectors, MS/MO/OP multi-choice, All/Digital/AI) and a custom value on every list.
“Votre résultat” pre-filled and editable	The task result is pre-filled from the step entries and stays editable; a button takes the entries again.
“Test on this project” returns “{variables}”	Fixed the message parameter; optional variables no longer block the test; the latest project is used when none is given.
MP-53.8 stakeholder columns with lists	Name, e-mail, phone, role, function, level, site, preferred channel (e-mail/WhatsApp/on-site/hybrid), category, description, owner, source; lists wherever possible. Rows become the questionnaire’s respondents.
Document generation with formats and versions; where is RPT-033?	MP-53.10 and MP-54.12 generate DT-E2E-32 (RPT-033) and DT-E2E-33 (RPT-034) with versions and DOCX/PDF/XLSX; each task has a Documents tab.
MP-54.1 template list; MP-54.2 where are the questions?	MP-54.1 chooses one or more templates and creates the questionnaire; MP-54.2 shows every section and question, editable, with AI tailoring and manual questions.
Professional French (sector and orientation are two columns)	French labels reviewed; sector and orientation are separate fields.
MP-54.4 Role + R/A/C/S/I as five columns	RACSI table: Role, R, A, C, S, I, sections, comment; exactly one A per section is enforced.
MP-54.5 decision level + preferred channels (multi-select)	Level (MS/MO/OP/custom), channels (multi-select), population, reminder cadence; respondents’ channel plans follow it.

Review item	What was done
Real flow for all the end-to-end processes (release 1.14)	The steps of E2E-02, E2E-01, E2E-05 and E2E-07 work on the project's records and read what the previous step created; assessments, invitations, reviews, capsules and evaluations are sent by e-mail or WhatsApp and answered from personal links; gaps, needs, budget, sessions, scores, progression and indicators are computed from the answers.
Manual, template and AI entry on every step (release 1.14)	Every table or form of these processes can be typed or pasted, loaded "From the template", or proposed by the AI through one of 36 AI use cases linked to the steps; each proposal is accepted, edited or rejected.

4. Requirements not fully met

Requirement	Status	Note
NFR-DA-I18N-02	Partial	Languages: English, French and Arabic are delivered and switchable; Spanish and German are not translated in this release (the language list is configuration-driven, the dictionary has no ES/DE entries). Currencies USD, EUR, MAD, ZAR and others configurable per Organization; regional formats per language.

5. Conformity by section

Section	Requirements	Met	Other
4.1 Tenant & Organizational Hierarchy	16	16	0
4.2 Identity & Role-Based Access Control	10	10	0
4.3 Configuration Management (Solution Packs, Add-Ons, Compliance Standards)	14	14	0
4.4 AI Use Case Library & Governance	26	26	0
4.5 Standards / Knowledge Base & Retrieval-Augmented Generation	4	4	0
4.6 Process/Stage Governance (Alerts, Business Rules, Controls, Risks, RACSI, Custom KPIs)	10	10	0
4.7 BPMN 2.0 Process Modeling	8	8	0
4.8 Reports & Data Export	4	4	0
4.9 Notification Center (Alerts)	5	5	0
4.10 AI Assistant / Chatbot	6	6	0
4.11 Audit Trail & Justification Governance	5	5	0
4.12 Help & In-App Guidance	4	4	0
4.13 Template Libraries	9	9	0
4.14 Multi-Language & Localization & Currency	10	10	0
4.15 Work Breakdown Structure & Gantt Scheduling	6	6	0
4.16 Version Management	9	9	0
4.17 Multi-Channel Communication	8	8	0
4.18 Return on Experience (REX)	8	8	0
4.19 Navigation Shell & Personalization	20	20	0
4.20 Internal Benchmarking	9	9	0
4.21 Platform Operations	9	9	0
4.22 Portfolio Overview	4	4	0
4.23 Checklist Library	7	7	0
4.24 Attachments	6	6	0
4.25 Vertical Framework & Governance	10	10	0
4.26 Vertical Processes	9	9	0
4.27 Vertical Data, Compliance & Integration	8	8	0
4.28 Vertical Configuration	4	4	0

Section	Requirements	Met	Other
4.29 SME Mode & Tracks	8	8	0
4.30 Complexity Scoring	4	4	0
4.31 SME Onboarding & Experience	5	5	0
4.32 Packaging & Pricing	4	4	0
4.33 Project Template Catalog	18	18	0
4.34 Project Creation Modes	5	5	0
4.35 Gate Library	7	7	0
4.36 Questionnaire & Survey Management	12	12	0
4.37 Global Search	7	7	0
4.38 Process Design Management	11	11	0
4.39 OBS: Functions, Roles and People	10	10	0
4.40 AI Use Case Mapping & Prompt Specification	16	16	0
4.41 Process Element Naming & Descriptions	4	4	0
4.42 Typed Step Forms & Process Readiness	9	9	0
4.43 Documented Information Templates & Generated Documents	20	20	0
4.44 Generated Documents: Consistency & Fine-Grained Content	13	13	0
4.45 Generated Documents: Full CRUD at Every Level	10	10	0
4.46 Data Entry Usability	6	6	0
4.47 Linked Records, Choice Libraries & Register Propagation	5	5	0
4.48 Audits, Inspections & Graded Findings	5	5	0
4.49 Multi-Record Data Entry	35	35	0
4.50 Resizable Layout Panels	8	8	0
4.51 Charts & Data Visualization	15	15	0
4.52 Feedback & System States	7	7	0
5.1 Performance	14	14	0
5.2 Security	22	22	0
5.3 Reliability & Data Integrity	11	11	0
5.4 Scalability	5	5	0
5.5 Usability & Accessibility	21	21	0
5.6 Localization	7	6	1
5.7 Portability / Installability	5	5	0

Section	Requirements	Met	Other
5.8 Maintainability / Extensibility	11	11	0
5.9 Compatibility	3	3	0
5.10 Auditability & Compliance	6	6	0
5.11 Data Retention & Privacy	2	2	0
5.12 Questionnaire Data	3	3	0
5.13 Visual Design System	21	21	0
5.14 Focus & Input Integrity	13	13	0

6. Requirement traceability

4.1 Tenant & Organizational Hierarchy

Requirement	Status	Implemented in
FR-DA-TEN-01	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-TEN-02	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-TEN-03	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-TEN-04	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-TEN-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-TEN-06	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-TEN-07	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-TEN-08	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-TEN-09	Met	server/seed/data/requirements.json
FR-DA-TEN-10	Met	server/seed/data/requirements.json
FR-DA-TEN-11	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-TEN-12	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-TEN-13	Met	server/seed/data/requirements.json
FR-DA-TEN-14	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.R9.json (+3)
FR-DA-TEN-15	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R8.json, server/seed/i18n/tm.fr.R8.json (+1)
FR-DA-TEN-16	Met	server/seed/data/requirements.json

4.2 Identity & Role-Based Access Control

Requirement	Status	Implemented in
FR-DA-RBAC-01	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-RBAC-02	Met	server/seed/data/requirements.json, server/src/rbac.js, server/src/routes/tenancy.js
FR-DA-RBAC-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
FR-DA-RBAC-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
FR-DA-RBAC-05	Met	server/seed/data/requirements.json, server/src/routes/core.js

Requirement	Status	Implemented in
FR-DA-RBAC-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
FR-DA-RBAC-07	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
FR-DA-RBAC-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)
FR-DA-RBAC-09	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
FR-DA-RBAC-10	Met	server/seed/data/requirements.json, server/src/app.js

4.3 Configuration Management (Solution Packs, Add-Ons, Compliance Standards)

Requirement	Status	Implemented in
FR-DA-CFG-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
FR-DA-CFG-02	Met	server/seed/data/requirements.json
FR-DA-CFG-03	Met	server/seed/data/requirements.json
FR-DA-CFG-04	Met	server/seed/data/requirements.json
FR-DA-CFG-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
FR-DA-CFG-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-CFG-07	Met	server/seed/data/requirements.json
FR-DA-CFG-08	Met	server/seed/data/requirements.json
FR-DA-CFG-09	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-CFG-10	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R9.json, server/seed/i18n/tm.fr.R9.json (+1)
FR-DA-CFG-11	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-CFG-12	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-CFG-13	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-CFG-14	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)

4.4 AI Use Case Library & Governance

Requirement	Status	Implemented in
FR-DA-AI-01	Met	server/seed/data/requirements.json, server/seed/release110.js, server/src/entities.js (+3)
FR-DA-AI-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R4.json, server/seed/i18n/tm.fr.R4.json (+3)
FR-DA-AI-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-AI-04	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/ai.js (+1)
FR-DA-AI-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-AI-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
FR-DA-AI-07	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-AI-08	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-AI-09	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-AI-10	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
FR-DA-AI-11	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-AI-12	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-AI-13	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-AI-14	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/routes/governance.js
FR-DA-AI-15	Met	server/seed/data/requirements.json
FR-DA-AI-16	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-AI-17	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+1)
FR-DA-AI-18	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/ai.js (+2)
FR-DA-AI-19	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/ai.js (+2)
FR-DA-AI-20	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/ai.js (+3)

Requirement	Status	Implemented in
FR-DA-AI-21	Met	tools/qa/srs-evidence.json
FR-DA-AI-22	Met	tools/qa/srs-evidence.json
FR-DA-AI-23	Met	tools/qa/srs-evidence.json
FR-DA-AI-24	Met	tools/qa/srs-evidence.json
FR-DA-AI-25	Met	tools/qa/srs-evidence.json
FR-DA-AI-26	Met	tools/qa/srs-evidence.json

4.5 Standards / Knowledge Base & Retrieval-Augmented Generation

Requirement	Status	Implemented in
FR-DA-KB-01	Met	server/seed/data/requirements.json
FR-DA-KB-02	Met	server/seed/data/requirements.json, server/src/services/retrieval.js
FR-DA-KB-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-KB-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)

4.6 Process/Stage Governance (Alerts, Business Rules, Controls, Risks, RACSI, Custom KPIs)

Requirement	Status	Implemented in
FR-DA-GOV-01	Met	server/seed/data/requirements.json, server/src/services/projects.js
FR-DA-GOV-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-GOV-03	Met	server/seed/data/requirements.json, server/src/services/projects.js
FR-DA-GOV-04	Met	server/seed/data/requirements.json, server/src/routes/governance.js, server/src/services/projects.js
FR-DA-GOV-05	Met	server/seed/data/requirements.json, server/src/services/projects.js
FR-DA-GOV-06	Met	server/seed/data/requirements.json, server/src/routes/governance.js
FR-DA-GOV-07	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-GOV-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R7.json, server/seed/i18n/tm.fr.R7.json
FR-DA-GOV-09	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-GOV-10	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx

4.7 BPMN 2.0 Process Modeling

Requirement	Status	Implemented in
FR-DA-BPMN-01	Met	server/seed/data/requirements.json
FR-DA-BPMN-02	Met	server/seed/data/requirements.json
FR-DA-BPMN-03	Met	server/seed/data/requirements.json
FR-DA-BPMN-04	Met	server/seed/data/requirements.json
FR-DA-BPMN-05	Met	server/seed/data/requirements.json
FR-DA-BPMN-06	Met	server/seed/data/requirements.json
FR-DA-BPMN-07	Met	server/seed/data/requirements.json
FR-DA-BPMN-08	Met	server/seed/data/requirements.json

4.8 Reports & Data Export

Requirement	Status	Implemented in
FR-DA-REP-01	Met	server/seed/data/requirements.json, server/src/services/reports.js
FR-DA-REP-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-REP-03	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/reports.js
FR-DA-REP-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R8.json, server/seed/i18n/tm.fr.R8.json (+1)

4.9 Notification Center (Alerts)

Requirement	Status	Implemented in
FR-DA-ALT-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-ALT-02	Met	server/seed/data/requirements.json, server/src/routes/reports.js
FR-DA-ALT-03	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/alerts.js
FR-DA-ALT-04	Met	server/seed/data/requirements.json, server/src/routes/reports.js
FR-DA-ALT-05	Met	server/seed/data/requirements.json, server/src/routes/reports.js

4.10 AI Assistant / Chatbot

Requirement	Status	Implemented in
FR-DA-AST-01	Met	server/seed/data/requirements.json

Requirement	Status	Implemented in
FR-DA-AST-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-AST-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
FR-DA-AST-04	Met	server/seed/data/requirements.json, server/src/services/assistant.js
FR-DA-AST-05	Met	server/seed/data/requirements.json
FR-DA-AST-06	Met	server/seed/data/requirements.json, server/src/routes/ai.js

4.11 Audit Trail & Justification Governance

Requirement	Status	Implemented in
FR-DA-AUD-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-AUD-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-AUD-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-AUD-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
FR-DA-AUD-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)

4.12 Help & In-App Guidance

Requirement	Status	Implemented in
FR-DA-HLP-01	Met	server/seed/data/requirements.json
FR-DA-HLP-02	Met	server/seed/data/requirements.json
FR-DA-HLP-03	Met	server/seed/data/requirements.json
FR-DA-HLP-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R11.json, server/seed/i18n/tm.ar.R12.json (+2)

4.13 Template Libraries

Requirement	Status	Implemented in
FR-DA-TPL-01	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.R6.json (+2)
FR-DA-TPL-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.R6.json (+2)
FR-DA-TPL-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.R6.json (+2)

Requirement	Status	Implemented in
FR-DA-TPL-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.R6.json (+2)
FR-DA-TPL-05	Met	server/seed/data/requirements.json
FR-DA-TPL-06	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-TPL-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-TPL-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-TPL-09	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)

4.14 Multi-Language & Localization & Currency

Requirement	Status	Implemented in
FR-DA-I18N-01	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, web/src/pages/Home.jsx
FR-DA-I18N-02	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-I18N-03	Met	tools/qa/srs-evidence.json
FR-DA-I18N-04	Met	server/seed/data/catalog.json, server/seed/i18n/tm.ar.16.json, server/seed/i18n/tm.fr.16.json
FR-DA-I18N-05	Met	tools/qa/srs-evidence.json
FR-DA-I18N-06	Met	server/src/i18n.js
FR-DA-I18N-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R11.json, server/seed/i18n/tm.fr.R11.json (+2)
FR-DA-I18N-08	Met	tools/qa/srs-evidence.json
FR-DA-I18N-09	Met	server/seed/data/requirements.json, server/seed/tenants.js, server/src/entities.js (+3)
FR-DA-I18N-10	Met	tools/qa/srs-evidence.json

4.15 Work Breakdown Structure & Gantt Scheduling

Requirement	Status	Implemented in
FR-DA-WBS-01	Met	server/seed/data/requirements.json
FR-DA-WBS-02	Met	server/seed/data/requirements.json
FR-DA-WBS-03	Met	server/seed/data/requirements.json
FR-DA-WBS-04	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-WBS-05	Met	server/seed/data/requirements.json
FR-DA-WBS-06	Met	server/seed/data/requirements.json

4.16 Version Management

Requirement	Status	Implemented in
FR-DA-VER-01	Met	server/seed/data/requirements.json, server/src/audit.js
FR-DA-VER-02	Met	server/seed/data/requirements.json, server/src/audit.js
FR-DA-VER-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-VER-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)
FR-DA-VER-05	Met	server/seed/data/requirements.json, server/src/audit.js
FR-DA-VER-06	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-VER-07	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-VER-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-VER-09	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)

4.17 Multi-Channel Communication

Requirement	Status	Implemented in
FR-DA-COMM-01	Met	server/seed/data/requirements.json, server/src/services/dispatch.js
FR-DA-COMM-02	Met	server/seed/data/requirements.json, server/src/services/dispatch.js
FR-DA-COMM-03	Met	server/seed/data/requirements.json, server/src/services/dispatch.js
FR-DA-COMM-04	Met	server/seed/data/requirements.json, server/src/services/channels.js, server/src/services/dispatch.js
FR-DA-COMM-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-COMM-06	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-COMM-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-COMM-08	Met	server/seed/data/requirements.json, server/src/db.js, server/src/routes/questionnaires.js (+2)

4.18 Return on Experience (REX)

Requirement	Status	Implemented in
FR-DA-REX-01	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-REX-02	Met	server/seed/data/requirements.json

Requirement	Status	Implemented in
FR-DA-REX-03	Met	server/seed/data/requirements.json
FR-DA-REX-04	Met	server/seed/data/requirements.json
FR-DA-REX-05	Met	server/seed/data/requirements.json, server/src/routes/governance.js
FR-DA-REX-06	Met	server/seed/data/requirements.json
FR-DA-REX-07	Met	server/seed/data/requirements.json
FR-DA-REX-08	Met	server/seed/data/requirements.json, web/src/pages/Workspace.jsx

4.19 Navigation Shell & Personalization

Requirement	Status	Implemented in
FR-DA-NAV-01	Met	server/seed/data/requirements.json, server/src/nav.js
FR-DA-NAV-02	Met	server/seed/data/requirements.json
FR-DA-NAV-03	Met	server/seed/data/requirements.json
FR-DA-NAV-04	Met	server/seed/data/requirements.json
FR-DA-NAV-05	Met	server/seed/data/requirements.json
FR-DA-NAV-06	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)
FR-DA-NAV-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json
FR-DA-NAV-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json
FR-DA-NAV-09	Met	server/seed/data/requirements.json
FR-DA-NAV-10	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json
FR-DA-NAV-11	Met	server/seed/data/requirements.json, server/src/nav.js
FR-DA-NAV-12	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)
FR-DA-NAV-13	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx
FR-DA-NAV-14	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json
FR-DA-NAV-15	Met	server/seed/data/requirements.json
FR-DA-NAV-16	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css
FR-DA-NAV-17	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx
FR-DA-NAV-18	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx
FR-DA-NAV-19	Met	server/seed/data/requirements.json, web/src/components/GlobalSearch.jsx, web/src/components/Shell.jsx

Requirement	Status	Implemented in
FR-DA-NAV-20	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css

4.20 Internal Benchmarking

Requirement	Status	Implemented in
FR-DA-BMK-01	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js
FR-DA-BMK-02	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js
FR-DA-BMK-03	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js
FR-DA-BMK-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-BMK-05	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js
FR-DA-BMK-06	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js
FR-DA-BMK-07	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js
FR-DA-BMK-08	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+3)
FR-DA-BMK-09	Met	server/seed/data/requirements.json, server/src/routes/reports.js, server/src/services/ops.js

4.21 Platform Operations

Requirement	Status	Implemented in
FR-DA-OPS-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-OPS-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
FR-DA-OPS-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
FR-DA-OPS-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
FR-DA-OPS-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
FR-DA-OPS-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
FR-DA-OPS-07	Met	server/seed/data/requirements.json, server/seed/seed.js

Requirement	Status	Implemented in
FR-DA-OPS-08	Met	server/seed/data/requirements.json, server/seed/seed.js
FR-DA-OPS-09	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)

4.22 Portfolio Overview

Requirement	Status	Implemented in
FR-DA-PFO-01	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-PFO-02	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-PFO-03	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-PFO-04	Met	server/seed/data/requirements.json, server/src/routes/runs.js

4.23 Checklist Library

Requirement	Status	Implemented in
FR-DA-CHK-01	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-CHK-02	Met	server/seed/data/requirements.json
FR-DA-CHK-03	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-CHK-04	Met	server/seed/data/requirements.json, server/src/services/projects.js
FR-DA-CHK-05	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-CHK-06	Met	server/seed/data/requirements.json
FR-DA-CHK-07	Met	server/seed/data/requirements.json, server/src/routes/governance.js

4.24 Attachments

Requirement	Status	Implemented in
FR-DA-ATT-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json (+1)
FR-DA-ATT-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json (+1)
FR-DA-ATT-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json (+1)
FR-DA-ATT-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json
FR-DA-ATT-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-ATT-06	Met	server/seed/data/requirements.json, server/src/routes/governance.js

4.25 Vertical Framework & Governance

Requirement	Status	Implemented in
FR-DA-VRT-01	Met	server/seed/data/requirements.json
FR-DA-VRT-02	Met	server/seed/data/requirements.json
FR-DA-VRT-03	Met	server/seed/data/requirements.json
FR-DA-VRT-04	Met	server/seed/data/requirements.json
FR-DA-VRT-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R8.json, server/seed/i18n/tm.fr.R8.json
FR-DA-VRT-06	Met	server/seed/data/requirements.json
FR-DA-VRT-07	Met	server/seed/data/requirements.json
FR-DA-VRT-08	Met	server/seed/data/requirements.json
FR-DA-VRT-09	Met	server/seed/data/requirements.json
FR-DA-VRT-10	Met	server/seed/data/requirements.json

4.26 Vertical Processes

Requirement	Status	Implemented in
FR-DA-VPR-01	Met	server/seed/data/requirements.json
FR-DA-VPR-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R9.json, server/seed/i18n/tm.fr.R9.json
FR-DA-VPR-03	Met	server/seed/data/requirements.json
FR-DA-VPR-04	Met	server/seed/data/requirements.json
FR-DA-VPR-05	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-VPR-06	Met	server/seed/data/requirements.json
FR-DA-VPR-07	Met	server/seed/data/requirements.json
FR-DA-VPR-08	Met	server/seed/data/requirements.json
FR-DA-VPR-09	Met	server/seed/data/requirements.json

4.27 Vertical Data, Compliance & Integration

Requirement	Status	Implemented in
FR-DA-VDT-01	Met	server/seed/data/requirements.json
FR-DA-VDT-02	Met	server/seed/data/requirements.json, server/seed/seed.js
FR-DA-VDT-03	Met	server/seed/data/requirements.json
FR-DA-VCP-01	Met	server/seed/data/requirements.json
FR-DA-VCP-02	Met	server/seed/data/requirements.json

Requirement	Status	Implemented in
FR-DA-VCP-03	Met	server/seed/data/requirements.json
FR-DA-VIN-01	Met	server/seed/data/requirements.json, server/seed/seed.js
FR-DA-VIN-02	Met	server/seed/data/requirements.json

4.28 Vertical Configuration

Requirement	Status	Implemented in
FR-DA-VCF-01	Met	server/seed/data/requirements.json
FR-DA-VCF-02	Met	server/seed/data/requirements.json
FR-DA-VCF-03	Met	server/seed/data/requirements.json
FR-DA-VCF-04	Met	server/seed/data/requirements.json

4.29 SME Mode & Tracks

Requirement	Status	Implemented in
FR-DA-SME-01	Met	server/seed/data/requirements.json
FR-DA-SME-02	Met	server/seed/data/requirements.json
FR-DA-SME-03	Met	server/seed/data/requirements.json
FR-DA-SME-04	Met	server/seed/data/requirements.json
FR-DA-SME-05	Met	server/seed/data/requirements.json
FR-DA-SME-06	Met	server/seed/data/requirements.json
FR-DA-SME-07	Met	server/seed/data/requirements.json
FR-DA-SME-08	Met	server/seed/data/requirements.json

4.30 Complexity Scoring

Requirement	Status	Implemented in
FR-DA-SCO-01	Met	server/seed/data/requirements.json
FR-DA-SCO-02	Met	server/seed/data/requirements.json, server/src/routes/process.js, server/src/services/creation.js
FR-DA-SCO-03	Met	server/seed/data/requirements.json
FR-DA-SCO-04	Met	server/seed/data/requirements.json

4.31 SME Onboarding & Experience

Requirement	Status	Implemented in
FR-DA-ONB-01	Met	server/seed/data/requirements.json
FR-DA-ONB-02	Met	server/seed/data/requirements.json, server/seed/seed.js, server/src/routes/admin.js
FR-DA-ONB-03	Met	server/seed/data/requirements.json
FR-DA-ONB-04	Met	server/seed/data/requirements.json
FR-DA-ONB-05	Met	server/seed/data/requirements.json

4.32 Packaging & Pricing

Requirement	Status	Implemented in
FR-DA-PKG-01	Met	server/seed/data/requirements.json, server/src/entitlements.js
FR-DA-PKG-02	Met	server/seed/data/requirements.json
FR-DA-PKG-03	Met	server/seed/data/requirements.json, server/seed/seed.js, server/src/routes/admin.js
FR-DA-PKG-04	Met	server/seed/data/requirements.json, server/seed/seed.js

4.33 Project Template Catalog

Requirement	Status	Implemented in
FR-DA-PTC-01	Met	server/seed/data/requirements.json
FR-DA-PTC-02	Met	server/seed/data/requirements.json
FR-DA-PTC-03	Met	server/seed/data/requirements.json
FR-DA-PTC-04	Met	server/seed/data/requirements.json
FR-DA-PTC-05	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-PTC-06	Met	server/seed/data/requirements.json
FR-DA-PTC-07	Met	server/seed/data/requirements.json, server/src/routes/blueprints.js, server/src/services/blueprints.js
FR-DA-PTC-08	Met	server/seed/data/requirements.json, server/src/services/blueprints.js
FR-DA-PTB-01	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)

Requirement	Status	Implemented in
FR-DA-PTB-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-06	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-09	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-PTB-10	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)

4.34 Project Creation Modes

Requirement	Status	Implemented in
FR-DA-PCM-01	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-PCM-02	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-PCM-03	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-PCM-04	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js, server/src/services/creation.js
FR-DA-PCM-05	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js

4.35 Gate Library

Requirement	Status	Implemented in
FR-DA-GTE-01	Met	server/seed/data/requirements.json, server/src/routes/tenancy.js
FR-DA-GTE-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R8.json, server/seed/i18n/tm.fr.R8.json
FR-DA-GTE-03	Met	server/seed/data/requirements.json
FR-DA-GTE-04	Met	server/seed/data/requirements.json
FR-DA-GTE-05	Met	server/seed/data/requirements.json, server/src/routes/runs.js
FR-DA-GTE-06	Met	server/seed/data/requirements.json
FR-DA-GTE-07	Met	server/seed/data/requirements.json

4.36 Questionnaire & Survey Management

Requirement	Status	Implemented in
FR-DA-QLT-01	Met	server/seed/data/requirements.json, server/seed/questionnaire-templates.js, server/src/routes/questionnaires.js (+1)
FR-DA-QLT-02	Met	server/seed/data/requirements.json, server/src/routes/questionnaires.js, server/src/services/questionnaires.js
FR-DA-QLT-03	Met	server/seed/data/requirements.json, server/src/routes/questionnaires.js, server/src/services/questionnaires.js
FR-DA-QLT-04	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js
FR-DA-QLT-05	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js
FR-DA-QLT-06	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js, web/src/pages/Respond.jsx
FR-DA-QLT-07	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js
FR-DA-QLT-08	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js, web/src/pages/Questionnaires.jsx
FR-DA-QLT-09	Met	server/seed/data/requirements.json, server/src/routes/questionnaires.js, server/src/services/questionnaires.js
FR-DA-QLT-10	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js
FR-DA-QLT-11	Met	server/seed/data/requirements.json, server/src/routes/questionnaires.js, server/src/services/documents.js (+1)
FR-DA-QLT-12	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js

4.37 Global Search

Requirement	Status	Implemented in
FR-DA-SRCH-01	Met	server/seed/data/requirements.json, server/src/routes/search.js
FR-DA-SRCH-02	Met	server/seed/data/requirements.json, server/src/routes/search.js
FR-DA-SRCH-03	Met	server/seed/data/requirements.json, server/src/routes/search.js
FR-DA-SRCH-04	Met	server/seed/data/requirements.json, server/src/routes/search.js
FR-DA-SRCH-05	Met	server/seed/data/requirements.json, server/src/routes/core.js, server/src/routes/search.js
FR-DA-SRCH-06	Met	server/seed/data/requirements.json, server/src/routes/search.js
FR-DA-SRCH-07	Met	server/seed/data/requirements.json, server/src/routes/search.js

4.38 Process Design Management

Requirement	Status	Implemented in
FR-DA-PDM-01	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)

Requirement	Status	Implemented in
FR-DA-PDM-02	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-03	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-04	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-05	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-06	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-07	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-08	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-09	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-10	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)
FR-DA-PDM-11	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+1)

4.39 OBS: Functions, Roles and People

Requirement	Status	Implemented in
FR-DA-OBS-01	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-02	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-03	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-04	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-05	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-06	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-07	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-OBS-09	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx
FR-DA-OBS-10	Met	server/seed/data/requirements.json, server/src/services/obs.js, web/src/pages/Obs.jsx

4.40 AI Use Case Mapping & Prompt Specification

Requirement	Status	Implemented in
FR-DA-AIP-01	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/ai.js (+3)
FR-DA-AIP-02	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+2)
FR-DA-AIP-03	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/aicatalog.js (+3)
FR-DA-AIP-04	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+2)
FR-DA-AIP-05	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+2)
FR-DA-AIP-06	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+2)
FR-DA-AIP-07	Met	server/seed/data/requirements.json, server/src/index.js, server/src/routes/ai.js (+3)
FR-DA-AIP-08	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/ai.js (+3)
FR-DA-AIP-09	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+2)
FR-DA-AIP-10	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/prompts.js (+3)
FR-DA-AIP-11	Met	server/seed/data/requirements.json, server/src/routes/ai.js, server/src/services/aicatalog.js (+3)
FR-DA-AIP-12	Met	server/seed/data/requirements.json, server/src/services/ai.js, server/src/services/prompts.js (+3)
FR-DA-AIP-13	Met	server/seed/data/requirements.json, server/src/services/prompts.js, server/src/services/steps.js (+2)
FR-DA-AIP-14	Met	server/seed/data/requirements.json, server/src/services/prompts.js, tools/qa/srs-check.mjs (+1)
FR-DA-AIP-15	Met	server/seed/data/requirements.json, server/src/services/prompts.js, tools/qa/srs-check.mjs (+1)
FR-DA-AIP-16	Met	server/seed/data/requirements.json, server/src/services/prompts.js, server/src/services/steps.js (+2)

4.41 Process Element Naming & Descriptions

Requirement	Status	Implemented in
FR-DA-NAM-01	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+2)
FR-DA-NAM-02	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/design.js (+2)

Requirement	Status	Implemented in
FR-DA-NAM-03	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/stepforms.js (+2)
FR-DA-NAM-04	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/stepforms.js (+1)

4.42 Typed Step Forms & Process Readiness

Requirement	Status	Implemented in
FR-DA-SFM-01	Met	server/seed/data/requirements.json, server/src/routes/design.js, server/src/services/stepforms.js (+2)
FR-DA-SFM-02	Met	server/seed/data/requirements.json, server/src/services/stepforms.js, server/src/services/steps.js (+1)
FR-DA-SFM-03	Met	server/seed/data/requirements.json, server/src/services/stepforms.js, server/src/services/steps.js (+1)
FR-DA-SFM-04	Met	server/seed/data/requirements.json, server/src/services/stepforms.js, server/src/services/steps.js (+1)
FR-DA-SFM-05	Met	server/seed/data/requirements.json, server/src/services/steps.js, web/src/components/StepForms.jsx
FR-DA-SFM-06	Met	server/seed/data/requirements.json, server/src/services/steps.js, web/src/components/StepForms.jsx
FR-DA-SFM-07	Met	server/seed/data/requirements.json, server/src/services/steps.js, web/src/components/StepForms.jsx
FR-DA-SFM-08	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, web/src/components/StepForms.jsx
FR-DA-SFM-09	Met	web/src/components/StepForms.jsx

4.43 Documented Information Templates & Generated Documents

Requirement	Status	Implemented in
FR-DA-DOC-01	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-DOC-02	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/doctemplates.js
FR-DA-DOC-03	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js (+1)
FR-DA-DOC-04	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js (+2)
FR-DA-DOC-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)

Requirement	Status	Implemented in
FR-DA-DOC-06	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/docexport.js
FR-DA-DOC-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-DOC-08	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DOC-09	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)
FR-DA-DOC-10	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js (+1)
FR-DA-DOC-11	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/doctemplates.js
FR-DA-DFP-01	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/docexport.js (+1)
FR-DA-DFP-02	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/docexport.js
FR-DA-DFP-03	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js (+1)
FR-DA-DFP-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-DFP-05	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/docexport.js
FR-DA-DFP-06	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DFP-07	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DFP-08	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DOC-12	Met	server/src/lib/office.js, tools/qa/checks-results.json, tools/qa/run-checks.mjs

4.44 Generated Documents: Consistency & Fine-Grained Content

Requirement	Status	Implemented in
FR-DA-DGC-01	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/docrich.js
FR-DA-DGC-02	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/documents.js
FR-DA-DGC-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)

Requirement	Status	Implemented in
FR-DA-DGC-04	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js (+3)
FR-DA-DGC-05	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/termore.js
FR-DA-DGC-06	Met	server/seed/data/requirements.json, server/src/services/design.js, server/src/services/docengine.js (+1)
FR-DA-DGC-07	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/documents.js
FR-DA-DGC-08	Met	server/seed/data/requirements.json, server/src/services/docengine.js
FR-DA-DGC-09	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/documents.js
FR-DA-DGC-10	Met	server/seed/data/requirements.json, server/src/services/docengine.js
FR-DA-DGC-11	Met	server/seed/data/requirements.json, server/src/services/docengine.js, server/src/services/docexport.js
FR-DA-DGC-12	Met	server/seed/data/requirements.json, server/src/services/docengine.js
FR-DA-DGC-13	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js

4.45 Generated Documents: Full CRUD at Every Level

Requirement	Status	Implemented in
FR-DA-DCR-01	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DCR-02	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DCR-03	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js (+1)
FR-DA-DCR-04	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DCR-05	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DCR-06	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DCR-07	Met	server/seed/data/requirements.json, server/src/services/docengine.js
FR-DA-DCR-08	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
FR-DA-DCR-09	Met	server/seed/data/requirements.json, server/src/services/docengine.js
FR-DA-DCR-10	Met	server/seed/data/requirements.json, server/src/services/docengine.js

4.46 Data Entry Usability

Requirement	Status	Implemented in
FR-DA-DEU-01	Met	server/seed/data/requirements.json, server/src/services/naming.js, server/src/services/stepforms.js (+1)
FR-DA-DEU-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.S18.json (+3)
FR-DA-DEU-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
FR-DA-DEU-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+2)
FR-DA-DEU-05	Met	server/seed/data/requirements.json, web/src/components/StepForms.jsx
FR-DA-DEU-06	Met	server/seed/data/requirements.json, web/src/components/StepForms.jsx, web/src/components/bulk/RowEditor.jsx (+1)

4.47 Linked Records, Choice Libraries & Register Propagation

Requirement	Status	Implemented in
FR-DA-LNK-01	Met	server/seed/data/requirements.json, server/src/services/steps.js
FR-DA-LNK-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+1)
FR-DA-LNK-03	Met	server/seed/data/requirements.json, server/src/services/steps.js
FR-DA-LNK-04	Met	server/seed/data/requirements.json, server/src/services/stepforms.js, server/src/services/steps.js
FR-DA-LNK-05	Met	server/seed/data/requirements.json, server/src/services/steps.js

4.48 Audits, Inspections & Graded Findings

Requirement	Status	Implemented in
FR-DA-AFP-01	Met	server/seed/data/requirements.json, server/src/entities.js, server/src/routes/blueprints.js (+1)
FR-DA-AFP-02	Met	server/seed/data/requirements.json, server/src/routes/blueprints.js, web/src/pages/Audits.jsx
FR-DA-AFP-03	Met	server/seed/data/requirements.json, server/src/routes/blueprints.js, web/src/pages/Audits.jsx
FR-DA-AFP-04	Met	server/seed/data/requirements.json, server/src/routes/blueprints.js, web/src/pages/Audits.jsx
FR-DA-AFP-05	Met	server/seed/data/requirements.json, server/src/routes/blueprints.js, server/src/services/docengine.js (+1)

4.49 Multi-Record Data Entry

Requirement	Status	Implemented in
FR-DA-MRE-01	Met	server/seed/data/requirements.json, server/src/services/stepforms.js, tools/qa/srs-check.mjs (+3)
FR-DA-MRE-02	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+3)
FR-DA-MRE-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-04	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-06	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-07	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-09	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.ar.S18.json (+3)
FR-DA-MRE-10	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-11	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-12	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-13	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-14	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+2)
FR-DA-MRE-15	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+3)
FR-DA-MRE-16	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+3)
FR-DA-MRE-17	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+3)
FR-DA-MRE-18	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+3)
FR-DA-MRE-19	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
FR-DA-MRE-20	Met	server/seed/data/requirements.json, server/src/routes/bulkentry.js, server/test/bulkimport.test.js (+3)
FR-DA-MRE-21	Met	server/seed/data/requirements.json, server/src/db.js, server/src/routes/bulkentry.js (+3)
FR-DA-MRE-22	Met	server/seed/data/requirements.json, server/src/config.js, server/src/routes/bulkentry.js (+3)

Requirement	Status	Implemented in
FR-DA-MRE-23	Met	server/seed/data/requirements.json, tools/qa/srs-check.mjs, web/BULK_ENTRY.md (+3)
FR-DA-MRE-24	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-25	Met	tools/qa/srs-evidence.json
FR-DA-MRE-26	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-27	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-28	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-29	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-30	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-31	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
FR-DA-MRE-32	Met	tools/qa/srs-evidence.json
FR-DA-MRE-33	Met	tools/qa/srs-evidence.json
FR-DA-MRE-34	Met	tools/qa/srs-evidence.json
FR-DA-MRE-35	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json

4.50 Resizable Layout Panels

Requirement	Status	Implemented in
FR-DA-PNL-01	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css
FR-DA-PNL-02	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css (+1)
FR-DA-PNL-03	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css
FR-DA-PNL-04	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css
FR-DA-PNL-05	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css
FR-DA-PNL-06	Met	server/seed/data/requirements.json, server/src/routes/core.js, web/src/components/Shell.jsx (+2)
FR-DA-PNL-07	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/styles/app.css
FR-DA-PNL-08	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+2)

4.51 Charts & Data Visualization

Requirement	Status	Implemented in
FR-DA-VIZ-01	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/styles/app.css
FR-DA-VIZ-02	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-VIZ-03	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/styles/app.css
FR-DA-VIZ-04	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/styles/app.css
FR-DA-VIZ-05	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/components/ui.jsx (+1)
FR-DA-VIZ-06	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/styles/app.css
FR-DA-VIZ-07	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/styles/app.css
FR-DA-VIZ-08	Met	server/seed/data/requirements.json, web/src/components/charts.jsx, web/src/styles/app.css
FR-DA-TBL-01	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-TBL-02	Met	server/seed/data/requirements.json, web/src/components/DataTable.jsx, web/src/styles/app.css
FR-DA-TBL-03	Met	server/seed/data/requirements.json, web/src/components/DataTable.jsx, web/src/styles/app.css
FR-DA-TBL-04	Met	server/seed/data/requirements.json, server/src/routes/core.js, web/src/components/DataTable.jsx (+1)
FR-DA-TBL-05	Met	server/seed/data/requirements.json, web/src/components/DataTable.jsx, web/src/styles/app.css
FR-DA-TBL-06	Met	server/seed/data/requirements.json, web/src/components/DataTable.jsx, web/src/styles/app.css
FR-DA-TBL-07	Met	server/seed/data/requirements.json, web/src/components/DataTable.jsx, web/src/styles/app.css

4.52 Feedback & System States

Requirement	Status	Implemented in
FR-DA-STA-01	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)
FR-DA-STA-02	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css
FR-DA-STA-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+3)

Requirement	Status	Implemented in
FR-DA-STA-04	Met	server/seed/data/requirements.json, web/src/styles/app.css
FR-DA-STA-05	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/lib/session.jsx (+1)
FR-DA-STA-06	Met	server/seed/data/requirements.json, web/src/components/Shell.jsx, web/src/lib/session.jsx (+1)
FR-DA-STA-07	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css

5.1 Performance

Requirement	Status	Implemented in
NFR-DA-PERF-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PERF-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PERF-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PERF-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PERF-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PERF-06	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-PERF-07	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-PERF-08	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-PERF-09	Met	server/seed/data/requirements.json
NFR-DA-PERF-10	Met	server/seed/data/requirements.json
NFR-DA-PERF-11	Met	server/seed/data/requirements.json
NFR-DA-PERF-12	Met	server/seed/data/requirements.json
NFR-DA-PERF-13	Met	server/seed/data/requirements.json, web/src/components/EntryWorkspace.jsx
NFR-DA-PERF-14	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs

5.2 Security

Requirement	Status	Implemented in
NFR-DA-SEC-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-SEC-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)

Requirement	Status	Implemented in
NFR-DA-SEC-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-SEC-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-SEC-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-SEC-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-07	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-08	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-09	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-SEC-10	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-11	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-12	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-13	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-SEC-14	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-SEC-15	Met	server/seed/data/requirements.json
NFR-DA-SEC-16	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-SEC-17	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json (+2)
NFR-DA-SEC-18	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.R12.json, server/seed/i18n/tm.fr.R12.json
NFR-DA-SEC-19	Met	server/seed/data/requirements.json, server/src/routes/documents.js
NFR-DA-SEC-20	Met	server/seed/data/requirements.json, server/src/routes/documents.js, server/src/services/docengine.js
NFR-DA-SEC-21	Met	server/seed/data/requirements.json, server/src/routes/bulkentry.js, server/src/services/exporters.js (+3)
NFR-DA-SEC-22	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json

5.3 Reliability & Data Integrity

Requirement	Status	Implemented in
NFR-DA-REL-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-REL-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-REL-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-REL-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-REL-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-REL-06	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-REL-07	Met	server/seed/data/requirements.json
NFR-DA-REL-08	Met	server/seed/data/requirements.json, server/src/services/docengine.js
NFR-DA-REL-09	Met	server/seed/data/requirements.json, tools/qa/checks-results.json, tools/qa/run-checks.mjs (+2)
NFR-DA-REL-10	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-REL-11	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json

5.4 Scalability

Requirement	Status	Implemented in
NFR-DA-SCALE-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-SCALE-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-SCALE-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-SCALE-04	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-SCALE-05	Met	server/seed/data/requirements.json

5.5 Usability & Accessibility

Requirement	Status	Implemented in
NFR-DA-UX-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-UX-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)

Requirement	Status	Implemented in
NFR-DA-UX-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-UX-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-UX-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-UX-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-UX-07	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-UX-08	Met	server/seed/data/requirements.json
NFR-DA-UX-09	Met	server/seed/data/requirements.json
NFR-DA-UX-10	Met	server/seed/data/requirements.json, server/seed/seed.js
NFR-DA-UX-11	Met	server/seed/data/requirements.json
NFR-DA-UX-12	Met	server/seed/data/requirements.json, server/src/services/stepforms.js, web/src/components/ui.jsx
NFR-DA-UX-13	Met	server/seed/data/requirements.json
NFR-DA-UX-14	Met	server/seed/data/requirements.json
NFR-DA-UX-15	Met	server/seed/data/requirements.json
NFR-DA-UX-16	Met	server/seed/data/requirements.json
NFR-DA-UX-17	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+1)
NFR-DA-UX-18	Met	server/seed/data/requirements.json, web/src/components/ui.jsx
NFR-DA-UX-19	Met	server/seed/data/requirements.json
NFR-DA-UX-20	Met	server/seed/data/requirements.json, web/src/components/EntryWorkspace.jsx, web/src/styles/app.css
NFR-DA-UX-21	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json

5.6 Localization

Requirement	Status	Implemented in
NFR-DA-I18N-01	Met	server/seed/data/catalog.json, server/seed/i18n/tm.ar.16.json, server/seed/i18n/tm.fr.16.json
NFR-DA-I18N-02	Partial	tools/qa/srs-evidence.json
NFR-DA-I18N-03	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs
NFR-DA-I18N-04	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json
NFR-DA-I18N-05	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+1)

Requirement	Status	Implemented in
NFR-DA-I18N-06	Met	tools/qa/srs-evidence.json
NFR-DA-I18N-07	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs

5.7 Portability / Installability

Requirement	Status	Implemented in
NFR-DA-PORT-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PORT-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PORT-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-PORT-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-PORT-05	Met	tools/qa/checks-results.json, tools/qa/run-checks.mjs, tools/qa/srs-evidence.json

5.8 Maintainability / Extensibility

Requirement	Status	Implemented in
NFR-DA-MAINT-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-MAINT-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-MAINT-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-MAINT-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-MAINT-05	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+2)
NFR-DA-MAINT-06	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+3)
NFR-DA-MAINT-07	Met	server/seed/data/requirements.json
NFR-DA-MAINT-08	Met	server/seed/data/requirements.json
NFR-DA-MAINT-09	Met	server/seed/data/requirements.json
NFR-DA-MAINT-10	Met	server/seed/data/requirements.json
NFR-DA-MAINT-11	Met	server/src/index.js, tools/qa/srs-evidence.json

5.9 Compatibility

Requirement	Status	Implemented in
NFR-DA-COMPAT-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
NFR-DA-COMPAT-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
NFR-DA-COMPAT-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)

5.10 Auditability & Compliance

Requirement	Status	Implemented in
NFR-DA-COMP-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
NFR-DA-COMP-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
NFR-DA-COMP-03	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)
NFR-DA-COMP-04	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.16.json (+1)
NFR-DA-COMP-05	Met	server/seed/data/requirements.json
NFR-DA-COMP-06	Met	server/seed/data/requirements.json

5.11 Data Retention & Privacy

Requirement	Status	Implemented in
NFR-DA-DATA-01	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+1)
NFR-DA-DATA-02	Met	server/seed/data/catalog.json, server/seed/data/requirements.json, server/seed/i18n/tm.ar.17.json (+2)

5.12 Questionnaire Data

Requirement	Status	Implemented in
NFR-DA-QLT-01	Met	server/seed/data/requirements.json, server/src/routes/questionnaires.js
NFR-DA-QLT-02	Met	server/seed/data/requirements.json, server/src/app.js, server/src/entities.js (+3)
NFR-DA-QLT-03	Met	server/seed/data/requirements.json, server/src/services/questionnaires.js

5.13 Visual Design System

Requirement	Status	Implemented in
NFR-DA-VDS-01	Met	server/seed/data/requirements.json, tools/qa/checks-results.json, tools/qa/run-checks.mjs (+2)
NFR-DA-VDS-02	Met	server/seed/data/requirements.json, tools/qa/checks-results.json, tools/qa/run-checks.mjs (+1)
NFR-DA-VDS-03	Met	server/seed/data/requirements.json, web/src/styles/tokens.css
NFR-DA-VDS-04	Met	server/seed/data/requirements.json, web/src/components/ui.jsx
NFR-DA-VDS-05	Met	server/seed/data/requirements.json, web/src/main.jsx, web/src/styles/app.css
NFR-DA-VDS-06	Met	server/seed/data/requirements.json, web/src/styles/app.css
NFR-DA-VDS-07	Met	server/seed/data/requirements.json
NFR-DA-VDS-08	Met	server/seed/data/requirements.json
NFR-DA-VDS-09	Met	server/seed/data/requirements.json, web/src/styles/app.css
NFR-DA-VDS-10	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css
NFR-DA-VDS-11	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css
NFR-DA-VDS-12	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css
NFR-DA-VDS-13	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css
NFR-DA-VDS-14	Met	server/seed/data/requirements.json, web/src/components/ui.jsx, web/src/styles/app.css
NFR-DA-VDS-15	Met	server/seed/data/requirements.json, web/src/components/DataTable.jsx, web/src/styles/app.css
NFR-DA-VDS-16	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json
NFR-DA-VDS-17	Met	server/seed/data/requirements.json, web/src/styles/app.css
NFR-DA-VDS-18	Met	server/seed/data/requirements.json
NFR-DA-VDS-19	Met	server/seed/data/requirements.json, server/src/services/brand.js, server/src/services/docexport.js
NFR-DA-VDS-20	Met	server/seed/data/requirements.json, server/src/services/brand.js, server/src/services/docexport.js (+2)
NFR-DA-VDS-21	Met	server/seed/data/requirements.json

5.14 Focus & Input Integrity

Requirement	Status	Implemented in
NFR-DA-FOC-01	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-FOC-02	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+1)
NFR-DA-FOC-03	Met	server/seed/data/requirements.json, server/seed/i18n/tm.ar.S18.json, server/seed/i18n/tm.fr.S18.json (+3)
NFR-DA-FOC-04	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-FOC-05	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+1)
NFR-DA-FOC-06	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-FOC-07	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-FOC-08	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+1)
NFR-DA-FOC-09	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-FOC-10	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+2)
NFR-DA-FOC-11	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+1)
NFR-DA-FOC-12	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+1)
NFR-DA-FOC-13	Met	server/seed/data/requirements.json, web/BULK_ENTRY.md, web/src/components/bulk/BulkGrid.jsx (+1)