

Assignment 3

Due: Oct. 27

Submission Instructions

- Your program must run on machines in Leon Lowenstein Bldg. 812
- Create a README file, with simple, clear instructions on how to compile and run your code
- Zip all your files (code, README, written answers, etc.) in a zip file named $\{firstname\}_{lastname_CS6930_HW3.zip}$ and upload it to Blackboard

1. (10 points) Sign up for project teams in this shared document:

<https://docs.google.com/a/fordham.edu/spreadsheets/d/1M3kl1MqPSoIQKw9-chzd9hgsbupxkTw1gT9aq7bbvnE/edit?usp=sharing>

Each team should have 1- 4 members. Please fill in the last two columns indicating if your team is open for more members and what programming language(s) your team is planning to use.

2. (30 points) Build a Naive Bayes classifier for the given training data with **add 1 smoothing** technique covered in the lecture slides:

Instance	Education Level	Career	Years of Experience	Salary
1	High School	Management	Less than 3	Low
2	High School	Management	3 to 10	Low
3	College	Management	Less than 3	High
4	College	Service	More than 10	Low
5	High School	Service	3 to 10	Low
6	College	Service	3 to 10	High
7	College	Management	More than 10	High
8	College	Service	Less than 3	Low
9	High School	Management	More than 10	High
10	High School	Service	More than 10	Low

Use your model to classify the following new instances:

Instance	Education Level	Career	Years of Experience
1	High School	Service	Less than 3
2	College	Retail	Less than 3
3	Graduate	Service	3 to 10

For Question 3 and 4, you will be extending your KNN classifier to include automated feature selection.

Feature selection is used to remove irrelevant or correlated features in order to improve classification performance. You will be performing feature selection on a variant of the UCI vehicle dataset in the file `veh-prime.arff`. You will be comparing 2 different feature selection methods: the Filter method which doesn't make use of cross-validation performance and the Wrapper method which does.

Weka users can following this tutorial to learn how to perform feature selection in Weka:

<https://machinelearningmastery.com/perform-feature-selection-machine-learning-data-weka/>

Fix the KNN parameter to be $k = 7$ for all runs of LOOCV in Question 3 and 4.

3. (25 points) Filter Method

Make the class labels numeric (set “noncar”=0 and “car”=1) and calculate the Pearson Correlation Coefficient (PCC) of each feature with the numeric class label. The PCC value is commonly referred to as r . For a simple method to calculate the PCC that is both computationally efficient and numerically stable, see the pseudo code in the `pearson.html` file.

- (a) List the features from highest $|r|$ (the absolute value of r) to lowest, along with their $|r|$ values. Why would one be interested in the absolute value of r rather than the raw value?
- (b) Select the features that have the highest m values of $|r|$, and run LOOCV on the dataset restricted to only those m features. Which value of m gives the highest LOOCV classification accuracy, and what is the value of this optimal accuracy?

4. (35 points) Wrapper Method

Starting with the empty set of features, use a greedy approach to add the single feature that improves performance by the largest amount when added to the feature set. This is Sequential Forward Selection. Define performance as the LOOCV classification accuracy of the KNN classifier using only the features in the selection set (including the ?candidate? feature). Stop adding features only when there is no candidate that when added to the selection set increases the LOOCV accuracy.

- (a) Show the set of selected features at each step, as it grows from size zero to its final size (increasing in size by exactly one feature at each step).
- (b) What is the LOOCV accuracy over the final set of selected features?