CORNWALL COLLEGE

Exam- Academic Year 2015-2016

BSc Environmental Resource Management ERM304

Research Methods

Time Allowed: Two Hours

Permitted Materials: Non-programmable Calculators; Formula Sheet

Formulae and constants

workings where appropriate.
Question 1: (17 marks) With reference to relevant examples, identify and illustrate the main features of a convincing scientific argument. ——— Exam continues on next
nage ———
page ———

Answer all questions. Answers are expected to contain clear mathematical

Question 2: (18 marks) Describe a current or recent research programme related to environmental science and comment on the extent to which the ideas of Kuhn, Popper, Lakatos or Feyerabend provide an adequate account of the conduct of individuals involved and the development of the programme. ——— Exam continues on next page ———

Question 3: (13 marks) With reference to examples, assess the role, limitations of the process of peer review within scientific practice.	
on next page ———	

Question 4: (14 marks) A healthy systolic blood pressure in adults is about 120 mmHg, with a standard deviation among the adult population of about 12 mmHg.

A pharmaceutical company has devised a drug which they hope will reduce blood pressure by 3 mmHg. This is deemed the minimum reduction that would merit the risks of taking the drug. They ask an investigator to test whether this reduction in pressure actually happens. The investigator makes measurements of blood pressure on a treatment group of 100 randomly chosen individuals who have had the drug, and on a control group of another 100 randomly chosen individuals who have taken a placebo drug instead. The mean blood pressures for each group are then calculated.

The pooled standard error of the difference $\bar{x}_{\text{trmt}} - \bar{x}_{\text{ctrl}}$ between the mean pressures from the two samples is 1.7 mmHg.

- 1. In this investigation, double blinding was used. What is this and why is it used here?
- 2. What is the standard error of the mean blood pressures \bar{x}_{trmt} and \bar{x}_{ctrl} of each group?
- 3. Write down suitable hypotheses for a two sided hypothesis test in this context.
- 4. Under the null hypothesis, what would be the mean difference between the mean values of blood pressure from each sample $\bar{x}_{\text{trmt}} \bar{x}_{\text{ctrl}}$
- 5. Study Figure 1 below which shows probability distributions of measured differences of the means under the null hypothesis and under the alternate hypothesis in which there is a reduction in blood pressure of 3 mm Hg. The vertical lines marked A and B indicate the limits of the regions of rejection of the null hypothesis, at the 5




Figure 1: P-h and T-s diagrams for a proposed Organic Rankine cycle for a geothermal plant.

- 6. A research Council insists that any experimental investigation it funds should be designed in such a way as to ensure 80
- 7. Explain the meaning of the term power
- 8. Estimate the approximate power of the investigation and give your reasoning.
- 9. What could the investigators do to improve the power of their investigation?

(b)

Ionnadis (2005) made the startling cliam in a peer-reviewed article that "most published research findings are false".

We can explore this statement using the following relation.

Posterior odds = Bayes Factor
$$\times$$
 Prior odds (1)

$$= \left(\frac{\text{power}}{1 - \text{specificity}}\right) \times \text{Prior odds} \tag{2}$$

Let us take the example of a disease, for which the prevalence is 0.1, and for which we have a test. The sensitivity and specificity of this test are both 0.9.

- 1. What is meant by the term "odds"
- 2. Calculate the posterior odds in this case.
- 3. Given a positive test on someone, is it more likely than not that the person actually has the disease.
- 4. Suggest how the circumstances under which Ioannidis's statement might be correct could be avoided.

Solutions

Solutions to Question 1: (17 marks)

Solutions to Question 2: (18 marks)

Solution to Question 3: (13 marks)