

METRC Integration

Functional Guide

Audience: Functional Consultants & Project Managers

ERPNext v15 · cannabis_management

California Metrc Web API v2

4 August 2026

METRC Integration — Functional Guide

For: Functional Consultants and Project Managers **System:** ERPNext v15 · [cannabis_management](#) app · site [stage.alltechvirtual.com](#) **Regulator:** California Metrc (Franwell) Web API v2 **Document date:** 4 August 2026 **Status:** Built and installed on staging · pull-only · not yet in production

Contents

1. Executive summary
 2. What Metrc is and why this matters
 3. Scope — what is in and what is not
 4. How the two systems map to each other
 5. What users actually see
 6. Business processes, step by step
 7. What runs automatically, and when
 8. Exception handling — the daily routine
 9. Variance management
 10. Configuration guide
 11. Roles and permissions
 12. Testing and UAT
 13. Project status and RAID log
 14. Go-live plan
 15. Decisions needed from the business
 16. Glossary
 17. Appendix A — Field reference
 18. Appendix B — Status reference
-

1. Executive summary

What has been built

A two-way integration between ERPNext and California Metrc, the state's mandatory seed-to-sale tracking system. It reports sales, transfers, stock adjustments and manufacturing activity to the state, pulls the state's view of inventory back into ERPNext, and flags every place the two disagree.

Where it stands today

Area	Status
Connection to Metrc sandbox	Working — 20 test facilities reachable
Pulling data from Metrc	Working — 413 packages, 9,709 tags imported
Writing data to Metrc	Built and tested, switched off by design
Connection to Metrc production	Blocked — awaiting Metrc approval
Automated scheduling	Paused on this server — runs manually only
End-to-end functional test	Passed, 11 of 11 checks

The one-line summary for a steering committee

The integration is functionally complete and proven against Metrc's test environment. Two external dependencies — Metrc's production approval and a server timezone correction — stand between us and go-live. Neither is a development task.

Two things that need a decision before go-live

1. **The server's timezone is set to Alaska, not California.** Metrc interprets sale times as facility-local. Until this is corrected, evening sales would be reported on the wrong calendar day. See §13, Risk R1.
2. **Metrc production access has not been granted.** This is an application and review process with Metrc, not a configuration change. See §13, Risk R2.

2. What Metrc is and why this matters

Metrc is the track-and-trace system California requires every licensed cannabis business to use. Every plant, package and sale must be recorded there. The state audits against Metrc, not against our ERP.

The compliance consequence: if ERPNext says we hold 500g and Metrc says 480g, the state believes Metrc. An unexplained discrepancy is a finding. Repeated or large discrepancies risk licence action.

What that means for the design. The integration treats Metrc as the system of record for compliance state. Where the two disagree we **report the difference and stop** — we never silently overwrite either side. A quantity difference is either a data-entry error or a genuine physical discrepancy, and both need a human to look at them. Automatically "correcting" one system to match the other would destroy the evidence of what actually happened.

Every physical unit carries a Metrc tag — a printed label with a unique number, ordered from the state. Tags are the primary key of the whole system. They cannot be invented; they are purchased, received, and consumed.

3. Scope — what is in and what is not

In scope and built

Capability	Direction	Notes
Package (inventory) sync	Metrc → ERPNext	Every 30 min when scheduled
Tag pool sync	Metrc → ERPNext	Unused tags available for assignment
Item and strain sync	Metrc → ERPNext	Matches, does not create Items
Transfer / manifest sync	Metrc → ERPNext	Incoming and outgoing
Lab result sync	Metrc → ERPNext	Pass/fail onto the Batch
Sales receipts	ERPNext → Metrc	From Sales Invoice
Outgoing transfer templates	ERPNext → Metrc	From Delivery Note
Stock adjustments	ERPNext → Metrc	From Stock Reconciliation and Stock Entry
Processing jobs	ERPNext → Metrc	From Work Order and Manufacture Stock Entry
Variance reporting	Internal	Daily email plus on-demand report
Full audit log	Internal	Every request and response retained

Explicitly out of scope

Not included	Why
Creating Items automatically from Metrc	An Item without an item group, UOM or valuation breaks every downstream transaction. Item creation stays a controlled master-data activity.
Cultivation day-to-day (plant moves, feeding logs)	The API supports it; the business has not asked for it. The plant endpoints are mapped in the technical guide if this is added later.
Patient and caregiver sales	Requires collecting patient licence numbers we do not hold today. Retail sales default to "Consumer".
Creating outgoing transfers directly	A Metrc API limitation, not a design choice. Metrc has no "create outgoing transfer" endpoint. We create a fully-populated <i>template</i> that dispatch promotes to a live manifest in the Metrc portal.
Metrc webhooks (push notifications)	Availability depends on our Metrc service tier. Design assumes polling; webhooks would be an optimisation.

4. How the two systems map to each other

This is the most important section for a functional consultant. **The mapping was largely pre-existing** — this project built on structures already in the app rather than inventing new ones.

Metric concept	ERPNext record	Linked by
Facility / Licence	Warehouse	METRC License # on the Warehouse
Package	Batch	METRC Tag on the Batch
Physical tag label	Metric Tag	The tag code itself
Item (product)	Item	METRC Item Name
Strain	Strain	Name
Sales receipt	Sales Invoice	METRC Receipt ID
Transfer / manifest	Delivery Note (out), Purchase Receipt (in)	METRC Transfer ID
Processing job	Work Order / Manufacture Stock Entry	METRC Job ID
Package adjustment	Stock Reconciliation / Stock Entry	Logged in the outbox

The three rules that follow from this

A Warehouse is a licence. Every Metric-relevant Warehouse must carry a METRC License #. This is how the system decides which facility a transaction belongs to and which credentials to use. A Warehouse without one is invisible to Metric — and that is a legitimate configuration for non-cannabis stores.

A Batch is a package. One Batch equals one physical tagged package. This is already how the business works; the integration formalises it.

Quantity is never converted. If Metric holds a package in grams, we report grams. Converting between grams and ounces introduces rounding drift, and drift against a state system reads as a discrepancy.

A critical operational detail

Tags reach the stock ledger through an ERPNext feature called an **Inventory Dimension**, configured in this app as *Muid*. On stock documents this appears as a **Muid** field on each item row.

Filling in the Batch alone is not sufficient. The Muid field is what carries the tag into the stock ledger and keeps quantities per-tag. A row with a Batch but no Muid produces stock the compliance reporting cannot see. This was confirmed in testing: 2,495g of received stock showed as zero against its tag until Muid was populated.

This must be covered in end-user training and, ideally, enforced by validation.

5. What users actually see

The design principle: **nobody should have to open a technical screen to know whether something is reported to the state.**

On every document that reports to Metrc

Sales Invoice, Delivery Note, Stock Entry, Stock Reconciliation and Work Order all gain the same three things after submission:

1. **A status badge in the document header** — green *Synced*, orange *Queued*, red *Failed* or *Parked*, grey *Not Tracked*.
2. **A red banner** across the top when something failed, showing the reason in plain language. A silent compliance gap is the failure mode that matters most, so failures are made loud.
3. **A "METRC" button menu** with three actions: **Resync** (retry now), **View METRC Log** (the exact conversation with the state system), and **View Outbox** (the queued instruction).

There is also a collapsible **METRC** section holding the Receipt or Transfer ID, the licence used, and when it last synced.

On the Batch

The Batch screen shows Metrc's view side by side with ours:

- **METRC Quantity** — what the state believes we hold
- **METRC Variance** — the difference against our stock ledger
- **METRC Package Status** — Active, On Hold, In Transit, Finished
- **METRC Lab Result** — Passed, Failed or Not Tested

A non-zero variance raises a red banner reading "*ERPNext holds X but METRC holds Y. Investigate before selling.*" A failed lab result shows a red **Lab: FAILED** badge. **Product with a failed lab result must not be sold**, and this is the control that makes that visible at the point of use.

On the Item

A **METRC Tracked** checkbox, the **METRC Item Name** that must match the state system exactly, and the Metrc-assigned ID once confirmed.

Only items with **METRC Tracked** ticked are ever reported. This is the master switch for what the state sees, and it is the first thing to check when something unexpectedly does not sync.

The METRC workspace

A dedicated sidebar section grouped into three cards:

Card	Contents	Who uses it
Configuration	Metrc Settings	Administrator
Monitoring	Sync State, Outbox, API Log, Variance report	Compliance
Inventory	Metric Tag, Batch, Item	Stock team

Metrc Settings also carries a live dashboard: environment, queued and parked counts, variance totals, and a per-endpoint sync table.

6. Business processes, step by step

6.1 Selling product

```
Sales Invoice submitted
|
v
Is the item METRC Tracked? -- no --> status "Not Tracked", nothing sent
| yes
v
Does the row have a tagged Batch? -- no --> submission BLOCKED with a message
| yes
v
Instruction queued -> status "Queued"
|
v
Background worker sends it to Metrc
|
+-- success --> status "Synced", Receipt ID recorded
|
+-- rejected --> status "Parked", red banner, needs a human
|
+-- Metrc down --> retried automatically, up to 6 times
```

Why the invoice is never blocked by Metrc being unavailable. The instruction is written to a queue in the same database transaction as the invoice. The invoice succeeds or fails on its own merits; the reporting happens moments later in the background. A Metrc outage cannot stop the business from invoicing.

If the invoice is cancelled, a deletion instruction is queued automatically, so a cancelled sale does not stay reported to the state.

6.2 Sending product to another licensee

Submitting a **Delivery Note** creates a fully-populated **transfer template** in Metrc containing the recipient licence, the package tags, the vehicle and driver details, and the planned route.

Dispatch must then open the Metrc portal and promote that template to a live manifest.

This is not an oversight — Metrc's API provides no way to create an outgoing transfer directly. The template removes the retyping and the transcription errors that come with it. Once the manifest exists, its number flows back onto the Delivery Note on the next sync.

The Customer must have a **License Number** recorded, or submission is blocked with an explanatory message. Metrc will not accept a transfer without a recipient licence.

6.3 Correcting stock

A **Stock Reconciliation** reports the *difference* to Metrc, not the new total. Counting 480g where the system said 500g reports -20g.

The document carries a **METRC Adjustment Reason**, which must be one of Metrc's official reasons — Damage, Scale Variance, Incorrect Quantity, and so on. The valid list is pulled from Metrc automatically and refreshed hourly.

6.4 Manufacturing

Event	What is reported
Work Order submitted	A processing job starts; input packages are consumed
Manufacture Stock Entry submitted	Output packages are created, waste recorded, job closed

Output packages automatically claim tags from the unused pool. If the pool is empty, submission is blocked with a clear message — the correct behaviour, since inventing a tag number is not possible.

6.5 Receiving product

Incoming transfers are pulled from Metrc and matched to **Purchase Receipts** by package tag. The manifest number is stamped onto the receipt automatically. No user action is required.

7. What runs automatically, and when

Job	Frequency	What it does
Master data	Hourly	Items, strains, facilities, tag pool, valid reason lists
Inventory	Every 30 minutes	Packages and transfers — the compliance-critical path
Outbox worker	Every 5 minutes	Sends queued instructions to Metrc
Operations	Daily, 02:00	Sales receipts and lab results
Variance report	Daily, 06:00	Emails discrepancies to the compliance contact
Log housekeeping	Weekly, Sunday	Trims audit logs past their retention period

Why 30 minutes and not real-time. Metrc rate-limits per facility, and the state does not require real-time reporting. Thirty minutes keeps discrepancies same-day — far cheaper to resolve than week-old ones — without exhausting the rate limit.

Currently these do not run. The scheduler is paused on this server, so every sync is triggered manually. Enabling it is a one-line change and a project decision, not a development task.

8. Exception handling — the daily routine

The five statuses

Status	Meaning	Action
Not Tracked	No Metrc-tracked items on this document	None — normal
Queued	Waiting to be sent	None — should clear within 5 minutes
Synced	Metrc accepted it	None
Failed	Temporary problem; retrying automatically	Watch. Clears itself unless it becomes Parked
Parked	Metrc rejected it, or retries exhausted	A human must act

Parked is the one that matters

A parked instruction will never retry on its own. It represents work the state has not been told about. Common causes and their fixes:

Cause	Fix
Package tag does not exist in Metrc	Correct the Batch's METRC Tag, then Resync
Adjustment reason not recognised	Set a valid METRC Adjustment Reason, then Resync
Unit of measure not mapped	Add the mapping in Metrc Settings, then Resync
Recipient licence missing or wrong	Correct the Customer's License Number, then Resync
Credentials rejected	Escalate — a configuration problem, not a data one

Suggested daily routine for the compliance owner

1. Open the **METRC** workspace and check the **Parked** count. Target: zero.
2. Work each parked item: open the source document, read the red banner, fix the cause, press **Resync**.
3. Read the overnight **variance report** email and investigate anything material.
4. Check **Sync State** — every cursor should read *Success*.

The system also emails the compliance contact automatically when a sync fails repeatedly or when parked instructions accumulate, so this routine is a safety net rather than the only line of defence.

9. Variance management

The variance report answers one question: **where do Metrc and our stock ledger disagree?** It is valuable from day one, before any writing to Metrc is switched on.

The four categories

Category	Meaning	Severity
Quantity variance	Both systems know the package; quantities differ	Investigate
Untagged stock	We hold tracked product with no Metrc tag	Highest — unreported inventory
Orphan tags	Metrc shows an active package we have no record of	Usually an unmapped Item
Unmapped items	Marked tracked but Metrc has never confirmed them	Configuration gap

Untagged stock is the dangerous direction. Product we physically hold but have not reported is the finding a regulator cares most about.

The correction process

1. Investigate — count the physical product.
2. Decide which system is wrong.
3. If ERPNext is wrong, raise a **Stock Reconciliation**, tick **METRC Correction Made**, and record the reason in Compliance Notes.
4. If Metrc is wrong, the same reconciliation pushes the correcting adjustment.
5. Confirm the variance clears on the next sync.

The correction is itself a document, which is exactly what an audit needs.

10. Configuration guide

All configuration is in **Metrc Settings** (METRC workspace → Configuration).

Step 1 — Credentials

Field	Value
Environment	Sandbox or Production
Integrator (Software) API Key	Company-wide key from Metrc Connect

Press **Test Connection**. A successful test lists every facility the keys can reach and shows which are mapped to a Warehouse.

Step 2 — Facilities

One row per Metrc licence:

Field	Purpose
License Number	The Metrc licence, e.g. <code>C12-1000001-LIC</code>
User API Key	The per-user key for that facility
Warehouse	The ERPNext Warehouse this licence represents
Facility Timezone	Drives sale times. California = <code>America/Los_Angeles</code>
Active	Whether this facility syncs
Sync scope	Which data types to sync for this licence

Set the sync scope per licence type. A retailer has no plants; a cultivator has no sales receipts. Polling endpoints a licence cannot use wastes the rate limit and generates misleading errors.

Import Facilities populates this table from Metrc, avoiding typos in licence numbers.

Step 3 — UOM mapping

Metrc accepts exactly eleven units: Each, Grams, Kilograms, Milligrams, Ounces, Pounds, Fluid Ounces, Gallons, Liters, Milliliters, Pints.

Every ERPNext UOM used on a tracked item must map to one of these. Eleven common mappings are pre-populated. An unmapped unit blocks the push with a clear message naming the unit.

Step 4 — Operating mode

Setting	Meaning
Enabled	Master switch. Off = nothing happens at all
Enable Push	Off = read-only. Data comes in, nothing goes out
Dry Run	Builds and logs the payload but does not transmit

The safe sequence is **Enabled → verify pulls → Enable Push with Dry Run → inspect payloads → turn Dry Run off**.

Step 5 — Items

For each product reported to the state: tick **METRC Tracked** and set **METRC Item Name** to match Metrc exactly.

Nothing syncs until this is done. It is the single most common reason for "the integration isn't working".

11. Roles and permissions

Role	Can see	Can do
System Manager	Everything	Configure, resync, retry parked items
Stock Manager	Logs, outbox, tags, variance	Resync documents, work exceptions
Stock User	Metrc fields on documents	Read only — sync fields are system-maintained

Metrc fields on documents are **read-only by design**. They record what the state was told; a user editing them would break the audit trail.

Recommended ownership

Responsibility	Suggested owner
Metrc Settings, credentials	IT / System Administrator
Daily parked-item triage	Compliance Officer
Variance investigation	Inventory / Compliance
Item master flags	Master Data owner
Tag ordering and receipt	Inventory Manager

12. Testing and UAT

Automated smoke test

An automated end-to-end test ships with the module. It creates a real transaction chain against the Metrc sandbox, verifies eleven behaviours, and removes everything it created.

Result: 11 of 11 checks passed.

#	Check	Result
1	Tag quantity updates from the stock ledger	Pass
2	Variance calculated	Pass
3	Sales Invoice queues on submit	Pass
4	Queue entry created	Pass
5	Sale time formatted as facility-local	Pass
6	Correct package tag reported	Pass
7	Invoice number sent as the external reference	Pass
8	Unit of measure valid for Metrc	Pass
9	Queue processes successfully	Pass
10	Status written back to the invoice	Pass
11	Re-submitting does not duplicate the report	Pass

Check 11 matters more than it looks: Metrc has no duplicate protection of its own, and a duplicate sales receipt in a state system is a compliance incident.

UAT scenarios for the business

#	Scenario	Expected result
U1	Sell a tracked product with a tagged batch	Invoice shows Synced , Receipt ID populated
U2	Sell a non-tracked product	Invoice shows Not Tracked
U3	Sell a tracked product with no batch	Submission blocked, message names the row
U4	Cancel a synced invoice	Deletion queued
U5	Reconcile stock down by 20g	Adjustment of –20g reported
U6	Reconcile with no reason set	Default reason applied, still succeeds
U7	Deliver to a customer with no licence	Blocked with explanatory message
U8	Deliver to a licensed customer	Transfer template appears in Metrc
U9	Sell a batch with a failed lab result	Red Lab: FAILED badge visible on the Batch
U10	Use an unmapped unit of measure	Blocked, message names the unit
U11	Manufacture with an empty tag pool	Blocked with a clear message
U12	Force a failure, then press Resync	Recovers to Synced

Recommended UAT approach

Run in **Sandbox** with **Dry Run on** first — this exercises every validation and lets the team read the exact payloads without touching a state system. Then turn Dry Run off, still in Sandbox, and confirm the data appears in the Metrc test portal.

13. Project status and RAID log

Delivery status

Workstream	Status
Technical design	Complete — 50-page technical guide delivered
Core integration	Complete
Sales, delivery, stock, manufacturing flows	Complete
User interface and reporting	Complete
Automated testing	Complete — 11/11
Sandbox validation	Complete
Production validation	Blocked — external dependency
End-user training	Not started
Production cutover	Not started

Risks

ID	Risk	Impact	Likelihood	Mitigation
R1	Server timezone is <code>America/Adak</code> , not Pacific. Sale times would be reported two hours out, moving evening sales to the wrong day.	High — systematic misreporting	Certain if unaddressed	Correct System Settings before enabling push. Verified reproducible in testing.
R2	Metrc production access not granted.	High — blocks go-live	Known	Apply to Metrc, demonstrate the sandbox integration. Owner: project sponsor.
R3	Scheduler paused; nothing syncs automatically.	Medium	Certain	Enable when the business is ready for continuous sync.
R4	Items not yet flagged as tracked, so nothing reports.	Medium	Certain	Master-data exercise before UAT.
R5	Users fill in Batch but not Muid, making stock invisible to compliance.	High — silent under-reporting	Likely without training	Cover in training; consider a validation rule.
R6	Sandbox test data (~9,700 tags) sits in the staging database.	Low	Occurred	A purge routine is provided; run before production cutover.
R7	Metrc rate limits depend on our contract tier, which is not yet confirmed.	Medium	Unknown	Confirm the tier with our Metrc representative.

Assumptions

- Products sold to licensed businesses; retail sales default to "Consumer" customer type.
- One Warehouse maps to exactly one Metrc licence.
- Tags are ordered and received in Metrc before ERPNext needs them.
- Physical counts remain the authority in a dispute between the two systems.

Issues

ID	Issue	Owner
I1	No Warehouse currently carries a production METRC License #	Functional consultant
I2	Customer licence numbers not populated for all trade customers	Sales / Master data
I3	Metrc contract tier and webhook availability unconfirmed	Project sponsor

Dependencies

- Metrc production integrator approval (external, unscheduled)
 - Server timezone correction (internal, affects all users)
 - Master-data cleanup: item flags, customer licences, warehouse licences
-

14. Go-live plan

Five phases. Each has an exit criterion that must be met before the next begins.

Phase 1 — Read-only on production data (1-2 weeks)

Point at production in read-only mode. Pull real inventory and reconcile.

Exit: variance report reviewed and understood; discrepancies explained.

This phase delivers value on its own — it tells you, for the first time, exactly where the two systems disagree, with no risk of writing anything.

Phase 2 — Dry run (1-2 weeks)

Turn push on with Dry Run enabled. Real documents generate real payloads that are logged but not transmitted.

Exit: payloads reviewed and correct; **timezone confirmed fixed**; no validation errors.

Phase 3 — Sandbox writes (1-2 weeks)

Transmit for real, still to the test environment. Full UAT.

Exit: all UAT scenarios pass; no parked items for a full week.

Phase 4 — Metrc approval (*external, unknown duration*)

Apply, demonstrate the integration, receive production credentials. Confirm rate limits and webhook availability.

Exit: production credentials issued and connection tested.

Phase 5 — Production, one facility at a time

Rotate all development credentials. Run read-only on production first, then dry run, then live for a single facility. Monitor daily for two weeks before adding facilities.

Exit: all facilities live; parked count consistently zero.

Do not skip the read-only step on production. Sandbox data is synthetic; real operational data will surface differences no test facility can.

15. Decisions needed from the business

#	Decision	Owner	Blocks
D1	Correct the server timezone to <code>America/Los_Angeles</code> ? Affects every timestamp shown to every user, so it needs a communicated change window.	IT + Operations	Phase 2 exit
D2	Who owns daily parked-item triage?	Operations	Training
D3	Which Warehouses map to which Metrc licences?	Functional consultant	Phase 1
D4	Which items are Metrc-tracked?	Master data + Compliance	Phase 1
D5	Enable the scheduler, or keep sync manual during UAT?	Project manager	Phase 1
D6	Who receives compliance alert emails?	Compliance	Phase 1
D7	Log retention period — is 120 days sufficient for our licence type?	Compliance	Phase 5

D1 is the critical path item. It is small, it is not a development task, and nothing can go live correctly until it is resolved.

16. Glossary

Term	Meaning
Metrc	California's mandatory cannabis track-and-trace system
Metrc Connect	The portal where software vendors manage integrator keys
Integrator key	Company-wide key identifying our software to Metrc
User key	Per-user key; permissions follow that Metrc user
Facility	A licensed location in Metrc; our Warehouse
Package	A tagged quantity of product; our Batch
Tag	The printed state label with a unique number
Muid	The ERPNext field carrying the tag onto stock transactions
Manifest	The transport document for moving product between licensees
Sandbox	Metrc's test environment; no compliance consequence
Outbox	Our queue of instructions waiting to be sent to Metrc
Parked	A queued instruction that failed permanently and needs a human
Variance	A difference between Metrc's quantity and our stock ledger
Cursor	A bookmark recording how far a sync has progressed
Dry run	Mode that builds payloads and logs them without transmitting

Appendix A — Field reference

Fields added by this project. All are system-maintained and read-only unless noted.

Item

Field	Purpose
METRC Tracked	User-set. Master switch for reporting this product
METRC Item Name	User-set. Must match Metrc exactly
METRC Item Category	Product category in Metrc
METRC Item ID	Metrc's internal identifier
METRC UOM	Unit Metrc holds this item in
METRC Last Synced	Last confirmation from Metrc

Batch

Field	Purpose
METRC Tag	<i>(pre-existing)</i> The package label
METRC Package ID	Metrc's internal identifier
METRC Package Status	Active, On Hold, In Transit, Finished
METRC Quantity	What Metrc believes we hold
METRC UOM	Unit of that quantity
METRC Variance	Our ledger minus Metrc
METRC Lab Result	Passed, Failed, Not Tested
METRC Lab Result Date	When testing completed

Sales Invoice

Field	Purpose
METRC Sync Status	Not Tracked / Queued / Synced / Failed / Parked
METRC Receipt ID	Metrc's receipt identifier
METRC License #	Facility the sale was reported under
METRC Synced On	Timestamp of the last attempt
METRC Message	Plain-language failure reason

Delivery Note

Field	Purpose
METRC Sync Status	As above
METRC Transfer ID	Metrc's transfer identifier
METRC Manifest #	The manifest number, once created
METRC Transfer Type	User-set. Defaults to "Transfer"
METRC License #, Synced On, Message	As above

Stock Reconciliation

Field	Purpose
METRC Correction Made	<i>(pre-existing)</i> Flags this as a compliance correction
METRC Adjustment Reason	User-set. Must be a valid Metrc reason
METRC Sync Status, Synced On, Message	As above

Warehouse

Field	Purpose
METRC License #	<i>(pre-existing)</i> User-set. The licence this warehouse represents
METRC Facility Name	Confirmed name from Metrc
METRC Last Synced	Last confirmation

Work Order

Field	Purpose
METRC Processing Job Type	User-set. Must match a Metrc job type
METRC Processing Job ID	Metrc's job identifier
METRC Sync Status	As above

Appendix B — Status reference

Document sync status

Status	Colour	Meaning	Action
(blank)	—	Not yet evaluated	None
Not Tracked	Grey	No tracked items	None
Queued	Orange	Waiting to send	None — clears within 5 min
Synced	Green	Accepted by Metrc	None
Failed	Red	Temporary problem, retrying	Watch
Parked	Red	Permanently failed	Fix and Resync

Metric Tag status

Status	Meaning
Unused	Received from Metrc, not yet assigned
Active	Assigned to a package holding stock
Empty	Package depleted or finished

Metrc package status

Status	Meaning
Active	In inventory and available
On Hold	Restricted by the state — cannot be sold
In Transit	On a manifest, moving between facilities
Finished	Depleted or discontinued

Where to go next

Need	Document
Technical detail, API specifics, code	METRC_INTEGRATION_GUIDE.md / .pdf (50 pages)
Configuration	§10 of this document
UAT scripts	§12 of this document
Project reporting	§13 and §14 of this document

End of document.