

TapTrade — QA & Beta-Test Summary

Backend **taptrade.ts** (Railway / Supabase) • Flutter app **1.0.1+9** (Google Play) • Report date: 04 Jul 2026

Executive summary

This report consolidates the full code audit across 10 workflow areas and reflects the two fixes now applied to **taptrade.ts**: (1) email de-duplication on registration, and (2) the matching engine now enforces price-range overlap and ranks category matches. Core flows — trade completion, matches/chat, like/dislike, and profile/avatar — verified sound. Three items remain open (Apple private-relay duplicates, trade-radius default mismatch, and background-notification toggles), none of which block beta but all of which are worth closing before a wider launch.

Metric	Before fixes	After fixes
Blocking (spec) issues	2	0
Open warnings	6	3
Verified-healthy areas	4	6

1 · Workflow area status (post-fix)

#	Workflow area	Status	Headline finding (current)
1	Registration (email/phone)	Fixed	Email uniqueness now enforced; duplicates via email/pw closed.
2	Login (email/password)	OK	Works. Social-only users still get a generic error (minor UX).
3	Social auth & account dedup	Warn	Google/Apple linking works; Apple 'Hide My Email' can still duplicate.
4	Profile & avatar	OK	Avatar / camera / gallery all work. Google photo not captured (minor).
5	Trade preferences	Warn	Max radius = 500 km confirmed. Default radius inconsistent (0 / 50 / 500).
6	Bazaar / matching engine	Fixed	Price-overlap gate + category ranking now live. Optional upgrades remain.
7	Like / dislike feedback	OK	Disliked skipped, liked bucketed for fallback. Works as designed.
8	Trade completion (bilateral)	OK	Both chat & MatchDeal paths archive the match on dual-confirm. Verified.
9	Matches & chat	OK	20s auto-refresh, unread grouping, empty states. Solid.
10	Notifications & push	Warn	Foreground toggles honored; background push ignores user preference.

2 · Fixes applied & verified

Fix	File / location	What changed	Verified
Fix 1 — Register email dedup	taptrade.ts · /api/user/register/ (L126–145)	Rejects signup when email already exists; points user to Google/Apple/login.	Yes

Fix	File / location	What changed	Verified
Fix 2a — Price gate	taptrade.ts · nearby-users (L2394–2402)	Skips pairs whose price ranges don't overlap; guarded so price-less items still show.	Yes
Fix 2b — Interest count	taptrade.ts · nearby-users (L2451–2453)	matching_interest_count = 1 when categories match (was hard-coded 0).	Yes
Fix 2c — Relevance sort	taptrade.ts · nearby-users (L2469–2471)	Ranks category matches to the top of the swipe deck.	Yes

3 · Detailed findings (open items)

3.1 Social auth — Apple 'Hide My Email' (Area 3)

The social handler links accounts by Firebase UID first, then by email. When a user chooses Apple's 'Hide My Email', Apple supplies a private-relay address that differs from the user's real email, so the email fallback misses and a second account is created. Google↔Apple with the same real email merges correctly (UID flip-flops but stays one account).

Sign-up order	Result	Status
Email/pw → then Google (same email)	Links firebase_uid; merges	OK
Google → then Apple (same real email)	Email fallback links; one account	OK
Google → then email/pw signup (same email)	Now blocked by Fix 1	Fixed
Apple 'Hide My Email'	Relay email ≠ real email → duplicate	Open

3.2 Trade preferences — default radius mismatch (Area 5)

Layer	Default when no preference	Effect
Preferences UI (slider init)	0 km (save blocked at 0)	User must pick before saving
Backend nearby-users fallback	50 km	Silent 50 km if no prefs row
Observed at signup (device log)	500 km	Seeded somewhere on onboarding

Recommendation: seed 500 km at signup *and* align the backend fallback to 500 so the 'maximum radius' requirement holds even if a prefs row is missing.

3.3 Notifications — background toggles (Area 10)

User toggles (match / message / trade) are honored only in the foreground handler. When the app is backgrounded or killed and the FCM payload contains a **notification** block, the OS displays it regardless of the toggle. Only **marketing** is truly controllable (topic subscribe/unsubscribe). To honor all toggles in background, the backend push senders must send **data-only** messages (in pushNotificationService.ts) and let the app render them.

3.4 Bazaar — behavioral notes (Area 6)

- Location is mandatory: users without lat/lng get an empty bazaar, and candidates without location are skipped.
- Matching is a full in-memory loop over all active products (no DB-side geo filter) — fine at beta scale, revisit before growth.
- matching_interest_count currently means 'same category'; ranking by the user's saved interest list needs the trade_preferences query.

4 · Recommended actions

Prioritized for the next move. P1 = close before wider launch, P2 = polish, P3 = optional enhancement.

Priority	Action	Where	Effort
P1	Handle Apple private-relay: link by Firebase UID reliably and/or store the Apple <i>user identifier</i> so 'Hide My Email' users aren't duplicated.	taptrade.ts (social) + app	M
P1	Align trade-radius defaults to 500 km (signup seed + backend fallback).	taptrade.ts + onboarding	S
P2	Send data-only push so match/message/trade toggles work in background.	pushNotificationService.ts + notification_service.dart	M
P2	Friendlier login error for social-only accounts ('use Google/Apple').	taptrade.ts (login)	S
P3	Capture Google photoURL on first social sign-in for instant avatars.	googleSignIn.dart + social handler	S
P3	Rank by saved interest list (not just same-category) + distance tiebreak.	taptrade.ts (nearby-users)	M
P3	Run one live end-to-end trade to confirm price-gate + archive together.	QA / beta device	S

Suggested next move: close the two P1 items (Apple relay + radius default), then ship a beta build and run the single live end-to-end trade described in P3. The P2/P3 items can follow once beta feedback confirms the core loop.

Generated for internal review • TapTrade QA • findings reflect static code audit of the files provided.