## The inventory of linguistic relations used in the Copenhagen Dependency Treebanks

Matthias Buch-Kromann Morten Gylling-Jørgensen Lotte Jelsbech Knudsen Iørn Korzen Henrik Høeg Müller

Center for Research and Innovation in Translation and Translation Technology Dept. of International Language Studies and Computational Linguistics Copenhagen Business School

November 22, 2010

#### Abstract

This manual describes the inventory of linguistic relations used in the Copenhagen Dependency Treebanks, a set of parallel treebanks for Danish, English, German, Italian, and Spanish annotated with respect to syntax, morphology, discourse, coreference, and translational equivalence. The manual is generated automatically from the CDT project's online relation spreadsheet.<sup>1</sup>

http://spreadsheets.google.com/ccc?key=OArjTKYTQS1lWcnNUWGJrX3lZTkxDc3QxYmlqWlRXQ1E&hl=

## **Contents**

1 Introduction				
2	Top-level relations: ANY			
	2.1 Linguistic level dimension: DIM:LEVEL			
	2.2 Annotation type dimension: DIM:TYPE	6		
3	Syntactic relations: SYNTAX			
	3.1 Complement relations: SYNCOMP	10		
	3.2 Non-adverbial adjunct relations: SYNADJ	18		
	3.3 Adverbial adjunct relations: ADVERB	26		
4	Morphological relations: MORPHOLOGY	35		
	4.1 Compositional relations: MORPHCOMP	35		
	4.2 Derivational relations: MORPHDERIV	37		
	4.2.1 Prefix relations: PREFIX	38		
	4.2.2 Suffix relations: SUFFIX	4(		
5	Discourse relations: DISCOURSE	49		
	5.1 Functional relations: DISCFUNC	50		
	5.2 Semantic relations: DISCSEM	52		
6	Anaphor relations: ANAPHORA			
	6.1 Coreference relations: coref	58		
	6.2 Associative anaphor relations: assoc	62		
7	Semantic relations: SEMANTICS			
	7.1 Qualia relations: QUALIA	75		
	7.2 Thematic role relations: SEMROLE	76		
8	Word alignment relations: ALIGNMENT			
9	Rule schemata for complex relations: RULE			
10	Ontological relations: ONTOLOGY			
11	Deprecated relations from the CDT1 annotation: CDT1			
12	Relations misplaced outside the ANY hierarchy			
	Annotation topics:: TOPICS			
	•			
<b>/1</b>	Overview tables	88		

В	Agre	ement and confusion tables	100
	B.1	Confusion table: syntax	100
	B.2	Confusion table: semantics	105
	B.3	Confusion table: discourse	106
	B.4	Confusion table: anaphora	107
	B.5	Confusion table: morphology	108
	B.6	Confusion table: morphology-no-null	110
	B.7	Confusion table: alignment	112
C	Anne	otation status	113
	C.1	All texts	113
	C.2	da texts	113
	C.3	de texts	113
	C.4	en texts	113
	C.5	es texts	114
	C.6	it texts	114
	C.7	da-de texts	114
	C.8	da-en texts	114
	C.9	da-es texts	114
	C.10	da-it texts	115
D	Inde	x	116

## Chapter 1

## Introduction

This manual describes the relations used in the Copenhagen Dependency Treebanks. The relations are ordered in a hierarchy, where each relation may have zero or more immediate super types, and zero or more immediate subtypes. The relations are presented in detail in the following chapters, grouped by linguistic level and general relation type. Every time a relation is introduced, its name is written in the left margin, with an indication of its immediate super types and the row in the online CDT spreadsheet in which the relation was defined. An example is shown below.

**relation** The notation in the left margin indicates that we now describe the relation relation; it has isa super immediate super type super and is defined in row 12 in the spreadsheet. When describing a [12] relation, we also lists its other properties, if relevant, including its:

- long name: we use short names in the annotation for brevity, but long names are sometimes more descriptive, so we provide these as an alias for the short relation name;
- · deprecated names: when renaming relations, the old name is listed as a deprecated name for backwards compatibility, but it should be avoided in future annotation;
- immediate subtypes: the relation names that have been specified as the immediate subtypes of the relation;
- related types: lists the relations that are closely related to this relation, in some way or another, and which you might want to consult for clarification or additional information;
- · confusion: lists relations that are confused with this relation with percentages (ie, the probability that other annotators will use another relation name); the numbers in "Confusion  $_{A,A_U,A_L}^N$  list the number of times the relation name has been used for a multiply-annotated in-node, and the labeled agreement A, the unlabeled agreement  $A_U$ , and the label agreement  $A_L$  for the relation.
- examples: small annotated text examples that illustrate how the relation is used;

In PDF versions of this document, relation names are clickable so that you can navigate through the relation hierarchy by clicking on the relation names.

## Chapter 2

## **Top-level relations: ANY**

ANY: formal top node

CDT1: Deprecated CDT1 relations

DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: annotation type RULE: generative type specification rule

TOPIC: annotation topic

Figure 2.1: The relations matching ANY-!DIM:LEVEL-!DIM:TYPE-!RULE-!TOPIC-!CDT1.

ANY Formal top node. The formal top node in the type hierarchy. The type hierarchy contains [2] all the annotations (features and relations) used in the Copenhagen Dependency Treebanks; it also contains all other documentation for the treebank, including hierarchically organized topics in the annotation which describe how to annotate particular linguistic constructions in the treebanks.

Subtypes: CDT1 DIM RULE TOPIC.

CDT1 Deprecated CDT1 relations. Deprecated relations from the CDT1+2 treebanks.

isa ANY Subtypes: CDT1ADJ CDT1COMP CDT1GAP. [395]

**DIM** *Dimension* (long: DIMENSION). A dimension in the type hierarchy. The dimensions include isa ANY the linguistic level (eg, syntax, morphology, semantics) and the annotation type (eg, primary

[3] dependency, secondary dependency, idiomatic construction)

Subtypes: DIM:LEVEL DIM:TYPE.

**DIM:LEVEL** Dimension: linguistic level. A dimension specifying the linguistic level of the relation. The

isa DIM classification of relations into linguistic levels is meant to give a rough classification of the relations that corresponds to the standard terminology in linguistic theory. The classification is intended for human use. It is not an important feature in the underlying linguistic theory, and there are borderline cases where the distinction between the levels is somewhat fuzzy.

Subtypes: ALIGN ANA DISC MORPH ONT SEM SYN.

**DIM:TYPE** *Dimension: annotation type.* A dimension specifying the type of the annotation. Eg, a lexical isa DIM feature or a directed bilexical relation.

[17] Subtypes: FEAT REL.

RULE Generative type specification rule. Generative type specification rules specify how type names is ANY are created generatively using rules. A rule consists of a sequence of null-separated items which are either character sequences enclosed in double quotes or type names; parts of a rule may be enclosed in parentheses and followed by an optional repetition operator: "\*" (0 or more times), "+" (1 or more times), or "?" (0 or 1 times). When specifying the super types for a generated type, \$1 refers to the part of the type name matched within the first pair of parentheses, \$2 the part within the second pairs of parentheses, etc. Generated types may be used as super types.

For example, the rule "<"PRIM">" generates all relation names formed by enclosing any relation name from the "PRIM" hierarchy in angle brackets. "<"PRIM("."PRIM)\*">" generates all relation names formed by enclosing a "."-separated sequence of "PRIM" relation names in angle brackets.

Subtypes: ""QUALIA RuleAnd RuleAttr RuleAttrD RuleAttrH RuleDisc RuleExpConn RuleGap RuleIdiom RuleImpConn RuleMorph RuleOtlAdv RuleOr RulePar RuleSec.

TOPIC Annotation topic. A topic in the annotation guidelines. A topic describes how a particular isa ANY linguistic construction is annotated in the treebanks, as an aid for the annotators and human users of the CDT treebanks. If a linguistic relation is very closely associated to one or more topics (eg, "gobj" for genitive constructions), the topics should be added as super types for the relation, so that the relations and the topics are properly linked in the annotation manual.

Subtypes: %ALIGN %DISC %MORPH %SEM %SYN.

#### 2.1 Linguistic level dimension: DIM:LEVEL

DIM:LEVEL: dimension: linguistic level

ALIGN: alignment level
ANA: anaphor level
DISC: discourse level
MORPH: morphology level
ONT: ontology level
SEM: semantic level
SYN: syntax level

Figure 2.2: The relations matching DIM:LEVEL-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!RULE-!TOPICS-!CDT1.

DIM:LEVEL Dimension: linguistic level. A dimension specifying the linguistic level of the relation. The isa DIM classification of relations into linguistic levels is meant to give a rough classification of the relations that corresponds to the standard terminology in linguistic theory. The classification is intended for human use. It is not an important feature in the underlying linguistic theory, and there are borderline cases where the distinction between the levels is somewhat fuzzy.

Subtypes: ALIGN ANA DISC MORPH ONT SEM SYN.

 $\textbf{ALIGN} \ \ \textit{Alignment level} \ (\text{long: ALIGNMENT}). \ The alignment level includes alignment relations as well is a DIM: LEVEL as lexical features associated with alignments.$ 

[15] Subtypes: ALIGNREL.

- ANA Anaphor level (long: ANAPHORA). The anaphor level includes relations between anaphors and isa DIM:LEVEL their antecedents, as well as lexical features associated with anaphora.
  - [14] Subtypes: ANAREL anaphor.
- DISC Discourse level (long: DISCOURSE). The discourse level includes relations between segments isa DIM:LEVEL in different sentences, as well as lexical features associated with discourse units.
  - [11] Subtypes: DISCOTHER DISCPRAG DISCSEM RuleDisc.
- MORPH Morphology level (long: MORPHOLOGY). The morphological level includes relations between isa DIM:LEVEL two word segments within a single word, as well as lexical features associated with mor-
  - [9] phemes.

Subtypes: MORPHCOMP MORPHDERIV RuleMorph.

- ONT Ontology level (long: ONTOLOGY). The ontological level includes relations between lexical isa DIM:LEVEL elements construed as ontological units, as well as lexical features associated with ontological [13] units.

Subtypes: ONTOCLASS.

- SEM Semantic level (long: SEMANTICS). The semantic level includes relations between lexical eleisa DIM:LEVEL ments construed as functors, arguments, and modifiers, as well as lexical features associated
  - [12] with semantic units.

Subtypes: SEMREL.

SYN Syntax level (long: SYNTAX). The syntactic level includes relations between two segments isa DIM:LEVEL within a sentence, but not within a single word, as well as lexical features associated with [10] syntactic units.

Subtypes: SYNADJ SYNCOMP.

#### Annotation type dimension: DIM:TYPE 2.2

- DIM:TYPE Dimension: annotation type. A dimension specifying the type of the annotation. Eg, a lexical isa DIM feature or a directed bilexical relation.
  - [17] Subtypes: FEAT REL.
- FEAT Lexical feature (long: FEATURE). A lexical feature. Ie, an annotation that describes a particular isa DIM:TYPE property of a lexical element.
  - [18] Subtypes: ONTOCLASS.
- REL Directed bilexical relation (long: RELATION). A directed bilexical relation. Ie, a directed reisa DIM:TYPE lation that goes from one lexical element (the parent, head, governor, nucleus, stem, an-
  - [19] tecedent) to a dependent lexical element (the child, dependent, satellite, affix, anaphor).

Subtypes: ALIGNREL ANAREL IDIOM LAND PRIM SEC SEMREL.

IDIOM Idiomatic relation. An idiomatic relation. The relation links independent lexical elements isa REL that jointly form an idiomatic lexical unit, ie, a unit where the meaning of the whole cannot

[32] be described as a semantic composition of its parts.

Subtypes: RuleIdiom. Related types: +.

DIM:TYPE: dimension: annotation type

FEAT: lexical feature

REL: directed bilexical relation IDIOM: idiomatic relation

RuleIdiom: idiomatic relation pattern

LAND: landing relation fill: licensed filler


land: landed lexical element PRIM: primary dependency relation

+: segment concatenation ADJ: adjunct relation COMP: complement relation


RuleOblAdv: valency-bound adverbial

SEC: secondary dependency relation RuleSec: secondary relation pattern repl: replacement in gapping coordination

Figure 2.3: The relations matching DIM:TYPE-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!TOPICS-!CDT1.



**RuleIdiom** *Idiomatic relation pattern* (long: (SEMREL)"#"). A semantic relation can be marked as idisa IDIOM RULE iomatic by putting a trailing "#" after the semantic relation name. The idiom marker is only used with semantic relations, not with syntactic relations.



**LAND** *Landing relation* (long: LANDING). A relation between a lexical element and its landing site. isa REL Landing relations are not annotated explicitly in the Copenhagen Dependency Treebanks.

[25] In Discontinuous Grammar, the word order is determined by a projective surface tree. The projective surface tree can be derived from the deep tree by defining the landing site for a node as the lowest transitive governor in the deep tree that deeply dominates all nodes between the node and the transitive governor. The resulting set of landing relations can be shown to form a projective tree. In this tree, a global word order uniquely corresponds to a local ordering of all the landed nodes at each landing site.

Subtypes: fill land.

**fill** *Licensed filler.* A landing relation from a filler licensor to a phonetically empty filler that it is LAND licenses. The filler licensor is viewed as the landing site for the filler. Filler relations are never [27]

annotated explicitly in the CDT treebanks, but play an important role in the underlying linguistic theory, Discontinuous Grammar. In DG, a "filler" is a phonetically empty constituent which is licensed lexically by a "filler licensor" lexeme, and which functions as an anaphoric element that requires a "filler source" as its antecedent. For example, the relative verb in a relative construction acts as filler licensor for a filler that essentially provides a copy of the relativized noun; in control constructions, the controlling verb passes on a copy of the controlled complement to the subordinate verb; and in gapping coordinations, the first conjunct licenses one or more gapping fillers that function as the elided heads of the gapped conjuncts.

 $\begin{array}{ll} \textbf{land} & \textit{Landed lexical element.} & A \ \text{landing relation for lexical elements.} & This \ \text{relation is used when} \\ \text{is a LAND} & \text{the landed node is a lexical element rather than a filler.} & Landing \ \text{relations are not annotated} \\ \text{[26]} & \text{explicitly in the CDT annotation, but follow implicitly from the other annotation.} \end{array}$ 

Related types: LAND.

PRIM Primary dependency relation (long: PRIMARY). A primary dependency relation. Ie, a bilexical isa REL relation which specifies the primary head associated with each lexical element in the analysis at the level of syntax, discourse, and morphology. The primary dependencies in a well-formed analysis must form a deep tree, which may be non-projective. The deep tree provides the primary interface to the underlying compositional semantics. In particular, the deep tree defines the application order in the compositional semantics by inducing a unique functor-argument tree for each modifier scope, ie, for each ordering of the adjuncts at all nodes in the analysis.

Subtypes: + ADJ COMP.

+ Segment concatenation (long: CONCATENATION). A concatenation relation. The relation is isa PRIM used to correct segmentation errors, and specifies that two nodes should have been analyzed [33] as subsegments of the same lexical unit. The relation always goes from a node to its immediately following neighbour in the segmentation.

Related types: IDIOM.



ADJ Adjunct relation (long: ADJUNCT). A primary adjunct relation. The relation is licensed by isa PRIM the adjunct, ie, the lexical entry of the adjunct specifies the adjunct relations licensed by the adjunct, along with the associated semantic interpretation mechanisms and selectional restrictions on the licensed governors. In the compositional semantics, the adjunct acts as a modifier, ie, a functor that as its argument takes the semantic representation corresponding to the governor along with the governor's arguments and lower-scoped adjuncts.


Subtypes: DISCOTHER DISCPRAG DISCSEM SYNADJ.

Subtypes: RuleOblAdv SYNCOMP.

COMP Complement relation (long: COMPLEMENT). A primary complement relation. The relation is a PRIM is licensed by the governor, ie, the lexical entry of the governor specifies the complement frames that it allows, along with the associated semantic interpretation mechanisms and selectional restrictions associated with each complement role. In the compositional semantics, the complements act as arguments with the governor as their functor.

**RuleOblAdv** *Valency-bound adverbial* (long: "@"ADVERB). An adverbial relation can be marked as obligaisa COMP RULE tory by putting "@" in front of the relation name.

[371] Related types: cont dir dur ext hab loc prec succ time.




SEC Secondary dependency relation (long: SECONDARY). A secondary dependency relation. Intuisa REL itively, if a node functions as a dependent of more than one word (eg, in verbal chains, raising and control constructions, relatives, and elliptic coordinations), the dependency relation that determines the word order is encoded as a primary relation, and the remaining dependency relations are encoded as secondary dependency relations. In terms the underlying linguistic theory in Discontinuous Grammar, the secondary relations in the CDT annotation encode that the child node in the secondary dependency functions as the filler source for a filler that functions as a primary dependent of the parent node. Since the CDT annotation does not include filler nodes, there is no explicit annotation of the filler and its associated filler licensor and filler source, and the filler licensor must be reconstructed from the secondary dependency by means of heuristic rules.

Subtypes: RuleSec ref repl. Related types: fill fsrc.

**RuleSec** *Secondary relation pattern* (long: "["PRIM"]"). A secondary relation name is formed by enisa RULE SEC closing a primary relation name in square brackets.

[369] Related types: SEC.



repl Replacement in gapping coordination. A relation that encodes a constituent in the first conisa SEC junct replaced by a gapping dependent. The relation goes from the head of the replaced constituent to the head of the gapping dependent. The extraction path for the gapping dependent is defined as the path from the replaced constituent to the head of the first conjunct.

Related types: gapd.

## Chapter 3

## Syntactic relations: SYNTAX

SYN: syntax level SYNADJ: syntactic adjunct SYNCOMP: syntactic complement

Figure 3.1: The relations matching SYNTAX-!SYNCOMP-!SYNADJ-!CDT1-TOPIC.

SYN Syntax level (long: SYNTAX). The syntactic level includes relations between two segments is a DIM:LEVEL within a sentence, but not within a single word, as well as lexical features associated with [10] syntactic units.

Subtypes: SYNADJ SYNCOMP.

**SYNADJ** *Syntactic adjunct.* An adjunct role at the syntactic level. This relation type is used to group isa ADJ SYN a large class of adjunct roles that only apply at the syntactic level.

[105] Subtypes: ADVERB CDT1ADJ app attr attrg conj coord correl fpred gapd name pnct rel voc xtop.

**SYNCOMP** *Syntactic complement.* A complement role at the syntactic level. This relation type is used to isa COMP SYN group a large class of complement roles that only apply at the syntactic level.

Subtypes: @space @time CDT1COMP aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr pred qobj robj subj vobj.

#### 3.1 Complement relations: SYNCOMP

**SYNCOMP** *Syntactic complement.* A complement role at the syntactic level. This relation type is used to isa COMP SYN group a large class of complement roles that only apply at the syntactic level.

Subtypes: @space @time CDT1COMP aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr pred qobj robj subj vobj.

**@space** Valency-bound location/direction adverbial. is a SYNCOMP Related types: dir loc.

[86]

SYNCOMP: syntactic complement

@space: valency-bound location/direction adverbial

@time: valency-bound time adverbial

avobj: adverbial object dobj: direct object fobj: filler object gobj: genitive object iobj: indirect object nobj: nominal object

numa: additive numeral complement numm: multiplicative numeral complement


part: verbal particle pobj: prepositional object possd: possessed complement possr: possessor complement

pred: predicative

predo: object predicative preds: subject predicative qobj: quotational object robj: reflexive object subj: subject


expl: expletive subject vobj: verbal object

Figure 3.2: The relations matching SYNCOMP-!CDT1-TOPIC.



@time Valency-bound time adverbial. A valency bound time expression. Formerly analyzed as temisa SYNCOMP poral object "tobj", but we have decided to provide a general mechanism (@) for converting adverbial relations into valency-bound relations instead.


Related types: cont dur ext hab prec succ.



avobj Adverbial object.

isa SYNCOMP Related types: aobj part.


 $\begin{tabular}{ll} [94] & Confusion_{61/88/61\%}^{38}: avobj_{61\%} \ part_{8\%} \ other_{8\%} \ quant_{5\%} \ subj_{3\%} \ conj_{3\%} \ aobj_{3\%} \ loc_{3\%} \ pobj_{3\%} \ nobj_{1\%} \ pnct_{1\%} \ namef_{1\%} \ man_{1\%} \ appa_{1\%} \ attr_{0\%} \ coord_{0\%} \ numm_{0\%} \ . \end{tabular}$ 



**dobj** *Direct object.* A direct object relation. In languages with case, the direct object is typically isa SYNCOMP accusative-marked.


[82] Related types: iobj robj.

 $Confusion_{76/85/77\%}^{903}: dobj_{77\%} \ nobj_{6\%} \ attr_{3\%} \ pnct_{3\%} \ pobj_{2\%} \ subj_{1\%} \ vobj_{1\%} \ coord_{1\%} \ robj_{1\%} \ preds_{1\%} \ iobj_{1\%} \ time_{1\%} \\ conj_{1\%} \ possd_{0\%} \ neg_{0\%} \ quant_{0\%} \ goal_{0\%} \ other_{0\%} \ loc_{0\%} \ numm_{0\%} \ appa_{0\%} \ predo_{0\%} \ relr_{0\%} \ name_{0\%} \ appr_{0\%} \ dir_{0\%} \\ possr_{0\%} \ title_{0\%} \ scene_{0\%} \ qobj_{0\%} \ name_{0\%} \ cause_{0\%} \ resem_{0\%} \ add_{0\%} \ focal_{0\%} \ conc_{0\%} \ iter_{0\%} \ agent_{0\%} \ aobj_{0\%} \ man_{0\%} \\ contr_{0\%} \ numa_{0\%} \ concom_{0\%} \ cond_{0\%} \ part_{0\%} \ exem_{0\%} \ source_{0\%} \ correl_{0\%} \ inst_{0\%} \ .$ 




fobj Filler object. Filler objects are never annotated explicitly in the CDT annotation. In Disconisa SYNCOMP tinuous Grammar, a "filler" is a phonetically empty constituent which is licensed lexically by a "filler licensor" lexeme (eg, the relative verb in a relative construction acts as filler licensor for a filler that essentially provides a copy of the relativized noun). A "filler object" is reserved for the special case where a particular word (eg, a relative pronoun) must consume a filler (eg, the filler created by the relative verb). That is, most of the constructions which include a "ref" relation in the CDT involve the use of a filler object in the detailed theoretical account in Discontinuous Grammar.

Related types: fill ref.



gobj Genitive object. If the genitve object is part of a NP which nucleus is deverbal, the following is a SYNCOMP annotation possibilities are available: gobj.subj{SEMROLE} gobj.dobj{SEMROLE} gobj.pobj{SEMROLE} gobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.

Related types: SEMROLE attrg.



#### Denmark's attitude the sale of the car gobj.dobj nobj gobi nobj der Verkauf Autos die Haltung Dänemarks des the(gen) car(gen) the sale the attitude Denmark's 0 0 2 {patient} {arg}

iobj Indirect object.

isa SYNCOMP Related types: dobj.


[85] Confusion  $^{25}_{64/98/64\%}$ : iobj $_{64\%}$  dobj $_{20\%}$  robj $_{12\%}$  pnct $_{2\%}$  subj $_{1\%}$  nobj $_{1\%}$  attr $_{1\%}$  possd $_{1\%}$  .



nobj Nominal object. If the nominal object is part of a NP which nucleus is deverbal, the following is a SYNCOMP annotation possibilities are available: nobj.subj{SEMROLE} nobj.dobj{SEMROLE} nobj.iobj{SEMROLE} nobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.

 $Confusion_{79/85/82\%}^{3396}: nobj_{82\%} \ attr_{3\%} \ pnct_{2\%} \ subj_{2\%} \ vobj_{2\%} \ pobj_{1\%} \ dobj_{1\%} \ conj_{1\%} \ preds_{1\%} \ coord_{1\%} \ time_{1\%} \ possd_{0\%} \ quant_{0\%} \ relr_{0\%} \ loc_{0\%} \ aobj_{0\%} \ name_{0\%} \ numm_{0\%} \ other_{0\%} \ goal_{0\%} \ neg_{0\%} \ namef_{0\%} \ man_{0\%} \ appa_{0\%} \ possr_{0\%} \ title_{0\%} \ epi_{0\%} \ appr_{0\%} \ concom_{0\%} \ accom_{0\%} \ eval_{0\%} \ cond_{0\%} \ agent_{0\%} \ scene_{0\%} \ contr_{0\%} \ numa_{0\%} \ prg_{0\%} \ fpreds_{0\%} \ conc_{0\%} \ part_{0\%} \ preds_{0\%} \ focal_{0\%} \ qobj_{0\%} \ resem_{0\%} \ inst_{0\%} \ add_{0\%} \ iter_{0\%} \ correl_{0\%} \ event_{0\%} \ cause_{0\%} \ comp_{0\%} \ xpl_{0\%} \ exem_{0\%} \ iobj_{0\%} \ avobj_{0\%} \ source_{0\%} \ .$ 

#### They joined the party.




numa *Additive numeral complement*. An additive numeral complement relation. Numerals license is a SYNCOMP one additive and one numeral complement, both optional. The numerical value associated with the expression is the value M \* N + A, where M is the numerical value of the multiplicative complement, A is the numerical value of the additive complement, and N is the

numerical value associated with the lexical numeral itself. Eg, "two hundred four" has value "2 \* 100 + 4", "two hundred four thousand" has value "(2 \* 100 + 4) \* 1000", and "two hundred four thousand and twenty three" has value "(2 \* 100 + 4) \* 1000 + (20 + (3))".

Related types: numm.


 $\mathsf{Confusion}_{67/88/67\%}^6\colon \mathsf{numa}_{67\%}\;\mathsf{nobj}_{21\%}\;\mathsf{attr}_{4\%}\;\mathsf{dobj}_{4\%}\;\mathsf{possd}_{4\%}$  .



numm Multiplicative numeral complement. An multiplicative numeral complement relation. Nuisa SYNCOMP merals license one additive and one numeral complement, both optional. The numerical value [97] associated with the expression is the value M \* N + A, where M is the numerical value of the multiplicative complement, A is the numerical value of the additive complement, and N is the numerical value associated with the lexical numeral itself. Eg, "two hundred four" has value "2 \* 100 + 4", "two hundred four thousand" has value "(2 \* 100 + 4) \* 1000", and "two hundred four thousand and twenty three" has value "(2 \* 100 + 4) \* 1000 + (20 + (3))".

Related types: numa.

 $Confusion_{21/31/21\%}^{59} : nobj_{26\%} \ numm_{21\%} \ pnct_{9\%} \ attr_{8\%} \ subj_{5\%} \ vobj_{5\%} \ dobj_{3\%} \ conj_{3\%} \ pobj_{3\%} \ resem_{2\%} \ preds_{2\%} \ co-j_{3\%} \ pobj_{3\%} \ resem_{2\%} \ preds_{2\%} \ pobj_{3\%} \$  $ord_{2\%}\ possd_{2\%}\ time_{1\%}\ namef_{1\%}\ name_{1\%}\ quant_{1\%}\ focal_{1\%}\ part_{1\%}\ loc_{1\%}\ concom_{1\%}\ goal_{0\%}\ cond_{0\%}\ man_{0\%}\ agent_{0\%}$  $possr_{0\%}$  other<sub>0%</sub>  $appr_{0\%}$   $appa_{0\%}$   $qobj_{0\%}$   $relr_{0\%}$   $prg_{0\%}$   $avobj_{0\%}$   $eval_{0\%}$   $title_{0\%}$   $predo_{0\%}$ .




part Verbal particle. Verbal particle.

isa SYNCOMP Related types: avobj.

[98] Confusion $_{46/70/46\pi}^{33}$ : part $_{46\pi}$  avobj $_{9\pi}$  nobj $_{6\pi}$  pobj $_{5\pi}$  conj $_{4\pi}$  pnct $_{4\pi}$  other $_{4\pi}$  attr $_{3\pi}$  coord $_{3\pi}$  dir $_{3\pi}$  scene $_{3\pi}$  vobj $_{3\pi}$  $preds_{2\%} \; subj_{1\%} \; numm_{1\%} \; epi_{1\%} \; man_{1\%} \; time_{1\%} \; namef_{1\%} \; dobj_{0\%} \; name_{0\%} \; .$ 


#### the fair two years ago



pobj Prepositional object. A prepositional object relation. The governor may be a verb, noun, isa SYNCOMP adjective, adverbial, or another preposition. The preposition is analyzed as the head of the [83] prepositional object itself. If the prepositional object is part of a deverbal NP (ie, an NP where the nucleus is derived from a verb), the CDT annotation specifies the underlying role of the NP within the PP by adding a "." followed by the underlying role to the relation, e.g., "pobj.subj" (the NP in the PP would act as subject in the underlying V), "pobj.dobj", "pobj.pobj", and "pobj.iobj"; in these cases, the semantic role "{SEMROLE}" must be annotated as well (the most relevant semantic roles in this context are "agent", "patient", "recipient", "experient", "location").

Related types: SEMROLE avobj.


 $Confusion_{61/79/62\%}^{765}: pobj_{62\%} \ attr_{8\%} \ nobj_{8\%} \ pnct_{3\%} \ dobj_{2\%} \ subj_{2\%} \ goal_{2\%} \ vobj_{2\%} \ other_{2\%} \ dir_{1\%} \ coord_{1\%} \ agent_{1\%} \ loc_{1\%} \ conj_{1\%} \ preds_{1\%} \ time_{1\%} \ possd_{0\%} \ source_{0\%} \ quant_{0\%} \ relr_{0\%} \ inst_{0\%} \ neg_{0\%} \ numm_{0\%} \ man_{0\%} \ conc_{0\%} \ xpl_{0\%} \ possr_{0\%} \ name_{0\%} \ appr_{0\%} \ appr_{0\%} \ appr_{0\%} \ acuse_{0\%} \ avobj_{0\%} \ accom_{0\%} \ focal_{0\%} \ prg_{0\%} \ name_{0\%} \ add_{0\%} \ scene_{0\%} \ eval_{0\%} \ expl_{0\%} \ epi_{0\%} \ fpredo_{0\%} \ qobj_{0\%} \ exem_{0\%} \ iter_{0\%} \ concom_{0\%} \ predo_{0\%} \ title_{0\%} \ correl_{0\%} \ .$ 



**possd** Possessed complement. The possessed complement in a possessive construction. Possession is a SYNCOMP is understood in a syntactic sense as any construction with a clitic genitive marker, not nec[99] essarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.


Related types: "{"\$PRIM"}" SEMROLE poss possr.

 $Confusion_{75/80/77\%}^{307}: possd_{77\%} \ nobj_{7\%} \ attr_{3\%} \ pnct_{3\%} \ vobj_{1\%} \ pobj_{1\%} \ dobj_{1\%} \ coord_{1\%} \ subj_{1\%} \ conj_{1\%} \ time_{1\%} \ relr_{1\%} \ quant_{1\%} \ inst_{0\%} \ aobj_{0\%} \ numm_{0\%} \ scene_{0\%} \ loc_{0\%} \ preds_{0\%} \ other_{0\%} \ possr_{0\%} \ namef_{0\%} \ conc_{0\%} \ neg_{0\%} \ focal_{0\%} \ cond_{0\%} \ numa_{0\%} \ event_{0\%} \ add_{0\%} \ iobj_{0\%} \ title_{0\%} \ appr_{0\%} \ appa_{0\%} \ concom_{0\%} \ name_{0\%} \ .$ 




# possd nobj el coche suyo the car his 0 1 2 {poss}

#### a realization of them



#### FLS' Spanish sister company



#### possr Possessor complement. NO LONGER IN USE

isa SYNCOMP [100]

The possessor complement in a possessive construction. Possession is understood in a syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: poss possd.

 $\begin{aligned} &\text{Confusion}_{0/10/4\%}^{25} : \text{nobj}_{28\%} \text{ subj}_{14\%} \text{ pnct}_{14\%} \text{ attr}_{6\%} \text{ pobj}_{5\%} \text{ possr}_{4\%} \text{ dobj}_{4\%} \text{ conj}_{3\%} \text{ time}_{2\%} \text{ vobj}_{2\%} \text{ preds}_{2\%} \text{ coord}_{2\%} \\ &\text{possd}_{2\%} \text{ relr}_{1\%} \text{ aobj}_{1\%} \text{ neg}_{1\%} \text{ resem}_{1\%} \text{ name}_{1\%} \text{ loc}_{1\%} \text{ namef}_{1\%} \text{ numm}_{1\%} \text{ concom}_{1\%} \text{ appa}_{1\%} \text{ man}_{1\%} \text{ appr}_{0\%} \text{ .} \end{aligned}$ 



#### pred Predicative.


isa SYNCOMP Subtypes: predo preds.

[87] Related types: predo preds.

#### predo Object predicative.

isa pred Related types: preds.


[89] Confusion $_{7/69/7\%}^{29}$ : preds<sub>42%</sub> vobj<sub>11%</sub> predo<sub>7%</sub> inst<sub>7%</sub> nobj<sub>7%</sub> attr<sub>6%</sub> dobj<sub>5%</sub> pnct<sub>4%</sub> relr<sub>3%</sub> fpredo<sub>3%</sub> conj<sub>2%</sub> appa<sub>1%</sub> coord<sub>0%</sub> pobj<sub>0%</sub> subj<sub>0%</sub> numm<sub>0%</sub>.



#### preds Subject predicative.

isa pred Related types: predo.


[88] Confusion $_{66/89/66\%}^{514}$ : preds $_{66\%}$  vobj $_{10\%}$  nobj $_{6\%}$  loc $_{3\%}$  predo $_{2\%}$  attr $_{2\%}$  subj $_{2\%}$  dobj $_{2\%}$  pnct $_{2\%}$  time $_{1\%}$  pobj $_{1\%}$  coord $_{1\%}$  aobj $_{0\%}$  conj $_{0\%}$  scene $_{0\%}$  fpredo $_{0\%}$  other $_{0\%}$  numm $_{0\%}$  inst $_{0\%}$  resem $_{0\%}$  expl $_{0\%}$  goal $_{0\%}$  neg $_{0\%}$  part $_{0\%}$  predo $_{0\%}$  possd $_{0\%}$  possr $_{0\%}$  relr $_{0\%}$  title $_{0\%}$  add $_{0\%}$  cond $_{0\%}$  agent $_{0\%}$  accom $_{0\%}$  name $_{0\%}$  quant $_{0\%}$  man $_{0\%}$  concom $_{0\%}$  appa $_{0\%}$  xpl $_{0\%}$ 



**qobj** *Quotational object.* A phrase or discourse segment functioning as directly quoted speech, isa SYNCOMP typically by an attribution verb. Indirect speech is analyzed as "dobj" or "nobj".


[101] Related types: xpl.

 $Confusion_{73/73/73\%}^{73}: \ qobj_{73\%} \ conj_{7\%} \ coord_{7\%} \ discmark_{3\%} \ CONJ: add_{2\%} \ nobj_{2\%} \ AGENTIVE: reas_{1\%} \ dobj_{1\%} \ pnct_{1\%} \\ subj_{1\%} \ time_{1\%} \ vobj_{0\%} \ numm_{0\%} \ other_{0\%} \ loc_{0\%} \ resem_{0\%} \ pobj_{0\%} \ attr_{0\%} \ .$ 



 $\begin{array}{ccc} \textbf{robj} & \textit{Reflexive object.} \\ \text{is a SYNCOMP} & \text{Related types: dobj.} \\ & & & & & & & & & & \\ \hline [91] & & & & & & & & & \\ \hline \text{Confusion}^{11}_{9/100/9\%} : & & & & & & & \\ \text{dobj}_{64\%} & & & & & & & \\ \text{iobj}_{27\%} & & & & & & \\ \hline \end{array}$ 


#### He decided to walk.



subj Subject. A subject relation. In languages with case, subjects are usually nominative-marked.
 isa SYNCOMP Agent-roles are often encoded as subjects, but not necessarily so (eg, in passive constructions).

Subtypes: expl. Related types: expl.


 $Confusion_{81/83/82\%}^{1433}: subj_{82\%} nobj_{5\%} pnct_{2\%} attr_{2\%} pobj_{1\%} vobj_{1\%} dobj_{1\%} conj_{1\%} coord_{1\%} preds_{1\%} expl_{0\%} time_{0\%} scene_{0\%} neg_{0\%} numm_{0\%} goal_{0\%} loc_{0\%} relr_{0\%} possd_{0\%} possr_{0\%} appa_{0\%} appr_{0\%} namef_{0\%} other_{0\%} name_{0\%} cond_{0\%} source_{0\%} prg_{0\%} avobj_{0\%} add_{0\%} correl_{0\%} man_{0\%} title_{0\%} quant_{0\%} agent_{0\%} resem_{0\%} epi_{0\%} accom_{0\%} concom_{0\%} cause_{0\%} CONJ:elab_{0\%} fpredo_{0\%} part_{0\%} conc_{0\%} focal_{0\%} exem_{0\%} qobj_{0\%} contr_{0\%} comp_{0\%} iobj_{0\%} iter_{0\%} inst_{0\%} event_{0\%} xpl_{0\%} predo_{0\%} .$ 



expl Expletive subject. An expletive subject relation. The expletive subject is typically a situational isa subj place adverbial like "there" or time adverbial like "now", and is only possible for verbs that support the expletive alternation. The expletive alternation applies to all verbs that do not have a direct object (this observation, due to Richard Hudson, can be used as a test to distinguish between direct and indirect objects in verbs that take a single object). The alternation creates a new lexicalization of the verb by demoting the original subject to the vacant direct object role (with the restriction that only indefinites are allowed in this direct object role), and letting the subject role be filled by a situational place or time adverbial.

Related types: subj.

Confusion  $^{62}_{89/97/89\%}$ :  $expl_{89\%}$  subj $_{9\%}$  preds $_{2\%}$  time $_{1\%}$  pobj $_{1\%}$  .



vobj Verbal object.

isa SYNCOMP Related types: "["\$PRIM"]".

[90] Confusion $^{1092}_{75/85/76\%}$ : vobj $^{76\%}_{76\%}$  nobj $^{6\%}_{6\%}$  preds $^{5\%}_{5\%}$  pnct $^{3\%}_{3\%}$  attr $^{2\%}_{2\%}$  subj $^{1\%}_{1\%}$  dobj $^{1\%}_{1\%}$  pobj $^{1\%}_{1\%}$  conj $^{1\%}_{1\%}$  coord $^{1\%}_{1\%}$  possd $^{0\%}_{0\%}$  numm $^{0\%}_{0\%}$  predo $^{0\%}_{0\%}$  time $^{0\%}_{0\%}$  quant $^{0\%}_{0\%}$  loc $^{0\%}_{0\%}$  appa $^{0\%}_{0\%}$  scene $^{0\%}_{0\%}$  mane $^{0\%}_{0\%}$  resem $^{0\%}_{0\%}$  possr $^{0\%}_{0\%}$  qobj $^{0\%}_{0\%}$  cause $^{0\%}_{0\%}$  cond $^{0\%}_{0\%}$  epi $^{0\%}_{0\%}$  appr $^{0\%}_{0\%}$  predo $^{0$ 



#### 3.2 Non-adverbial adjunct relations: SYNADJ

**SYNADJ** *Syntactic adjunct.* An adjunct role at the syntactic level. This relation type is used to group isa ADJ SYN a large class of adjunct roles that only apply at the syntactic level.

[105] Subtypes: ADVERB CDT1ADJ app attr attrg conj coord correl fpred gapd name pnct rel voc xtop.

ADVERB Adverbial. V/N/P->adverbial

isa SYNADJ Subtypes: agent cause conc concom cond cons event exem man neg other prg quant resem source space time.

**app** *Apposition*. An appositional relation between two phrases, typically NPs. The head of the isa SYNADJ first NP in the apposition is always analyzed as the head of the second NP.


[116] Subtypes: appa appr.
Related types: appa appr.

appa Parenthetic apposition (comma).

isa app Subtypes: xpl.

[117] Related types: appr xpl.

 $Confusion_{48/49/54\%}^{50} \cdot appa_{54\%} \cdot appa_{54\%} \cdot nobj_{11\%} \cdot pnct_{6\%} \cdot subj_{5\%} \cdot attr_{5\%} \cdot dobj_{4\%} \cdot vobj_{4\%} \cdot pobj_{2\%} \cdot conj_{1\%} \cdot coord_{1\%} \cdot appr_{1\%} \cdot time_{1\%} \cdot namef_{1\%} \cdot predo_{1\%} \cdot inst_{1\%} \cdot relr_{1\%} \cdot avobj_{1\%} \cdot man_{1\%} \cdot numm_{0\%} \cdot possr_{0\%} \cdot quant_{0\%} \cdot name_{0\%} \cdot other_{0\%} \cdot correlo_{0\%} \cdot preds_{0\%} \cdot possd_{0\%} \cdot .$ 




xpl Explication. Explication of an NP or VP.

isa appa Related types: qobj.

[130]  $Confusion_{76/86/76\%}^{21}$ :  $xpl_{76\%}$   $conj_{6\%}$   $pobj_{6\%}$   $other_{5\%}$   $nobj_{4\%}$   $subj_{1\%}$   $vobj_{1\%}$   $preds_{1\%}$   $pnct_{1\%}$   $title_{1\%}$ .


SYNADJ: syntactic adjunct ADVERB: adverbial app: apposition appa: parenthetic apposition (comma) xpl: explication appr: restrictive apposition (no comma) attrg: genitive attributive conj: conjunct relation coord: coordinator relation correl: correlative coordinator relation fpred: free predicative fpredo: free direct-object predicative fpreds: free subject predicative gapd: gapping dependent RuleGap: gapping dependent name: part of name namef: first name namel: last name title: person title pnct: punctuation rel: relative clause relelab: elaborating relative clause relpa: parenthetic relative clause relr: restrictive relative clause voc: vocative xtop: external topic with resuming pronoun

Figure 3.3: The relations matching SYNADJ-!CDT1-!ADVERB-TOPIC.




appr Restrictive apposition (no comma).

isa app Related types: appa.




attrg Genitive attributive.
isa SYNADJ Related types: SEMROLE gobj.
[115]



conj Conjunct relation. A dependency relation relating the conjuncts in a coordination. Secondary is a SYNADJ conjuncts are analyzed as "conj"-dependents of the first conjunct. Coordinators are analyzed as dependents of the secondary conjuncts.

Related types: coord correl.


 $Confusion_{74/76/76\%}^{689}: conj_{76\%} \ nobj_{5\%} \ attr_{3\%} \ pnct_{3\%} \ subj_{2\%} \ vobj_{1\%} \ coord_{1\%} \ CONJ: add_{1\%} \ pobj_{1\%} \ qobj_{1\%} \ dobj_{1\%} \ possd_{0\%} \ preds_{0\%} \ time_{0\%} \ CONTR: sbj_{0\%} \ CONTR: dir_{0\%} \ numm_{0\%} \ loc_{0\%} \ part_{0\%} \ conc_{0\%} \ scene_{0\%} \ xpl_{0\%} \ name_{0\%} \ other_{0\%} \ relr_{0\%} \ cause_{0\%} \ inst_{0\%} \ avobj_{0\%} \ CONST: rest_{0\%} \ TELIC: cons. dir_{0\%} \ concom_{0\%} \ possr_{0\%} \ quant_{0\%} \ namef_{0\%} \ predo_{0\%} \ exem_{0\%} \ neg_{0\%} \ title_{0\%} \ appa_{0\%} \ goal_{0\%} \ agent_{0\%} \ focal_{0\%} \ cond_{0\%} \ correl_{0\%} \ prg_{0\%} \ eval_{0\%} \ comp_{0\%} \ event_{0\%} \ fpredo_{0\%} \ aobj_{0\%} \ man_{0\%} \ appr_{0\%} \ accom_{0\%} \ add_{0\%} \ .$ 



coord Coordinator relation. A dependency relation between a coordinating conjunction and a secisa SYNADJ ondary conjunct. The coordinator is analyzed as a dependent of the secondary conjunct.
 [107] Secondary conjuncts are in turn analyzed as "conj"-dependents of the first conjunct.

Related types: conj correl discmark.


 $Confusion_{70/76/71\%}^{525}: coord_{71\%} \ nobj_{7\%} \ discmark_{3\%} \ pnct_{3\%} \ attr_{2\%} \ subj_{2\%} \ pobj_{2\%} \ dobj_{2\%} \ conj_{1\%} \ vobj_{1\%} \ qobj_{1\%} \ time_{1\%} \\ preds_{1\%} \ possd_{1\%} \ contr_{0\%} \ scene_{0\%} \ neg_{0\%} \ loc_{0\%} \ accom_{0\%} \ part_{0\%} \ numm_{0\%} \ appr_{0\%} \ appr_{0\%} \ other_{0\%} \ quant_{0\%} \ goal_{0\%} \\ possr_{0\%} \ concom_{0\%} \ namef_{0\%} \ title_{0\%} \ fpredo_{0\%} \ inst_{0\%} \ eval_{0\%} \ relr_{0\%} \ conc_{0\%} \ focal_{0\%} \ add_{0\%} \ iter_{0\%} \ avobj_{0\%} \ predo_{0\%} \\ prg_{0\%} \ source_{0\%} \ .$ 




correl Correlative coordinator relation.

isa SYNADJ Related types: conj coord.

[108] Confusion<sup>11</sup><sub>46/65/46%</sub>: correl<sub>46%</sub> subj<sub>10%</sub> add<sub>9%</sub> focal<sub>9%</sub> other<sub>9%</sub> nobj<sub>5%</sub> pnct<sub>5%</sub> dobj<sub>3%</sub> conj<sub>2%</sub> appr<sub>1%</sub> appa<sub>1%</sub> pobj<sub>1%</sub>





#### **fpred** *Free predicative.*

isa SYNADJ Subtypes: fpredo fpreds.


[111] Related types: fpredo fpreds.

#### V->free predicative

#### **fpredo** *Free direct-object predicative.*

isa fpred Related types: fpreds man.

 $[113] \quad Confusion_{0/36/0\pi}^{11} \colon loc_{18\%} \; preds_{11\%} \; goal_{11\%} \; nobj_{10\%} \; predo_{9\%} \; man_{9\%} \; pnct_{8\%} \; subj_{5\%} \; time_{4\%} \; attr_{4\%} \; pobj_{4\%} \; coord_{2\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; attr_{4\%} \; pobj_{4\%} \; coord_{2\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; attr_{4\%} \; pobj_{4\%} \; coord_{2\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; attr_{4\%} \; pobj_{4\%} \; coord_{2\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; attr_{4\%} \; pobj_{4\%} \; coord_{2\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; man_{9\%} \; predo_{9\%} \; attr_{4\%} \; pobj_{4\%} \; coord_{2\%} \; predo_{9\%} \; pred$ cond<sub>2%</sub> conj<sub>1%</sub> vobj<sub>1%</sub>.



#### **fpreds** *Free subject predicative.*


isa fpred Related types: fpredo.


[112] Confusion $_{0/75/0\%}^4$ : man<sub>50%</sub> nobj<sub>25%</sub> vobj<sub>25%</sub>.





gapd Gapping dependent (long: GAPPING, deprecated GAP). A relation between a gapping dependent isa SYNADJ in a secondary conjunct and the head of the first conjunct. In gapping coordinations, the sec-[23] ondary conjuncts have an elided head, so the remaining material in the secondary conjuncts is analyzed as gapping dependents of the head of the first conjunct instead. In Discontinuous Grammar, the first conjunct is assumed to generate a gapping filler for each gapping conjunct which encodes a copy of the entire tree associated with the first conjunct, and the gapping dependent is analyzed as a primary dependent of this gapping filler; any node within the copied tree may function as the primary governor of the gapping dependent, but the gapping filler always functions as the landing site for the gapping dependent, and the gapping dependent functions as an anaphoric element that must identify a phrase within the copied tree that it replaces, encoded with a "repl" relation.


Subtypes: CDT1GAP RuleGap.













RuleGap Gapping dependent (long: "<"PRIM(":"PRIM)\*":"INTEGER">"). A gapping dependency relation is formed by using angled brackets to enclose a colon-separated list of primary relations followed by an integer that indicates the number of the gapped conjunct, starting with 1. The list of primary relations describes the path from the head of the gapped conjunct to the gapping dependent within the gapped conjunct, viewed as a copy of the tree structure within the first conjunct.



name Part of name. Part of a name.

is a SYNADJ  $\,$  Subtypes: namef namel title.

 $\begin{array}{ll} \hbox{[124]} & \hbox{Confusion}_{41/63/44\%}^{46} \hbox{:} name_{44\%} \ nobj_{25\%} \ attr_{9\%} \ vobj_{4\%} \ subj_{4\%} \ dobj_{3\%} \ conj_{2\%} \ pnct_{2\%} \ pobj_{1\%} \ numm_{1\%} \ possr_{1\%} \ cause_{1\%} \\ & \hbox{iter}_{1\%} \ title_{1\%} \ other_{1\%} \ quant_{0\%} \ preds_{0\%} \ appr_{0\%} \ relr_{0\%} \ focal_{0\%} \ aobj_{0\%} \ loc_{0\%} \ appa_{0\%} \ time_{0\%} \ part_{0\%} \ possd_{0\%} \ . \end{array}$ 



#### namef First name. A first name.

isa name Related types: namel title.


[125]  $Confusion_{85/88/87\%}^{168}$ :  $namef_{87\%}$   $nobj_{3\%}$   $pnct_{2\%}$   $subj_{2\%}$   $attr_{2\%}$   $pobj_{1\%}$   $vobj_{1\%}$   $conj_{0\%}$   $numm_{0\%}$   $dobj_{0\%}$   $time_{0\%}$   $appa_{0\%}$   $possd_{0\%}$   $coord_{0\%}$   $relr_{0\%}$   $scene_{0\%}$   $possr_{0\%}$   $avobj_{0\%}$   $man_{0\%}$   $concom_{0\%}$   $part_{0\%}$   $exem_{0\%}$   $goal_{0\%}$   $eval_{0\%}$   $quant_{0\%}$ .



#### namel Last name. A second last name

isa name Related types: namef title.

[126] Confusion $^{8}_{100/100/100\%}$ : namel $_{100\%}$ .



**title** *Person title*. A title in a name. If the is the title is determinated by an article, eg. the director isa name Smith, the title must be annotated as "nobj" and the name as "appr".


[127] Related types: namef namel.

 $Confusion_{67/73/67\%}^{39} \div title_{67\%} \ nobj_{13\%} \ subj_{3\%} \ appr_{3\%} \ dobj_{3\%} \ pnct_{2\%} \ attr_{2\%} \ conj_{2\%} \ vobj_{2\%} \ preds_{1\%} \ coord_{1\%} \ name_{1\%} \\ neg_{0\%} \ possd_{0\%} \ agent_{0\%} \ numm_{0\%} \ pobj_{0\%} \ xpl_{0\%} \ .$ 



#### pnct Punctuation.

 $[109] \begin{tabular}{ll} Confusion $^{2136}_{78/80/85\%}$: pnct$_{85\%}$ nobj$_5\% attr$_2\% subj$_1\% vobj$_1\% dobj$_1\% conj$_1\% pobj$_1\% coord$_1\% time$_0\% possd$_0\% preds$_0\% \\ relr$_0\% numm$_0\% man$_0\% possr$_0\% name$_0\% neg$_0\% appa$_0\% appr$_0\% quant$_0\% focal$_0\% other$_0\% loc$_0\% scene$_0\% contr$_0\% epi$_0\% resem$_0\% accom$_0\% predo$_0\% dir$_0\% part$_0\% goal$_0\% title$_0\% name$_0\% aobj$_0\% inst$_0\% conc$_0\% prg$_0\% qobj$_0\% cause$_0\% fpredo$_0\% eval$_0\% add$_0\% concom$_0\% agent$_0\% avobj$_0\% correl$_0\% cond$_0\% iobj$_0\% event$_0\% xpl$_0\% source$_0\% .$ 





rel *Relative clause*. A relation between a relative clause and a relativized NP/VP. The finite verb isa SYNADJ in the relative clause is analyzed as a "rel" dependent of the head of the relativized NP/VP (ie, the determiner if present, otherwise the noun). If there is a relative pronoun, it receives an incoming "ref" arrow from the head of the relativized NP/VP; otherwise, the head of the relativized NP/VP must function as a secondary dependent of some word within the relative clause (often the relative verb itself).

Subtypes: relelab relpa relr.

Related types: relelab relpa relr.

Confusion $_{4/95/4\%}^{76}$ : rel $_{88\%}$  relelab $_{5\%}$  rel $_{4\%}$  relpa $_{1\%}$  vobj $_{1\%}$  .





relelab Elaborating relative clause. Ledsætning med sætningsantecedent i hovedsætning; da: hvilket,

isa rel it: il che, cosa che


[122] Related types: relpa relr. Confusion $_{0/100/0\pi}^{6}$ : rel $_{67\%}$  relr $_{33\%}$  .



relpa Parenthetic relative clause (deprecated relp).

isa rel Related types: relelab relr.


[121] Confusion $^{17}_{29/100/29\%}$ : rel $_{65\%}$  rel $_{29\%}$  rel $_{6\%}$  .





relr Restrictive relative clause.


isa rel Related types: relelab relpa.



voc Vocative. Vocative specification. The person to whom the statement is directed.


isa SYNADJ $~_{Confusion^3_{100/100/100\%}};~voc_{100\%}$  .

[129]



xtop External topic with resuming pronoun. An external topic is a sentence-initial NP whose only isa SYNADJ function is to provide the antecedent for a pronoun later in the sentence. Eg in "John, he is a [123] nice person". Here "John" is the "xtop" of "is", and "he" is the subject of "is".

Related types: cons ref xtop. Confusion  $^4_{100/100/100\%}$  : xtop  $_{100\%}$  .




#### 3.3 Adverbial adjunct relations: ADVERB

ADVERB Adverbial. V/N/P->adverbial

isa SYNADJ Subtypes: agent cause conc concom cond cons event exem man neg other prg quant resem source space time.

agent  $Agent \ adverbial$ . The passivized agent in passives. isa ADVERB  $Confusion_{0/100/0\pi}^5$ : AGENT:MC $_{20\%}$  CONST $_{20\%}$  ABOUT $_{20\%}$  AGENT $_{20\%}$  ARG $_{20\%}$ . [170]



ADVERB: adverbial agent: agent adverbial cause: causation adverbial goal: goal adverbial conc: concession adverbial concom: cond: condition adverbial cons: consequence adverbial event: Adverbial expressing an event exem: example adverbial man: manner adverbial accom: companionship adverbial inst: instrument adverbial neg: negation adverbial other: other adverbial prg: pragmatic adverbial discmark: sentence-initial discourse marker epi: epistemic adverbial eval: evaluation adverbial focal: focalizer adverbial scene: pragmatic condition and structural adverbial add: additive adverbial contr: contrast adverbial elab: elaboration adverbial quant: degree adverbial resem: comparison adverbial source: source attribution adverbial space: space adverbial dir: direction adverbial loc: location adverbial

Figure 3.4: The relations matching ADVERB-!CDT1-TOPIC.


cause Causation adverbial. Causation adverbial. Describes why the event occurred.

time: time adverbial

iter: habituality adverb

isa ADVERB Subtypes: goal.


[160]  $Confusion_{73/81/81\%}^{52}$ :  $cause_{81\%}$  attr $_{6\%}$   $conj_{2\%}$  time $_{2\%}$   $cons_{2\%}$  pobj $_{2\%}$  subj $_{1\%}$  dobj $_{1\%}$  other $_{1\%}$  pnct $_{1\%}$  iter $_{1\%}$  nobj $_{1\%}$  name $_{1\%}$  vobj $_{1\%}$ .



**goal** *Goal adverbial* (deprecated ben). Describes the intended goal of the event/action. Also used in isa cause connection with free datives.


[161] Related types: reas.

 $Confusion_{25/64/30\%}^{60}: goal_{30\%} pobj_{24\%} nobj_{9\%} \ attr_{9\%} \ subj_{5\%} \ dobj_{4\%} \ scene_{3\%} \ man_{3\%} \ pnct_{2\%} \ fpredo_{2\%} \ other_{2\%} \ vobj_{2\%} \\ preds_{1\%} \ time_{1\%} \ coord_{1\%} \ accom_{1\%} \ conj_{1\%} \ numm_{0\%} \ namef_{0\%} \ exem_{0\%} \ .$ 



**conc** *Concession adverbial.* Describes the concession of the event/action.

isa ADVERB  $Confusion_{25/60/25\%}^{20}$ :  $conc_{25\%}$   $cont_{15\%}$   $prg_{10\%}$   $other_{10\%}$   $pobj_{7\%}$   $nobj_{7\%}$   $conj_{6\%}$   $attr_{6\%}$   $pnct_{5\%}$   $dobj_{3\%}$   $subj_{2\%}$   $possd_{1\%}$   $appr_{1\%}$   $coord_{1\%}$ .




concom . Gerunds in Romance

isa ADVERB Related types: vobj.

[168] Confusion $_{7/29/7\pi}^{15}$ : nobj $_{25\%}$  subj $_{11\%}$  source $_{7\%}$  concom $_{7\%}$  man $_{7\%}$  inst $_{7\%}$  conj $_{6\%}$  attr $_{5\%}$  pnct $_{4\%}$  coord $_{4\%}$  vobj $_{4\%}$  aobj $_{3\%}$  relr $_{2\%}$  numm $_{2\%}$  namef $_{2\%}$  dobj $_{1\%}$  possr $_{1\%}$  eval $_{1\%}$  pobj $_{1\%}$  time $_{1\%}$  preds $_{1\%}$  possd $_{1\%}$ .


#### The agressor fled and/but got caught hours later.



**cond** *Condition adverbial.* Describes the condition of the event/action.

is a ADVERB  $\,$  Related types: pcond.

[163]  $Confusion_{69/78/75\%}^{36}$ :  $cond_{75\%}$   $nobj_{7\%}$   $time_{5\%}$   $subj_{4\%}$   $man_{3\%}$   $preds_{1\%}$   $dobj_{1\%}$   $conj_{1\%}$   $possd_{1\%}$   $numm_{1\%}$   $vobj_{1\%}$   $attr_{1\%}$   $fpredo_{1\%}$   $other_{1\%}$   $pnct_{1\%}$ .



cons Consequence adverbial. Describes the consequence of the event/action.

isa ADVERB Related types: xtop.


[162]  $Confusion_{50/86/64\%}^{14}$ :  $cons_{64\%}$  time<sub>21\%</sub> inst<sub>7\%</sub> cause<sub>7%</sub> .

**event** *Adverbial expressing an event.* Used when the adverbial in questions expresses an event isa ADVERB rather that time or place.

 $\begin{tabular}{ll} [156] & Confusion $^6_{0/50/0\%}$: $time_{33\%}$ loc_{33\%}$ nobj_{15\%}$ attr_{5\%}$ conj_{3\%}$ scene_{3\%}$ possd_{3\%}$ subj_{2\%}$ pnct_{2\%}$ quant_{2\%}$ . \\ \end{tabular}$ 

**exem** *Example adverbial* (long: exemplification, deprecated ex). Exemplification; subordinated the object isa ADVERB which is added to a list.

 $[167] \quad Confusion_{65/65/82\%}^{17} : exem_{82\%} \ subj_{4\%} \ conj_{3\%} \ other_{3\%} \ attr_{2\%} \ source_{2\%} \ namef_{1\%} \ nobj_{1\%} \ dobj_{1\%} \ goal_{1\%} \ pobj_{1\%} \ .$ 




#### man Manner adverbial. The way things are done

isa ADVERB Subtypes: accom inst.

[157] Related types: fpredo.


 $Confusion_{47/78/52\%}^{125} : man_{52\%} \ accom_{6\%} \ nobj_{5\%} \ attr_{4\%} \ other_{3\%} \ time_{3\%} \ quant_{3\%} \ pnct_{3\%} \ inst_{2\%} \ epi_{2\%} \ fpreds_{2\%} \ goal_{2\%} \ vobj_{1\%} \ pobj_{1\%} \ subj_{1\%} \ prg_{1\%} \ cond_{1\%} \ concom_{1\%} \ fpredo_{1\%} \ resem_{1\%} \ source_{1\%} \ dir_{1\%} \ aobj_{1\%} \ eval_{1\%} \ scene_{1\%} \ dobj_{0\%} \ namef_{0\%} \ appa_{0\%} \ avobj_{0\%} \ part_{0\%} \ numm_{0\%} \ conj_{0\%} \ preds_{0\%} \ possr_{0\%} \ .$ 



#### accom Companionship adverbial (deprecated comp). Companionship

isa man Related types: man.


[158] Confusion $^{1}_{0/0/0\%}$ : conj<sub>40%</sub> nobj<sub>40%</sub> subj<sub>20%</sub>.



#### inst Instrument adverbial. Instrument/means


isa man Related types: man.

[159]  $Confusion_{29/75/32\%}^{31}$ :  $inst_{32\%}$   $man_{10\%}$   $loc_{10\%}$   $pobj_{7\%}$   $predo_{7\%}$   $possd_{4\%}$   $attr_{4\%}$   $pnct_{4\%}$   $conj_{3\%}$   $concom_{3\%}$   $scene_{3\%}$   $preds_{3\%}$   $cons_{3\%}$   $nobj_{2\%}$   $coord_{2\%}$   $appa_{1\%}$   $time_{1\%}$   $subj_{0\%}$   $dobj_{0\%}$ .




#### neg Negation adverbial. Negation of a verbal

isa ADVERB Confusion $_{76/87/78\%}^{130}$ : neg $_{78\%}$  nobj $_{5\%}$  subj $_{3\%}$  pnct $_{2\%}$  dobj $_{2\%}$  attr $_{2\%}$  pobj $_{1\%}$  coord $_{1\%}$  time $_{1\%}$  add $_{1\%}$  vobj $_{1\%}$  eval $_{1\%}$  preds $_{0\%}$  scene $_{0\%}$  relr $_{0\%}$  conj $_{0\%}$  possr $_{0\%}$  accom $_{0\%}$  possd $_{0\%}$  appr $_{0\%}$  other $_{0\%}$  agent $_{0\%}$  title $_{0\%}$ .



other Other adverbial. Unspecified adverbial relation.

isa ADVERB Confusion $^{137}_{19/80/19\%}$ : other $_{19\%}$  attr $_{15\%}$  loc $_{9\%}$  pobj $_{9\%}$  nobj $_{5\%}$  add $_{5\%}$  prg $_{4\%}$  quant $_{3\%}$  man $_{3\%}$  focal $_{2\%}$  avobj $_{2\%}$  pnct $_{2\%}$  [172] time $_{2\%}$  iter $_{2\%}$  epi $_{2\%}$  dir $_{2\%}$  eval $_{2\%}$  conc $_{2\%}$  dobj $_{1\%}$  subj $_{1\%}$  preds $_{1\%}$  goal $_{1\%}$  part $_{1\%}$  conj $_{1\%}$  resem $_{1\%}$  xpl $_{1\%}$  source $_{1\%}$  contr $_{1\%}$  correl $_{1\%}$  scene $_{1\%}$  accom $_{1\%}$  coord $_{0\%}$  vobj $_{0\%}$  possd $_{0\%}$  cause $_{0\%}$  exem $_{0\%}$  name $_{0\%}$  numm $_{0\%}$  cond $_{0\%}$  qobj $_{0\%}$  appa $_{0\%}$  neg $_{0\%}$ .



prg Pragmatic adverbial (long: pragmatic). Sentence level.

isa ADVERB Subtypes: discmark epi eval focal scene.

[142]  $Confusion_{11/81/11\%}^{35}$ :  $eval_{23\%}$  other<sub>14\%</sub>  $prg_{11\%}$  time<sub>6\%</sub> quant<sub>6\%</sub>  $conc_{6\%}$  nobj<sub>5%</sub> attr<sub>4%</sub>  $subj_{4\%}$  add<sub>3%</sub>  $contr_{3\%}$   $elab_{3\%}$  man<sub>3%</sub>  $pnct_{2\%}$   $preds_{2\%}$   $vobj_{2\%}$   $pobj_{2\%}$   $conj_{1\%}$   $relr_{1\%}$   $coord_{1\%}$  numm<sub>0%</sub>.


discmark Sentence-initial discourse marker (long: discoursemarker). Discourse marker

isa prg Related types: coord.

[147]  $Confusion_{16/91/16\%}^{32}$ :  $coord_{56\%}$  discmark<sub>16\%</sub>  $contr_{13\%}$  add<sub>9%</sub> qobj<sub>6%</sub>.

#### And I'm telling you...

#### But I'm telling you...






epi Epistemic adverbial (long: epistemic). Regarding the level of truth in the expression

isa prg Related types: eval.


[145] Confusion $^{21}_{33/63/38\%}$ : epi $_{38\%}$  nobj $_{15\%}$  man $_{11\%}$  other $_{10\%}$  eval $_{10\%}$  pnct $_{6\%}$  subj $_{4\%}$  relr $_{2\%}$  part $_{1\%}$  pobj $_{1\%}$  attr $_{1\%}$  quant $_{1\%}$  vobj $_{1\%}$  .



 $\textbf{eval} \ \textit{Evaluation adverbial} \ (\textbf{long: evaluation}, \textbf{deprecated evalatt}). \ \textbf{Evaluating and attitude adverbials}$ 

isa prg Related types: epi.

[146]  $Confusion_{49/84/51\%}^{53}$ :  $eval_{51\%}$   $prg_{15\%}$   $nobj_{6\%}$   $quant_{6\%}$   $epi_{4\%}$   $other_{4\%}$   $time_{2\%}$   $focal_{2\%}$   $neg_{2\%}$   $iter_{2\%}$   $man_{2\%}$   $attr_{1\%}$   $pnct_{1\%}$   $pobj_{1\%}$   $coord_{1\%}$   $conj_{0\%}$   $vobj_{0\%}$   $relr_{0\%}$   $namef_{0\%}$   $concom_{0\%}$   $numm_{0\%}$ .





focal Focalizer adverbial (long: focalizator). Focalization of a noun

isa prg Related types: quant.

[143]  $Confusion_{35/53/48\%}^{40}$ :  $focal_{48\%}$  attr<sub>13%</sub> other<sub>8%</sub> pnct<sub>6%</sub>  $loc_{5\%}$  nobj<sub>4%</sub> aobj<sub>3%</sub> correl<sub>3%</sub> eval<sub>3%</sub> pobj<sub>2%</sub> subj<sub>1%</sub> dobj<sub>1%</sub> vobj<sub>1%</sub> conj<sub>1%</sub> numm<sub>1%</sub> possd<sub>1%</sub> appr<sub>1%</sub> name<sub>0%</sub> coord<sub>0%</sub>.



**scene** *Pragmatic condition and structural adverbial* (deprecated prgcondpcondbgstruct). Setting the isa prg scene

[144] Subtypes: add contr elab.


Related types: cond.

 $Confusion_{32/57/34\%}^{54}: scene_{34\%} \ attr_{9\%} \ subj_{7\%} \ nobj_{5\%} \ add_{4\%} \ contr_{4\%} \ goal_{4\%} \ loc_{4\%} \ coord_{3\%} \ pnct_{3\%} \ vobj_{3\%} \ preds_{3\%} \ time_{2\%} \ conj_{2\%} \ part_{2\%} \ man_{2\%} \ other_{2\%} \ inst_{2\%} \ dobj_{2\%} \ possd_{1\%} \ namef_{1\%} \ neg_{1\%} \ relr_{1\%} \ pobj_{1\%} \ iter_{1\%} \ agent_{1\%} \ event_{0\%}$ 

coord subj vobj pnct scene vobj neg But Ι have not seen anything if anyone asks 9 10 1 3 4 5 6 2 [subj] scene subj vobj pnct expl dobj pobj I mentioned earlier there is no doubt about it As 10 11 0 1 2 3 5 6 7 8 prec


#### add Additive adverbial (long: additive). Additive information

isa scene Confusion $_{67/90/67\%}^{66}$ : add $_{67\%}$  other $_{11\%}$  discmark $_{5\%}$  scene $_{3\%}$  subj $_{2\%}$  neg $_{2\%}$  prg $_{2\%}$  correl $_{2\%}$  quant $_{2\%}$  dobj $_{1\%}$  pobj $_{1\%}$  vobj $_{1\%}$  pnct $_{1\%}$  nobj $_{1\%}$  attr $_{1\%}$  preds $_{1\%}$  possd $_{0\%}$  coord $_{0\%}$  appr $_{0\%}$  conj $_{0\%}$  time $_{0\%}$  .




contr Contrast adverbial (long: contrast). Opposition

isa scene Related types: struct.



elab  $\it Elaboration\ adverbial\ (long:\ elaboration).$  More detailed description is a scene  $\it Confusion^4_{50/75/50\%}:\ elab_{50\%}\ prg_{25\%}\ quant_{25\%}$ .

[149]




**quant** *Degree adverbial* (long: quantification, deprecated degr). Modifies the object or verbal by degree is a ADVERB Related types: focal.

[169] Confusion  $^{187}_{65/78/68\%}$ : quant $_{68\%}$  nobj $_{7\%}$  attr $_{4\%}$  man $_{2\%}$  other $_{2\%}$  pobj $_{2\%}$  time $_{2\%}$  eval $_{2\%}$  dobj $_{1\%}$  pnct $_{1\%}$  vobj $_{1\%}$  prg $_{1\%}$  avobj $_{1\%}$  degr $_{1\%}$  possd $_{1\%}$  relr $_{1\%}$  add $_{1\%}$  elab $_{1\%}$  subj $_{1\%}$  conj $_{0\%}$  numm $_{0\%}$  coord $_{0\%}$  accom $_{0\%}$  epi $_{0\%}$  preds $_{0\%}$  name $_{0\%}$  appa $_{0\%}$  iter $_{0\%}$  appr $_{0\%}$  namef $_{0\%}$  event $_{0\%}$ .




**resem** Comparison adverbial (deprecated comparecomp). Comparison

isa ADVERB Confusion  $^{13}_{15/20/31\%}$ : resem $_{31\%}$  pnct $_{10\%}$  numm $_{9\%}$  preds $_{8\%}$  man $_{8\%}$  other $_{8\%}$  nobj $_{6\%}$  dobj $_{5\%}$  subj $_{5\%}$  attr $_{4\%}$  vobj $_{3\%}$  [165] possr $_{3\%}$  time $_{1\%}$  qobj $_{1\%}$  .



**source** Source attribution adverbial. Reference/source

isa ADVERB  $Confusion_{31/77/31\%}^{13}$ :  $source_{31\%}$   $pobj_{24\%}$   $subj_{12\%}$   $concom_{8\%}$   $man_{8\%}$  other<sub>8\%</sub>  $attr_{5\%}$   $exem_{2\%}$   $pnct_{2\%}$   $nobj_{1\%}$   $dobj_{1\%}$  [166]  $coord_{1\%}$ .



space Space adverbial. Space adverbials


isa ADVERB

Subtypes: dir loc.

[153]

**dir** *Direction adverbial.* Movement from one place to another; direction is a space Related types: loc.


 $[155] \ \ Confusion_{40/95/40\%}^{75} : dir_{40\%} \ loc_{39\%} \ pobj_{12\%} \ other_{3\%} \ part_{1\%} \ attr_{1\%} \ dobj_{1\%} \ man_{1\%} \ pnct_{1\%} \ .$ 



**loc** Location adverbial. Location

isa space Related types: dir.

[154]  $\mathsf{Confusion}_{0/100/0\%}^3$ :  $\mathsf{LOC}_{67\%}$   $\mathsf{MOD}$ :qual $_{33\%}$  .



time Time adverbial. Time relating adverbials

isa ADVERB Subtypes: iter.

[151] Confusion $_{0/100/0\%}^{3}$ : TIME:MC $_{100\%}$  .


## subj nobj time pnct Ella no mintio nunca She not lied never 0 1 2 3 4 0 1 2 3

She never lied

iter Habituality adverb (deprecated hab). Habitual; repeated habit

isa time Related types: dur ext.

[152] Confusion  $^{25}_{16/69/20\%}$ : time  $^{48\%}_{48\%}$  iter  $^{20\%}_{20\%}$  other  $^{8\%}_{8\%}$  vobj $^{6\%}_{6\%}$  attr  $^{4\%}_{4\%}$  eval $^{4\%}_{4\%}$  nobj $^{2\%}_{2\%}$  dobj $^{1\%}_{1\%}$  relr $^{1\%}_{1\%}$  cause  $^{1\%}_{1\%}$  name  $^{1\%}_{1\%}$  scene  $^{1\%}_{1\%}$  pobj $^{1\%}_{1\%}$  coord  $^{0\%}_{0\%}$  quant  $^{0\%}_{0\%}$  appr $^{0\%}_{0\%}$ .



# Chapter 4

# Morphological relations: **MORPHOLOGY**

MORPH: morphology level

MORPHCOMP: compositional semantic relations MORPHDERIV: derivational semantic relations RuleMorph: syntactic morphlogy relation

Figure 4.1: The relations matching MORPHOLOGY-!CDT1-!MORPHCOMP-!MORPHDERIV-TOPIC.

MORPH Morphology level (long: MORPHOLOGY). The morphological level includes relations between isa DIM:LEVEL two word segments within a single word, as well as lexical features associated with mor-[9] phemes.

Subtypes: MORPHCOMP MORPHDERIV RuleMorph.

[273]

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or more) isa MORPH elements which could potentially be used as stems. (A compound contains at least two roots.)

> Subtypes: §ABOUT §AGENT:MC §CONST §DOBJ.patient §EVAL §FUNC §GOAL §LOC §OTHER §POSS §RE-SEM §SOURCE §TIME:MC.

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and an affix isa MORPH Subtypes: PREFIX SUFFIX.

[272]

RuleMorph Syntactic morphlogy relation (long: "§"(PRIM)). A primary syntactic relation that has been isa MORPH RULE used as a morphology relation for stilistic purposes. [373]

#### 4.1 Compositional relations: MORPHCOMP

[273]

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or more) isa MORPH elements which could potentially be used as stems. (A compound contains at least two roots.)

> Subtypes: §ABOUT §AGENT:MC §CONST §DOBJ.patient §EVAL §FUNC §GOAL §LOC §OTHER §POSS §RE-SEM §SOURCE §TIME:MC.

```
MORPHCOMP: compositional semantic relations §ABOUT: noun-noun compound (about) §AGENT:MC: noun-noun compound (agentive) §CONST: noun-noun compound (constitutive) §DOBJ.patient: §EVAL: noun-noun compound (evaluative) §FUNC: noun-noun compound (function) §GOAL: noun-noun compound (goal) §LOC: noun-noun compound (position) §OTHER: noun-noun compound (other) §POSS: noun-noun compound (possession) §RESEM: noun-noun compound (resemblance) §SOURCE: noun-noun compound (origin) §TIME:MC: noun-noun compound (time)
```

Figure 4.2: The relations matching MORPHCOMP-!CDT1-TOPIC.

```
§ABOUT Noun-noun compound (about). Non-head has an aboutness meaning wrt. head.
isa MORPHCOMP
           [360]
                                  (theme: skattelov 'tax law' = lov -[skat]te/ABOUT)

0 1 2 3 4 5 6
  §AGENT:MC Noun-noun compound (agentive). Non-head has an agentive meaning wrt. head.
isa MORPHCOMP
           [351]
                             (agent: politikontrol 'police control' = kontrol -politi/AGENT)
                                                  2 3 4 5
       §CONST Noun-noun compound (constitutive). Non-head has a constitutive meaning wrt. head.
isa MORPHCOMP
           [350]
                               (constitutive: træbord 'wooden table' = bord -træ/CONST)
                                                      2 3 4 5
 §DOBJ.patient .
isa MORPHCOMP
        SEIVAL Noun-noun compound (evaluative). Non-head has an evaluative meaning wrt. head.
isa MORPHCOMP
           [358]
                                               coche de lujo 'luksusbil'
                                                 0 1 2
        §FUNC Noun-noun compound (function). Non-head has a functional/instrumental meaning wrt.
isa MORPHCOMP head.
           [353]
                                 (function: vindmølle 'wind mill' =mølle -vind/FUNC)
                                                      2
```

 $GOAL\ Noun-noun\ compound\ (goal).$  isa MORPHCOMP

[354]

§LOC Noun-noun compound (position). Non-head has a locative meaning wrt. head. isa MORPHCOMP (position: loftlampe 'ceiling lamp' = lampe –loft/POS) 0 1 2 3 4 5 6 [356] **§OTHER** Noun-noun compound (other). If in doubt about the meaning relation between head and isa MORPHCOMP non-head. [361] **§POSS** *Noun-noun compound (possession).* Non-head has a possessive meaning wrt. head. isa MORPHCOMP (possession: politibil = bil-politi/POSS [355] 1 2 3 SRESEM Noun-noun compound (resemblance). Denotations of head and non-head resemble each isa MORPHCOMP other. [359] silla de tijeras 'saksestol' [klapstol], válvula de mariposa 'sommerfugleventil'  $0 \ 1 \ 2 \ 3 \ 4 \ 5 \ 6 \ 7 \ 8$ **§SOURCE** *Noun-noun compound (origin).* Non-head has a meaning of origin wrt. head. isa MORPHCOMP (origin: rørsukker 'cane sugar' = sukker -rør/ORIGIN) 0 1 2 3 4 5 6 [352] §TIME:MC Noun-noun compound (time). Non-head has a temporal meaning wrt. head.

(goal: krigsskib 'war ship' = skib -[krig]s/GOAL) 0 1 2 3 4 5 6

## 4.2 Derivational relations: MORPHDERIV

isa MORPHCOMP

[357]

MORPHDERIV: derivational semantic relations PREFIX: semantic relations appearing with prefixes SUFFIX: semantic relations appearing with suffixes

Figure 4.3: The relations matching MORPHDERIV-!CDT1-!PREFIX-!SUFFIX-TOPIC.

(time: oktoberregn 'October rain' = regn-oktober/TIME) 0 1 2 3 4 5 6

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and an affix isa MORPH Subtypes: PREFIX SUFFIX.

**PREFIX** *Semantic relations appearing with prefixes.* A semantic relation is created between a base is a MORPHDERIV and a prefix.

[275] Subtypes:  $AGENT \ FRES \ PRE: \ FRES \ FRES$ 

**SUFFIX** Semantic relations appearing with suffixes. A semantic relation is created between a base is a MORPHDERIV and a suffix.

[276] Subtypes: §AUG §DENUM §DER §DERan:qual §DERna §DERnn §DERv §DIMIN §PEJ.

#### 4.2.1 Prefix relations: PREFIX

```
PREFIX: semantic relations appearing with prefixes
   §AGENT: agentive
   §ITER: iteration
   §MOD: modification
      §MOD:eval: evaluation
      §MOD:qual: qualification
      §MOD:quant: quantification
   §NEG: negation
      §NEG:contr: contrast
      §NEG:priv: privation
      §NEG:rev: reversion
   §PRE:other: other prefix relation
   §SPACE: space
      §SPACE:dir: direction
      §SPACE:loc: location
      §SPACE:source: source
   §TELIC: telic
   §TIME: time
      §TIME:post: temporal succession
      §TIME:pre: temporal precedence
   §TRANS: transitivity
```

Figure 4.4: The relations matching PREFIX-!CDT1-TOPIC.

```
PREFIX Semantic relations appearing with prefixes. A semantic relation is created between a base
isa MORPHDERIV and a prefix.
            [275]
                 Subtypes: §AGENT §ITER §MOD §NEG §PRE:other §SPACE §TELIC §TIME §TRANS.
       §AGENT Agentive (deprecated ASPEC:cause+reflex). Prefix conveys agentive action.
      isa PREFIX
            [291]
                                       (causative: acallar 'silence' = callar -a/AGENT)
                                              1
          §ITER Iteration (deprecated ASPEC:iter). Prefix conveys iteration.
      isa PREFIX
            [290]
                                           (iterative: redefine = define -re/ITER)
                                                        1 2 3
         §MOD Modification. Prefix conveys modification in a broad sense.
      isa PREFIX Subtypes: §MOD:<br/>eval §MOD:qual §MOD:quant.
     §MOD:eval Evaluation (deprecated MOD:man). Prefix conveys evaluation
       isa §MOD
            [296]
                                      (manner: maleducado = educado -mal/MOD:eval)
```

```
§MOD:qual Qualification (deprecated MOD:qual+MOD:rel+GRAD:qual). Prefix conveys qualification.
    isa §MOD
        [297]
                              (qualification: paleochristian = christian -paleo/MOD:qual)
                                            1 2
§MOD:quant Quantification (deprecated MOD:cuant+GRAD:size). Prefix conveys quantification.
    isa §MOD
        [295]
                             (quantification: multicultural = cultural -multi/MOD:quant)
                                                 1 2 3
       §NEG Negation. Prefix conveys negation in a broad sense.
   §NEG:contr Contrast (deprecated NEG:oppo). Prefix conveys contrast.
    isa §NEG
        [287]
                                    (opposition: antihero = hero -anti/NEG:contr)
                                         0 1 2 3
  §NEG:priv Privation. Prefix conveys privation.
    isa §NEG
        [288]
                                        (privation: desalt = salt -de/NEG:priv)

0 1 2 3 4
   §NEG:rev Reversion (deprecated ASPEC:rev). Prefix conveys reversion.
    isa §NEG
        [289]
                                    (reversion: deactivate = activate -de/NEG:rev)
 §PRE:other Other prefix relation. If in doubt about the meaning conveyed by the prefix
   isa PREFIX
     §SPACE Space (deprecated LOC). Prefix expresses space in a broad sense.
   isa PREFIX Subtypes: §SPACE:dir §SPACE:loc §SPACE:source.
        [278] Confusion_{0/100/0\%}^2: loc_{100\%}.
 §SPACE:dir Direction (deprecated LOC:dir). Prefix expresses direction.
   isa §SPACE Confusion_{17/100/17\%}^6: -50\% SPACE:source<sub>17%</sub> TELIC<sub>17%</sub> LOC:dir<sub>17%</sub> .
        [280]
                                 (direction/origin: deverbal = verbal -de/SPACE:dir)
                                            1 2 3
 §SPACE:loc Location (deprecated LOC:pos). Prefix expresses location.
   isa §SPACE
        [279]
                                   (position: intramural = mural -intra/SPACE:pos)
```

2 3

```
§SPACE:source Source (deprecated LOC:proce). Prefix conveys source.
      isa §SPACE
           [281]
                                       (origin: extraer: = traer -ex/SPACE:source) 0 	 1 	 2 	 3 	 4
        §TELIC Telic (deprecated ASPEC:term+resul). Prefix conveys termination or result.
      isa PREFIX
           [292]
                                      (terminative: oplåse 'open' = låse -op/TELIC)

0 1 2 3 4 5
         §TIME Time. Prefix conveys time in a broad sense.
      isa PREFIX Subtypes: §TIME:post §TIME:pre.
           [283]
    §TIME:post Temporal succession (deprecated TIME:succ). Prefix conveys succession.
       isa §TIME
           [285]
                           §TIME:pre Temporal precedence (deprecated TIME:prec). Prefix conveys precedence.
       isa §TIME
           [284]
                             (temporal precedence: prehistorical = historical -pre/TIME:pre)
       §TRANS Transitivity. Prefix conveys transitivity.
      isa PREFIX
           [293]
                                    (transitivising: påsejle 'collide': sejle-på/TRANS)
0 1 2 3 4
                 4.2.2 Suffix relations: SUFFIX
        SUFFIX Semantic relations appearing with suffixes. A semantic relation is created between a base
isa MORPHDERIV and a suffix.
                 Subtypes: §AUG §DENUM §DER §DERan:qual §DERna §DERnn §DERv §DIMIN §PEJ.
          §AUG Augmentation. Suffix conveys augmentation.
      isa SUFFIX
           [299]
                                  (augmentative: perrazo 'big dog' = perro +azo/AUG) 0 1 2 3 4 5 6
      §DENUM Adjective-numeral derivation. Suffix creates denumeral adjectives in a broad sense.
      [346]
 §DENUM: apart Adjective-partitive derivation (deprecated DENUM:part). Suffix creates partitive numerals.
```

isa §DENUM [348]

## "kardinal=doce - partitiv=doceavo" 'tolv/tolvtedel'

**§DENUM:ord** *Adjective-ordinal derivation.* Suffix creates ordinals.

isa §DENUM

[347]

"kardinal=dos - ordinal=segundo" 'to/anden'

**§DENUM:**quant Adjective-multiplicative derivation. Suffix creates multiplicative numerals.

isa §DENUM

[349]

"kardinal=cinco - multiplikativ=quíntuplo" 'fem/femdobbelte'

**§DER** *Verb derivation*. Suffix triggers a derivation

isa SUFFIX Subtypes:  $DERadvv\ DERav\ DERav\ DERva\ DERva$ 

**§DERadvv** Adverb-verb derivation. Suffix triggers a derivation from an adverb to a verb isa §DER

§DERav Adjective-verb derivation (deprecated §DER:av). Suffix triggers a derivation from an adjective isa §DER to a verb. [304]

(adjective->verb derivation: darken = dark +en/\\$DERav)
0 1 2 3 4 5

**§DERnv** Noun-verb derivation (deprecated §DER:nvPRED). Suffix triggers a derivation from a noun to a isa §DER verb. [303]

(noun->verb derivation: salar 'to salt' = sal +ar/DERnv)
0 1 2 3 4 5 6 7

§DERva Verb-adjective derivation (deprecated §DERV). Suffix creates deverbal adjectives in a broad isa §DER sense.

[327] Subtypes: §DERva:act §DERva:pas.

**SDERva:** act Verb-adjective derivation (pure) (deprecated DEVERB:act.pure). Suffix creates active adjectives isa §DERva with the meaning aspect "pure".

[328] Subtypes: §DERva:act.disp §DERva:act.epi.

"que V" (conmovedor – "que conmueve" 'gribende/der griber')  $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7$ 

§DERva:act.disp Verb-adjective derivation (disposition) (deprecated DEVERB:act.disp). Suffix creates active adisa §DERva:act jectives with the meaning aspect "disposition". [329]

"que suele V, que tiende a V" (adulón – "que suele adular, que tiende a adular" 'smigre/som plejer eller  $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7 \quad 8 \quad 9 \quad 10 \quad 11 \quad 12 \quad 13 \quad 14 \quad 15 \quad 16 \quad 17 \quad 18$ har tendens til at være krybende 20 21 22 23 **§DERva:act.epi** Verb-adjective derivation (potentiality) (deprecated DEVERB:act.poten). Suffix creates active adisa §DERva:act jectives with the meaning aspect "potentiality". [330] "que puede V" (móvil – que puede moverse 'bevægelig/der kan bevæge sig) 0 1 2 3 4 5 6 7 8 9 10 11 **§DERva:pas** Verb-adjective derivation (passive) (deprecated DEVERB:pas). Suffix creates passive adjectives. isa DERva Subtypes: DERva:pas.deon DERva:pas.epi DERva:pas.part. **§DERva:pas.deon** Verb-adjective derivation (passive deontic) (deprecated DEVERB:pas.deon). Suffix creates passive isa §DERva:pas adjectives with a deontic meaning. [334] "Que debe  $\{ser\ PP/Vse\}$  (abominable – "que debe ser abominado/que debe abominarse" áfskyelig/som må 0 1 2 3 4 5 6 7 8 9 10 11 12 13 forkastes) 14 §DERva:pas.epi Verb-adjective derivation (passive potentiality) (deprecated DEVERB:pas.poten). Suffix creates isa §DERva:pas passive adjectives with the meaning aspect "potentiality". [333] "que puede  $\{ser\ PP/Vse\}$ " (transportable – "máquina que puede  $\{ser\ transportada/transportarse\}$  0 1 2 3 4 5 6 7 8 9 10 'transportabel/maskine som kan blive transporteret/transporteres 12 13 14 **§DERva:pas.part** Verb-adjective derivation (passive participles) (deprecated DEVERB:pas.part). Suffix creates pas-

isa §DERva:pas sive adjectives with the form of participles.

[332]

"que {ha sido/está/es} PP" (comprado – "hombre que {ha sido/está/es} comprado 'mand som er 0 1 2 3 4 5 6 7 8 9 10 11 12 13

blevet/er/bliver købt''
14 15

**§DERvn** *Verb-noun derivation* (deprecated PREDDEVERBN). Suffix creates deverbal nouns in a broad isa §DER sense.

 $[307] \begin{tabular}{l} Subtypes: $DERvn:agent $DERvn:core $DERvn:exper $DERvn:loc $DERvn:other $DERvn:patient $DERvn:recip. \end{tabular}$ 

**§DERvn:agent** *Verb-noun derivation (agent)* (deprecated PRED:agentPRED:inst). Suffix creates deverbal nouns isa §DERvn absorbing the agent role.

[308]

**§DERvn:core** *Verb-noun derivation (core)* (deprecated PRED:core). Suffix creates deverbal nouns expressing a isa §DERvn nominalized version of the situation denoted by the original verb. [310]

(core derivation: exploitation = exploit@V +ation/§DERnv:core)

**§DERvn:exper** *Verb-noun derivation (experiencer)* (deprecated PRED:exper). Suffix creates deverbal nouns abisa §DERvn sorbing the experiencer role.

[309]

(experiencer derivation: admirer = admire +r/ $periode{DERnv}$ :exper 0 1 2 3 4 5

**§DERvn:loc** *Verb-noun derivation (location)* (deprecated PRED:loc). Suffix creates deverbal nouns expressing isa §DERvn the location related to the meaning of the original noun.

[313]

(locative derivation: comedor 'spisestue' = comer +dor/\$DERnv:loc) 0 1 2 3 4 5 6

**§DERvn:other** *Verb-noun derivation (other)* (deprecated PRED:other). If in doubt about the meaning conveyed isa §DERvn by the suffix

**§DERvn:patient** *Verb-noun derivation (patient)* (deprecated PRED:result). Suffix creates deverbal nouns absorbisa §DERvn ing the patient role.

[311]

43



**§DERvn:recip** *Verb-noun derivation (recipient)* (deprecated PRED:recip). Suffix creates deverbal nouns absorbisa §DERvn ing the recipient role

[312]

(recipient derivation: beneficiario 'den begunstigede' = beneficiar +ario/percipiente DERnv:recip) 0 1 2 3 4 5 6 7

DERvv Verb-verb derivation (deprecated DERvv). Suffix triggers a derivation from a verb to another isa DERverb.

[305]

(verb->verb derivation: adormecer 'lull to sleep' = dormir -+[a][ecer]/\$DERvv) 0 1 2 3 4 5 6 7 8

 $\begin{tabular}{ll} \bf SDERan: qual & Adjective \ derivation \ (deprecated \ QUAL). \ Suffix \ creates \ deadjectival \ nouns. \end{tabular}$ 

isa SUFFIX [315]

(deadjectival noun: bitterness = bitter+ness/§DERan:qual) 0 1 2 3 4 5

**§DERna** *Noun-adjective derivation* (deprecated DENOM). Suffix creates denominal adjectives in a broad isa SUFFIX sense.

 $[335] \begin{tabular}{ll} Subtypes: $DERna:deono $DERna:disp $DERna:other $DERna:poss $DERna:rel $DERna:resem $DERna:telic. \\ \end{tabular}$ 

**§DERna:deono** *Noun-adjective derivation (naming)* (deprecated DENOM:rel.deono). Suffix creates relational adisa §DERna jectives with the meaning of "naming".

[338] Subtypes: §DERna:deono.loc §DERna:deono.pers.

**§DERna:deono.loc** *Noun-adjective derivation (naming places)* (deprecated DENOM:rel.deono.place). Suffix creates isa §DERna:deono relational adjectives with the meaning of "naming" of places.

[340]

Madrileño 'som har at gøre med/kommer fra Madrid' 0 1 2 3 4 5 6 7

**§DERna:deono.pers** *Noun-adjective derivation (naming persons)* (deprecated DENOM:rel.deono.pers). Suffix creates isa §DERna:deono relational adjectives with the meaning of "naming" persons.

[339]

Cervantino 'som har at gøre med Cervantes'

**§DERna:disp** *Noun-adjective derivation (disposition)* (deprecated DENOM:disp). Suffix creates denominal adisa §DERna jectives that express disposition.

[343]

**§DERna: other** Noun-adjective derivation (other) (deprecated DENOM: other). If in doubt about the meaning isa §DERna conveyed by the suffix [345] §DERna:poss Noun-adjective derivation (possession) (deprecated DENOM:poss). Suffix creates denominal adisa §DERna jectives that express possession. [342] "que posee/tiene/lleva N" (barbudo – "que lleva barba" 'skægget/som bærer skæg') 0 1 2 3 4 5 6 7 8 9 10 §DERna:rel Noun-adjective derivation (relational) (deprecated DENOM:rel). Suffix creates denominal adjecisa §DERna tives with a relational meaning. [336] Subtypes: §DERna:rel.norm. **SDERna:rel.norm** Noun-adjective derivation (normal) (deprecated DENOM:rel.norm). Suffix creates relational adisa §DERna:rel jectives with a "normal" meaning aspect. [337] **§DERna:resem** Noun-adjective derivation (resemblance) (deprecated DENOM:resem). Suffix creates denominal isa §DERna adjectives that express resemblance. [341] "que se parece a N" (sanchopancesco – "que se parece a Sancho Panza" 'sanchopanzask/som ligner  $0\ 1\ 2\ 3\ 4\ 5\ 6\ 7\ 8\ 9\ 10\ 11\ 12\ 13\ 14$ Sancho Panza') **§DERna:telic** Noun-adjective derivation (effect) (deprecated DENOM:eff). Suffix creates denominal adjectives isa §DERna that express an effect. [344] "que causa simpatía" (simpático – "que causa simpatía" 'sympatisk/som vækker sympati') 0 1 2 3 4 5 6 7 8 9 10

"que tiene afición por N" (mujeriego – "que afición por las mujeres" 'kvindeglad/som er glad for kvinder') 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

**§DERnn** *Noun-noun derivation* (deprecated NOPRED). Suffix creates non-predicative nouns (from other isa SUFFIX nouns) in a broad sense.

[316] Subtypes: §DERnn:agent §DERnn:assoc §DERnn:capac §DERnn:cont §DERnn:loc §DERnn:other §DERnn:quant §DERnn:telic §DERnn:time.

**§DERnn:agent** *Noun-noun derivation (agent)* (deprecated NOPRED:agent). Suffix creates non-predicative nouns isa §DERnn expressing an agent role.

[317]

(agent derivation: miller = mill +er/DERnn: agent) 0 1 2 3 4 5

**§DERnn:assoc** *Noun-noun derivation (association)* (deprecated NOPRED:script). Suffix creates non-predicative isa §DERnn nouns expressing a script/notion related to the original noun.

(script derivation: pontaje 'brobetaling' = puente +aje/DERnn:assoc) 0 1 2 3 4 5 6

**§DERnn:capac** Noun-noun derivation (capacity) (deprecated NOPRED:capac). Suffix creates non-predicative isa §DERnn nouns expressing a capacity.

[322]

(capacity derivation: cestada 'kurvfuld' = cesta +ada/§DERnn:capac) 0 1 2 3 4 5 6

**§DERnn:cont** *Noun-noun derivation (container)* (deprecated NOPRED:cont). Suffix creates non-predicative isa §DERnn nouns expressing a container.

[319]

(container derivation: azucarero 'sugar bowl' = azucar +ero/\$DERnn:cont) 0 1 2 3 4 5 6 7

**§DERnn:loc** *Noun-noun derivation (location)* (deprecated NOPRED:loc). Suffix creates non-predicative nouns isa §DERnn expressing a location.

[323]

(locative derivation: arenal 'sandet strækning' = arena +al/§DERnn:loc)
0 1 2 3 4 5 6 7

**§DERnn:other** *Noun-noun derivation (other)* (deprecated NOPRED:other). If in doubt about the meaning conisa §DERnn veyed by the suffix [325]

**§DERnn:quant** Noun-noun derivation (quantification) (deprecated NOPRED:set). Suffix creates non-predicative isa §DERnn nouns expressing a quantification.

(set derivation: perrada 'hundekobbel' = perro +ada/\$DERnn:quant) 0 1 2 3 4 5 6

**§DERnn:telic** *Noun-noun derivation (telic)* (deprecated NOPRED:result). Suffix creates non-predicative nouns isa §DERnn expressing a telic result.

[318]

# (result derivation: puñalada 'knivstik' = puñal +ada/\$DERnn:telic) 0 1 2 3 4 5 6

**§DERnn:time** *Noun-noun derivation (time)* (deprecated NOPRED:temp). Suffix creates non-predicative nouns isa §DERnn expressing a temporal aspect.

[320]

**§DERv** (deprecated DEVERB).

isa SUFFIX

**§DIMIN** *Diminution*. Suffix conveys diminution.

isa SUFFIX [300]

(diminutive: viejecito 'little old man' = viejo +ecito/DIM) 0 1 2 3 4 5 6 7

**§PEJ** *Pejoration*. Suffix conveys a pejorative sense.

isa SUFFIX [301]

(pejorative: vinacho 'bad vine' = vino +acho/PEJ) 0 1 2 3 4 5 6

```
SUFFIX: semantic relations appearing with suffixes
   §AUG: augmentation
   §DENUM: adjective-numeral derivation
       §DENUM:apart: adjective-partitive derivation
      §DENUM:ord: adjective-ordinal derivation
      §DENUM:quant: adjective-multiplicative derivation
   §DER: verb derivation
       §DERadvv: adverb-verb derivation
       §DERav: adjective-verb derivation
       §DERnv: noun-verb derivation
       §DERva: verb-adjective derivation
          §DERva:act: verb-adjective derivation (pure)
             §DERva:act.disp: verb-adjective derivation (disposition)
             §DERva:act.epi: verb-adjective derivation (potentiality)
          §DERva:pas: verb-adjective derivation (passive)
             §DERva:pas.deon: verb-adjective derivation (passive deontic)
             §DERva:pas.epi: verb-adjective derivation (passive potentiality)
             §DERva:pas.part: verb-adjective derivation (passive participles)
       §DERvn: verb-noun derivation
          §DERvn:agent: verb-noun derivation (agent)
          §DERvn:core: verb-noun derivation (core)
          §DERvn:exper: verb-noun derivation (experiencer)
          §DERvn:loc: verb-noun derivation (location)
          §DERvn:other: verb-noun derivation (other)
          §DERvn:patient: verb-noun derivation (patient)
          §DERvn:recip: verb-noun derivation (recipient)
       §DERvv: verb-verb derivation
   §DERan:qual: adjective derivation
   §DERna: noun-adjective derivation
       §DERna:deono: noun-adjective derivation (naming)
          §DERna:deono.loc: noun-adjective derivation (naming places)
          §DERna:deono.pers: noun-adjective derivation (naming persons)
       §DERna:disp: noun-adjective derivation (disposition)
       §DERna:other: noun-adjective derivation (other)
       §DERna:poss: noun-adjective derivation (possession)
       §DERna:rel: noun-adjective derivation (relational)
          §DERna:rel.norm: noun-adjective derivation (normal)
       §DERna:resem: noun-adjective derivation (resemblance)
       §DERna:telic: noun-adjective derivation (effect)
   §DERnn: noun-noun derivation
       §DERnn:agent: noun-noun derivation (agent)
       §DERnn:assoc: noun-noun derivation (association)
       §DERnn:capac: noun-noun derivation (capacity)
       §DERnn:cont: noun-noun derivation (container)
       §DERnn:loc: noun-noun derivation (location)
       §DERnn:other: noun-noun derivation (other)
       §DERnn:quant: noun-noun derivation (quantification)
       §DERnn:telic: noun-noun derivation (telic)
       §DERnn:time: noun-noun derivation (time)
   §DERv:
   §DIMIN: diminution
   §PEJ: pejoration
```

Figure 4.5: The relations matching SUFFIX-!CDT1-TOPIC.

# Chapter 5

# Discourse relations: DISCOURSE

DISC: discourse level

DISCOTHER: other discourse relations

IOINT: no clear relation

REP: repaired SCENE: scene

DISCPRAG: pragmatic and illocutionary discourse relations

DISCSEM: semantic discourse relations RuleDisc: syntactic discourse relation

Figure 5.1: The relations matching DISCOURSE-!CDT1-!DISCFUNC-!DISCSEM-TOPIC.

DISC Discourse level (long: DISCOURSE). The discourse level includes relations between segments isa DIM:LEVEL in different sentences, as well as lexical features associated with discourse units.

[11] Subtypes: DISCOTHER DISCPRAG DISCSEM RuleDisc.

DISCOTHER Other discourse relations. In two cases, REP and SCENE, the relations concern the formal

isa ADJ DISC structure of the text. In the last case, JOINT, there is no clear relation between the segments

[219] in question.

Subtypes: JOINT REP SCENE.

JOINT No clear relation. No evident discourse relation between the segments. The new text segment isa DISCOTHER adds a completely new content without any clear discourse relation to the preceding segment. [270]

 $Confusion_{13/50/13\%}^8$ : CONJ:add<sub>75%</sub>  $JOINT_{13\%}$  CONST:exem<sub>13%</sub>.

REP Repaired (deprecated STRUCT:rep). A repaired text segment. The dependent text segment is isa DISCOTHER interrupted and unfinished and "repaired" by the following and governing text segment that [269] completes it.

Would you... (Would you marry me, Lisa?)

SCENE Scene (deprecated STRUCT:prepPREP). A scene or similar description. The dependent text segisa DISCOTHER ment describes the scene of the following and governing text.

[268]  $Confusion_{91/91/100\%}^{11}$ : SCENE<sub>100%</sub>.

## headings, titles

DISCPRAG Pragmatic and illocutionary discourse relations (deprecated DISCFUNC). The dependent text seg-

isa ADJ DISC ment expresses a change in speech act or pragmatic function (speaker's intention) wrt the [218] governing segment; the label indicates the speech act or function of the dependent segment; regarding speaker's intentions and speech acts we consider the narrating asserting speech act

as our default value.

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

**DISCSEM** Semantic discourse relations. The relations hold between the propositions of the governing

isa ADJ DISC and dependent text segments and are defined in semantic terms; [217] Subtypes: AGENTIVE CONC COND CONJ CONST CONTR DISJ FORMAL TELIC TIME.

RuleDisc Syntactic discourse relation (long: "x"(PRIM)). A primary syntactic relation that has been used isa DISC RULE as a discourse relation for stilistic purposes.

[372]

#### Functional relations: DISCFUNC 5.1

DISCPRAG: pragmatic and illocutionary discourse relations

ANSW: answer

CONSOL: consolidation

CONSOL:inst: instrumental CONSOL:motiv: motivation

CONSOL:source: source

DIREC: directive act EXPR: expressive act

**INTACT**: interaction signals

INTACT:attn: attention

INTACT:inter: interruption INTACT:start: start signal

INTACT:stop: stop

QUEST: question

Figure 5.2: The relations matching DISCFUNC-!CDT1-TOPIC.

DISCPRAG Pragmatic and illocutionary discourse relations (deprecated DISCFUNC). The dependent text seg-

isa ADJ DISC ment expresses a change in speech act or pragmatic function (speaker's intention) wrt the [218] governing segment; the label indicates the speech act or function of the dependent segment; regarding speaker's intentions and speech acts we consider the narrating asserting speech act as our default value.

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

ANSW Answer. An answer relation. The dependent text segment contains an answer or solution to isa DISCPRAG a question or problem contained in the governing text segment.

Confusion  $^{1}_{100/100/100\%}$ : ANSW  $^{100\%}$ .

CONSOL Consolidation (deprecated SUPPORT?). The dependent text segment consolidates or strengthens isa DISCPRAG the governing segment.

[263]

Subtypes: CONSOL:inst CONSOL:motiv CONSOL:source.

CONSOL:inst Instrumental (deprecated CONSOL:enabl). An instrumental or helpful text segment. The deisa CONSOL pendent text segment is instrumental in helping reader or recipient to carry out the action [265] mentioned in the governing segment; frequent in directive texts.

For a free catalogue, call...

CONSOL:motiv Motivation. Motivation or encouragement. The dependent text segment motivates, stimuisa CONSOL lates or encourages reader or recipient to carry out the action mentioned in the governing [266] segment.

> Prices have never been so low. 0 1 2 3 4 5

CONSOL:source Source (deprecated JUSTCONSOL:just). A source or foundation. The dependent text segment isa CONSOL expresses a source or foundation that justifies the governing segment wrt its content or the <sup>[264]</sup> reason for mentioning it at this time and place, thereby strengthening it argumentatively.  $Confusion_{0/100/0\%}^2$ : AGENTIVE:sbj<sub>100%</sub> .

> Joe Johnson is an expert at teaching small children. (He says that...). The Rent Act clearly states it. 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

DIREC Directive act. A directive act. The dependent text segment contains a directive act (order, isa DISCPRAG command or request) somehow linked to the governing segment.

[256] Confusion $_{0/67/0\%}^{3}$ : CONJ:elab<sub>67%</sub> CONJ:seq<sub>33%</sub>.

e.g. imperatives 0 1

EXPR Expressive act. An expressive act. The dependent text segment contains an expression of the isa DISCPRAG speaker's attitudes or emotions, e.g. congratulations, excuses or thanks, somehow linked to [257] the governing segment.

[en] I'm sorry! My condolences! Thank you so much!  $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7 \quad 8$ 

INTACT Interaction signals. The dependent text segment contains an interaction signal, i.e. a signal isa DISCPRAG used to start, sustain or end a conversation.

Subtypes: INTACT:attn INTACT:inter INTACT:start INTACT:stop.

INTACT:attn Attention. An attention signal. The dependent text segment contains an attention signal.

isa INTACT

[260]

INTACT:inter Interruption. An interruption signal. The dependent text segment contains an interruption isa INTACT signal

[261]

[en] But... But, Just a moment!; [da] Jamen... Men..., Må jeg lige; [it] Ma; Un momento; Scusami

INTACT:start Start signal. The dependent text segment contains a start signal. isa INTACT

[259]

[en] Hello? All right! Well, Well you see, Excuse me; [da] Hallo? Altså, Nå men altså, Jamen, Hør lige her! 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

Undskyld! Du Peter; [it] Pronto? Ciao, Ecco, Guarda, Scusami 20 21 22 23 24 25 26 27

**INTACT:stop** *Stop.* The dependent text segment contains a conversation stop signal.

isa INTACT

[262]

[en] Goodbye; [da] Hej hej; [it] Ciao; Arrivederci 2 3 4 5 6

QUEST Question. A question relation. The dependent text segment contains a question somehow isa DISCPRAG linked to the governing segment. The following co-text may and may not contain an answer [254] to the question.

Related types: answer.

#### Semantic relations: DISCSEM 5.2

**DISCSEM** Semantic discourse relations. The relations hold between the propositions of the governing isa ADJ DISC and dependent text segments and are defined in semantic terms;

 $^{[217]}$  Subtypes: AGENTIVE CONC COND CONJ CONST CONTR DISJ FORMAL TELIC TIME.

AGENTIVE Cause relation (discourse). The dependent segment expresses "bringing about" or cause in a isa DISCSEM broad sense

 $\begin{tabular}{ll} [221] & Subtypes: AGENTIVE: expl AGENTIVE: reas AGENTIVE: sbj. \end{tabular}$ 

AGENTIVE:expl Explanation relation in discourse. An explanation relation. The dependent segment explains isa AGENTIVE the governing segment. The relation is more general and elaborating than "reason".

[222] Typical connectives: [en] In fact, Indeed; [da] Nemlig; [it] Infatti.

DISCSEM: semantic discourse relations AGENTIVE: cause relation (discourse) AGENTIVE:expl: explanation relation in discourse AGENTIVE:reas: reason relation (discourse) AGENTIVE:sbj: subjective cause CONC: concession COND: condition CONJ: conjunction CONJ:add: conjunction, addition CONJ:elab: conjunction, elaboration CONJ:seq: conjunction, sequence CONST: constitutive elaboration relation CONST:apart: part of relation CONST:elab: elaboration CONST:exem: exemplification CONST:rest: restatement CONTR: contrast CONTR:dir: direct contrast CONTR:sbj: subjective contrast DISJ: disjunction DISJ:dir: direct disjunction DISJ:sbj: subjective disjunction FORMAL: formal description FORMAL:descr: neutral description FORMAL:eval: positive/negative evaluation TELIC: consequence/result/conclusion/goal relation (discourse) TELIC:cons.dir: direct, physical consequence, result TELIC:cons.sbj: pragmatic/personal conclusion, deduction TELIC:goal: goal relation (discourse)

TIME: temporal relation

TIME:cont: contemporaneity TIME:post: temporal succession TIME:pre: temporal precedence

Figure 5.3: The relations matching DISCSEM-!CDT1-TOPIC.

### Related types: reason.

 $Confusion_{67/100/67\%}^9$ : AGENTIVE:expl<sub>67%</sub> CONTR<sub>11%</sub> AGENTIVE:reas<sub>11%</sub> CONST:rest<sub>11%</sub>.

AGENTIVE:reas Reason relation (discourse). A reason relation. The dependent segment expresses a specific isa AGENTIVE and concrete reason.

> [223] Typical connectives: [en] Since, Because; [da] Fordi, Eftersom; [it] Perché, Dato che.  $Confusion_{33/78/33\%}^9 : AGENTIVE: reas_{33\%} \ AGENTIVE: sbj_{33\%} \ CONJ: elab_{11\%} \ AGENTIVE: expl_{11\%} \ TELIC: cons. dir_{11\%} \ AGENTIVE: applications of the confusion of the confus$

AGENTIVE:sbj Subjective cause. A subjective cause. The speaker uses the dependent segment as a subjecisa AGENTIVE tive/personal argument to support a claim.

> [224] Typical connectives: [en] Because, In fact, Indeed; [da] Fordi, Eftersom, Nemlig; [it] Perché, Dato che, Infatti.  $Confusion_{0/78/0\%}^9 : CONJ: add_{33\%} \ AGENTIVE: reas_{33\%} \ CONSOL: source_{22\%} \ CONJ: elab_{11\%} \ .$

CONC Concession. A concession relation. The dependent segment admits or acknowledges a fact isa DISCSEM wrt N, which may however not have the expected consequence or effect.

[237] Typical connectives: [en] Though, Although, However; [da] Skønt; Selvom; [it] Anche se; Sebbene.

 $Confusion_{44/63/44\%}^{16}: CONC_{44\%} CONJ: add_{19\%} CONJ: elab_{6\%} FORMAL: eval_{6\%} subj_{6\%} CONJ_{6\%} CONST: exem_{6\%} conj_{3\%} CONTR: prg_{3\%} \ .$ 

**COND** *Condition.* A condition relation. The dependent segment expresses a condition for the realisa DISCSEM sation of the content of the gonerning segment.

[238] Typical connectives: [en] If, On the condition; [da] Hvis; I det tilfælde at; [it] A condizione che/di; Se.  $Confusion^1_{50/50/50\%} : conj_{50\%} COND_{50\%} .$ 

**CONJ** *Conjunction.* The dependent text segment elaborates and expans knowledge of the content is DISCSEM of the governing text segment or adds a new subject somehow related to it

[243] Subtypes: CONJ:add CONJ:elab CONJ:seq.  ${\rm Confusion_{0/33/0\%}^3: CONJ:add_{33\%} \ CONJ:elab_{33\%} \ CONC_{33\%} \ .}$ 

**CONJ:add** *Conjunction, addition.* An addition relation. The dependent text segment adds a new subject isa CONJ somehow related to the governing text segment; in cases of uncertainty between add and [244] elab we do not specify the subtype.

Typical connectives: [en] And, Moreover, In addition to that; [da] Endvidere, Desuden; [it] E, Oltre a ciò.  $Confusion_{44/65/55\%}^{103}: CONJ: add_{55\%} CONJ: elab_{15\%} conj_{7\%} JOINT_{6\%} AGENTIVE: sbj_{3\%} CONC_{3\%} CONJ: seq_{2\%} TELIC: cons. sbj_{2\%} CONST: apart_{2\%} CONTR: dir_{1\%} CONJ_{1\%} CONTR: prg_{1\%} CONTR: sbj_{1\%} DISJ: dir_{1\%} vobj_{1\%} .$ 

 $\textbf{CONJ:} \textbf{elab} \quad \textit{Conjunction, elaboration} \ (\textbf{deprecated ELAB:} \textbf{spec,ELAB:} \textbf{exp,CONST:} \textbf{elab}). \ \ \textbf{An elaboration relation.}$ 

isa CONJ The dependent text segment elaborates and expans knowledge of the content of the governing

text segment; in cases of uncertainty between add and elab we do not specify the subtype  $\begin{array}{l} \text{Confusion}_{30/53/46\%}^{76} \text{: CONJ:elab}_{46\%} \text{ CONJ:add}_{20\%} \text{ FORMAL:eval}_{5\%} \text{ CONST:apart}_{4\%} \text{ FORMAL:descr}_{3\%} \text{ TELIC:cons.sbj}_{3\%} \\ \text{CONST:rest}_{3\%} \text{ CONST:elab}_{3\%} \text{ subj}_{3\%} \text{ DIREC}_{3\%} \text{ CONJ:seq}_{1\%} \text{ CONTR:prg}_{1\%} \text{ CONC}_{1\%} \text{ AGENTIVE:sbj}_{1\%} \text{ CONJ}_{1\%} \\ \text{AGENTIVE:reas}_{1\%} \text{ qobj}_{1\%} \text{ TELIC:cons.dir}_{1\%} \text{ .} \end{array}$ 

**CONJ:seq** *Conjunction, sequence.* A sequence relation. The dependent text segment is part of list or isa CONJ sequence linked to the governing text segment as e.g. in recipes, sport results etc.

[246] Confusion $^{13}_{62/92/69\%}$ : CONJ:seq $_{69\%}$  CONJ:add $_{15\%}$  CONJ:elab $_{8\%}$  DIREC $_{8\%}$  .

**CONST** *Constitutive elaboration relation.* The dependent segment adds more details regarding the isa DISCSEM constitution of the governing segments or part(s) of it.

[229] Subtypes: CONST:apart CONST:elab CONST:exem CONST:rest.  $Confusion_{0/100/0\pi}^{4} : const_{50\pi} \; agent_{25\pi} \; func_{25\pi} \; .$ 

**CONST:apart** *Part of relation.* A part-of relation. The dependent segment expresses a part of the governing isa CONST segment or vice versa.

[232] Typical connectives: [en] Including, Herein; [da] Herunder, Heri; [it] Incluso, Tra cui.  ${\rm Confusion}_{18/55/27\%}^{11}: {\rm CONJ:elab}_{27\%} \; {\rm CONST:apart}_{27\%} \; {\rm CONJ:add}_{18\%} \; {\rm CONST:exem}_{18\%} \; {\rm nobj}_{9\%} \; .$ 

CONST:elab Elaboration (deprecated ELAB:spec,ELAB:exp). A constitutive elaboration relation. The depenisa CONST dent segment elaborates and expans knowledge of the governing segment; may be difficult

[231] to distinguish from CONJ

Related types: CONJ. Confusion $_{0/100/0\pi}^3$ : CONJ:elab $_{67\%}$  CONST:rest $_{33\%}$  .

**CONST:exem** *Exemplification.* A constitutive exemplification relation. The dependent segment gives exisa CONST amples of elements or phenomena regarding the governing segment.

[230] Typical connectives: [en] For example; [da] For eksempel; [it] Per esempio.  ${\rm Confusion}_{50/92/58\%}^{12} : {\rm CONST:exem}_{58\%} \; {\rm CONST:apart}_{17\%} \; {\rm JOINT}_{8\%} \; {\rm CONST:rest}_{8\%} \; {\rm CONC}_{8\%} \; .$ 

**CONST:rest** *Restatement.* A restatement relation. The dependent segment states the governing segment isa CONST again in a different way

Typical connectives: [en] In other words, Or; [da] Dvs., Sagt på en anden måde; [it] Ossia, In altre parole, Cioè. Confusion<sup>10</sup><sub>15/65/18%</sub>: CONJ:elab<sub>20%</sub> TELIC:cons.sbj<sub>20%</sub> CONST:rest<sub>18%</sub> CONST:elab<sub>10%</sub> AGENTIVE:expl<sub>10%</sub> CONST:exem<sub>10%</sub> conj<sub>7%</sub> qobj<sub>5%</sub>.

**CONTR** *Contrast.* The dependent text segment expresses a contrast wrt the governing text segment. isa DISCSEM Subtypes: CONTR:dir CONTR:sbj.

[247]  $Confusion_{0/100/0\%}^1$ : AGENTIVE:expl<sub>100%</sub>.

**CONTR:dir** *Direct contrast.* A direct contrast relation. The contrast lies between the governing and isa CONTR dependent text segment.

 $\begin{tabular}{ll} [248] Typical connectives: [en] But, However; [da] Men, Derimod; [it] Ma, Invece. \\ Confusion $^{12}_{19/36/36\%}$: CONTR:dir$_{36\%}$ conj$_{24\%}$ CONTR:prg$_{13\%}$ CONJ:add$_{11\%}$ TELIC:cons.sbj$_{8\%}$ TELIC:cons.dir$_{8\%}$ .$ 

**CONTR:sbj** *Subjective contrast* (deprecated CONTR:prg). A subjective contrast relation. The contrast lies is a CONTR between an explicit and a subjectively inferred text segment.

[249] Typical connectives: [en] But, However; [da] Men, Derimod; [it] Ma, Invece.  ${\rm Confusion}_{44/61/44\%}^6 : {\rm CONTR:sbj}_{44\%} \ {\rm conj}_{22\%} \ {\rm CONTR:prg}_{17\%} \ {\rm CONJ:add}_{17\%} \ .$ 

 $\pmb{\mathsf{DISJ}}$  Disjunction. There is a disjunction relation between the governing and dependent text segisa DISCSEM  $\,$  ment.

[250] Subtypes: DISJ:dir DISJ:sbj.

**DISJ:dir** *Direct disjunction.* A direct disjunction relation. The disjunction lies between the governing isa DISJ and dependent text segment.

[251] Typical connectives: [en] Or, Or else, Otherwise; [da] Eller, Ellers; [it] Oppure, Altrimenti. Confusion $^1_{0/100/0\pi}$ : CONJ:add $_{100\%}$ .

**DISJ:sbj** *Subjective disjunction* (deprecated DISJ:prg). An indirect or subjective disjunction relation. The isa DISJ disjunction lies between the dependent and a subjectively inferred text segment.

[252] Typical connectives: [en] Or, Or else, Otherwise; [da] Eller, Ellers; [it] Oppure, Altrimenti.

**FORMAL** *Formal description.* The dependent segment describes the governing segment wrt its formal isa DISCSEM quale (form, dimension, colour, etc.). The governing segment may be a first-order or second-

[234] order entity.

Subtypes: FORMAL:descr FORMAL:eval.

**FORMAL:descr** Neutral description (deprecated DESCR:qual). An objective and neutral description relation. isa FORMAL The dependent segment expresses an objective and/or neutral description of the governing [235] segment.

 $Confusion_{33/67/33\%}^3$ :  $CONJ:elab_{67\%}$  FORMAL: $descr_{33\%}$ .

**FORMAL:eval** *Positive/negative evaluation* (deprecated DESCR:eval). A personal and subjective description is a FORMAL relation. The dependent segment expresses a personal and/or subjective description of the [236] governing segment.

 $Confusion_{25/50/38\%}^{8}$ : CONJ:elab<sub>50%</sub> FORMAL:eval<sub>38%</sub> CONC<sub>13%</sub> .

**TELIC** Consequence/result/conclusion/goal relation (discourse). The dependent segment expresses is DISCSEM consequence, result, purpose, conclusion or goal wrt the governing segment.

[225]

Subtypes: TELIC:cons.dir TELIC:cons.sbj TELIC:goal.  $Confusion_{17/100/17\%}^{18}: \neg_{61\%} \ TELIC_{17\%} \ TRANS_{6\%} \ MOD:qual_{6\%} \ NEG:priv_{6\%} \ LOC:dir_{6\%} \ .$ 

TELIC:cons.dir Direct, physical consequence, result (deprecated TELIC:dir). A consequence or result relation.

isa TELIC The dependent segment expresses a physical and/or objectively observed consequence or [227] result wrt the governing segment.

Typical connectives: [en] Therefore, For this reason; [da] Derfor, Af den grund; [it] Perciò, Quindi. Confusion  $^{10}_{43/58/63\%}$ : TELIC:cons.dir $_{63\%}$  AGENTIVE:reas $_{10\%}$  CONTR:dir $_{10\%}$  conj $_{7\%}$  CONJ:elab $_{5\%}$  qobj $_{5\%}$  .

TELIC:cons.sbj *Pragmatic/personal conclusion, deduction* (deprecated TELIC:sbj). A personal conclusion or deisa TELIC duction relation. The dependent segment expresses a subjective conclusion or deduction on behalf of the speaker.

Typical connectives: [en] Therefore, For this reason; [da] Derfor, Af den grund; [it] Perciò, Quindi. Confusion  $^{11}_{36/73/36\%}$ : TELIC:cons.sbj $_{36\%}$  CONJ:add $_{18\%}$  CONJ:elab $_{18\%}$  CONST:rest $_{18\%}$  CONTR:dir $_{9\%}$  .

**TELIC:goal** Goal relation (discourse). A goal relation. The dependent segment expresses goal, purpose, isa TELIC aim or the like wrt the governing segment.

[226]

**TIME** *Temporal relation* (deprecated CIRCUM). There is a clear temporal relation between the contents is a DISCSEM of the two text segments.

[239] Subtypes: TIME:cont TIME:post TIME:pre.

**TIME:cont** *Contemporaneity* (deprecated nowincludesabolished TIME:dur). A contemporaneity relation. The isa TIME events of the two text segments occur simultaneously.

Typical connectives: [en] At the same time, Meanwhile; [da] Samtidig, Mens, Så længe, Da; [it] Contemporaneamente.

**TIME:post** *Temporal succession* (deprecated TIME:succ). A succession relation. The event described in the isa TIME dependent text segment succeeds the one described in the governing segment.

Typical connectives: [en] Later, Some time afterwards; [da] Senere, Nogen tid efter; [it] Dopo, Poco tempo dopo.  $Confusion_{100/100/100\%}^{1}: TIME:post_{100\%}.$ 

**TIME:pre** *Temporal precedence* (deprecated TIME:prec). A precedence relation. The event described in the isa TIME dependent text segment precedes the one described in the governing segment.

[241] Typical connectives: [en] Earlier, Some days before; [da] Før det, Forinden; [it] Prima, Tre giorni prima.  $\text{Confusion}_{100/100/100\%}^{1} \text{: TIME:pre}_{100\%} \ .$ 

# Chapter 6

# **Anaphor relations: ANAPHORA**

ANA: anaphor level
ANAREL: anaphor-antecedent relation
anaphor:
assoc: associative anaphor
coref: coreference

Figure 6.1: The relations matching ANAPHORA-!CDT1-!coref-!assoc-TOPIC.

 $\label{eq:ANA-Anaphor level long: ANAPHORA).} An apphor level includes relations between an apphors and is a DIM: LEVEL their antecedents, as well as lexical features associated with an apphora.$ 

[14] Subtypes: ANAREL anaphor.

ANAREL Anaphor-antecedent relation. An anaphor-antecedent relation, i.e. a relation between an isa ANA REL anaphor (pronoun, definite description, etc.) and an antecedent. The anaphor may be either coreferential, i.e. it designates the same discourse referent as the antecedent, or associative. In the latter case, the anaphor designates a non-previously mentioned referent that is associable with the antecedent either wrt the antecedent's qualia structure or wrt some other semantic relation. The relation arrow goes from antecedent to anaphor.

anaphor . This section concerns anaphors as well as cataphors. Cataphors may by and large express isa ANA the same relations with their postcedents as anaphors with their antecedents; the relations are therefore labelled identically and will be distinguished solely by the arrow direction: from left to right (anaphors) or from right to left (cataphors). Because of their much higher frequency, we shall limit ourselves to examples of anaphors.

Subtypes: assoc coref.

**assoc** Associative anaphor. The anaphor designates an entity which is associated with the anisa anaphor tecedent


[193] Subtypes: assoc-OTHER assoc-QUALIA assoc-SEMROLE.  ${\rm Confusion}_{39/83/39\%}^9: {\rm assoc-const}_{44\%} \ {\rm assoc}_{39\%} \ {\rm coref-var}_{11\%} \ {\rm coref}_{6\%} \ .$ 

**coref** *Coreference.* The anaphor designates the same entity as the antecedent; all coreferential proisa anaphor nouns are labelled this way


[186] Subtypes: coref-evol coref-iden coref-res coref-var ref.

Confusion<sup>141</sup><sub>84/85/92\%</sub>: coref<sub>92\%</sub> coref-var<sub>4\%</sub> coref-iden<sub>2\%</sub> coref-res<sub>1\%</sub> assoc<sub>1\%</sub> assoc-const<sub>0\%</sub>.

#### I had bought some wine but Maria has drunk it all.



I've already had wine. I don't want anymore right now.



### 6.1 Coreference relations: coref

coref: coreference

coref-evol: evolving anaphor

coref-iden: coreferential NP with lexical identity

coref-res: resumptive anaphor

coref-res.prg: pragmatic resumptive anaphor coref-var: coreferential NP with lexical variety ref: syntactically determined coreference


Figure 6.2: The relations matching coref-!CDT1-TOPIC.

**coref** *Coreference.* The anaphor designates the same entity as the antecedent; all coreferential proisa anaphor nouns are labelled this way


[186] Subtypes: coref-evol coref-iden coref-res coref-var ref.

 $Confusion_{84/85/92\%}^{141} : coref_{92\%} \ coref-var_{4\%} \ coref-iden_{2\%} \ coref-res_{1\%} \ assoc_{1\%} \ assoc-const_{0\%} \ .$ 

#### I had bought some wine but Maria has drunk it all.





I've already had wine. I don't want anymore right now.




**coref-evol** *Evolving anaphor*. The anaphor refers to the same discourse referent as the antecedent, but isa coref after it has undergone radical changes in its ontological status

[191]  $Confusion_{0/100/0\%}^{1}$ : coref-var<sub>100%</sub>.









**coref-res** *Resumptive anaphor* (deprecated nowincludescoref-res.cause). The anaphor summarises a sentence, isa coref clause or predicate


[189] Subtypes: coref-res.prg. Confusion $_{65/73/72\%}^{25}$ : coref-res $_{72\%}$  coref-var $_{12\%}$  assoc-telic $_{4\%}$  coref-iden $_{4\%}$  coref-res.prg $_{4\%}$  .



**coref-res.prg** *Pragmatic resumptive anaphor*. The anaphor summarises a sentence, clause or predicate and isa coref-res evaluates it with respect to speech act


[190]  $Confusion^1_{0/0/0\%}$ :  $coref-res_{100\%}$ .






**coref-var** Coreferential NP with lexical variety. The anaphor designates the same entity as the anisa coref tecedent; the lexical noun and/or attributives or other modifiers are different from those of [188] the antecedent

 $Confusion_{71/79/79\%}^{97} : coref-var_{79\%} \ coref_{6\%} \ coref-iden_{6\%} \ assoc-const_{4\%} \ coref-res_{3\%} \ coref-evol_{1\%} \ assoc_{1\%} \ .$ 



ref Syntactically determined coreference. Syntactically determined coreference (e.g. relative proisa SEC coref nouns, external topics). In the DG theory, "ref" is a shorthand for the label "[fobj]" with re[184] versed direction of the arc, ie, a secondary filler object. It is typically used in relative clauses with a relative pronoun, in which the relative pronoun "consumes" the filler for the relativized noun generated by the relative verb.

Confusion $^{63}_{100/100/100\%}$ : ref<sub>100%</sub>.



## 6.2 Associative anaphor relations: assoc

```
assoc: associative anaphor
   assoc-OTHER: other anaphoric relations
       assoc-event: associative anaphor (event)
       assoc-loc: associative anaphor (location)
       assoc-time: associative anaphor (time)
   assoc-QUALIA: associative anaphor wrt. qualia
       assoc-agentive: associative anaphor (agentive)
          assoc-agentive.agent: associative anaphor (agentive-agent)
       assoc-const: associative anaphor (constitutive)
       assoc-formal: associative anaphor (formal)
       assoc-telic: associative anaphor (telic)
          assoc-telic.agent: associative anaphor (telic-agent)
          assoc-telic.exper: associative anaphor (telic-experiencer)
          assoc-telic.inst: associative anaphor (telic-instrument)
          assoc-telic.patient: associative anaphor (telic-patient)
          assoc-telic.rec: associative anaphor (telic-recipient)
   assoc-SEMROLE: associative anaphor wrt. semantic role
       assoc-agent: associative anaphor (agent)
       assoc-exper: associative anaphor (experiencer)
       assoc-inst: associative anaphor (instrument)
       assoc-patient: associative anaphor (patient)
       assoc-rec: associative anaphor (recipient)
```

Figure 6.3: The relations matching assoc-!CDT1-TOPIC.


**assoc** Associative anaphor. The anaphor designates an entity which is associated with the anisa anaphor tecedent

[193] Subtypes: assoc-OTHER assoc-QUALIA assoc-SEMROLE.  ${\rm Confusion}_{39/83/39\%}^9: {\rm assoc-const}_{44\%} \ {\rm assoc}_{39\%} \ {\rm coref-var}_{11\%} \ {\rm coref}_{6\%} \ .$ 


assoc-OTHER Other anaphoric relations. These cases include for example locative relations (the anaphor is isa assoc located in the antecedent), time relations (the anaphor expresses a point in time linked to the antecedent), and event relations (the anaphor designates an event in which the antecedent plays a part).

Subtypes: assoc-event assoc-loc assoc-time.


assoc-event Associative anaphor (event). The anaphor is a predicate noun or similar which expresses an isa assoc-OTHER event that can be associated with the antecedent or in which the antecedent plays a part [214] Confusion $^3_{100/100/100\%}$ : assoc-event<sub>100%</sub>.



assoc-loc Associative anaphor (location). The anaphor is located in the antecedent is a assoc-OTHER Confusion  $^5_{100/100/100\%}$ : assoc-loc $_{100\%}$ .



**assoc-time** Associative anaphor (time). The antecedent is a predicate or predicative noun, a time indiisa assoc-OTHER cation or a more general narrative frame, the anaphor expresses a point in time linked to it [213]




**assoc-QUALIA** Associative anaphor wrt. qualia. The anaphor denotes an entity which is associated with the isa assoc antecedent with regard to the antecedent's qualia structure


Subtypes: assoc-agentive assoc-const assoc-formal assoc-telic.

**assoc-agentive** Associative anaphor (agentive) (deprecated assoc-agent?). The anaphor is associated with the isa assoc-QUALIA antecedent wrt its agentive quale (the "bringing about" of the antecedent)

[197] Subtypes: assoc-agentive.agent. Confusion $^4_{25/50/50\%}$ : assoc-agentive $_{50\%}$  assoc-telic $_{25\%}$  assoc-const $_{25\%}$ .




**assoc-agentive.agent** Associative anaphor (agentive-agent). The anaphor plays the semantic role of agent wrt the isa assoc-agentive "bringing about" of the antecedent [198]




**assoc-const** *Associative anaphor (constitutive)*. The anaphor is associated with the antecedent wrt its isa assoc-QUALIA constitutive quale (parts, elements, material, etc.)

 $\begin{tabular}{ll} [195] & Confusion $^{39}_{59/77/67\%}$: assoc-const$_{67\%}$ coref-var$_{10\%}$ assoc-telic$_{5\%}$ coref-iden$_{3\%}$ coref$_{3\%}$ assoc-agentive$_{3\%}$ . \\ \end{tabular}$ 




I have bought a bottle of wine. Do you want some of it?




**assoc-formal** Associative anaphor (formal). The anaphor is associated with the antecedent wrt its formal isa assoc-QUALIA quale (shape, dimension, colour, etc.)

[196]  $Confusion^1_{100/100/100\%}$ : assoc-formal<sub>100%</sub> .




**assoc-telic** *Associative anaphor (telic)* (deprecated assoc-scope?). The anaphor is associated with antecedent is a assoc-QUALIA wrt its telic quale (purpose, function, result, consequence etc.)


Subtypes: assoc-telic.agent assoc-telic.exper assoc-telic.inst assoc-telic.patient assoc-telic.rec. Confusion  $^{24}_{71/88/83\%}$ : assoc-telic. $^{24}_{83\%}$  assoc-const $^{28}_{83\%}$  coref-res $^{48}_{43\%}$  assoc-agentive  $^{48}_{4\%}$ .




assoc-telic.agent Associative anaphor (telic-agent). The anaphor plays the semantic role of agent wrt the telic isa assoc-telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the [200] inferred predicate)




assoc-telic.exper Associative anaphor (telic-experiencer). The anaphor plays the semantic role of experiencer is a assoc-telic wrt the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)




assoc-telic.inst Associative anaphor (telic-instrument). The anaphor plays the semantic role of instrument is a assoc-telic wrt the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)



**assoc-telic.patient** Associative anaphor (telic-patient). The anaphor plays the semantic role of patient wrt the isa assoc-telic telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the [201] inferred predicate)




assoc-telic.rec Associative anaphor (telic-recipient). The anaphor plays the semantic role of recipient wrt is a assoc-telic the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)



assoc-SEMROLE Associative anaphor wrt. semantic role. The antecedent is a predicate or predicative noun, isa assoc and the anaphor designates an entity or individual that plays a semantic role wrt the an[205] tecedent predication

Subtypes: assoc-agent assoc-exper assoc-inst assoc-patient assoc-rec.

**assoc-agent** Associative anaphor (agent). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic agent [206]




**assoc-exper** Associative anaphor (experiencer). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic experiencer [209]




**assoc-inst** Associative anaphor (instrument). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic instrument.

[210]



**assoc-patient** Associative anaphor (patient). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic patient [207]



**assoc-rec** Associative anaphor (recipient). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic recipient [208]



# Chapter 7

# Semantic relations: SEMANTICS

```
SEM: semantic level
    SEMREL: semantic role
       QUALIA: qualia role
       {agent}: An object or a person that performs an action
        {apart}:
       {arg}:
       {cause}:
       {class}:
       {const}:
       {elab}:
       {eval}:
        {event}:
        {experiencer}: The receiver of an emotion or a physical impact
        {form}:
       {func}:
        {goal}:
        {iden}:
        {location}: The location where something is situated or happens
        {loc}:
        {other}: No specific semantic role
        {patient}: An object or a person that is the subject of the action or the one who
is located somewhere
       {poss}:
       {quant}:
        {recipient}: The receiver of something
       {resem}:
        {source}:
        {time}:
```

Figure 7.1: The relations matching SEMANTICS-!CDT1-!QUALIA-!SEMROLE-TOPIC.

```
SEM Semantic level (long: SEMANTICS). The semantic level includes relations between lexical eleisa DIM:LEVEL ments construed as functors, arguments, and modifiers, as well as lexical features associated with semantic units.


Subtypes: SEMREL.
```

**SEMREL** Semantic role. A semantic relation. The semantic relation specifies the argument role that is a REL SEM

the child node fills with the parent node as its functor in the functor-argument structure, and encodes the semantic head in phrases headed by a function word without independent semantic meaning. In the DTAG visualization, semantic roles are drawn below the words. Semantic relations are always specified in parallel with a syntactic relation, whose type is determined by the word class of the involved lexical elements. In NP constructions, the syntactic head of an adjunct is assumed to also act as the semantic head of the adjunct, ie, the semantic relation mirrors the syntactic relation in this respect.

The DTAG annotation tool automatically replaces a relation with label "PRIM{SEMREL}" with two relations, one with label "PRIM" and one with label "{SEMREL}", so that relations of this form are drawn as two arrows. Relation names of this form are not strictly relation labels in their own right, merely shorthands in DTAG.

Subtypes: QUALIA {about} {agent} {arg} {cause} {class} {const} {elab} {eval} {event} {experiencer} {form} {func} {goal} {iden} {location} {loc} {other} {patient} {poss} {quant} {recipient} {resem} {source} {time}.



QUALIA Qualia role. A qualia role. Ie, a semantic relation that links a lexeme to a qualia role associated is SEMREL with that lexeme. Eg, "music" to the act of "composing" (agentive), "listening" (telic), etc.

[30] Subtypes: agentive const formal resemblance telic.

 $\{about\}$  . Used in noun phrases where the satellite indicates the content or genre of the nucleus, which is a SEMREL typically denotes a semiotic artefact.

 $[62] \quad Confusion_{33/87/33\%}^{39} : \{about\}_{33\%} \{patient\}_{24\%} \{arg\}_{21\%} \{agent\}_{6\%} \{goal\}_{6\%} \{func\}_{5\%} \{loc\}_{3\%} \{other\}_{1\%} \{quant\}_{1\%} \{time\}_{1\%} \{agent\}_{6\%} \{goal\}_{6\%} \{func\}_{5\%} \{loc\}_{3\%} \{other\}_{1\%} \{quant\}_{1\%} \{time\}_{1\%} \{goal\}_{6\%} \{goal$ 




{agent} An object or a person that performs an action. Used in noun phrases where the satellite is isa SEMREL the object or the person that performs the volitional action indicated by the nucleus. Used in noun phrases where there is a deverbal relation between the nucleus and the satellite. Often realized as a subject.

 $Confusion_{45/80/50\%}^{84}: \{agent\}_{50\%} \{arg\}_{25\%} \{patient\}_{8\%} \{experiencer\}_{4\%} \{about\}_{3\%} \{goal\}_{2\%} \{source\}_{2\%} \{loc\}_{2\%} \{elab\}_{2\%} \{quant\}_{1\%} \{poss\}_{1\%} \{time\}_{0\%} \{other\}_{0\%}.$ 




 $\{apart\}$ . Used in noun phrases where the satellite represents an arbitary part of the nucleus. Please is a SEMREL note that the semantic relation goes from the satellite to the nucleus in opposition to the main part of the other semantic roles.

 $Confusion^{19}_{42/100/42\%} \hbox{: } \{quant\}_{47\%} \ \{apart\}_{42\%} \ \{loc\}_{5\%} \ \{const\}_{5\%} \ .$ 



{arg} . Used in noun phrases where there is a deadjectival relation or another similiar relationship is a SEMREL between the nucleus and the satellite.

[68] Confusion<sup>232</sup><sub>47/87/50%</sub>: {arg}<sub>50%</sub> {agent}<sub>9%</sub> {patient}<sub>8%</sub> {goal}<sub>5%</sub> {loc}<sub>5%</sub> {const}<sub>4%</sub> {about}<sub>4%</sub> {func}<sub>3%</sub> {source}<sub>3%</sub> {other}<sub>3%</sub> {poss}<sub>3%</sub> {quant}<sub>1%</sub> {time}<sub>1%</sub> {eval}<sub>0%</sub> {elab}<sub>0%</sub>.



{cause} . Used in noun phrases where the satellite is the person or object that performs the non-isa SEMREL volitional action indicated by the nucleus.


[53]  $Confusion_{0/100/0\%}^{1}$ : {goal}<sub>100%</sub>.

## sultedød ildebrand?

{class} . Used in noun phrases where the satellite indicates the super type or classification of the isa SEMREL nucleus. This is in opposition to the identity relation which denotates the opposit relationship between the two units. Please note that the semantic relation goes from the satellite to the nucleus in opposition to the main part of the other semantic roles.


Related types: {iden}.

Confusion $_{40/100/40\%}^{5}$ : {class} $_{40\%}$  {other} $_{40\%}$  {const} $_{20\%}$  .



**{const}** . Used in noun phrases where the satellite represents a part, material or essential constituent is a SEMREL of the nucleus.

[49] Confusion  $_{53/92/55\%}^{51}$ : {const}<sub>55\%</sub> {arg}<sub>20\%</sub> {source}<sub>6%</sub> {form}<sub>4%</sub> {poss}<sub>4%</sub> {loc}<sub>2%</sub> {func}<sub>2%</sub> {elab}<sub>2%</sub> {apart}<sub>2%</sub> {class}<sub>2%</sub> {goal}<sub>2%</sub>.



{elab} . position).

isa SEMREL Related types: modp.


[48]  $Confusion_{42/50/50\%}^{12}$ :  $\{elab\}_{50\%}$   $\{loc\}_{13\%}$   $\{agent\}_{13\%}$   $\{const\}_{8\%}$   $\{form\}_{8\%}$   $\{arg\}_{4\%}$   $\{other\}_{4\%}$  .

 $\{eval\}$ . Used in noun phrases where there is a descriptive relation between the nucleus and the isa SEMREL satellite. The relation is often a subjective description from the writer who either evaluates  $^{[60]}$  the relationship in a positive or negative manner.

 $Confusion_{50/50/50\%}^2$ : {arg}<sub>50%</sub> {eval}<sub>50%</sub>.



**{event}** . isa SEMREL [59]




#### film critics



 $\label{eq:form} \begin{tabular}{ll} \begin{tabular}{ll} \textbf{ form} \\ \begin{tabular}{ll} \textbf{ (const)}_{29\%} \textbf{ (const)}_{29\%} \textbf{ (const)}_{14\%} \textbf{ (const)}_{$ 

### baking powder

### country ham in julienne strips




 $\{func\}$  . Used in noun phrases where the satellite determinates the instrumental function of the isa SEMREL  $\,$  nucleus.

 $\begin{tabular}{ll} [55] & Confusion $^{45}_{51/100/51\%}$: $\{func\}_{51\%}$ $\{arg\}_{18\%}$ $\{goal\}_{11\%}$ $\{loc\}_{7\%}$ $\{about\}_{4\%}$ $\{const\}_{2\%}$ $\{iden\}_{2\%}$ $\{patient\}_{2\%}$ $\{other\}_{2\%}$ . } \end{tabular}$ 



 $\{goal\}$  . Used in noun phrases where the satellite determinates the goal or the intention for which is a SEMREL the nucleus is destinated.

 $\begin{array}{c} \left[54\right] \quad \text{Confusion}_{55/90/57\%}^{85}: \left. \{\text{goal}\right\}_{57\%} \left. \{\text{arg}\right\}_{15\%} \left. \{\text{func}\right\}_{6\%} \left. \{\text{loc}\right\}_{5\%} \left. \{\text{other}\right\}_{5\%} \left. \{\text{about}\right\}_{3\%} \left. \{\text{agent}\right\}_{2\%} \left. \{\text{patient}\right\}_{2\%} \left. \{\text{cause}\right\}_{1\%} \left. \{\text{const}\right\}_{1\%} \left. \{\text{recipient}\right\}_{1\%} \left. \{\text{quant}\right\}_{1\%}. \end{array}$ 




{iden} . Used in noun phrases where the satellite indicates the identity of the nucleus. In this case it is a SEMREL is also possible to equate the satellite to the nucleus i.e. that the nucleus represents the super type of the satellite.

Related types: {class}. Confusion  $^1_{0/100/0\%}$ : {func} $_{100\%}$  .



{location} The location where something is situated or happens. Used in noun phrases where there is is a SEMREL a deverbal relation between the nucleus and the satellite. Often realized as a prepositional object

Confusion $^{2}_{50/100/50\%}$ : {loc}<sub>50%</sub> {location}<sub>50%</sub>.



{loc} (deprecated {pos}). Used in noun phrases where the satellite indicates the location of the posiisa SEMREL tion or the location of nucleus.

 $\begin{array}{lll} \hbox{[57]} & Confusion_{47/82/55\%}^{94}: \{loc\}_{55\%} \ \{arg\}_{11\%} \ \{source\}_{7\%} \ \{goal\}_{5\%} \ \{patient\}_{4\%} \ \{func\}_{3\%} \ \{poss\}_{2\%} \ \{agent\}_{2\%} \ \{elab\}_{2\%} \\ & \{const\}_{1\%} \ \{form\}_{1\%} \ \{location\}_{1\%} \ \{apart\}_{1\%} \ \{about\}_{1\%} \ \{quant\}_{0\%} \ . \end{array}$ 



**{other}** *No specific semantic role.* Used when none of the other semantic roles are suitable or when isa SEMREL in doubt.


Confusion  $^{38}_{22/69/22\%}$ : {other}<sub>22%</sub> {arg}<sub>17%</sub> {goal}<sub>11%</sub> {poss}<sub>9%</sub> {loc}<sub>8%</sub> {source}<sub>8%</sub> {time}<sub>6%</sub> {class}<sub>5%</sub> {patient}<sub>4%</sub> {quant}<sub>3%</sub> {func}<sub>3%</sub> {elab}<sub>1%</sub> {about}<sub>1%</sub> {agent}<sub>1%</sub>.

**{patient}** An object or a person that is the subject of the action or the one who is located somewhere. is a SEMREL Used in noun phrases where there is a deverbal relation between the nucleus and the satellite.

[70] Often realized as a direct object

 $Confusion_{43/78/47\%}^{95}: \{patient\}_{47\%} \{arg\}_{20\%} \{about\}_{10\%} \{agent\}_{7\%} \{loc\}_{4\%} \{poss\}_{4\%} \{other\}_{2\%} \{goal\}_{2\%} \{quant\}_{1\%} \{func\}_{1\%} \{experiencer\}_{1\%} \{recipient\}_{1\%} \{time\}_{0\%}.$ 

#### bread producer




**{poss}** . Used in noun phrases where there is a possession relation between the nucleus and the isa SEMREL satellite. Often the satelitte is the owner or possessor of the nucleus.

 $[56] \quad Confusion_{38/76/41\%}^{32} : \{poss\}_{41\%} \; \{arg\}_{18\%} \; \{patient\}_{10\%} \; \{other\}_{10\%} \; \{loc\}_{6\%} \; \{const\}_{6\%} \; \{source\}_{6\%} \; \{agent\}_{2\%} \; .$ 




**{quant}** . Used in noun phrases where the satellite indicates the quantity in numbers or another isa SEMREL countable unit of the nucleus.

 $[65] \quad Confusion_{37/82/37\%}^{27} : \{quant\}_{37\%} \\ \{apart\}_{33\%} \\ \{arg\}_{7\%} \\ \{patient\}_{5\%} \\ \{other\}_{5\%} \\ \{agent\}_{4\%} \\ \{source\}_{4\%} \\ \{goal\}_{3\%} \\ \{loc\}_{2\%} \\ \{about\}_{1\%} \\ \{about\}_{1\%}$ 




**{recipient}** *The receiver of something.* Used in noun phrases where there is a deverbal relation between isa SEMREL the nucleus and the satellite. Often realized as an indirect object

[72]  $Confusion_{57/100/57\%}^{7}$ : {recipient}<sub>57%</sub> {loc}<sub>14%</sub> {patient}<sub>14%</sub> {goal}<sub>14%</sub> .




{resem} . Used in noun phrases where there is a resemblance between the nucleus and the satellite. is a SEMREL Confusion  $^2_{50/100/50\%}$ : {resem} $_{50\%}$  {goal} $_{50\%}$  .



**{source}** (deprecated {origin}). Used in noun phrases where the satellite is the source from which the isa SEMREL nucleus derives or is deduced.

 $\begin{tabular}{ll} [52] & Confusion $^{52}_{40/81/42\%}$: $\{source\}_{42\%} $\{arg\}_{15\%} $\{loc\}_{14\%} $\{time\}_{8\%} $\{const\}_{6\%} $\{other\}_{6\%} $\{agent\}_{4\%} $\{poss\}_{4\%} $\{quant\}_{2\%}$. } \end{tabular}$ 



 $\{time\}$  . Used in noun phrases where the satellite indicates some kind of temporal aspect of the isa SEMREL nucleus.

[58]  $\text{Confusion}_{55/69/71\%}^{31} : \{ \text{time} \}_{71\%} \ \{ \text{source} \}_{13\%} \ \{ \text{other} \}_{7\%} \ \{ \text{arg} \}_{7\%} \ \{ \text{about} \}_{1\%} \ \{ \text{patient} \}_{1\%} \ \{ \text{agent} \}_{1\%} \ .$ 



## 7.1 Qualia relations: QUALIA

**QUALIA** *Qualia role.* A qualia role. Ie, a semantic relation that links a lexeme to a qualia role associated is SEMREL with that lexeme. Eg, "music" to the act of "composing" (agentive), "listening" (telic), etc.

Subtypes: agentive const formal resemblance telic.

[41]

**agentive** *Agentive qualia.* A relation which describes the origin of an object. E.g., its creator, artifact, isa QUALIA natural kind, causal chain (cf. Pustejovsky 1995).

**const** *Constitutive qualia* (long: constitutive). A relation between an object and its constituents or isa QUALIA proper parts. E.g., material, weight, parts and component elements (cf. Pustejovsky 1995).

Confusion $^9_{0/100/0\pi}$ : ABOUT $_{33\%}$   $-_{22\%}$  CONST $_{22\%}$  MOD:qual $_{11\%}$  GOAL $_{11\%}$  .

```
QUALIA: qualia role
agentive: agentive qualia
const: constitutive qualia
formal: formal qualia
location: location qualia
resemblance: resemblance wrt. qualia role
""QUALIA: resemblance wrt. $qualia relation
telic: telic qualia
about: about qualia
```

Figure 7.2: The relations matching QUALIA-!CDT1.

```
formal Formal qualia. A property that distinguishes the object within a larger domain. E.g., its orientation, magnitude, shape, dimensionality, color, position (cf. Pustejovsky 1995).

Subtypes: location.

location Location qualia. A qualia role that relates a lexeme to its location qualia.

resemblance Resemblance wrt. qualia role. Resemblance wrt. some qualia role
isa QUALIA [44]

""QUALIA Resemblance wrt. $qualia relation. The property that distinguishes
isa RULE resemblance

teresemblance

teresemblance

teresemblance

teresemblance

teresemblance

teresemblance

A relation which describes the purpose and function of the object. E.g., the purpose of performing an act, the intended use of an artifact (cf. Pustejovsky 1995).

Subtypes: about.

About qualia. Relates to hyponym (subtype)
isa telic
[43]

Confusion About qualia. Relates to hyponym (subtype)
```

### 7.2 Thematic role relations: SEMROLE

Figure 7.3: The relations matching SEMROLE-!CDT1.

## **Chapter 8**

# Word alignment relations: **ALIGNMENT**

ALIGN: alignment level ALIGNREL: alignment relation ": unlabeled word alignment f: fuzzy word alignment


Figure 8.1: The relations matching ALIGNMENT-!CDT1-TOPIC.

ALIGN Alignment level (long: ALIGNMENT). The alignment level includes alignment relations as well isa DIM:LEVEL as lexical features associated with alignments.

[15] Subtypes: ALIGNREL.

ALIGNREL Alignment relation. An alignment relation encodes a translational isa ALIGN REL equivalence between two sets of words (and their associated phrases), either in terms of form [31] or meaning. Null alignments - ie, a set of words in one text which does not correspond to any set of words in the other text - are encoded as a set of words that is aligned to itself. Subtypes: "" f.

"" Unlabeled word alignment (long: align). An unlabeled word alignment is represented as a isa ALIGNREL word alignment where the label is an empty string. It is used to represent the default word [390] alignment, where there is full translational equivalence between the two sets of words.



f Fuzzy word alignment (long: fuzzy). A semantically fuzzy word alignment.

isa ALIGNREL



## Chapter 9

# Rule schemata for complex relations: RULE

RULE: generative type specification rule

""QUALIA: resemblance wrt. \$qualia relation

RuleAnd: conjunctive both-and type

RuleAttr: attribution

RuleAttrD: down-dependent in attribution RuleAttrH: down-head in attribution RuleDisc: syntactic discourse relation RuleExpConn: explicit connector RuleGap: gapping dependent RuleIdiom: idiomatic relation pattern RuleImpConn: implicit connector RuleMorph: syntactic morphlogy relation RuleOblAdv: valency-bound adverbial

RuleOr: disjunctive either-or type RulePar: disambiguated type RuleSec: secondary relation pattern

Figure 9.1: The relations matching RULE-!CDT1-TOPIC.

RULE Generative type specification rule. Generative type specification rules specify how type names is a ANY are created generatively using rules. A rule consists of a sequence of null-separated items which are either character sequences enclosed in double quotes or type names; parts of a rule may be enclosed in parentheses and followed by an optional repetition operator: "\*" (0 or more times), "+" (1 or more times), or "?" (0 or 1 times). When specifying the super types for a generated type, \$1 refers to the part of the type name matched within the first pair of parentheses, \$2 the part within the second pairs of parentheses, etc. Generated types may be used as super types.

For example, the rule "<"PRIM">" generates all relation names formed by enclosing any relation name from the "PRIM" hierarchy in angle brackets. "<"PRIM("."PRIM)\*">" generates all relation names formed by enclosing a "."-separated sequence of "PRIM" relation names in angle brackets.

Subtypes: ""QUALIA RuleAnd RuleAttr RuleAttrD RuleAttrH RuleDisc RuleExpConn RuleGap RuleIdiom RuleImpConn RuleMorph RuleOblAdv RuleOr RulePar RuleSec.

"QUALIA Resemblance wrt. \$qualia relation. The property that distinguishes

[45]

RuleAnd Conjunctive both-and type (long: (REL)"&"(REL)). Conjunctive both-and relation types can isa RULE be formed as "&"-separated lists of relation types. Conjunctive relation types are used by [365] the annotators when two or more relation types seem to hold simultaneously. They may be removed from later versions of the CDT treebanks.

**RuleAttr** *Attribution* (long: (PRIM)"/ATTR"INTEGER). Specifies the person to whom the utterance is isa RULE attributed (ATTR or ATTR1, ATTR2, ... when there is more than one person) [377]


**RuleAttrD** *Down-dependent in attribution* (long: DISC"\*"). The dependent in the relation is one step isa RULE further down in the attribution chain [379]

**RuleAttrH** *Down-head in attribution* (long: "\*"DISC). The head in the relation is one step further down in isa RULE the attribution chain [378]


**RuleDisc** Syntactic discourse relation (long: "¤"(PRIM)). A primary syntactic relation that has been used is DISC RULE as a discourse relation for stilistic purposes.
[372]

**RuleExpConn** Explicit connector (long: PRIM"/"CONNECTOR). The discourse relation has explicit connector is a RULE \$CONNECTOR [380]

RuleGap Gapping dependent (long: "<"PRIM(":"PRIM)\*":"INTEGER">"). A gapping dependency relation is formed by using angled brackets to enclose a colon-separated list of primary relations followed by an integer that indicates the number of the gapped conjunct, starting with 1. The list of primary relations describes the path from the head of the gapped conjunct to the gapping dependent within the gapped conjunct, viewed as a copy of the tree structure within the first conjunct.



RuleIdiom Idiomatic relation pattern (long: (SEMREL)"#"). A semantic relation can be marked as idisa IDIOM RULE iomatic by putting a trailing "#" after the semantic relation name. The idiom marker is only used with semantic relations, not with syntactic relations.




**RuleImpConn** *Implicit connector* (long: PRIM"/("CONNECTOR")"). The discourse relation has implicit conical RULE nector \$CONNECTOR

[381]

**RuleMorph** Syntactic morphlogy relation (long: "§"(PRIM)). A primary syntactic relation that has been is a MORPH RULE used as a morphology relation for stilistic purposes.
[373]

 $\label{eq:comp_rule} \textbf{RuleOblAdv} \ \ \textit{Valency-bound adverbial} \ (\text{long: "@"ADVERB}). \ An adverbial \ relation \ can be marked as obligaisa \ COMP \ RULE \ tory \ by \ putting "@" in front of the relation name.$ 

[371] Related types: cont dir dur ext hab loc prec succ time.




RuleOr Disjunctive either-or type (long: (REL)"|"(REL)). Disjunctive either-or relation types can be isa RULE formed as "|"-separated lists of relation types. Disjunctive relations types are used by the annotators when one of the relation types in the disjunction seems to provide the right label for the relation, but it is difficult to decide which one of them is most appropriate. They may be removed from later versions of the CDT treebanks.

**RulePar** *Disambiguated type* (long: "("(REL)")"). Relation types can be disambiguated by enclosing isa RULE them in parentheses. The need for disambiguation normally only arises when specifying [367] conjunctive or disjunctive types.

**RuleSec** *Secondary relation pattern* (long: "["PRIM"]"). A secondary relation name is formed by enisa RULE SEC closing a primary relation name in square brackets.

[369] Related types: SEC.



# Chapter 10

# **Ontological relations: ONTOLOGY**

ONT: ontology level ONTOCLASS: ontological class ¤top: ontological entity ¤abstract: abstract entity aconcrete: concrete entity

Figure 10.1: The relations matching ONTOLOGY-!CDT1-TOPIC.

ONT Ontology level (long: ONTOLOGY). The ontological level includes relations between lexical  $is a \ DIM: LEVEL \ \ elements \ construed \ as \ ontological \ units, \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ and \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ associated \ with \ ontological \ units \ as \ well \ as \ lexical \ features \ as \ ontological \ units \ as \ units \ units \ as \ units \ units \ as \ units \ u$ [13] units.

Subtypes: ONTOCLASS.

ONTOCLASS Ontological class. A class in the ontology. The ontology encodes a classification of all lexical isa FEAT ONT elements with respect to their natural kind. [460]

Subtypes: ¤top.

**¤top** Ontological entity.

isa ONTOCLASS Subtypes: ¤abstract ¤concrete.

[461]

pabstract Abstract entity.

isa ¤top

**"condrete** Concrete entity.

isa ¤top [463]

# Chapter 11

# Deprecated relations from the CDT1 annotation: CDT1

```
CDT1: Deprecated CDT1 relations
   CDT1ADJ: Deprecated CDT1 adjunct relations
      err: Deprecated error relation.
      list: Deprecated list element.
      mod: modifier/adverbial
          modo: object-oriented modifier
          modp: parenthetic modifier
          modr: restrictive modifier
      mods:
      obl:
   CDT1COMP: Deprecated CDT1 complement relations
      lobj: Deprecated locative object.
      tobj: Deprecated temporal object.
   CDT1GAP: Deprecated CDT1 gap relations
      <avobj>:
       <dobj>:
      <lobj>:
       <mod>:
      <nobj>:
      <pobj:nobj>:
      <pobj>:
      <possd>:
      <pred>:
      <qobj>:
       <subj:pobj>:
      <subj>:
      <vobj>:
       <xpl>:
```

Figure 11.1: The relations matching CDT1.

```
CDT1 Deprecated CDT1 relations. Deprecated relations from the CDT1+2 treebanks. isa ANY [395] Subtypes: CDT1ADJ CDT1COMP CDT1GAP.
```

CDT1ADJ Deprecated CDT1 adjunct relations. Deprecated adjunct relations from the CDT1+2 tree-isa CDT1 SYNADJ


banks.

Subtypes: err list mod mods obl rep.

err Deprecated error relation.. Deprecated error relation. Used when connecting two phrases is a CDT1ADJ that do not fit together, often because of errors in the text. [402]



list Deprecated list element. Deprecated list element. Used when two or more phrases form is a CDT1ADJ a unit, but the internal structure is hard to analyze with the existing set of relations (eg, addresses, phone numbers, etc). The secondary elements are analyzed as list adjuncts of the first element.



 ${\bf mod} \ \ {\it Modifier/adverbial}. \ {\it Deprecated name for adverbials}$ 

isa CDT1ADJ Subtypes: modo modp modr. [421]

modo Object-oriented modifier. Deprecated name for object-oriented modifiers

isa mod

modp Parenthetic modifier. Deprecated name for parenthetic modifiers

isa mod Related types: {elab}.

modr Restrictive modifier. Deprecated name for restrictive modifiers

isa mod [422] **mods** 

mods

isa CDT1ADJ

[4**6**16] .

isa CDT1ADJ

[40ep] .

isa CDT1ADJ

**CDT1COMP** *Deprecated CDT1 complement relations.* Deprecated complement relations from the CDT1+2 is a CDT1 SYNCOMP treebanks.

[396] Subtypes: lobj tobj.

lobj Deprecated locative object.. Deprecated locative object.

isa CDT1COMP

[399]



tobj Deprecated temporal object.. Deprecated temporal object.

isa CDT1COMP [400]

It **lasted** two hours

CDT1GAP Deprecated CDT1 gap relations. Deprecated gapping relations from the CDT1+2 treebanks.

isa CDT1 gapd Subtypes: <avobj> <dobj> <lobj> <mod> <nobj> <pobj:nobj> <pobj> <pobj> <pobj> <pobj> <pobj> <subj:pobj> <subj> <vobj> <xpl>.

<avobj> .

isa CDT1GAP

<db499 .

isa CDT1GAP

<16468 .

isa CDT1GAP

<m\(\delta\) .

isa CDT1GAP

<n646)5. isa CDT1GAP

<pobj:nbbp .</pre>

isa CDT1GAP

<pb/>pbbp. . isa CDT1GAP

<possible .

isa CDT1GAP

cpfetB
.

isa CDT1GAP

<q64073 .

isa CDT1GAP

<subj:pbbb. .

isa CDT1GAP

<s[Abj3] .

isa CDT1GAP

<v[40] .

isa CDT1GAP

< k/pl |

isa CDT1GAP

[416]

# Chapter 12

# Relations misplaced outside the ANY hierarchy

MISPLACED: misplaced relation §interfix:

Figure 12.1: The relations matching -ANY.

MISPLACED Misplaced relation. A misplaced relation. A relation is misplaced if it fails to have "ANY" [6] as a transitive super type. This should never happen, and the problem must be corrected if a misplaced relation shows up in the misplaced relations table.

§interfix . [277]

# Chapter 13

# **Annotation topics:: TOPICS**

Figure 13.1: The relations matching TOPICS-DIM.

# Appendix A

## Overview tables

The tables in this section lists all the relations in the Copenhagen Dependency Treebanks, repeated from the preceding sections.

ANY: formal top node

CDT1: Deprecated CDT1 relations

DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: annotation type RULE: generative type specification rule

TOPIC: annotation topic

The relations matching ANY-!DIM:LEVEL-!DIM:TYPE-!RULE-!TOPIC-!CDT1.

DIM:LEVEL: dimension: linguistic level

ALIGN: alignment level ANA: anaphor level DISC: discourse level MORPH: morphology level ONT: ontology level SEM: semantic level SYN: syntax level

The relations matching DIM:LEVEL-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!RULE-!TOPICS-!CDT1.

DIM:TYPE: dimension: annotation type

FEAT: lexical feature

REL: directed bilexical relation IDIOM: idiomatic relation

RuleIdiom: idiomatic relation pattern

LAND: landing relation fill: licensed filler

land: landed lexical element PRIM: primary dependency relation

+: segment concatenation ADJ: adjunct relation COMP: complement relation

RuleOblAdv: valency-bound adverbial

SEC: secondary dependency relation RuleSec: secondary relation pattern repl: replacement in gapping coordination

The relations matching DIM:TYPE-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!TOPICS-!CDT1.

SYN: syntax level

SYNADJ: syntactic adjunct

SYNCOMP: syntactic complement

The relations matching SYNTAX-!SYNCOMP-!SYNADJ-!CDT1-TOPIC.

89

```
SYNCOMP: syntactic complement
   @space: valency-bound location/direction adverbial
   @time: valency-bound time adverbial
   avobj: adverbial object
   dobj: direct object
   fobj: filler object
   gobj: genitive object
   iobj: indirect object
   nobj: nominal object
   numa: additive numeral complement
   numm: multiplicative numeral complement
   part: verbal particle
   pobj: prepositional object
   possd: possessed complement
   possr: possessor complement
   pred: predicative
       predo: object predicative
       preds: subject predicative
   qobj: quotational object
   robj: reflexive object
   subj: subject
       expl: expletive subject
   vobj: verbal object
```

## The relations matching SYNCOMP-!CDT1-TOPIC.

```
SYNADJ: syntactic adjunct
   ADVERB: adverbial
   app: apposition
       appa: parenthetic apposition (comma)
          xpl: explication
       appr: restrictive apposition (no comma)
   attrg: genitive attributive
   conj: conjunct relation
   coord: coordinator relation
   correl: correlative coordinator relation
   fpred: free predicative
       fpredo: free direct-object predicative
       fpreds: free subject predicative
   gapd: gapping dependent
       RuleGap: gapping dependent
   name: part of name
       namef: first name
       namel: last name
       title: person title
   pnct: punctuation
   rel: relative clause
       relelab: elaborating relative clause
       relpa: parenthetic relative clause
       relr: restrictive relative clause
   voc: vocative
   xtop: external topic with resuming pronoun
```

### The relations matching SYNADJ-!CDT1-!ADVERB-TOPIC.

```
ADVERB: adverbial
   agent: agent adverbial
   cause: causation adverbial
       goal: goal adverbial
   conc: concession adverbial
   concom:
   cond: condition adverbial
   cons: consequence adverbial
   event: Adverbial expressing an event
   exem: example adverbial
   man: manner adverbial
       accom: companionship adverbial
       inst: instrument adverbial
   neg: negation adverbial
   other: other adverbial
   prg: pragmatic adverbial
       discmark: sentence-initial discourse marker
       epi: epistemic adverbial
       eval: evaluation adverbial
       focal: focalizer adverbial
       scene: pragmatic condition and structural adverbial
          add: additive adverbial
          contr: contrast adverbial
          elab: elaboration adverbial
   quant: degree adverbial
   resem: comparison adverbial
   source: source attribution adverbial
   space: space adverbial
       dir: direction adverbial
       loc: location adverbial
   time: time adverbial
       iter: habituality adverb
```

The relations matching ADVERB-!CDT1-TOPIC.

```
MORPH: morphology level
MORPHCOMP: compositional semantic relations
MORPHDERIV: derivational semantic relations
RuleMorph: syntactic morphlogy relation
```

The relations matching MORPHOLOGY-!CDT1-!MORPHCOMP-!MORPHDERIV-TOPIC.

```
MORPHCOMP: compositional semantic relations

§ABOUT: noun-noun compound (about)

§AGENT:MC: noun-noun compound (agentive)

§CONST: noun-noun compound (constitutive)

§DOBJ.patient:

§EVAL: noun-noun compound (evaluative)

§FUNC: noun-noun compound (function)

§GOAL: noun-noun compound (goal)

§LOC: noun-noun compound (position)

§OTHER: noun-noun compound (other)

§POSS: noun-noun compound (possession)

§RESEM: noun-noun compound (resemblance)

§SOURCE: noun-noun compound (origin)

§TIME:MC: noun-noun compound (time)
```

The relations matching MORPHCOMP-!CDT1-TOPIC.

```
MORPHDERIV: derivational semantic relations
PREFIX: semantic relations appearing with prefixes
SUFFIX: semantic relations appearing with suffixes
```

The relations matching MORPHDERIV-!CDT1-!PREFIX-!SUFFIX-TOPIC.

```
PREFIX: semantic relations appearing with prefixes
   §AGENT: agentive
   §ITER: iteration
   §MOD: modification
      §MOD:eval: evaluation
      §MOD:qual: qualification
       §MOD:quant: quantification
   §NEG: negation
      §NEG:contr: contrast
      §NEG:priv: privation
      §NEG:rev: reversion
   §PRE:other: other prefix relation
   §SPACE: space
      §SPACE:dir: direction
      §SPACE:loc: location
      §SPACE:source: source
   §TELIC: telic
   §TIME: time
      §TIME:post: temporal succession
      §TIME:pre: temporal precedence
   §TRANS: transitivity
```

### The relations matching PREFIX-!CDT1-TOPIC.

```
SUFFIX: semantic relations appearing with suffixes
   §AUG: augmentation
   §DENUM: adjective-numeral derivation
      §DENUM:apart: adjective-partitive derivation
       §DENUM:ord: adjective-ordinal derivation
      §DENUM:quant: adjective-multiplicative derivation
   §DER: verb derivation
       §DERadvv: adverb-verb derivation
       §DERav: adjective-verb derivation
       §DERnv: noun-verb derivation
       §DERva: verb-adjective derivation
          §DERva:act: verb-adjective derivation (pure)
             §DERva:act.disp: verb-adjective derivation (disposition)
             §DERva:act.epi: verb-adjective derivation (potentiality)
          §DERva:pas: verb-adjective derivation (passive)
             §DERva:pas.deon: verb-adjective derivation (passive deontic)
             §DERva:pas.epi: verb-adjective derivation (passive potentiality)
             §DERva:pas.part: verb-adjective derivation (passive participles)
       §DERvn: verb-noun derivation
          §DERvn:agent: verb-noun derivation (agent)
          §DERvn:core: verb-noun derivation (core)
          §DERvn:exper: verb-noun derivation (experiencer)
          §DERvn:loc: verb-noun derivation (location)
          §DERvn:other: verb-noun derivation (other)
          §DERvn:patient: verb-noun derivation (patient)
          §DERvn:recip: verb-noun derivation (recipient)
       §DERvv: verb-verb derivation
   §DERan:qual: adjective derivation
   §DERna: noun-adjective derivation
       §DERna:deono: noun-adjective derivation (naming)
          §DERna:deono.loc: noun-adjective derivation (naming places)
          §DERna:deono.pers: noun-adjective derivation (naming persons)
       §DERna:disp: noun-adjective derivation (disposition)
       §DERna:other: noun-adjective derivation (other)
       §DERna:poss: noun-adjective derivation (possession)
       §DERna:rel: noun-adjective derivation (relational)
          §DERna:rel.norm: noun-adjective derivation (normal)
       §DERna:resem: noun-adjective derivation (resemblance)
       §DERna:telic: noun-adjective derivation (effect)
   §DERnn: noun-noun derivation
       §DERnn:agent: noun-noun derivation (agent)
       §DERnn:assoc: noun-noun derivation (association)
       §DERnn:capac: noun-noun derivation (capacity)
       §DERnn:cont: noun-noun derivation (container)
       §DERnn:loc: noun-noun derivation (location)
       §DERnn:other: noun-noun derivation (other)
       §DERnn:quant: noun-noun derivation (quantification)
       §DERnn:telic: noun-noun derivation (telic)
       §DERnn:time: noun-noun derivation (time)
   &DERv:
   §DIMIN: diminution
   §PEJ: pejoration
```

## The relations matching SUFFIX-!CDT1-TOPIC.

DISC: discourse level

DISCOTHER: other discourse relations

JOINT: no clear relation

REP: repaired SCENE: scene

DISCPRAG: pragmatic and illocutionary discourse relations

DISCSEM: semantic discourse relations RuleDisc: syntactic discourse relation

The relations matching DISCOURSE-!CDT1-!DISCFUNC-!DISCSEM-TOPIC.

DISCPRAG: pragmatic and illocutionary discourse relations

ANSW: answer

CONSOL: consolidation

CONSOL:inst: instrumental CONSOL:motiv: motivation CONSOL:source: source

DIREC: directive act
EXPR: expressive act
INTACT: interaction signals
INTACT:attn: attention
INTACT:inter: interruption

INTACT:start: start signal INTACT:stop: stop

QUEST: question

The relations matching DISCFUNC-!CDT1-TOPIC.

DISCSEM: semantic discourse relations

AGENTIVE: cause relation (discourse)

AGENTIVE:expl: explanation relation in discourse

AGENTIVE:reas: reason relation (discourse)

AGENTIVE:sbj: subjective cause

CONC: concession COND: condition CONJ: conjunction

CONJ:add: conjunction, addition CONJ:elab: conjunction, elaboration CONJ:seq: conjunction, sequence CONST: constitutive elaboration relation

CONST:apart: part of relation CONST:elab: elaboration CONST:exem: exemplification CONST:rest: restatement

CONTR: contrast

CONTR:dir: direct contrast CONTR:sbj: subjective contrast

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:sbj: subjective disjunction FORMAL: formal description

FORMAL:descr: neutral description FORMAL:eval: positive/negative evaluation

TELIC: consequence/result/conclusion/goal relation (discourse)

TELIC:cons.dir: direct, physical consequence, result TELIC:cons.sbj: pragmatic/personal conclusion, deduction

TELIC:goal: goal relation (discourse)

TIME: temporal relation

TIME:cont: contemporaneity TIME:post: temporal succession TIME:pre: temporal precedence

The relations matching DISCSEM-!CDT1-TOPIC.

ANA: anaphor level

ANAREL: anaphor-antecedent relation

anaphor:

assoc: associative anaphor

coref: coreference

The relations matching ANAPHORA-!CDT1-!coref-!assoc-TOPIC.

```
coref: coreference
    coref-evol: evolving anaphor
    coref-iden: coreferential NP with lexical identity
    coref-res: resumptive anaphor
        coref-res.prg: pragmatic resumptive anaphor
        coref-var: coreferential NP with lexical variety
    ref: syntactically determined coreference
```

The relations matching coref-!CDT1-TOPIC.

```
assoc: associative anaphor
   assoc-OTHER: other anaphoric relations
       assoc-event: associative anaphor (event)
       assoc-loc: associative anaphor (location)
       assoc-time: associative anaphor (time)
   assoc-QUALIA: associative anaphor wrt. qualia
       assoc-agentive: associative anaphor (agentive)
          assoc-agentive.agent: associative anaphor (agentive-agent)
       assoc-const: associative anaphor (constitutive)
       assoc-formal: associative anaphor (formal)
       assoc-telic: associative anaphor (telic)
          assoc-telic.agent: associative anaphor (telic-agent)
          assoc-telic.exper: associative anaphor (telic-experiencer)
          assoc-telic.inst: associative anaphor (telic-instrument)
          assoc-telic.patient: associative anaphor (telic-patient)
          assoc-telic.rec: associative anaphor (telic-recipient)
   assoc-SEMROLE: associative anaphor wrt. semantic role
       assoc-agent: associative anaphor (agent)
       assoc-exper: associative anaphor (experiencer)
       assoc-inst: associative anaphor (instrument)
       assoc-patient: associative anaphor (patient)
       assoc-rec: associative anaphor (recipient)
```

The relations matching assoc-!CDT1-TOPIC.

6

```
SEM: semantic level
    SEMREL: semantic role
        QUALIA: qualia role
        {about}:
        {agent}: An object or a person that performs an action
        {apart}:
        {arg}:
        {cause}:
        {class}:
        {const}:
        {elab}:
        {eval}:
        {event}:
        {experiencer}: The receiver of an emotion or a physical impact
        {form}:
        {func}:
        {goal}:
        {iden}:
        {location}: The location where something is situated or happens
        {loc}:
        {other}: No specific semantic role
        {patient}: An object or a person that is the subject of the action or the one who
is located somewhere
        {poss}:
        {quant}:
        {recipient}: The receiver of something
        {resem}:
        {source}:
        {time}:
```

The relations matching SEMANTICS-!CDT1-!QUALIA-!SEMROLE-TOPIC.

```
QUALIA: qualia role
agentive: agentive qualia
const: constitutive qualia
formal: formal qualia
location: location qualia
resemblance: resemblance wrt. qualia role
""QUALIA: resemblance wrt. $qualia relation
telic: telic qualia
about: about qualia
```

The relations matching QUALIA-!CDT1.

### The relations matching SEMROLE-!CDT1.

ALIGN: alignment level

ALIGNREL: alignment relation
"": unlabeled word alignment
f: fuzzy word alignment

The relations matching ALIGNMENT-!CDT1-TOPIC.

RULE: generative type specification rule

""QUALIA: resemblance wrt. \$qualia relation

RuleAnd: conjunctive both-and type

RuleAttr: attribution

RuleAttrD: down-dependent in attribution RuleAttrH: down-head in attribution RuleDisc: syntactic discourse relation RuleExpConn: explicit connector RuleGap: gapping dependent RuleIdiom: idiomatic relation pattern RuleImpConn: implicit connector RuleMorph: syntactic morphlogy relation RuleOblAdv: valency-bound adverbial RuleOr: disjunctive either-or type RulePar: disambiguated type RuleSec: secondary relation pattern

The relations matching RULE-!CDT1-TOPIC.

ONT: ontology level

ONTOCLASS: ontological class

¤top: ontological entity

¤abstract: abstract entity

¤concrete: concrete entity

The relations matching ONTOLOGY-!CDT1-TOPIC.

```
CDT1: Deprecated CDT1 relations
   CDT1ADJ: Deprecated CDT1 adjunct relations
      err: Deprecated error relation.
      list: Deprecated list element.
      mod: modifier/adverbial
          modo: object-oriented modifier
          modp: parenthetic modifier
          modr: restrictive modifier
      mods:
      obl:
      rep:
   CDT1COMP: Deprecated CDT1 complement relations
      lobj: Deprecated locative object.
      tobj: Deprecated temporal object.
   CDT1GAP: Deprecated CDT1 gap relations
      <avobj>:
      <dobj>:
      <lobj>:
      <mod>:
      <nobj>:
      <pobj:nobj>:
      <pobj>:
      <possd>:
      <pred>:
      <qobj>:
      <subj:pobj>:
      <subj>:
      <vobj>:
      <xpl>:
```

The relations matching CDT1.

```
MISPLACED: misplaced relation §interfix:
```

The relations matching -ANY.

# Appendix B

# Agreement and confusion tables

In the following tables, the columns are interpreted as follows:

- *Relation name R:* the name of the relation.
- *Full labeled agreement A:* the probability that another annotator assigns the same label and out-node to the relation.
- Unlabeled agreement  $A_U$ : the probability that another annotator assigns the same outnode (but not necessarily label) to the relation.
- Label agreement  $A_L$ : the probability that another annotator assigns the same label (but not necessarily out-node) to the relation.
- *Relation count N*: the number of distinct multiply annotated tokens in the corpus that were annotated with the relation by at least one annotator.
- *Confusion table:* the relations that other annotators used, with a percentage that indicates the probability that each relation was used by the other annotator instead of *R*

Note that nodes with multiple incoming relations (eg, secondary relations) will lower the agreement artificially.

## **B.1** Confusion table: syntax

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
att	1	100/100/100%	$att_{100\%}$
namel	8	100/100/100%	$namel_{100\%}$
VOC	3	100/100/100%	$voc_{100\%}$
xtop	4	100/100/100%	$xtop_{100\%}$
expl	62	89/97/89%	$expl_{89\%}$ $subj_{9\%}$ $preds_{2\%}$ $time_{1\%}$ $pobj_{1\%}$
namef	168	85/88/87%	$\begin{array}{llllllllllllllllllllllllllllllllllll$

subj	1433	81/83/82%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
nobj	3396	79/85/82%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
pnct	2136	78/80/85%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
neg	130	76/87/78%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
xpl	21	76/86/76%	$xpl_{76\%}$ $conj_{6\%}$ $pobj_{6\%}$ $other_{5\%}$ $nobj_{4\%}$ $subj_{1\%}$ $vobj_{1\%}$ $preds_{1\%}$ $pnct_{1\%}$ $title_{1\%}$
dobj	903	76/85/77%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
vobj	1092	75/85/76%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
possd	307	75/80/77%	possd $_{77\%}$ nobj $_{7\%}$ attr $_{3\%}$ pnct $_{3\%}$ vobj $_{1\%}$ pobj $_{1\%}$ dobj $_{1\%}$ coord $_{1\%}$ subj $_{1\%}$ conj $_{1\%}$ time $_{1\%}$ relr $_{1\%}$ quant $_{1\%}$ inst $_{0\%}$ aobj $_{0\%}$ numm $_{0\%}$ scene $_{0\%}$ loc $_{0\%}$ preds $_{0\%}$ other $_{0\%}$ possr $_{0\%}$ namef $_{0\%}$ conc $_{0\%}$ neg $_{0\%}$ focal $_{0\%}$ cond $_{0\%}$ numa $_{0\%}$ event $_{0\%}$ add $_{0\%}$ iobj $_{0\%}$ title $_{0\%}$ appr $_{0\%}$ appa $_{0\%}$ concom $_{0\%}$ name $_{0\%}$

conj	689	74/76/76%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
qobj	73	73/73/73%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
cause	52	73/81/81%	$\begin{array}{c} cause_{81\%} \ attr_{6\%} \ conj_{2\%} \ time_{2\%} \ cons_{2\%} \ pobj_{2\%} \ subj_{1\%} \\ dobj_{1\%} \ other_{1\%} \ pnct_{1\%} \ iter_{1\%} \ nobj_{1\%} \ name_{1\%} \ vobj_{1\%} \end{array}$
coord	525	70/76/71%	$\begin{array}{c} coord_{71\%} \   nobj_{7\%} \   discmark_{3\%} \   pnct_{3\%} \   attr_{2\%} \   subj_{2\%} \\ pobj_{2\%} \   dobj_{2\%} \   conj_{1\%} \   vobj_{1\%} \   qobj_{1\%} \   time_{1\%} \   preds_{1\%} \\ possd_{1\%} \   contr_{0\%} \   scene_{0\%} \   neg_{0\%} \   loc_{0\%} \   accom_{0\%} \   part_{0\%} \\ numm_{0\%} \   appa_{0\%} \   appr_{0\%} \   other_{0\%} \   quant_{0\%} \   goal_{0\%} \\ possr_{0\%} \   concom_{0\%} \   namef_{0\%} \   title_{0\%} \   fpredo_{0\%} \   inst_{0\%} \\ eval_{0\%} \   relr_{0\%} \   conc_{0\%} \   focal_{0\%} \   add_{0\%} \   iter_{0\%} \   avobj_{0\%} \\ predo_{0\%} \   prg_{0\%} \   source_{0\%} \end{aligned}$
cond	36	69/78/75%	$\begin{array}{cccc} cond_{75\%} & nobj_{7\%} & time_{5\%} & subj_{4\%} & man_{3\%} & preds_{1\%} & dobj_{1\%} \\ conj_{1\%} & possd_{1\%} & numm_{1\%} & vobj_{1\%} & attr_{1\%} & fpredo_{1\%} \\ other_{1\%} & pnct_{1\%} & \end{array}$
add	66	67/90/67%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
numa	6	67/88/67%	$numa_{67\%} nobj_{21\%} attr_{4\%} dobj_{4\%} possd_{4\%}$
title	39	67/73/67%	$\begin{array}{lll} \mbox{title}_{67\%} & \mbox{nobj}_{13\%} & \mbox{subj}_{3\%} & \mbox{appr}_{3\%} & \mbox{dobj}_{3\%} & \mbox{pnct}_{2\%} & \mbox{attr}_{2\%} \\ \mbox{conj}_{2\%} & \mbox{vobj}_{2\%} & \mbox{preds}_{1\%} & \mbox{coord}_{1\%} & \mbox{name}_{1\%} & \mbox{neg}_{0\%} & \mbox{possd}_{0\%} \\ \mbox{agent}_{0\%} & \mbox{numm}_{0\%} & \mbox{pobj}_{0\%} & \mbox{xpl}_{0\%} \end{array}$
preds	514	66/89/66%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
quant	187	65/78/68%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
exem	17	65/65/82%	$\begin{array}{lll} exem_{82\%} & subj_{4\%} & conj_{3\%} & other_{3\%} & attr_{2\%} & source_{2\%} \\ namef_{1\%} & nobj_{1\%} & dobj_{1\%} & goal_{1\%} & pobj_{1\%} \end{array}$
appr	50	64/71/64%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
iobj	25	64/98/64%	$\begin{array}{lll} iobj_{64\%} & dobj_{20\%} & robj_{12\%} & pnct_{2\%} & subj_{1\%} & nobj_{1\%} & attr_{1\%} \\ possd_{1\%} & & & & & & & & & \\ \end{array}$

pobj	765	61/79/62%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
avobj	38	61/88/61%	avobj $_{61\%}$ part $_{8\%}$ other $_{8\%}$ quant $_{5\%}$ subj $_{3\%}$ conj $_{3\%}$ aobj $_{3\%}$ loc $_{3\%}$ pobj $_{3\%}$ nobj $_{1\%}$ pnct $_{1\%}$ namef $_{1\%}$ man $_{1\%}$ appa $_{1\%}$ attr $_{0\%}$ coord $_{0\%}$ numm $_{0\%}$
attr	1310	59/72/64%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
time	322	56/71/61%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
cons	14	50/86/64%	$cons_{64\%} \ time_{21\%} \ inst_{7\%} \ cause_{7\%}$
elab	4	50/75/50%	$elab_{50\%}$ $prg_{25\%}$ $quant_{25\%}$
eval	53	49/84/51%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
loc	243	48/84/51%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
appa	50	48/49/54%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
man	125	47/78/52%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
correl	11	46/65/46%	correl $_{46\%}$ subj $_{10\%}$ add $_{9\%}$ focal $_{9\%}$ other $_{9\%}$ nobj $_{5\%}$ pnct $_{5\%}$ dobj $_{3\%}$ conj $_{2\%}$ appr $_{1\%}$ appa $_{1\%}$ pobj $_{1\%}$
part	33	46/70/46%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
name	46	41/63/44%	$\begin{array}{llllllllllllllllllllllllllllllllllll$

dir	75	40/95/40%	$dir_{40\%}\ loc_{39\%}\ pobj_{12\%}\ other_{3\%}\ part_{1\%}\ attr_{1\%}\ dobj_{1\%} \ man_{1\%}\ pnct_{1\%}$
focal	40	35/53/48%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
contr	26	35/85/35%	$\begin{array}{ll} contr_{35\%} \ discmark_{15\%} \ conc_{12\%} \ scene_{8\%} \ coord_{8\%} \ nobj_{6\%} \\ pnct_{5\%} \ prg_{4\%} \ other_{4\%} \ dobj_{2\%} \ relr_{1\%} \ attr_{1\%} \ subj_{1\%} \end{array}$
agent	21	33/73/33%	agent <sub>33%</sub> pobj <sub>33%</sub> nobj <sub>11%</sub> attr <sub>5%</sub> pnct <sub>5%</sub> subj <sub>3%</sub> dobj <sub>2%</sub> conj <sub>2%</sub> preds <sub>1%</sub> scene <sub>1%</sub> numm <sub>1%</sub> title <sub>1%</sub> neg <sub>1%</sub> vobj <sub>1%</sub>
ері	21	33/63/38%	$\begin{array}{lll} epi_{38\%} \; nobj_{15\%} \; man_{11\%} \; other_{10\%} \; eval_{10\%} \; pnct_{6\%} \; subj_{4\%} \\ relr_{2\%} \; \; part_{1\%} \; \; pobj_{1\%} \; \; attr_{1\%} \; \; quant_{1\%} \; \; vobj_{1\%} \end{array}$
scene	54	32/57/34%	scene $_{34\%}$ attr $_{9\%}$ subj $_{7\%}$ nobj $_{5\%}$ add $_{4\%}$ contr $_{4\%}$ goal $_{4\%}$ loc $_{4\%}$ coord $_{3\%}$ pnct $_{3\%}$ vobj $_{3\%}$ preds $_{3\%}$ time $_{2\%}$ conj $_{2\%}$ part $_{2\%}$ man $_{2\%}$ other $_{2\%}$ inst $_{2\%}$ dobj $_{2\%}$ possd $_{1\%}$ namef $_{1\%}$ neg $_{1\%}$ relr $_{1\%}$ pobj $_{1\%}$ iter $_{1\%}$ agent $_{1\%}$ event $_{0\%}$
aobj	39	31/67/31%	${ m aobj}_{31\%}$ ${ m nobj}_{25\%}$ ${ m attr}_{19\%}$ ${ m preds}_{5\%}$ ${ m vobj}_{4\%}$ ${ m focal}_{3\%}$ ${ m avobj}_{3\%}$ ${ m possd}_{3\%}$ ${ m man}_{3\%}$ ${ m pnct}_{2\%}$ ${ m concom}_{1\%}$ ${ m dobj}_{1\%}$ ${ m possr}_{1\%}$ ${ m conj}_{0\%}$ ${ m name}_{0\%}$
source	13	31/77/31%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
relr	187	30/74/33%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
relpa	17	29/100/29%	$relr_{65\%}$ $relpa_{29\%}$ $rel_{6\%}$
inst	31	29/75/32%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
conc	20	25/60/25%	$\begin{array}{cccc} conc_{25\%} & contr_{15\%} & prg_{10\%} & other_{10\%} & pobj_{7\%} & nobj_{7\%} \\ conj_{6\%} & attr_{6\%} & pnct_{5\%} & dobj_{3\%} & subj_{2\%} & possd_{1\%} & appr_{1\%} \\ coord_{1\%} & \end{array}$
goal	60	25/64/30%	$\begin{array}{lll} goal_{30\%} \;\; pobj_{24\%} \;\; nobj_{9\%} \;\; attr_{9\%} \;\; subj_{5\%} \;\; dobj_{4\%} \;\; scene_{3\%} \\ man_{3\%} \;\; pnct_{2\%} \;\; fpredo_{2\%} \;\; other_{2\%} \;\; vobj_{2\%} \;\; preds_{1\%} \;\; time_{1\%} \\ coord_{1\%} \;\; accom_{1\%} \;\; conj_{1\%} \;\; numm_{0\%} \;\; namef_{0\%} \;\; exem_{0\%} \end{array}$
numm	59	21/31/21%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
accom	26	19/60/23%	$\begin{array}{lll} man_{27\%} & accom_{23\%} & nobj_{12\%} & attr_{10\%} & coord_{5\%} & pnct_{5\%} \\ other_{4\%} & pobj_{4\%} & vobj_{2\%} & subj_{2\%} & goal_{2\%} & quant_{1\%} & neg_{1\%} \\ preds_{1\%} & conj_{1\%} & \end{array}$
other	137	19/80/19%	other $_{19\%}$ attr $_{15\%}$ loc $_{9\%}$ pobj $_{9\%}$ nobj $_{5\%}$ add $_{5\%}$ prg $_{4\%}$ quant $_{3\%}$ man $_{3\%}$ focal $_{2\%}$ avobj $_{2\%}$ pnct $_{2\%}$ time $_{2\%}$ iter $_{2\%}$ epi $_{2\%}$ dir $_{2\%}$ eval $_{2\%}$ conc $_{2\%}$ dobj $_{1\%}$ subj $_{1\%}$ preds $_{1\%}$ goal $_{1\%}$ part $_{1\%}$ conj $_{1\%}$ resem $_{1\%}$ xpl $_{1\%}$ source $_{1\%}$ contr $_{1\%}$ correl $_{1\%}$ scene $_{1\%}$ accom $_{1\%}$ coord $_{0\%}$ vobj $_{0\%}$ possd $_{0\%}$ cause $_{0\%}$ exem $_{0\%}$ name $_{0\%}$ numm $_{0\%}$ cond $_{0\%}$ qobj $_{0\%}$ appa $_{0\%}$ neg $_{0\%}$
iter	25	16/69/20%	$\begin{array}{lll} time_{48\%} \;\; iter_{20\%} \;\; other_{8\%} \;\; vobj_{6\%} \;\; attr_{4\%} \;\; eval_{4\%} \;\; nobj_{2\%} \\ dobj_{1\%} \;\; relr_{1\%} \;\; cause_{1\%} \;\; name_{1\%} \;\; scene_{1\%} \;\; pobj_{1\%} \;\; coord_{0\%} \\ quant_{0\%} \;\; subj_{0\%} \;\; appr_{0\%} \end{array}$

discmark	32	16/91/16%	$coord_{56\%}$ discmark $_{16\%}$ $contr_{13\%}$ add $_{9\%}$ $qobj_{6\%}$
resem	13	15/20/31%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
prg	35	11/81/11%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
robj	11	9/100/9%	$dobj_{64\%}$ $iobj_{27\%}$ $robj_{9\%}$
predo	29	7/69/7%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
concom	15	7/29/7%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
rel	76	4/95/4%	$relr_{88\%}$ $relelab_{5\%}$ $rel_{4\%}$ $relpa_{1\%}$ $vobj_{1\%}$
comp	1	0/0/0%	$conj_{40\%}$ $nobj_{40\%}$ $subj_{20\%}$
degr	2	0/50/0%	$quant_{100\%}$
event	6	0/50/0%	$\begin{array}{ll} time_{33\%} \ loc_{33\%} \ nobj_{15\%} \ attr_{5\%} \ conj_{3\%} \ scene_{3\%} \ possd_{3\%} \\ subj_{2\%} \ pnct_{2\%} \ quant_{2\%} \end{array}$
fpredo	11	0/36/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
fpreds	4	0/75/0%	$man_{50\%}$ $nobj_{25\%}$ $vobj_{25\%}$
possr	25	0/10/4%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
relelab	6	0/100/0%	$rel_{67\%}$ $relr_{33\%}$

TOTAL 16074 69/80/72%

## **B.2** Confusion table: semantics

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
recipient	7	57/100/57%	recipient $_{57\%}$ loc $_{14\%}$ patient $_{14\%}$ goal $_{14\%}$
goal	85	55/90/57%	$goal_{57\%}$ $arg_{15\%}$ $func_{6\%}$ $loc_{5\%}$ $other_{5\%}$ $about_{3\%}$ $agent_{2\%}$ $patient_{2\%}$ $cause_{1\%}$ $resem_{1\%}$ $const_{1\%}$ $recipient_{1\%}$ $quant_{1\%}$
time	31	55/69/71%	$\begin{array}{ll} time_{71\%} \  \  source_{13\%} \  \   other_{7\%} \  \   arg_{7\%} \  \   about_{1\%} \  \   patient_{1\%} \\ agent_{1\%} \end{array}$
const	51	53/92/55%	$\begin{array}{lll} const_{55\%} \ arg_{20\%} \ source_{6\%} \ form_{4\%} \ poss_{4\%} \ loc_{2\%} \ func_{2\%} \\ elab_{2\%} \ apart_{2\%} \ class_{2\%} \ goal_{2\%} \end{array}$
func	45	51/100/51%	$\begin{array}{ll} func_{51\%} \ arg_{18\%} \ goal_{11\%} \ loc_{7\%} \ about_{4\%} \ const_{2\%} \ iden_{2\%} \\ patient_{2\%} \ other_{2\%} \end{array}$
eval	2	50/50/50%	${\sf arg}_{50\%}$ eval ${\sf s}_{50\%}$
location	2	50/100/50%	$loc_{50\%}$ $location_{50\%}$
resem	2	50/100/50%	$resem_{50\%} goal_{50\%}$
arg	232	47/87/50%	${\rm arg}_{50\%}$ ${\rm agent}_{9\%}$ ${\rm patient}_{8\%}$ ${\rm goal}_{5\%}$ ${\rm loc}_{5\%}$ ${\rm const}_{4\%}$ ${\rm about}_{4\%}$ ${\rm func}_{3\%}$ ${\rm source}_{3\%}$ ${\rm other}_{3\%}$ ${\rm poss}_{3\%}$ ${\rm quant}_{1\%}$ ${\rm time}_{1\%}$ ${\rm eval}_{0\%}$ ${\rm elab}_{0\%}$

loc	94	47/82/55%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
agent	84	45/80/50%	$\begin{array}{lll} agent_{50\%} & arg_{25\%} & patient_{8\%} & experiencer_{4\%} & about_{3\%} \\ goal_{2\%} & source_{2\%} & loc_{2\%} & elab_{2\%} & quant_{1\%} & poss_{1\%} & time_{0\%} \\ other_{0\%} & \end{array}$
patient	95	43/78/47%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
experiencer	7	43/100/43%	experiencer $_{43\%}$ agent $_{43\%}$ patient $_{14\%}$
form	7	43/86/43%	$form_{43\%} \; const_{29\%} \; loc_{14\%} \; elab_{14\%}$
apart	19	42/100/42%	$quant_{47\%} \ apart_{42\%} \ loc_{5\%} \ const_{5\%}$
elab	12	42/50/50%	$elab_{50\%} \ loc_{13\%} \ agent_{13\%} \ const_{8\%} \ form_{8\%} \ arg_{4\%} \ other_{4\%}$
source	52	40/81/42%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
class	5	40/100/40%	$class_{40\%} \ other_{40\%} \ const_{20\%}$
poss	32	38/76/41%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
quant	27	37/82/37%	$\begin{array}{lll} quant_{37\%} & apart_{33\%} & arg_{7\%} & patient_{5\%} & other_{5\%} & agent_{4\%} \\ source_{4\%} & goal_{3\%} & loc_{2\%} & about_{1\%} \end{array}$
about	39	33/87/33%	$\begin{array}{lll} {\sf about}_{33\%} & {\sf patient}_{24\%} & {\sf arg}_{21\%} & {\sf agent}_{6\%} & {\sf goal}_{6\%} & {\sf func}_{5\%} \\ {\sf loc}_{3\%} & {\sf other}_{1\%} & {\sf quant}_{1\%} & {\sf time}_{1\%} \end{array}$
other	38	22/69/22%	other $_{22\%}$ arg $_{17\%}$ goal $_{11\%}$ poss $_{9\%}$ loc $_{8\%}$ source $_{8\%}$ time $_{6\%}$ class $_{5\%}$ patient $_{4\%}$ quant $_{3\%}$ func $_{3\%}$ elab $_{1\%}$ about $_{1\%}$ agent $_{1\%}$
cause	1	0/100/0%	$goal_{100\%}$
iden	1	0/100/0%	func <sub>100%</sub>

TOTAL 970 45/84/49%

## B.3 Confusion table: discourse

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
ANSW	1	100/100/100%	ANSW <sub>100%</sub>
SCENE	11	91/91/100%	$SCENE_{100\%}$
AGENTIVE:expl	9	67/100/67%	$AGENTIVE.expl_{67\%}  CONTR_{11\%}  AGENTIVE.reas_{11\%}$
			$CONST:rest_{11\%}$
CONJ:seq	13	62/92/69%	$CONJ : seq_{69\%} \ \ CONJ : add_{15\%} \ \ CONJ : elab_{8\%} \ \ DIREC_{8\%}$
COND	1	50/50/50%	$conj_{50\%} \ COND_{50\%}$
CONST:exem	12	50/92/58%	$CONST:exem_{58\%} \qquad CONST:apart_{17\%} \qquad JOINT_{8\%}$
			CONST:rest <sub>8%</sub> CONC <sub>8%</sub>
CONTR:sbj	6	44/61/44%	$CONTR: sbj_{44\%} \ conj_{22\%} \ CONTR: prg_{17\%} \ CONJ: add_{17\%}$
CONJ:add	103	44/65/55%	$CONJ:add_{55\%}$ $CONJ:elab_{15\%}$ $conj_{7\%}$ $JOINT_{6\%}$ $AGEN$
			$TIVE:sbj_{3\%}$ $CONC_{3\%}$ $CONJ:seq_{2\%}$ $TELIC:cons.sbj_{2\%}$
			$CONST:apart_{2\%} \ CONTR:dir_{1\%} \ CONJ_{1\%} \ CONTR:prg_{1\%}$
			$CONTR: sbj_{1\%} \ DISJ: dir_{1\%} \ vobj_{1\%}$
CONC	16	44/63/44%	$CONC_{44\%}$ $CONJ:add_{19\%}$ $CONJ:elab_{6\%}$ $FOR$ -
			$MAL:eval_{6\%}$ $subj_{6\%}$ $CONJ_{6\%}$ $CONST:exem_{6\%}$ $conj_{3\%}$
			CONTR:prg <sub>3%</sub>
TELIC:cons.dir	10	43/58/63%	TELIC:cons.dir <sub>63%</sub> AGENTIVE:reas <sub>10%</sub> CONTR:dir <sub>10%</sub>
			$conj_{7\%}$ $CONJ:elab_{5\%}$ $qobj_{5\%}$

TELIC:cons.sbj	11	36/73/36%	$ \begin{array}{lll} TELIC: cons.sbj_{36\%} & CONJ: add_{18\%} & CONJ: elab_{18\%} \\ CONST: rest_{18\%} & CONTR: dir_{9\%} & \end{array} $
AGENTIVE:reas	9	33/78/33%	AGENTIVE:reas <sub>33%</sub> AGENTIVE:sbj <sub>33%</sub> CONJ:elab <sub>11%</sub> AGENTIVE:expl <sub>11%</sub> TELIC:cons.dir <sub>11%</sub>
FORMAL:descr	3	33/67/33%	CONJ:elab <sub>67%</sub> FORMAL:descr <sub>33%</sub>
CONJ:elab	76	30/53/46%	$\begin{array}{ccccc} \text{CONJ:elab}_{46\%} & \text{CONJ:add}_{20\%} & \text{FORMAL:eval}_{5\%} \\ \text{CONST:apart}_{4\%} & \text{FORMAL:descr}_{3\%} & \text{TELIC:cons.sbj}_{3\%} \\ \text{CONST:rest}_{3\%} & \text{CONST:elab}_{3\%} & \text{subj}_{3\%} & \text{DIREC}_{3\%} \\ \text{CONJ:seq}_{1\%} & \text{CONTR:prg}_{1\%} & \text{CONC}_{1\%} & \text{AGENTIVE:reas}_{1\%} & \text{qobj}_{1\%} \\ \text{TELIC:cons.dir}_{1\%} & \end{array}$
FORMAL:eval	8	25/50/38%	CONJ:elab $_{50\%}$ FORMAL:eval $_{38\%}$ CONC $_{13\%}$
CONTR:dir	12	19/36/36%	$\begin{array}{ll} {\sf CONTR:} {\sf dir}_{36\%} \ \ {\sf conj}_{24\%} \ \ {\sf CONTR:} {\sf prg}_{13\%} \ \ {\sf CONJ:} {\sf add}_{11\%} \\ {\sf TELIC:} {\sf cons.sbj}_{8\%} \ \ {\sf TELIC:} {\sf cons.dir}_{8\%} \end{array}$
CONST:apart	11	18/55/27%	$\begin{array}{ll} CONJ:elab_{27\%} & CONST:apart_{27\%} & CONJ:add_{18\%} \\ CONST:exem_{18\%} & nobj_{9\%} \end{array}$
CONST:rest	10	15/65/18%	$\begin{array}{lll} {\sf CONJ:elab_{20\%}} & {\sf TELIC:cons.sbj_{20\%}} & {\sf CONST:rest_{18\%}} \\ {\sf CONST:elab_{10\%}} & {\sf AGENTIVE:expl_{10\%}} & {\sf CONST:exem_{10\%}} \\ {\sf conj_{7\%}} & {\sf qobj_{5\%}} & \end{array}$
JOINT	8	13/50/13%	CONJ: $add_{75\%}$ JOINT $_{13\%}$ CONST: $exem_{13\%}$
AGENTIVE:sbj	9	0/78/0%	CONJ:add $_{33\%}$ AGENTIVE:reas $_{33\%}$ CONSOL:source $_{22\%}$ CONJ:elab $_{11\%}$
CONJ	3	0/33/0%	CONJ:add <sub>33%</sub> CONJ:elab <sub>33%</sub> CONC <sub>33%</sub>
CONSOL:source	2	0/100/0%	AGENTIVE:sbj <sub>100%</sub>
CONST:elab	3	0/100/0%	CONJ:elab <sub>67%</sub> CONST:rest <sub>33%</sub>
CONTR	1	0/100/0%	$AGENTIVE:expl_{100\%}$
CONTR:prg	7	0/14/0%	$\begin{array}{ll} conj_{29\%} & CONTR: dir_{21\%} & CONTR: sbj_{14\%} & CONJ: add_{14\%} \\ CONJ: elab_{14\%} & CONC_{7\%} \end{array}$
DIREC	3	0/67/0%	$CONJ:elab_{67\%}$ $CONJ:seq_{33\%}$
DISJ:dir	1	0/100/0%	$CONJ:add_{100\%}$

TOTAL 359 36/64/46%

## B.4 Confusion table: anaphora

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list				
assoc-event	3	100/100/100%	assoc-event $_{100\%}$				
assoc-formal	1	100/100/100%	assoc-formal $_{100\%}$				
assoc-loc	5	100/100/100%	assoc-loc <sub>100%</sub>				
ref	63	100/100/100%	$ref_{100\%}$				
coref	141	84/85/92%	$coref_{92\%}$ $coref-var_{4\%}$ $coref-iden_{2\%}$ $coref-res_{1\%}$ $assoc_{1\%}$ $assoc-const_{0\%}$				
coref-iden	52	77/83/81%	coref-iden $_{81\%}$ coref-var $_{10\%}$ coref $_{3\%}$ assoc-const $_{2\%}$ corefres $_{2\%}$ coref coref-iden $_{2\%}$				
assoc-telic	24	71/88/83%	$\begin{array}{lll} {\sf assoc\text{-}telic}_{83\%} & {\sf assoc\text{-}const}_{8\%} & {\sf coref\text{-}res}_{4\%} & {\sf assoc\text{-}} \\ {\sf agentive}_{4\%} & & & & & & & & & \\ \end{array}$				
coref-var	97	71/79/79%	coref-var $_{79\%}$ coref $_{6\%}$ coref-iden $_{6\%}$ assoc-const $_{4\%}$ corefres $_{3\%}$ coref-evol $_{1\%}$ assoc $_{1\%}$				
coref-res	25	65/73/72%	$\begin{array}{ll} coref-res_{72\%} & coref-var_{12\%} & assoc\text{-telic}_{4\%} & coref\text{-iden}_{4\%} \\ coref_{4\%} & coref\text{-res.prg}_{4\%} \end{array}$				
assoc-const	39	59/77/67%	assoc-const $_{67\%}$ coref-var $_{10\%}$ assoc $_{10\%}$ assoc-telic $_{5\%}$ coref-iden $_{3\%}$ coref $_{3\%}$ assoc-agentive $_{3\%}$				

assoc	9	39/83/39%	$assoc\text{-const}_{44\%} \   assoc_{39\%} \   coref\text{-var}_{11\%} \   coref_{6\%}$
assoc-agentive	4	25/50/50%	assoc-agentive $_{50\%}$ assoc-telic $_{25\%}$ assoc-const $_{25\%}$
coref coref-iden	1	0/100/0%	$coref ext{-}iden_{100\%}$
coref-evol	1	0/100/0%	$coref ext{-}var_{100\%}$
coref-res.prg	1	0/0/0%	$coref\text{-res}_{100\%}$

TOTAL 466 77/84/84%

## B.5 Confusion table: morphology

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list		
TIME:post	1	100/100/100%	TIME:post <sub>100%</sub>		
TIME:pre	1	100/100/100%	TIME:pre <sub>100%</sub>		
DERan:qual	6	83/100/83%	$DERan:qual_{83\%} \  {17\%}$		
DERav	4	75/100/75%	DERav <sub>75%</sub> - <sub>25%</sub>		
NEG:contr	3	67/100/67%	NEG:contr <sub>67%</sub> NEG:priv <sub>33%</sub>		
DERvn:core	60	57/100/57%	$\begin{array}{lll} DERvn:core_{57\%} &{25\%} & DERvn:patient_{13\%} & DERnv_{2\%} \\ DERvn:other_{2\%} & TELIC & DERvn:patient_{2\%} \end{array}$		
DERva:act	9	56/100/56%	$DERva:act_{56\%} \ \ -_{33\%} \ \ DEVERB:rel.norm_{11\%}$		
DER:aa	2	50/100/50%	${50\%}$ DER:aa $_{50\%}$		
DERna:disp	2	50/100/50%	$DERna: disp_{50\%} \ DERna: rel_{50\%}$		
DERnn:agent	10	50/100/50%	$DERnn:agent_{50\%} \   -_{40\%} \   DERna:rel.deono.loc_{10\%}$		
DERvn:agent	12	42/100/42%	${58\%}$ DERvn:agent $_{42\%}$		
DERva:pas.part	10	40/100/40%	${50\%}$ DERva:pas.part $_{40\%}$ DERnv $_{10\%}$		
DERnv	16	38/100/38%	$-50\%$ DERnv $_{38\%}$ DERva:pas.part $_{6\%}$ DERvn:core $_{6\%}$		
MOD:qual	12	33/100/33%	$-_{33\%}$ $MOD:qual_{33\%}$ $const_{8\%}$ $loc_{8\%}$ $MOD:quant_{8\%}$ $TELIC_{8\%}$		
MOD:quant	11	27/100/27%	${55\%}$ MOD:quant $_{27\%}$ MOD:qual $_{9\%}$ QUANT $_{9\%}$		
about	4	25/100/25%	$ABOUT_{75\%}$ about $_{25\%}$		
LOC:dir	6	17/100/17%	${50\%}$ SPACE:source $_{17\%}$ TELIC $_{17\%}$ LOC:dir $_{17\%}$		
TELIC	18	17/100/17%	${61\%}$ TELIC $_{17\%}$ TRANS $_{6\%}$ MOD:qual $_{6\%}$ NEG:priv $_{6\%}$ LOC:dir $_{6\%}$		
TRANS	10	10/100/10%	$-80\%$ TRANS $_{10\%}$ TELIC $_{10\%}$		
DERvn:patient	11	9/100/9%	$DERvn\text{:}core_{73\%} \   -_{18\%} \   DERvn\text{:}patient_{9\%}$		
func	31	7/100/7%	$\begin{array}{llllllllllllllllllllllllllllllllllll$		
	129	0/100/0%	$\begin{array}{cccccccccc} DERvn:core_{12\%} & TELIC_{9\%} & DERna:rel.deono.loc_{8\%} \\ TRANS_{6\%} & DERnv_{6\%} & DERvn:agent_{5\%} & MOD:quant_{5\%} \\ DERva:pas.part_{4\%} & DERna:rel.norm_{4\%} & DERnn:agent_{3\%} \\ DERna:rel_{3\%} & MOD:qual_{3\%} & DERva:act_{2\%} & LOC:dir_{2\%} \\ DERvn:core & LOC:dir_{2\%} & DERvn:patient_{2\%} & TRANS \\ DERva:act_{2\%} & const_{2\%} & func & DERvn:core_{2\%} & ABOUT_{2\%} \\ SPACE:loc_{2\%} & func_{2\%} & DERvn:agent & LOC:loc_{1\%} \\ DERaa_{1\%} & iden_{1\%} & DERvn:core & MOD:quant_{1\%} \\ DERva:act.epi_{1\%} & SPACE:dir_{1\%} & DERav_{1\%} & SOURCE_{1\%} \\ DERna:resem_{1\%} & DERnv & TELIC & DERvn:core_{1\%} & func \\ func_{1\%} & DERva:pas.epi_{1\%} & DERan:qual_{1\%} & DER:aa_{1\%} \\ DERvn:other_{1\%} & ARG_{1\%} & DERvn:patient & func \\ DERvn:agent_{1\%} & DERan:qual & ARG_{1\%} & DERvn:core \\ LOC:loc_{1\%} \\ \end{array}$		

ABOUT	18	0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$			
AGENT	2	0/100/0%	DERvn:core LOC:dir subj.agent func <sub>50%</sub> agent <sub>50%</sub>			
AGENT:MC	1	0/100/0%	$agent_{100\%}$			
ARG	11	0/100/0%	$arg_{73\%}$ $-_{9\%}$ $agent_{9\%}$ const LOC: $dir_{9\%}$			
CONST	4	0/100/0%	$const_{50\%}$ agent $_{25\%}$ func $_{25\%}$			
DERaa	1	0/100/0%	7100%			
DERan:qual ARG	1	0/100/0%	-100%			
DERna:rel	7	0/100/0%	${57\%}$ DERna:rel.norm $_{29\%}$ DERna:disp $_{14\%}$			
DERna:rel.deono.loc	: 11	0/100/0%	-91% DERnn:agent9%			
DERna:rel.norm	7	0/100/0%	- <sub>71%</sub> DERna:rel <sub>29%</sub>			
DERna:rel.norm	1	0/100/0%	DERnn:assoc DERna:rel <sub>100%</sub>			
DENOM:rel.place			100%			
DERna:resem	1	0/100/0%	<b>-</b> 100%			
DERnn:agent func	1	0/100/0%	GOAL <sub>100%</sub>			
DERnn:assoc	1	0/100/0%	DERna:rel.norm DENOM:rel.place <sub>100%</sub>			
DERna:rel			1 100%			
DERnv TELIC	1	0/100/0%	<b>-</b> 100%			
DERvn:core		.,,	100%			
DERva:act.epi	1	0/100/0%	<b>-</b> 100%			
DERva:pas.epi	1	0/100/0%	-100%			
DERvn:agent	1	0/100/0%				
LOC:loc	•	0, 100, 0,0	100%			
DERvn:agent	1	0/100/0%	ABOUT <sub>100%</sub>			
dobj.patient	-	0, 100, 070	7.12 0 0 1 100%			
DERvn:core	3	0/100/0%	<b>-</b> 100%			
LOC:dir		0, 100, 070	100%			
DERvn:core	1	0/100/0%	AGENT <sub>100%</sub>			
LOC:dir subj.agent	-	0, 100, 070	100%			
func						
DERvn:core	1	0/100/0%	<b>-</b> 100%			
LOC:loc	-	0, 100, 070	100%			
DERvn:core	1	0/100/0%	<b>-</b> 100%			
MOD:quant	-	0, 100, 070	100%			
DERvn:core agent	1	0/100/0%	$GOAL_{100\%}$			
DERvn:core arg	1	0/100/0%	GOAL <sub>100%</sub>			
DERvn:core	2	0/100/0%	DERvn:other GOAL <sub>100%</sub>			
dobj.patient	_	0, 100, 0,0	D21(VIII.001)(1.100%			
DERvn:core eval	1	0/100/0%	MOD:eval <sub>100%</sub>			
DERvn:core	7	0/100/0%	DERvn:patient GOAL <sub>100%</sub>			
iobj.recipient	,	0/ 100/ 0/0	DEIWII.patient GOME100%			
DERvn:other	2	0/100/0%	-50% DERvn:core50%			
DERvn:other	2	0/100/0%	DERvn:core dobj.patient <sub>100%</sub>			
GOAL	_	0, 100, 0,0	D Liverine designation (100%)			
DERvn:patient	7	0/100/0%	DERvn:core iobj.recipient <sub>100%</sub>			
GOAL	,	0, 100, 070	Z =			
DERvn:patient	1	0/100/0%	<b>-</b> 100 <i>c</i>			
func DERvn:agent	1	J/ 100/ 0/0	<del>-</del> 100%			
DEVERB:rel.norm	1	0/100/0%	DERva:act <sub>100%</sub>			
DEVENDATE LIBITI	1	0/ 100/ 0/0	DETVa.act100%			

DOBJ.patient	1	0/100/0%	$dobj.patient_{100\%}$			
FUNC	1	0/100/0%	$iden_{100\%}$			
GOAL	24	0/100/0%	$\begin{array}{lll} func_{71\%} & iden_{8\%} & DERvn:core & agent_{4\%} & DERnn:agent \\ func_{4\%} & const_{4\%} & DERvn:core & arg_{4\%} & loc & MOD:qual_{4\%} \\ \end{array}$			
<b>GOAL SOURCE</b>	1	0/100/0%	$MOD$ :qual $arg_{100\%}$			
LOC	2	0/100/0%	$loc_{100\%}$			
LOC:loc	1	0/100/0%	SPACE:loc <sub>100%</sub>			
MOD:eval	1	0/100/0%	DERvn:core eval <sub>100%</sub>			
MOD:qual arg	1	0/100/0%	GOAL SOURCE <sub>100%</sub>			
NEG:priv	3	0/100/0%	$NEG:contr_{33\%}\ TELIC_{33\%}\ ABOUT_{33\%}$			
OTHER	9	0/100/0%	$iden_{44\%} \; func_{44\%} \; apart_{11\%}$			
QUANT	2	0/100/0%	$func_{50\%} \ MOD$ : $quant_{50\%}$			
SOURCE	1	0/100/0%	<sup>-</sup> 100%			
SPACE:dir	1	0/100/0%	<sup>-</sup> 100%			
SPACE:loc	3	0/100/0%	$-_{67\%}$ LOC:loc $_{33\%}$			
SPACE:source	1	0/100/0%	LOC:dir <sub>100%</sub>			
SUBJ.agent	5	0/100/0%	$subj.agent_{100\%}$			
TELIC	1	0/100/0%	$DERvn$ : $core_{100\%}$			
DERvn:patient						
TIME:MC	3	0/100/0%	$time_{100\%}$			
TRANS	2	0/100/0%	<sup>-</sup> 100%			
DERva:act						
agent	5	0/100/0%	$\begin{array}{lll} AGENT:MC_{20\%} & CONST_{20\%} & ABOUT_{20\%} & AGENT_{20\%} \\ ARG_{20\%} & \end{array}$			
apart	1	0/100/0%	$OTHER_{100\%}$			
arg	10	0/100/0%	$ARG_{80\%}$ $ABOUT_{20\%}$			
const	9	0/100/0%	$ABOUT_{33\%}$ $-_{22\%}$ $CONST_{22\%}$ $MOD$ :qual $_{11\%}$ $GOAL_{11\%}$			
const LOC:dir	1	0/100/0%	$ARG_{100\%}$			
dobj.patient	1	0/100/0%	$DOBJ.patient_{100\%}$			
func DERvn:core	2	0/100/0%	<sup>-</sup> 100%			
func arg	1	0/100/0%	$ABOUT_{100\%}$			
DERvn:patient						
func func	1	0/100/0%	<sup>-</sup> 100%			
iden	8	0/100/0%	$OTHER_{50\%}$ $GOAL_{25\%}$ $-_{13\%}$ $FUNC_{13\%}$			
loc	3	0/100/0%	$LOC_{67\%}$ MOD:qual $_{33\%}$			
loc MOD:qual	1	0/100/0%	$GOAL_{100\%}$			
subj.agent	5	0/100/0%	$SUBJ.agent_{100\%}$			
time	3	0/100/0%	$TIME:MC_{100\%}$			

TOTAL 585 15/100/15%

## B.6 Confusion table: morphology-no-null

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
DER:aa	1	100/100/100%	DER:aa <sub>100%</sub>
DERan:qual	5	100/100/100%	$DERan:qual_{100\%}$
DERav	3	100/100/100%	DERav <sub>100%</sub>
DERvn:agent	5	100/100/100%	$DERvn$ :agent $_{100\%}$
TIME:post	1	100/100/100%	$TIME:post_{100\%}$
TIME:pre	1	100/100/100%	TIME:pre <sub>100%</sub>

DERnn:agent	6	83/100/83%	DERnn:agent <sub>83%</sub> DERna:rel.deono.loc <sub>17%</sub>				
DERva:act	6	83/100/83%	DERva:act <sub>83%</sub> DEVERB:rel.norm <sub>17%</sub>				
DERva:pas.part	5	80/100/80%	DERva:pas.part <sub>80%</sub> DERnv <sub>20%</sub>				
DERvn:core	45	76/100/76%	$\begin{array}{ll} DERvn:core_{76\%} & DERvn:patient_{18\%} & DERnv_{2\%} \\ DERvn:other_{2\%} & TELIC & DERvn:patient_{2\%} \end{array}$				
DERnv	8	75/100/75%	$DERnv_{75\%}$ $DERva:pas.part_{13\%}$ $DERvn:core_{13\%}$				
NEG:contr	3	67/100/67%	NEG:contr <sub>67%</sub> NEG:priv <sub>33%</sub>				
MOD:quant	5	60/100/60%	$MOD:quant_{60\%}\ MOD:qual_{20\%}\ QUANT_{20\%}$				
DERna:disp	2	50/100/50%	DERna:disp <sub>50%</sub> DERna:rel <sub>50%</sub>				
MOD:qual	8	50/100/50%	$\begin{array}{lll} MOD:qual_{50\%} & const_{13\%} & loc_{13\%} & MOD:quant_{13\%} \\ TELIC_{13\%} & \end{array}$				
TRANS	2	50/100/50%	TRANS <sub>50%</sub> TELIC <sub>50%</sub>				
TELIC	7	43/100/43%	$\begin{array}{lll} TELIC_{43\%} & TRANS_{14\%} & MOD:qual_{14\%} & NEG:priv_{14\%} \\ LOC:dir_{14\%} & & \end{array}$				
LOC:dir	3	33/100/33%	SPACE:source <sub>33%</sub> TELIC <sub>33%</sub> LOC:dir <sub>33%</sub>				
about	4	25/100/25%	$ABOUT_{75\%}$ about $_{25\%}$				
DERvn:patient	9	11/100/11%	DERvn:core <sub>89%</sub> DERvn:patient <sub>11%</sub>				
func	29	7/100/7%	$GOAL_{59\%}$ OTHER $_{14\%}$ ABOUT $_{14\%}$ func $_{7\%}$ QUANT $_{3\%}$ CONST $_{3\%}$				
ABOUT	16	0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$				
AGENT	2	0/100/0%	DERvn:core LOC:dir subj.agent func <sub>50%</sub> agent <sub>50%</sub>				
AGENT:MC	1	0/100/0%	$agent_{100\%}$				
ARG	10	0/100/0%	$arg_{80\%}$ agent $_{10\%}$ const LOC: $dir_{10\%}$				
CONST	4	0/100/0%	$const_{50\%}$ agent $_{25\%}$ func $_{25\%}$				
DERna:rel	3	0/100/0%	DERna:rel.norm <sub>67%</sub> DERna:disp <sub>33%</sub>				
DERna:rel.deono.loc	1	0/100/0%	DERnn:agent <sub>100%</sub>				
DERna:rel.norm	2	0/100/0%	DERna:rel <sub>100%</sub>				
DERna:rel.norm	1	0/100/0%	DERnn:assoc DERna:rel <sub>100%</sub>				
DENOM:rel.place							
DERnn:agent func	1	0/100/0%	$GOAL_{100\%}$				
DERnn:assoc	1	0/100/0%	DERna:rel.norm DENOM:rel.place <sub>100%</sub>				
DERna:rel							
DERvn:agent	1	0/100/0%	$ABOUT_{100\%}$				
dobj.patient							
DERvn:core	1	0/100/0%	$AGENT_{100\%}$				
LOC:dir subj.agent							
func							
DERvn:core agent	1	0/100/0%	$GOAL_{100\%}$				
DERvn:core arg	1	0/100/0%	$GOAL_{100\%}$				
DERvn:core	2	0/100/0%	DERvn:other GOAL <sub>100%</sub>				
dobj.patient							
DERvn:core eval	1	0/100/0%	$MOD:eval_{100\%}$				
DERvn:core	7	0/100/0%	DERvn:patient $GOAL_{100\%}$				
iobj.recipient							
DERvn:other	1	0/100/0%	DERvn:core <sub>100%</sub>				
DERvn:other	2	0/100/0%	DERvn:core dobj.patient <sub>100%</sub>				
GOAL							
DERvn:patient	7	0/100/0%	DERvn:core iobj.recipient $_{100\%}$				
GOAL							

DEVERB:rel.norm	1	0/100/0%	DERva:act <sub>100%</sub>		
DOBJ.patient	1	0/100/0%	$dobj.patient_{100\%}$		
FUNC	1	0/100/0%	$iden_{100\%}$		
GOAL	24	0/100/0%	$\begin{array}{lll} func_{71\%} & iden_{8\%} & DERvn:core \ agent_{4\%} & DERnn:agent \\ func_{4\%} & const_{4\%} & DERvn:core \ arg_{4\%} & loc \ MOD:qual_{4\%} \end{array}$		
GOAL SOURCE	1	0/100/0%	$MOD$ :qual $arg_{100\%}$		
LOC	2	0/100/0%	$loc_{100\%}$		
LOC:loc	1	0/100/0%	SPACE:loc <sub>100%</sub>		
MOD:eval	1	0/100/0%	DERvn:core eval <sub>100%</sub>		
MOD:qual arg	1	0/100/0%	GOAL SOURCE <sub>100%</sub>		
NEG:priv	3	0/100/0%	$NEG:contr_{33\%}$ $TELIC_{33\%}$ $ABOUT_{33\%}$		
OTHER	9	0/100/0%	$iden_{44\%}$ $func_{44\%}$ $apart_{11\%}$		
QUANT	2	0/100/0%	$func_{50\%} \ MOD:quant_{50\%}$		
SPACE:loc	1	0/100/0%	$LOC:loc_{100\%}$		
SPACE:source	1	0/100/0%	LOC:dir <sub>100%</sub>		
SUBJ.agent	5	0/100/0%	$subj.agent_{100\%}$		
TELIC	1	0/100/0%	DERvn:core <sub>100%</sub>		
DERvn:patient					
TIME:MC	3	0/100/0%	$time_{100\%}$		
agent	5	0/100/0%	$\begin{array}{lll} AGENT:MC_{20\%} & CONST_{20\%} & ABOUT_{20\%} & AGENT_{20\%} \\ ARG_{20\%} & \end{array}$		
apart	1	0/100/0%	$OTHER_{100\%}$		
arg	10	0/100/0%	$ARG_{80\%}$ $ABOUT_{20\%}$		
const	7	0/100/0%	$ABOUT_{43\%}$ $CONST_{29\%}$ $MOD$ : $qual_{14\%}$ $GOAL_{14\%}$		
const LOC:dir	1	0/100/0%	$ARG_{100\%}$		
dobj.patient	1	0/100/0%	$DOBJ.patient_{100\%}$		
func arg	1	0/100/0%	$ABOUT_{100\%}$		
DERvn:patient					
iden	7	0/100/0%	$OTHER_{57\%}$ $GOAL_{29\%}$ $FUNC_{14\%}$		
loc	3	0/100/0%	$LOC_{67\%}$ $MOD$ :qual $_{33\%}$		
loc MOD:qual	1	0/100/0%	$GOAL_{100\%}$		
subj.agent	5	0/100/0%	$SUBJ.agent_{100\%}$		
time	3	0/100/0%	TIME:MC <sub>100%</sub>		

TOTAL 327 27/100/27%

## B.7 Confusion table: alignment

R	N	$A/A_U/A_L$	Confusion list
TOTAL	0	0/0/0%	

## **Appendix C**

## **Annotation status**

#### C.1 All texts

	alignment	discourse	morphology	postag	status	syntax
none	950	2038	2162		Ş	911
aut	)			1774		65
outdated-fi	nal 53	66			8	324
firs	45	79	98	1	1 :	132
discuss	ed 132	194	1			94
fina	l 112		59	536	2	297

#### C.2 da texts

	discourse	morphology	postag	syntax
none	421	463		
auto				
outdated-final				453
first	29	56	1	8
discussed	86	1		7
final		16	535	68

### C.3 de texts

	discourse	morphology	postag	${ t syntax}$
none	405	412		326
auto			413	
outdated-final				
first	8	1		56
discussed				8
final				23

#### C.4 en texts

	discourse	morphology	postag	syntax
none	496	535		
auto			536	65
outdated-final				371

	first discussed final	40	1		30 1 69
<b>C.5</b>	es texts				
	none auto outdated-final first discussed final	discourse 386 2 25	morphology 341 30 42	postag 413	syntax 341 1 71
<b>C.6</b>	it texts				
	none auto outdated-final first discussed final	discourse 330 83	morphology 411 5	postag 412	syntax 244 38 77 57
<b>C.7</b>	da-de texts				
	none auto outdated-final	alignment 368	morphology	syntax	
	c · .	45	•		
	first discussed final	45	2	4	
<b>C.8</b>	discussed	45	2	4	
C.8	discussed final  da-en texts  none auto	alignment	2 morphology	4 syntax	
C.8	discussed final  da-en texts				
	discussed final  da-en texts  none auto outdated-final first discussed	alignment	morphology	syntax	

auto

 $\verb"outdated-final"$ 

first 2

discussed 39

final 43 2

### C.10 da-it texts

syntax	status	${ t morphology}$	${ t alignment}$	
			251	none
				auto
				outdated-final
	1	1		first
			93	discussed
2			69	final

# Appendix D

# Index

(/DTX )	ANTONY	1
((REL)) hyperpage, 81	ANSW, 106	cond, 101–105
(PRIM)/ATTRINTEGER,	answer, 52	CONJ, 106, 107
80	aobj, 101–105	conj, 100–107
(REL)&(REL), 80	apart, 105, 106, 110, 112	CONJ:add, 102, 106, 107
(REL) (REL), 81	appa, 100–105	CONJ:elab, 101, 106, 107
(SEMREL)# hyperpage, 7,	appr, 101–105	CONJ:seq, 106, 107
80	ARG, 26, 108–112	cons, 102-104
*DISC, 80	arg, 105, 106, 109-112	CONSOL:enabl, 51
-, 39, 56, 75, 108-110	ASPEC:cause+reflex, 38	CONSOL:source, 107
<prim(:prim)*:integer> hyp</prim(:prim)*:integer>	ре <b>фаре</b> ,С:iter, 38	CONST, 108-112
23, 80	ASPEC:rev, 39	const, 105, 106, 108-112
@ADVERB, 9, 81	ASPEC:term+resul, 40	const LOC:dir, 109-112
[PRIM] hyperpage, 9, 81	assoc, 107, 108	CONST:apart, 106, 107
[\$PRIM] hyperpage, 18	assoc-agent?, 63	CONST:elab, 107
{\$PRIM} hyperpage, 15	assoc-agentive, 107, 108	CONST:exem, 106, 107
{origin}, 75	assoc-const, 107, 108	CONST:rest, 102, 106, 107
{pos}, 73	assoc-event, 107	constitutive, 75
u »	assoc-formal, 107	cont, 9, 11, 81
ABOUT, 26, 75, 76, 108-	assoc-loc, 107	CONTR, 106, 107
112	assoc-scope?, 65	contr, 101–105
about, 105, 106, 108, 109,	assoc-telic, 107, 108	CONTR:dir, 102, 106, 107
111	att, 100	CONTR:prg, 55, 106, 107
accom, 101-104	attr, 100-105	CONTR:sbj, 102, 106, 107
add, 101–105	avobj, 100–104	contrast, 32
additive, 32	, and the second	coord, 100–105
ADJUNCT, 8	ben, 28	coref, 107, 108
AGENT, 26, 109–112	cause, 101–106	coref coref-iden, 107, 108
agent, 101–106, 109–112	CIRCUM, 56	coref-evol, 107, 108
AGENT:MC, 26, 109–112	class, 105, 106	coref-id, 59
AGENTIVE:expl, 106,		·
107	comp, 30, 101, 102, 105	coref-iden, 107, 108
	comparecomp, 33	coref-res, 107, 108
	CONFLEMENT, 8	coref-res.prg, 107, 108
106, 107	CONC, 106, 107	coref-var, 107, 108
AGENTIVE:sbj, 106, 107	conc, 101–105	corefcoref-iden, 59
align, 77	CONCATENATION, 8	correl, 101–104
ALIGNMENT, 5, 77	concom, 100–105	1 00 400 405
ANAPHORA, 6, 57	COND, 106	degr, 33, 102, 105

DENOM, 44	DERvn:core, 108–112	DISJ:prg, 55
DENOM:disp, 44	DERvn:core agent, 109-	dobj, 100–105
DENOM:eff, 45	112	DOBJ.patient, 110, 112
DENOM:other, 45	DERvn:core arg, 109–112	dobj.patient, 110, 112
DENOM:poss, 45	DERvn:core dobj.patient,	dur, 9, 11, 34, 81
DENOM:rel, 45	109, 111	
DENOM:rel.deono, 44	DERvn:core eval, 109-	elab, 102, 103, 105, 106
DENOM:rel.deono.pers,	112	ELAB:spec,ELAB:exp, 54
44	DERvn:core iobj.recipient,	ELAB:spec,ELAB:exp,CONST:elab,
DENOM:rel.deono.place,	109, 111	54
44	DERvn:core LOC:dir,	elaboration, 33
DENOM:rel.norm, 45	108, 109	epi, 101–104
DENOM:resem, 45	DERvn:core LOC:dir	epistemic, 31
DENUM:part, 40	subj.agent func,	eval, 100–105
DER:aa, 108, 110	109, 111	evalatt, 31
DERaa, 108, 109	DERvn:core LOC:loc,	evaluation, 31
DERan:qual, 108, 110	108, 109	event, 101–105
DERan:qual ARG, 108,	DERvn:core MOD:quant,	ex, 29
109	108, 109	exem, 100-104
DERav, 108, 110	DERvn:other, 108, 109,	exemplification, 29
DERna:disp, 108, 109, 111	111	experiencer, 106
DERna:rel, 108, 109, 111	DERvn:other GOAL, 109,	expl, 100–103
DERna:rel.deono.loc,	111	ext, 9, 11, 34, 81
108, 109, 111	DERvn:patient, 108, 111	210, 7, 12, 01, 01
DERna:rel.norm, 108,	DERvn:patient func	FEATURE, 6
109, 111	DERvn:agent,	focal, 101–104
DERna:rel.norm DE-	108, 109	focalizator, 32
NOM:rel.place,	DERvn:patient GOAL,	form, 105, 106
109, 111	109, 111	FORMAL:descr, 107
DERna:resem, 108, 109	DESCR:eval, 55	FORMAL:eval, 106, 107
DERnn:agent, 108, 109,	DESCR:qual, 55	fpredo, 101–105
111	DEVERB, 47	fpreds, 101, 103, 105
DERnn:agent func, 109-	DEVERB:act.disp, 41	fsrc, 9
112	DEVERB:act.poten, 42	FUNC, 110, 112
DERnn:assoc DERna:rel,	DEVERB:act.pure, 41	func, 54, 105, 106, 108–
109, 111	DEVERB:pas, 42	112
DERnv, 108, 111	DEVERB:pas.deon, 42	func arg DERvn:patient,
DERny TELIC	DEVERB:pas.part, 42	109–112
DERvn:core,	DEVERB:pas.poten, 42	func DERvn:core, 108,
108, 109	DEVERB:rel.norm, 108,	110
DERva:act, 108, 109, 111,	109, 111, 112	func func, 108, 110
112	DIMENSION, 4	fuzzy, 77
DERva:act.epi, 108, 109	dir, 101, 103, 104	1422,77
DERva:pas.epi, 108, 109	DIREC, 106, 107	GAP, 21
DERva:pas.part, 108, 111	DISC* hyperpage, 80	GAPPING, 21
DERvn:agent, 108, 110	DISCFUNC, 50	GOAL, 75, 108–112
DERvn:agent dobj.patient,	discmark, 102, 104, 105	goal, 100–106
109, 111	DISCOURSE, 6, 49	GOAL SOURCE, 110, 112
DERvn:agent LOC:loc,	discoursemarker, 31	30/1L 300 (CL, 110, 112
108, 109	DISJ:dir, 106, 107	hab, 34
100, 107	2103.411, 100, 107	iiub, Jī

iden, 105, 106, 108, 110,	NOPRED:temp, 47	RELATION, 6
112	now includes abolished TIME: dur,	·
inst, 101–105	56	relelab, 104, 105
iobj, 101–103, 105	nowincludescoref-	relp, 25
iter, 101–104	res.cause, 60	relpa, 104, 105
IODIE 101 107	numa, 101–103	relr, 100–105
JOINT, 106, 107	numm, 100–105	resem, 101–105
JUSTCONSOL:just, 51	ONTO COM	robj, 101, 102, 105
LANDING, 7	ONTOLOGY, 6, 82	COPNE
	OTHER, 108, 110–112	SCENE, 106
LOC, 39, 110, 112	other, 101–106	scene, 100–105
loc, 101–106, 108, 110–		SECONDARY, 9
112	part, 100–104	SEMANTICS, 6, 68
loc MOD:qual, 110, 112	patient, 105, 106	SEMROLE, 12, 15, 20
LOC:dir, 39, 108, 110–112	pnct, 100–105	SOURCE, 108, 110
LOC:loc, 110, 112	pobj, 100–105	source, 101-106
LOC:pos, 39	poss, 15, 16, 105, 106	SPACE:dir, 108, 110
LOC:proce, 40	possd, 100–105	SPACE:loc, 108, 110, 112
location, 105, 106	possr, 100–105	SPACE:source, 39, 108,
100 105	pragmatic, 31	110-112
man, 100–105	prec, 9, 11, 81	STRUCT:prepPREP, 49
MOD:cuant+GRAD:size,	PRED:agentPRED:inst,	STRUCT:rep, 49
39	43	subj, 100-107
MOD:eval, 109–112	PRED:core, 43	SUBJ.agent, 110, 112
MOD:man, 38	PRED:exper, 43	subj.agent, 110, 112
MOD:qual, 34, 56, 75, 108,	PRED:loc, 43	succ, 9, 11, 81
110-112	PRED:other, 43	super, 3
MOD:qual arg, 110, 112	PRED:recip, 44	SUPPORT?, 50
MOD:qual+MOD:rel+GRAD:qu	alpRED:result, 43	SYNTAX, 6, 10
39	PREDDEVERBN, 43	
MOD:quant, 108, 110–	predo, 101–105	TELIC, 108, 110-112
112	preds, 100–105	TELIC DERvn:patient,
MORPHOLOGY, 6, 35	prg, 101–105	108, 110-112
	prgcondpcondbgstruct,	TELIC:cons.dir, 102, 106,
name, 101–105	32	107
namef, 100–105	PRIM/(CONNECTOR) hyperpag	eȚELIC:cons.sbj, 106, 107
namel, 100	81	TELIC:dir, 56
neg, 101–105	PRIM/CONNECTOR, 80	TELIC:sbj, 56
NEG:contr, 108, 110–112	PRIMARY, 8	time, 100-106, 110, 112
NEG:oppo, 39	, .	TIME:MC, 34, 110, 112
NEG:priv, 56, 108–112	qobj, 101–107	TIME:post, 108, 110
nobj, 100–105, 107	QUAL, 44	TIME:pre, 108, 110
NOPRED, 46	QUANT, 108, 110–112	TIME:prec, 40, 56
NOPRED:agent, 46	quant, 100–106	TIME:succ, 40, 56
NOPRED:capac, 46	quantification, 33	title, 101–104
NOPRED:cont, 46	•	TRANS, 56, 108, 111
NOPRED:loc, 46	reas, 28	TRANS DERva:act, 108,
NOPRED:other, 46	reason, 53	110
NOPRED:result, 46	recipient, 105, 106	***
NOPRED:script, 46	ref, 107	vobj, 100-106
NOPRED:set, 46	rel, 101, 104, 105	voc, 100

xpl, 101-104	¤(PRIM), 50, 80	§DER:nvPRED, 41
	§(PRIM), 35, 81	§DER:vv, 44
xtop, 100	§DER:av, 41	§DERV, 41