The inventory of linguistic relations used in the Copenhagen Dependency Treebanks

Matthias Buch-Kromann Morten Gylling-Jørgensen Lotte Jelsbech Knudsen Iørn Korzen Henrik Høeg Müller

Center for Research and Innovation in Translation and Translation Technology Dept. of International Language Studies and Computational Linguistics Copenhagen Business School

September 28, 2010

Abstract

This manual describes the inventory of linguistic relations used in the Copenhagen Dependency Treebanks, a set of parallel treebanks for Danish, English, German, Italian, and Spanish annotated with respect to syntax, morphology, discourse, coreference, and translational equivalence. The manual is generated automatically from the CDT project's online relation spreadsheet.¹

http://spreadsheets.google.com/ccc?key=OArjTKYTQS1lWcnNUWGJrX3lZTkxDc3QxYmlqWlRXQ1E&hl=

Contents

Introduction	3	
Top-level relations: ANY	4	
· · · · · · · · · · · · · · · · · · ·	5	
2.2 Annotation type dimension: DIM:TYPE	6	
Syntactic relations: SYNTAX	10	
3.1 Complement relations: SYNCOMP	10	
3.2 Non-adverbial adjunct relations: SYNADJ	17	
3.3 Adverbial adjunct relations: ADVERB	25	
Morphological relations: MORPHOLOGY	33	
4.1 Compositional relations: MORPHCOMP	33	
4.2 Derivational relations: MORPHDERIV	35	
4.2.1 Prefix relations: PREFIX	36	
4.2.2 Suffix relations: SUFFIX	38	
Discourse relations: DISCOURSE	46	
5.1 Functional relations: DISCFUNC	47	
5.2 Semantic relations: DISCSEM	48	
Anaphor relations: ANAPHORA	52	
6.1 Coreference relations: coref	53	
6.2 Associative anaphor relations: assoc	57	
Semantic relations: SEMANTICS	63	
7.1 Qualia relations: QUALIA	70	
7.2 Thematic role relations: SEMROLE	71	
Word alignment relations: ALIGNMENT		
Rule schemata for complex relations: RULE	74	
0 Ontological relations: ONTOLOGY		
Relations misplaced outside the ANY hierarchy		
Annotation topics:: TOPICS		
Overview tables		
	2.1 Linguistic level dimension: DIM:LEVEL 2.2 Annotation type dimension: DIM:TYPE Syntactic relations: SYNTAX 3.1 Complement relations: SYNCOMP 3.2 Non-adverbial adjunct relations: SYNADJ 3.3 Adverbial adjunct relations: ADVERB Morphological relations: MORPHOLOGY 4.1 Compositional relations: MORPHOERIV 4.2 Derivational relations: MORPHDERIV 4.2.1 Prefix relations: PREFIX 4.2.2 Suffix relations: SUFFIX Discourse relations: DISCOURSE 5.1 Functional relations: DISCFUNC 5.2 Semantic relations: DISCSEM Anaphor relations: ANAPHORA 6.1 Coreference relations: coref 6.2 Associative anaphor relations: assoc Semantic relations: SEMANTICS 7.1 Qualia relations: QUALIA 7.2 Thematic role relations: SEMROLE Word alignment relations: ALIGNMENT Rule schemata for complex relations: RULE Ontological relations: ONTOLOGY Relations misplaced outside the ANY hierarchy Annotation topics:: TOPICS	

В	Agre	ement and confusion tables	94
	B.1	Confusion table: syntax	94
	B.2	Confusion table: semantics	99
	B.3	Confusion table: discourse	100
	B.4	Confusion table: anaphora	101
	B.5	Confusion table: morphology	101
	B.6	Confusion table: alignment	101
C	Anno	otation status	102
	C.1	All texts	102
	C.2	da texts	102
	C.3	de texts	102
	C.4	en texts	102
	C.5	es texts	103
	C.6	it texts	103
	C.7	da-de texts	103
	C.8	da-en texts	103
	C.9	da-es texts	103
	C.10	da-it texts	104
D	Inde	v.	105

Chapter 1

Introduction

This manual describes the relations used in the Copenhagen Dependency Treebanks. The relations are ordered in a hierarchy, where each relation may have zero or more immediate super types, and zero or more immediate subtypes. The relations are presented in detail in the following chapters, grouped by linguistic level and general relation type. Every time a relation is introduced, its name is written in the left margin, with an indication of its immediate super types and the row in the online CDT spreadsheet in which the relation was defined. An example is shown below.

relation The notation in the left margin indicates that we now describe the relation relation; it has isa super immediate super type super and is defined in row 12 in the spreadsheet. When describing a [12] relation, we also lists its other properties, if relevant, including its:

- long name: we use short names in the annotation for brevity, but long names are sometimes more descriptive, so we provide these as an alias for the short relation name;
- deprecated names: when renaming relations, the old name is listed as a deprecated name for backwards compatibility, but it should be avoided in future annotation;
- · immediate subtypes: the relation names that have been specified as the immediate subtypes of the relation;
- related types: lists the relations that are closely related to this relation, in some way or another, and which you might want to consult for clarification or additional information;
- examples: small annotated text examples that illustrate how the relation is used;

In PDF versions of this document, relation names are clickable so that you can navigate through the relation hierarchy by clicking on the relation names.

Chapter 2

Top-level relations: ANY

ANY: formal top node
DIM: dimension
DIM:LEVEL: dimension: linguistic level
DIM:TYPE: dimension: annotation type
RULE: generative type specification rule
TOPIC: annotation topic

Figure 2.1: The relations matching ANY-!DIM:LEVEL-!DIM:TYPE-!RULE-!TOPIC.

ANY Formal top node. The formal top node in the type hierarchy. The type hierarchy contains [2] all the annotations (features and relations) used in the Copenhagen Dependency Treebanks; it also contains all other documentation for the treebank, including hierarchically organized topics in the annotation which describe how to annotate particular linguistic constructions in the treebanks.

Subtypes: DIM RULE TOPIC.

DIM *Dimension* (long: DIMENSION). A dimension in the type hierarchy. The dimensions include isa ANY the linguistic level (eg, syntax, morphology, semantics) and the annotation type (eg, primary

[3] dependency, secondary dependency, idiomatic construction)

Subtypes: DIM:LEVEL DIM:TYPE.

DIM:LEVEL *Dimension: linguistic level.* A dimension specifying the linguistic level of the relation. The isa DIM classification of relations into linguistic levels is meant to give a rough classification of the

[8] relations that corresponds to the standard terminology in linguistic theory. The classification is intended for human use. It is not an important feature in the underlying linguistic theory, and there are borderline cases where the distinction between the levels is somewhat fuzzy.

Subtypes: ALIGN ANA DISC MORPH ONT SEM SYN.

DIM:TYPE *Dimension: annotation type.* A dimension specifying the type of the annotation. Eg, a lexical isa DIM feature or a directed bilexical relation.

[17] Subtypes: FEAT REL.

RULE Generative type specification rule. Generative type specification rules specify how type names isa ANY are created generatively using rules. A rule consists of a sequence of null-separated items

[4] which are either character sequences enclosed in double quotes or type names; parts of a rule

may be enclosed in parentheses and followed by an optional repetition operator: "*" (0 or more times), "+" (1 or more times), or "?" (0 or 1 times). When specifying the super types for a generated type, \$1 refers to the part of the type name matched within the first pair of parentheses, \$2 the part within the second pairs of parentheses, etc. Generated types may be used as super types.

For example, the rule "<"PRIM">" generates all relation names formed by enclosing any relation name from the "PRIM" hierarchy in angle brackets. "<"PRIM("."PRIM)*">" generates all relation names formed by enclosing a "."-separated sequence of "PRIM" relation names in angle brackets.

Subtypes: "assoc-"QUALIA "assoc-"SEMROLE ""QUALIA RuleAnd RuleAttr RuleAttrD RuleAttrH RuleDisc RuleExpConn RuleGap RuleIdiom RuleImpConn RuleMorph RuleOblAdv RuleOr RulePar RuleSec.

TOPIC Annotation topic. A topic in the annotation guidelines. A topic describes how a particular isa ANY linguistic construction is annotated in the treebanks, as an aid for the annotators and human users of the CDT treebanks. If a linguistic relation is very closely associated to one or more topics (eg, "gobj" for genitive constructions), the topics should be added as super types for the relation, so that the relations and the topics are properly linked in the annotation manual. Subtypes: "ALIGN "DISC "MORPH "SEM "SYN.

2.1 Linguistic level dimension: DIM:LEVEL

DIM:LEVEL: dimension: linguistic level

ALIGN: alignment level
ANA: anaphor level
DISC: discourse level
MORPH: morphology level
ONT: ontology level
SEM: semantic level

SYN: syntax level

Figure 2.2: The relations matching DIM:LEVEL-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!RULE-!TOPICS.

DIM:LEVEL *Dimension: linguistic level.* A dimension specifying the linguistic level of the relation. The isa DIM classification of relations into linguistic levels is meant to give a rough classification of the

- [8] relations that corresponds to the standard terminology in linguistic theory. The classification is intended for human use. It is not an important feature in the underlying linguistic theory, and there are borderline cases where the distinction between the levels is somewhat fuzzy.

 Subtypes: ALIGN ANA DISC MORPH ONT SEM SYN.
- **ALIGN** *Alignment level* (long: ALIGNMENT). The alignment level includes alignment relations as well is a DIM:LEVEL as lexical features associated with alignments.
 - [15] Subtypes: ALIGNREL.
- ANA Anaphor level (long: ANAPHORA). The anaphor level includes relations between anaphors and is a DIM: LEVEL their antecedents, as well as lexical features associated with anaphora.
 - [14] Subtypes: ANAREL anaphor.

DISC *Discourse level* (long: DISCOURSE). The discourse level includes relations between segments is a DIM:LEVEL in different sentences, as well as lexical features associated with discourse units.

[11] Subtypes: DISCOTHER DISCPRAG DISCSEM RuleDisc.

MORPH *Morphology level* (long: MORPHOLOGY). The morphological level includes relations between isa DIM:LEVEL two word segments within a single word, as well as lexical features associated with mor-

[9] phemes.

Subtypes: MORPHCOMP MORPHDERIV RuleMorph.

ONT *Ontology level* (long: ONTOLOGY). The ontological level includes relations between lexical isa DIM:LEVEL elements construed as ontological units, as well as lexical features associated with ontological

[13] units.

Subtypes: ONTOCLASS.

SEM *Semantic level* (long: SEMANTICS). The semantic level includes relations between lexical eleisa DIM:LEVEL ments construed as functors, arguments, and modifiers, as well as lexical features associated

[12] with semantic units.

Subtypes: SEMREL.

SYN Syntax level (long: SYNTAX). The syntactic level includes relations between two segments is a DIM:LEVEL within a sentence, but not within a single word, as well as lexical features associated with [10] syntactic units.

Subtypes: SYNADJ SYNCOMP.

2.2 Annotation type dimension: DIM:TYPE

DIM:TYPE: dimension: annotation type

FEAT: lexical feature

REL: directed bilexical relation

+: segment concatenation

IDIOM: idiomatic relation

RuleIdiom: idiomatic relation pattern

LAND: landing relation

fill: licensed filler

land: landed lexical element

PRIM: primary dependency relation

ADJ: adjunct relation

COMP: complement relation

RuleOblAdv: valency-bound adverbial

SEC: secondary dependency relation

RuleSec: secondary relation pattern

repl: replacement in gapping coordination

Figure 2.3: The relations matching DIM:TYPE-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!TOPICS.

DIM:TYPE *Dimension: annotation type.* A dimension specifying the type of the annotation. Eg, a lexical isa DIM feature or a directed bilexical relation.

Subtypes: FEAT REL.

 $\label{eq:FEATURE} \textbf{FEATURE}). A lexical feature. Ie, an annotation that describes a particular is a DIM: TYPE property of a lexical element.$

[18] Subtypes: ONTOCLASS.

REL Directed bilexical relation (long: RELATION). A directed bilexical relation. Ie, a directed reisa DIM:TYPE lation that goes from one lexical element (the parent, head, governor, nucleus, stem, an[19] tecedent) to a dependent lexical element (the child, dependent, satellite, affix, anaphor).

Subtypes: + ALIGNREL ANAREL IDIOM LAND PRIM SEC SEMREL.

+ Segment concatenation (long: CONCATENATION). A concatenation relation. The relation is isa REL used to correct segmentation errors, and specifies that two nodes should have been analyzed [33] as subsegments of the same lexical unit. The relation always goes from a node to its immediately following neighbour in the segmentation.


Related types: IDIOM.




IDIOM *Idiomatic relation*. An idiomatic relation. The relation links independent lexical elements is REL that jointly form an idiomatic lexical unit, ie, a unit where the meaning of the whole cannot

be described as a semantic composition of its parts.

Subtypes: RuleIdiom. Related types: +.



RuleIdiom *Idiomatic relation pattern* (long: (SEMREL)"#"). A semantic relation can be marked as idisa IDIOM RULE iomatic by putting a trailing "#" after the semantic relation name. The idiom marker is only [372] used with semantic relations, not with syntactic relations.



LAND Landing relation (long: LANDING). A relation between a lexical element and its landing site.

isa REL Landing relations are not annotated explicitly in the Copenhagen Dependency Treebanks.

[25] In Discontinuous Grammar, the word order is determined by a projective surface tree. The projective surface tree can be derived from the deep tree by defining the landing site for a node as the lowest transitive governor in the deep tree that deeply dominates all nodes

between the node and the transitive governor. The resulting set of landing relations can be shown to form a projective tree. In this tree, a global word order uniquely corresponds to a local ordering of all the landed nodes at each landing site.

Subtypes: fill land.

fill Licensed filler. A landing relation from a filler licensor to a phonetically empty filler that it is LAND licenses. The filler licensor is viewed as the landing site for the filler. Filler relations are never annotated explicitly in the CDT treebanks, but play an important role in the underlying linguistic theory, Discontinuous Grammar. In DG, a "filler" is a phonetically empty constituent which is licensed lexically by a "filler licensor" lexeme, and which functions as an anaphoric element that requires a "filler source" as its antecedent. For example, the relative verb in a relative construction acts as filler licensor for a filler that essentially provides a copy of the relativized noun; in control constructions, the controlling verb passes on a copy of the controlled complement to the subordinate verb; and in gapping coordinations, the first conjunct licenses one or more gapping fillers that function as the elided heads of the gapped conjuncts.

land Landed lexical element. A landing relation for lexical elements. This relation is used when isa LAND the landed node is a lexical element rather than a filler. Landing relations are not annotated [26] explicitly in the CDT annotation, but follow implicitly from the other annotation.

Related types: LAND.

PRIM Primary dependency relation (long: PRIMARY). A primary dependency relation. Ie, a bilexical isa REL relation which specifies the primary head associated with each lexical element in the analysis at the level of syntax, discourse, and morphology. The primary dependencies in a well-formed analysis must form a deep tree, which may be non-projective. The deep tree provides the primary interface to the underlying compositional semantics. In particular, the deep tree defines the application order in the compositional semantics by inducing a unique functor-argument tree for each modifier scope, ie, for each ordering of the adjuncts at all nodes in the analysis.

Subtypes: ADJ COMP.

ADJ Adjunct relation (long: ADJUNCT). A primary adjunct relation. The relation is licensed by isa PRIM the adjunct, ie, the lexical entry of the adjunct specifies the adjunct relations licensed by the adjunct, along with the associated semantic interpretation mechanisms and selectional restrictions on the licensed governors. In the compositional semantics, the adjunct acts as a modifier, ie, a functor that as its argument takes the semantic representation corresponding to the governor along with the governor's arguments and lower-scoped adjuncts.

Subtypes: DISCOTHER DISCPRAG DISCSEM SYNADJ.


COMP Complement relation (long: COMPLEMENT). A primary complement relation. The relation is a PRIM is licensed by the governor, ie, the lexical entry of the governor specifies the complement frames that it allows, along with the associated semantic interpretation mechanisms and selectional restrictions associated with each complement role. In the compositional semantics, the complements act as arguments with the governor as their functor.

Subtypes: RuleOblAdv SYNCOMP.

RuleOblAdv *Valency-bound adverbial* (long: "@"ADVERB). An adverbial relation can be marked as obligaisa COMP RULE tory by putting "@" in front of the relation name.

[369] Related types: cont dir dur ext hab loc prec succ time.

.




SEC Secondary dependency relation (long: SECONDARY). A secondary dependency relation. Intuisa REL itively, if a node functions as a dependent of more than one word (eg, in verbal chains, raising and control constructions, relatives, and elliptic coordinations), the dependency relation that determines the word order is encoded as a primary relation, and the remaining dependency relations are encoded as secondary dependency relations. In terms the underlying linguistic theory in Discontinuous Grammar, the secondary relations in the CDT annotation encode that the child node in the secondary dependency functions as the filler source for a filler that functions as a primary dependent of the parent node. Since the CDT annotation does not include filler nodes, there is no explicit annotation of the filler and its associated filler licensor and filler source, and the filler licensor must be reconstructed from the secondary dependency by means of heuristic rules.

Subtypes: RuleSec ref repl. Related types: fill fsrc.

RuleSec *Secondary relation pattern* (long: "["PRIM"]"). A secondary relation name is formed by enisa RULE SEC closing a primary relation name in square brackets.

[367] Related types: SEC.



repl Replacement in gapping coordination. A relation that encodes a constituent in the first conisa SEC junct replaced by a gapping dependent. The relation goes from the head of the replaced constituent to the head of the gapping dependent. The extraction path for the gapping dependent is defined as the path from the replaced constituent to the head of the first conjunct.

Related types: gapd.

Chapter 3

Syntactic relations: SYNTAX

SYN: syntax level SYNADJ: syntactic adjunct SYNCOMP: syntactic complement

Figure 3.1: The relations matching SYNTAX-!SYNCOMP-!SYNADJ-TOPIC.

SYN Syntax level (long: SYNTAX). The syntactic level includes relations between two segments is a DIM:LEVEL within a sentence, but not within a single word, as well as lexical features associated with [10] syntactic units.

Subtypes: SYNADJ SYNCOMP.

SYNADJ *Syntactic adjunct.* An adjunct role at the syntactic level. This relation type is used to group isa ADJ SYN a large class of adjunct roles that only apply at the syntactic level.

Subtypes: ADVERB app attr attrg conj coord correl fpred gapd mod name pnct rel voc xtop.

SYNCOMP *Syntactic complement.* A complement role at the syntactic level. This relation type is used to isa COMP SYN group a large class of complement roles that only apply at the syntactic level.

[76] Subtypes: @space @time aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr pred qobj robj subj vobj.


3.1 Complement relations: SYNCOMP

SYNCOMP *Syntactic complement.* A complement role at the syntactic level. This relation type is used to isa COMP SYN group a large class of complement roles that only apply at the syntactic level.

Subtypes: @space @time aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr pred qobj robj subj vobj.

@space Valency-bound location/direction adverbial. isa SYNCOMP Related types: dir loc.

[85]



SYNCOMP: syntactic complement

@space: valency-bound location/direction adverbial

@time: valency-bound time adverbial

avobj: adverbial object dobj: direct object fobj: filler object gobj: genitive object iobj: indirect object nobj: nominal object

numa: additive numeral complement numm: multiplicative numeral complement

part: verbal particle pobj: prepositional object possd: possessed complement possr: possessor complement

pred: predicative

predo: object predicative preds: subject predicative qobj: quotational object robj: reflexive object subj: subject

expl: expletive subject vobj: verbal object

Figure 3.2: The relations matching SYNCOMP-TOPIC.


@time Valency-bound time adverbial. A valency bound time expression. Formerly analyzed as is a SYNCOMP locative object, but we have decided to provide a general mechanism (@) for converting [101] adverbial relations into valency-bound relations.

Related types: cont dur ext hab prec succ.




avobj *Adverbial object.* isa SYNCOMP Related types: aobj part.

[93] Confusion₂₅: avobj_{44%} part_{12%} other_{8%} quant_{8%} quant_{8%} conj_{4%} aobj_{4%} loc_{4%} pobj_{4%} pobj_{4%} pobj_{4%} namef_{1%} man_{1%} appa_{1%} appa




dobj *Direct object.* A direct object relation. In languages with case, the direct object is typically isa SYNCOMP accusative-marked.

[81] Related types: iobj robj. Confusion $_{535}$: contr $_{0\%}$ numa $_{0\%}$ concom $_{0\%}$ cond $_{0\%}$ part $_{0\%}$ exem $_{0\%}$ source $_{0\%}$ correl $_{0\%}$ inst $_{0\%}$.




There **are** many people



He has a ball.

fobj Filler object. Filler objects are never annotated explicitly in the CDT annotation. In Disconisa SYNCOMP tinuous Grammar, a "filler" is a phonetically empty constituent which is licensed lexically [94] by a "filler licensor" lexeme (eg, the relative verb in a relative construction acts as filler licensor for a filler that essentially provides a copy of the relativized noun). A "filler object" is reserved for the special case where a particular word (eg, a relative pronoun) must consume a filler (eg, the filler created by the relative verb). That is, most of the constructions which include a "ref" relation in the CDT involve the use of a filler object in the detailed theoretical account in Discontinuous Grammar.

Related types: fill ref.



gobj Genitive object. If the genitve object is part of a NP which nucleus is deverbal, the following isa SYNCOMP annotation possibilities are available: gobj.subj{SEMROLE} gobj.dobj{SEMROLE} gobj.pobj{SEMROLE}

[83] gobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.

Related types: SEMROLE attrg.

the presence of film critics with help from the keyboard nobj nobj gobj.subj nobj das Dasein der Filmkritiker mit Hilfe der Tastatur the presence the(gen) film_critics keyboard with help the {agent} {agent} Denmark's attitude the sale of the car gobj.dobj der Verkauf die Haltung Dänemarks des Autos sale the attitude Denmark's the the(gen) car(gen) {patient} {arg}

iobj *Indirect object.* isa SYNCOMP Related types: dobj.


[84] Confusion_1: pnct_3 $_{\%}$ subj $_{2\%}$ nobj $_{1\%}$ attr $_{1\%}$ possd $_{1\%}$ modp $_{1\%}$.



nobj Nominal object. If the nominal object is part of a NP which nucleus is deverbal, the following isa SYNCOMP annotation possibilities are available: nobj.subj{SEMROLE} nobj.dobj{SEMROLE} nobj.pobj{SEMROLE} [91] nobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.


> Confusion₂₀₉₄: fpreds_{0%} mod_{0%} conc_{0%} part_{0%} predo_{0%} focal_{0%} fpredo_{0%} qobj_{0%} resem_{0%} inst_{0%} add_{0%} iter_{0%} cor $rel_{0\%}$ event_{0%} cause_{0%} comp_{0%} xpl_{0%} exem_{0%} iobj_{0%} avobj_{0%} source_{0%}.

They joined the party.



numa Additive numeral complement. An additive numeral complement relation. Numerals license isa SYNCOMP one additive and one numeral complement, both optional. The numerical value associated [95] with the expression is the value M * N + A, where M is the numerical value of the multiplicative complement, A is the numerical value of the additive complement, and N is the numerical value associated with the lexical numeral itself. Eg, "two hundred four" has value "2 * 100 + 4", "two hundred four thousand" has value "(2 * 100 + 4) * 1000", and "two hundred four thousand and twenty three" has value "(2 * 100 + 4) * 1000 + (20 + (3))".


> Related types: numm. Confusion2:.



numm Multiplicative numeral complement. An multiplicative numeral complement relation. Nuisa SYNCOMP merals license one additive and one numeral complement, both optional. The numerical value [96] associated with the expression is the value M * N + A, where M is the numerical value of the multiplicative complement, A is the numerical value of the additive complement, and N is the numerical value associated with the lexical numeral itself. Eg, "two hundred four" has value "2 * 100 + 4", "two hundred four thousand" has value "(2 * 100 + 4) * 1000", and "two hundred four thousand and twenty three" has value "(2 * 100 + 4) * 1000 + (20 + (3))".

Related types: numa.


 $Confusion_{49}: possd_{2\pi} poss$



part Verbal particle. Verbal particle.

isa SYNCOMP Related types: avobj.


[97] Confusion₂₄: $subj_{2\%}$ $subj_{2\%}$ $epi_{1\%}$ $man_{1\%}$ $time_{1\%}$ $time_{1\%}$ $time_{1\%}$ $time_{1\%}$ $time_{1\%}$.




pobj Prepositional object. A prepositional object relation. The governor may be a verb, noun, adjective, adverbial, or another preposition. The preposition is analyzed as the head of the prepositional object itself. If the prepositional object is part of a deverbal NP (ie, an NP where the nucleus is derived from a verb), the CDT annotation specifies the underlying role of the NP within the PP by adding a "." followed by the underlying role to the relation, e.g., "pobj.subj" (the NP in the PP would act as subject in the underlying V), "pobj.dobj", "pobj.pobj", and "pobj.iobj"; in these cases, the semantic role "{SEMROLE}" must be annotated as well (the most relevant semantic roles in this context are "agent", "patient", "recipient", "experient", "location").

Related types: SEMROLE avobj.

 $Confusion_{477}: pobj_{43\%} pobj_{43\%} pobj_{43\%} pobj_{43\%} pobj_{43\%} pobj_{43\%} pobj_{43\%} pobj_{43\%} pobj_{43\%} other_{2\%} other_{2\%} other_{2\%} other_{2\%} loc_{1\%} loc$




sale to minors



possed Possessed complement. The possessed complement in a possessive construction. Possession isa SYNCOMP is understood in a syntactic sense as any construction with a clitic genitive marker, not nec-[98] essarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

> Related types: "{"\$PRIM"}" SEMROLE poss possr. Confusion₁₇₇: .



possr Possessor complement. NO LONGER IN USE

isa SYNCOMP

The possessor complement in a possessive construction. Possession is understood in a [99] syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: poss possd.

 $Confusion_{25} : possr_{4\%} \ possr_{4\%} \$ $possr_{4\%}\ possr_{4\%}\ possr_{4\%}\ numm_{1\%}\ numm_{1\%}\ numm_{1\%}\ numm_{1\%}\ numm_{1\%}\ numm_{1\%}\ .$

N/A

pred Predicative.


isa SYNCOMP Subtypes: predo preds.

[86] Related types: predo preds.

predo Object predicative.

isa pred Related types: preds.


[88] Confusion₁₈: .



preds Subject predicative.

isa pred Related types: predo.


[87] Confusion₃₀₇: subj_{3%} loc_{3%} loc_{3%} loc_{3%} loc_{3%} loc_{3%} predo_{1%} predo



qobj *Quotational object.* A phrase or discourse segment functioning as directly quoted speech, isa SYNCOMP typically by an attribution verb. Indirect speech is analyzed as "dobj" or "nobj".


[100] Related types: xpl.

 $Confusion_{38}: qobj_{75\%}\ qobj_{75\%}\ qobj_{75\%}\ qobj_{75\%}\ qobj_{75\%}\ qobj_{75\%}\ pnct_{2\%}\ pnct_{2\%}\ pnct_{2\%}\ time_{1\%}\ time_{1\%}$



 $\begin{array}{ccc} \textbf{robj} & \textit{Reflexive object.} \\ \text{isa SYNCOMP} & \text{Related types: dobj.} \\ \text{[90]} & \text{Confusion}_{6}\text{: .} \end{array}$

He decided to walk.




subj Subject. A subject relation. In languages with case, subjects are usually nominative-marked.
 isa SYNCOMP Agent-roles are often encoded as subjects, but not necessarily so (eg, in passive constructions).

Subtypes: expl.

Related types: expl.

 $Confusion_{871}: preds_{1\%} pre$



expl Expletive subject. An expletive subject relation. The expletive subject is typically a situational isa subj place adverbial like "there" or time adverbial like "now", and is only possible for verbs that support the expletive alternation. The expletive alternation applies to all verbs that do not have a direct object (this observation, due to Richard Hudson, can be used as a test to distinguish between direct and indirect objects in verbs that take a single object). The alternation creates a new lexicalization of the verb by demoting the original subject to the vacant direct object role (with the restriction that only indefinites are allowed in this direct object role), and letting the subject role be filled by a situational place or time adverbial.

Related types: subj.

Confusion₂₅: $expl_{88\%} expl_{88\%} preds_{4\%} preds_{4\%} preds_{4\%}$.



There are many people .

vobj Verbal object.

isa SYNCOMP Related types: "["\$PRIM"]".

[89] Confusion₆₅₂: possr_{0%} modp_{0%} qobj_{0%} cause_{0%} cond_{0%} eval_{0%} xpl_{0%} epi_{0%} agent_{0%} fpredo_{0%}.



3.2 Non-adverbial adjunct relations: SYNADJ

SYNADJ *Syntactic adjunct.* An adjunct role at the syntactic level. This relation type is used to group isa ADJ SYN a large class of adjunct roles that only apply at the syntactic level.

 $\begin{tabular}{ll} \hline 104 \\ \hline \end{bmatrix} \begin{tabular}{ll} \hline Subtypes: ADVERB app attr attrg conj coord correl fpred gapd mod name pnct rel voc xtop. \\ \hline \end{tabular}$

ADVERB Adverbial. V/N/P->adverbial

isa SYNADJ Subtypes: agent cause conc concom cond cons event exem man neg other prg quant resem source space time. [140]

app *Apposition.* An appositional relation between two phrases, typically NPs. The head of the isa SYNADJ first NP in the apposition is always analyzed as the head of the second NP.

[115] Subtypes: appa appr.
Related types: appa appr.

appa Parenthetic apposition (comma).


isa app Subtypes: xpl.

[116] Related types: appr xpl.

 $Confusion_{40}\colon appa_{40\%} \; appa_{40\%} \;$

SYNADJ: syntactic adjunct ADVERB: adverbial app: apposition appa: parenthetic apposition (comma) xpl: explication appr: restrictive apposition (no comma) attrg: genitive attributive conj: conjunct relation coord: coordinator relation correl: correlative coordinator relation fpred: free predicative fpredo: free direct-object predicative fpreds: free subject predicative gapd: gapping dependent RuleGap: gapping dependent mod: modifier/adverbial modp: parenthetic modifier name: part of name namef: first name namel: last name title: person title pnct: punctuation rel: relative clause relelab: elaborating relative clause relpa: parenthetic relative clause relr: restrictive relative clause voc: vocative xtop: external topic with resuming pronoun


Figure 3.3: The relations matching SYNADJ-!ADVERB-TOPIC.



xpl *Explication*. Explication of an NP or VP.

isa appa Related types: qobj.


[129] Confusion₁₃: .




appr Restrictive apposition (no comma).

isa app Related types: appa.

[117] Confusion₂₉: pobj_{5%} pobj_{5%} pobj_{5%} pobj_{5%} coord_{2%} coord_{2%}




attrg Genitive attributive.
isa SYNADJ Related types: SEMROLE gobj.
[114]



conj Conjunct relation. A dependency relation relating the conjuncts in a coordination. Secondary isa SYNADJ conjuncts are analyzed as "conj"-dependents of the first conjunct. Coordinators are analyzed as dependents of the secondary conjuncts.

Related types: coord correl.


 $Confusion_{412}: pnct_{5\%} \ pnct_{5\%} \$



coord Coordinator relation. A dependency relation between a coordinating conjunction and a secisa SYNADJ ondary conjunct. The coordinator is analyzed as a dependent of the secondary conjunct.
 [106] Secondary conjuncts are in turn analyzed as "conj"-dependents of the first conjunct.

Related types: conj correl discmark.


Confusion₃₂₇: focal_{0%} modp_{0%} add_{0%} iter_{0%} avobj_{0%} predo_{0%} prg_{0%} source_{0%}.




correl Correlative coordinator relation.

isa SYNADJ Related types: conj coord.

[107] Confusion₇: .





fpred *Free predicative.*

isa SYNADJ Subtypes: fpredo fpreds.


[110] Related types: fpredo fpreds.

V->free predicative

fpredo Free direct-object predicative.

isa fpred Related types: fpreds man.

[112] Confusion₁₁: .



fpreds Free subject predicative.


isa fpred Related types: fpredo.


[111] Confusion₃: .




gapd Gapping dependent (long: GAPPING, deprecated GAP). A relation between a gapping dependent isa SYNADJ in a secondary conjunct and the head of the first conjunct. In gapping coordinations, the sec-[23] ondary conjuncts have an elided head, so the remaining material in the secondary conjuncts is analyzed as gapping dependents of the head of the first conjunct instead. In Discontinuous Grammar, the first conjunct is assumed to generate a gapping filler for each gapping conjunct which encodes a copy of the entire tree associated with the first conjunct, and the gapping dependent is analyzed as a primary dependent of this gapping filler; any node within the copied tree may function as the primary governor of the gapping dependent, but the gapping filler always functions as the landing site for the gapping dependent, and the gapping dependent functions as an anaphoric element that must identify a phrase within the copied tree that it replaces, encoded with a "repl" relation.


Subtypes: RuleGap.








[subj]



RuleGap Gapping dependent (long: "<"PRIM(":"PRIM)*":"INTEGER">"). A gapping dependency relaisa RULE gapd tion is formed by using angled brackets to enclose a colon-separated list of primary relations followed by an integer that indicates the number of the gapped conjunct, starting with 1. The list of primary relations describes the path from the head of the gapped conjunct to the gapping dependent within the gapped conjunct, viewed as a copy of the tree structure within the first conjunct.



mod Modifier/adverbial. Deprecated name for adverbials

isa SYNADJ Subtypes: modp.

[135] Confusion $_{10}$: attr $_{60\%}$ nobj $_{10\%}$ man $_{10\%}$ time $_{10\%}$ other $_{10\%}$.

modp Parenthetic modifier. Deprecated name for parenthetic modifiers

isa mod Related types: {elab}.

[137] $Confusion_{22}$: $conj_{3\%}$ $conj_{3\%}$

name Part of name. Part of a name.

isa SYNADJ Subtypes: namef namel title.

 $[123] \ \ Confusion_{39} \colon nobj_{32\%} \ attr_{10\%} \ a$



namef First name. A first name.

isa name Related types: namel title.


[124] Confusion₉₀: attr_{3%} attr_{3%}



namel Last name. A second last name

isa name Related types: namef title.

[125] Confusion₄: namel_{100%}.



title Person title. A title in a name. If the is the title is determinated by an article, eg. the director isa name Smith, the title must be annotated as "nobj" and the name as "appr".

[126] Related types: namef namel.


Confusion₂₄: $name_{1\%}$ $name_{1\%}$ n



pnct Punctuation.

[108]

isa SYNADJ Confusion₁₂₇₈: attr_{3%} at $attr_{3\%} \ attr_{3\%} \ attr$ $attr_{3\%} \ attr_{3\%} \ attr_{3\%} \ attr_{3\%} \ attr_{3\%} \ attr_{3\%} \ conco_{0\%} \ prg_{0\%} \ qobj_{0\%} \ cause_{0\%} \ fpredo_{0\%} \ eval_{0\%} \ add_{0\%} \ concom_{0\%} \ agent_{0\%} \ avobj_{0\%} \$ $correl_{0\%} \ cond_{0\%} \ iobj_{0\%} \ event_{0\%} \ xpl_{0\%} \ source_{0\%}$.




rel Relative clause. A relation between a relative clause and a relativized NP/VP. The finite verb isa SYNADJ in the relative clause is analyzed as a "rel" dependent of the head of the relativized NP/VP [118] (ie, the determiner if present, otherwise the noun). If there is a relative pronoun, it receives an incoming "ref" arrow from the head of the relativized NP/VP; otherwise, the head of the relativized NP/VP must function as a secondary dependent of some word within the relative

> Subtypes: relelab relpa relr. Related types: relelab relpa relr.

clause (often the relative verb itself).

Confusion3: relr100%.



relelab Elaborating relative clause. Ledsætning med sætningsantecedent i hovedsætning; da: hvilket,

isa rel it: il che, cosa che


[121] Related types: relpa relr. Confusion2: relr100%.

V -> V

relpa Parenthetic relative clause (deprecated relp).

isa rel Related types: relelab relr.

[120] Confusion $_{16}$:.






all will be exempt on environmental grounds .


relr Restrictive relative clause.

isa rel Related types: relelab relpa.

 $\lceil 119 \rceil \ \ \, \text{Confusion}_{119} \colon \, \text{relr}_{48\%} \ \, \text{re$ $conj_{1\%}\ conj_{1\%}\ conj_{1\%}$ $conj_{1\%} conj_{1\%} conj_{1\%} conj_{1\%} conj_{1\%}$.




voc Vocative. Vocative specification. The person to whom the statement is directed. isa SYNADJ $Confusion_1: voc_{100\%}$. [128]





xtop External topic with resuming pronoun. An external topic is a sentence-initial NP whose only isa SYNADJ function is to provide the antecedent for a pronoun later in the sentence. Eg in "John, he is a [122] nice person". Here "John" is the "xtop" of "is", and "he" is the subject of "is".

Related types: cons ref xtop.

Confusion₂: $xtop_{100\%}$.







3.3 Adverbial adjunct relations: ADVERB

ADVERB Adverbial. V/N/P->adverbial


isa SYNADJ Subtyp

Subtypes: agent cause conc concom cond cons event exem man neg other prg quant resem source space time.

agent Agent adverbial. The passivized agent in passives.


isa ADVERB $\mbox{ Confusion}_{12} : \mbox{conj}_{3\%} \mbox{ conj}_{3\%} \mbox{ conj$

[169]



cause $\it Causation adverbial$. Causation adverbial. Describes why the event occurred. is a ADVERB $\it Subtypes: goal$.

 $[159] \ \ Confusion_{30} \colon attr_{10\%} \ at$



ADVERB: adverbial
agent: agent adverbial
cause: causation adverbial
goal: goal adverbial
conc: concession adverbial
concom:

cond: condition adverbial cons: consequence adverbial

event: Adverbial expressing an event

exem: example adverbial man: manner adverbial

accom: companionship adverbial inst: instrument adverbial neg: negation adverbial

other: other adverbial prg: pragmatic adverbial

discmark: sentence-initial discourse marker

epi: epistemic adverbial eval: evaluation adverbial focal: focalizer adverbial

scene: pragmatic condition and structural adverbial

add: additive adverbial contr: contrast adverbial elab: elaboration adverbial

quant: degree adverbial resem: comparison adverbial source: source attribution adverbial


space: space adverbial dir: direction adverbial loc: location adverbial time: time adverbial iter: habituality adverb


Figure 3.4: The relations matching ADVERB-TOPIC.

goal *Goal adverbial* (deprecated ben). Describes the intended goal of the event/action. Also used in isa cause connection with free datives.

[160] Related types: reas.


 $Confusion_{56}\colon dobj_{4\%}\ dobj_{4\%}\ dobj_{4\%}\ dobj_{4\%}\ dobj_{4\%}\ dother_{2\%}\ other_{2\%}\ other_{2\%}\ other_{2\%}\ other_{2\%}\ other_{2\%}\ other_{2\%}\ other_{2\%}$





conc *Concession adverbial.* Describes the concession of the event/action.

isa ADVERB Confusion₁₅: $conc_{20\%}$ $conc_{20\%}$ con




concom . Gerunds in Romance

isa ADVERB Related types: vobj.

[167] Confusion $_{14}$: rel $_{12\%}$ numm $_{2\%}$ numm


The agressor fled and/but got caught hours later.



cond Condition adverbial. Describes the condition of the event/action.

isa ADVERB Related types: pcond.

 $[162] \ \ Confusion_{23} : time_{3\%} \ t$



cons Consequence adverbial. Describes the consequence of the event/action.

isa ADVERB Related types: xtop.

[161] Confusion₁₃: .


 ${f event}$ Adverbial expressing an event. Used when the adverbial in questions expresses an event is a ADVERB rather that time or place.

[155] Confusion₃: nobj $_{30\%}$ attr $_{10\%}$ attr $_{10\%$

I andet sæt vandt han 15-6 He told us last Wednesday at the meeting

exem *Example adverbial* (long: exemplification, deprecated ex). Exemplification; subordinated the object isa ADVERB which is added to a list.

[166] $Confusion_{11}$:.




Poe wrote e.g. "The Tell-tale Heart"

man Manner adverbial. The way things are done

isa ADVERB Subtypes: accom inst.

[156] Related types: fpredo.

 $Confusion_{98}: goal_{2\%} \ goal_{2\%} \ goal_{2\%} \ goal_{2\%} \ prg_{1\%} \ fpreds_{1\%} \ cond_{1\%} \ concom_{1\%} \ fpredo_{1\%} \ loc_{1\%} \ inst_{1\%} \ resem_{1\%} \ source_{1\%} \\ aobj_{1\%} \ eval_{1\%} \ scene_{1\%} \ mod_{1\%} \ mo$



accom Companionship adverbial (deprecated comp). Companionship

isa man Related types: man.


[157] Confusion₁: $conj_{40\%}$ $nobj_{40\%}$ $subj_{20\%}$.



inst Instrument adverbial. Instrument/means


isa man Related types: man.

[158] Confusion₂₄: $nobj_{3\%}$ $nobj_{3\%}$ $nobj_{3\%}$ $nobj_{3\%}$ $nobj_{3\%}$ $nobj_{3\%}$.




 $\begin{array}{cc} \textbf{neg} & \textit{Negation adverbial}. \ \ \textit{Negation of a verbal} \\ \textit{isa ADVERB} & \textit{Confusion}_{70} \colon . \end{array}$

[170]



It's never a problem.



She never lied



other Other adverbial.

isa ADVERB Confusion $_{78}$: subj $_{2\%}$ subj $_{2\%}$

prg Pragmatic adverbial (long: pragmatic). Sentence level.

isa ADVERB Subtypes: discmark epi eval focal scene.

[141] Confusion₂₇: .

discmark Sentence-initial discourse marker (long: discoursemarker). Discourse marker

isa prg Related types: coord.

[146] Confusion₂₉: .

And I'm telling you...




But I'm telling you...




epi *Epistemic adverbial* (long: epistemic). Regarding the level of truth in the expression isa prg Related types: eval.


 $\left[144\right] \ \ Confusion_{15} : \\ man_{15\%} \ man_{15\%$



eval *Evaluation adverbial* (long: evaluation, deprecated evalatt). Evaluating and attitude adverbials isa prg Related types: epi.

[145] Confusion₃₈: nobj_{8%} nobj_{8%} nobj_{8%} nobj_{8%} nobj_{8%} nobj_{8%} nobj_{8%} attr_{2%} attr_{2%} pobj_{1%} pobj_{1%}





The weather is unfortunately bad .

focal Focalizer adverbial (long: focalizator). Focalization of a noun

isa prg Related types: quant.

[142] Confusion₂₇: other_{8%} othe




scene *Pragmatic condition and structural adverbial* (deprecated prgcondpcondbgstruct). Setting the isa prg_scene

[143] Subtypes: add contr elab.


Related types: cond.

 $Confusion_{42}\colon vobj_{4\%}\ vobj_{4\%}\ time_{3\%}\ time_{3\%}\ time_{3\%}\ time_{3\%}\ time_{3\%}\ time_{3\%}\ time_{3\%}\ time_{3\%}\ dobj_{2\%}\ dobj_{2\%}\ dobj_{2\%}\ neg_{1\%}\ neg_{$



add Additive adverbial (long: additive). Additive information

isa scene $Confusion_{40}$: other $_{10\%}$ discmar $k_{5\%}$ dis




The house has also a garage.

contr Contrast adverbial (long: contrast). Opposition

isa scene Related types: struct.

[147] Confusion₂₁: discmark_{19%} discmark_{19%} discmark_{19%} discmark_{19%} pnct_{6%} pnct₆




elab Elaboration adverbial (long: elaboration). More detailed description isa scene $Confusion_4$: elab $_{50\%}$ prg $_{25\%}$ quant $_{25\%}$. [148]


> subj vobj @dir nobj man pnct elab nobj subj relr am going to the place where I work best, i.e. the coffee shop [subj]

quant Degree adverbial (long: quantification, deprecated degr). Modifies the object or verbal by degree isa ADVERB Related types: focal.

[168] Confusion₁₃₁:.




resem Comparison adverbial (deprecated comparecomp). Comparison isa ADVERB $Confusion_{11}$: $possr_{3\%} possr_{3\%} possr_{3\%}$. [164]



source Source attribution adverbial. Reference/source isa ADVERB $Confusion_{13}$:.

[165]




space Space adverbial. Space adverbials isa ADVERB Subtypes: dir loc.

[152]

dir Direction adverbial. Movement from one place to another; direction isa space Related types: loc.

[154] Confusion₄₀: $loc_{50\%}$ $loc_{50\%}$ $loc_{50\%}$ $loc_{50\%}$ $loc_{50\%}$ $loc_{50\%}$ $loc_{50\%}$.



There is a long way from Japan to Germany.

loc Location adverbial. Location

isa space Related types: dir.


[153] Confusion₁₈₂: $dir_{11\%}$ nobj_{7%} nobj_{7%} preds_{5%} preds_{5%} preds_{5%} preds_{5%} preds_{5%} preds_{5%} preds_{5%} preds_{5%} preds_{5%} dobj_{1%} dobj



time Time adverbial. Time relating adverbials


isa ADVERB Subtypes: iter.

[150] Confusion $_{242}$: preds $_{2\%}$ conj $_{1\%}$ other $_{1\%}$ other



 $\begin{array}{ll} \textbf{iter} & \textit{Habituality adverb} \ (\text{deprecated hab}). \ \ \textbf{Habitual}; \ \textbf{repeated habit} \\ \textbf{is a time} & \textbf{Related types: dur ext.} \end{array}$

[151] Confusion₁₉: .



Chapter 4

Morphological relations: MORPHOLOGY

MORPH: morphology level
MORPHCOMP: compositional semantic relations
MORPHDERIV: derivational semantic relations
RuleMorph: syntactic morphlogy relation

Figure 4.1: The relations matching MORPHOLOGY-!MORPHCOMP-!MORPHDERIV-TOPIC.

MORPH Morphology level (long: MORPHOLOGY). The morphological level includes relations between isa DIM:LEVEL two word segments within a single word, as well as lexical features associated with morphological level includes relations between [9] phemes.

Subtypes: MORPHCOMP MORPHDERIV RuleMorph.

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or more) isa MORPH elements which could potentially be used as stems. (A compound contains at least two roots.) [270]

Subtypes: ABOUT AGENT:MC CONST DOBJ.patient EVAL FUNC GOAL LOC OTHER POSS RESEM SOURCE TIME:MC.

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and an affix isa MORPH Subtypes: PREFIX SUFFIX.

RuleMorph Syntactic morphlogy relation (long: "§"(PRIM)). A primary syntactic relation that has been is a MORPH RULE used as a morphology relation for stilistic purposes.
[371]

4.1 Compositional relations: MORPHCOMP

MORPHCOMP *Compositional semantic relations*. A semantic relation is created between two (or more) isa MORPH elements which could potentially be used as stems. (A compound contains at least two roots.) [270]

Subtypes: §ABOUT §AGENT:MC §CONST §DOBJ.patient §EVAL §FUNC §GOAL §LOC §OTHER §POSS §RESEM §SOURCE §TIME:MC.

```
MORPHCOMP: compositional semantic relations
                        §ABOUT: noun-noun compound (about)
                        §AGENT:MC: noun-noun compound (agentive)
                        §CONST: noun-noun compound (constitutive)
                        §DOBJ.patient:
                        §EVAL: noun-noun compound (evaluative)
                        §FUNC: noun-noun compound (function)
                        §GOAL: noun-noun compound (goal)
                        §LOC: noun-noun compound (position)
                        §OTHER: noun-noun compound (other)
                        §POSS: noun-noun compound (possession)
                        §RESEM: noun-noun compound (resemblance)
                        §SOURCE: noun-noun compound (origin)
                        §TIME:MC: noun-noun compound (time)
                              Figure 4.2: The relations matching MORPHCOMP-TOPIC.
   §ABOUT Noun-noun compound (about). Non-head has an aboutness meaning wrt. head.
                                 (theme: skattelov 'tax law' = lov -[skat]te/ABOUT)
§AGENT:MC Noun-noun compound (agentive). Non-head has an agentive meaning wrt. head.
                           (agent: politikontrol 'police control' = kontrol -politi/AGENT)
```

isa MORPHCOMP

isa MORPHCOMP

[358]

[349]

```
§CONST Noun-noun compound (constitutive). Non-head has a constitutive meaning wrt. head.
isa MORPHCOMP
           [348]
                               (constitutive: træbord 'wooden table' = bord-træ/CONST)
```

§DOBJ.patient . isa MORPHCOMP **§EVACI** Noun-noun compound (evaluative). Non-head has an evaluative meaning wrt. head. isa MORPHCOMP [356]

§FUNC Noun-noun compound (function). Non-head has a functional/instrumental meaning wrt. isa MORPHCOMP head. [351]

(function: vindmølle 'wind mill' =mølle -vind/FUNC)

coche de lujo 'luksusbil'

```
§GOAL Noun-noun compound (goal).
isa MORPHCOMP
           [352]
                                   (goal: krigsskib 'war ship' = skib -[krig]s/GOAL)
```

§LOC Noun-noun compound (position). Non-head has a locative meaning wrt. head. isa MORPHCOMP

[354]

(position: loftlampe 'ceiling lamp' = lampe -loft/POS)

§OTHER Noun-noun compound (other). If in doubt about the meaning relation between head and isa MORPHCOMP non-head.

[359]

§POSS Noun-noun compound (possession). Non-head has a possessive meaning wrt. head.

isa MORPHCOMP

[353]

(possession: politibil = bil-politi/POSS

§RESEM Noun-noun compound (resemblance). Denotations of head and non-head resemble each isa MORPHCOMP other.

[357]

silla de tijeras 'saksestol' [klapstol], válvula de mariposa 'sommerfugleventil'

§SOURCE Noun-noun compound (origin). Non-head has a meaning of origin wrt. head.

isa MORPHCOMP

[350]

(origin: rørsukker 'cane sugar' = sukker -rør/ORIGIN)

§TIME:MC Noun-noun compound (time). Non-head has a temporal meaning wrt. head. isa MORPHCOMP

[355]

(time: oktoberregn 'October rain' = regn - oktober/TIME)

Derivational relations: MORPHDERIV 4.2

MORPHDERIV: derivational semantic relations PREFIX: semantic relations appearing with prefixes SUFFIX: semantic relations appearing with suffixes

Figure 4.3: The relations matching MORPHDERIV-!PREFIX-!SUFFIX-TOPIC.

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and an affix

isa MORPH Subtypes: PREFIX SUFFIX.

PREFIX Semantic relations appearing with prefixes. A semantic relation is created between a base isa MORPHDERIV and a prefix.

[272] Subtypes: §AGENT §ITER §MOD §NEG §PRE:other §SPACE §TELIC §TIME §TRANS.

SUFFIX Semantic relations appearing with suffixes. A semantic relation is created between a base isa MORPHDERIV and a suffix.

Subtypes: §AUG §DENUM §DER §DERan:qual §DERna §DERnn §DERv §DIMIN §PEJ.

```
PREFIX: semantic relations appearing with prefixes
   §AGENT: agentive
   §ITER: iteration
   §MOD: modification
      §MOD:eval: evaluation
      §MOD:qual: qualification
      §MOD:quant: quantification
   §NEG: negation
      §NEG:contr: contrast
      §NEG:priv: privation
      §NEG:rev: reversion
   §PRE:other: other prefix relation
   §SPACE: space
      §SPACE:dir: direction
      §SPACE:loc: location
      §SPACE:source: source
   §TELIC: telic
   §TIME: time
      §TIME:post: temporal succession
      §TIME:pre: temporal precedence
   §TRANS: transitivity
```

Figure 4.4: The relations matching PREFIX-TOPIC.

4.2.1 Prefix relations: PREFIX

```
PREFIX Semantic relations appearing with prefixes. A semantic relation is created between a base
isa MORPHDERIV and a prefix.
            [272]
                  Subtypes: §AGENT §ITER §MOD §NEG §PRE:other §SPACE §TELIC §TIME §TRANS.
       §AGENT Agentive (deprecated ASPEC:cause+reflex). Prefix conveys agentive action.
      isa PREFIX
            [288]
                                       (causative: acallar 'silence' = callar -a/AGENT)
          §ITER Iteration (deprecated ASPEC:iter). Prefix conveys iteration.
      isa PREFIX
            [287]
                                            (iterative: redefine = define -re/ITER)
          §MOD Modification. Prefix conveys modification in a broad sense.
      isa PREFIX
                  Subtypes: §MOD:eval §MOD:qual §MOD:quant.
     §MOD:eval Evaluation (deprecated MOD:man). Prefix conveys evaluation
       isa §MOD
            [293]
                                      (manner: maleducado = educado -mal/MOD:eval)
```

§MOD:qual Qualification (deprecated MOD:qual+MOD:rel+GRAD:qual). Prefix conveys qualification.

isa §MOD [294]

(qualification: paleochristian = christian -paleo/MOD:qual) **§MOD:**quant Quantification (deprecated MOD:cuant+GRAD:size). Prefix conveys quantification. isa §MOD [292] (quantification: multicultural = cultural -multi/MOD:quant) **§NEG** Negation. Prefix conveys negation in a broad sense. isa PREFIX Subtypes: §NEG:contr §NEG:priv §NEG:rev. [283] **§NEG:contr** *Contrast* (deprecated NEG:oppo). Prefix conveys contrast. isa §NEG [284] (opposition: antihero = hero -anti/NEG:contr) **§NEG:priv** *Privation*. Prefix conveys privation. isa §NEG [285] (privation: desalt = salt -de/NEG:priv) **§NEG:rev** *Reversion* (deprecated ASPEC:rev). Prefix conveys reversion. isa §NEG [286] (reversion: deactivate = activate -de/NEG:rev) **§PRE:other** Other prefix relation. If in doubt about the meaning conveyed by the prefix isa PREFIX **SSPACE** *Space* (deprecated LOC). Prefix expresses space in a broad sense. isa PREFIX Subtypes: PREFIX = SPACE: SPACE[275] **§SPACE:dir** *Direction* (deprecated LOC:dir). Prefix expresses direction. isa §SPACE [277] (direction/origin: deverbal = verbal -de/SPACE:dir) **§SPACE:loc** *Location* (deprecated LOC:pos). Prefix expresses location. isa §SPACE [276] (position: intramural = mural -intra/SPACE:pos) **§SPACE:source** *Source* (deprecated LOC:proce). Prefix conveys source. isa §SPACE [278] (origin: extraer: = traer -ex/SPACE:source) §TELIC Telic (deprecated ASPEC:term+resul). Prefix conveys termination or result. isa PREFIX

[289]

(terminative: oplåse 'open' = låse –op/TELIC)

```
§TIME Time. Prefix conveys time in a broad sense.
      isa PREFIX
                  Subtypes: §TIME:post §TIME:pre.
     §TIME:post Temporal succession (deprecated TIME:succ). Prefix conveys succession.
       isa §TIME
            [282]
                            (temporal succession: postmodernism = modernism -post/TIME:post)
     §TIME:pre Temporal precedence (deprecated TIME:prec). Prefix conveys precedence.
       isa §TIME
            [281]
                               (temporal precedence: prehistorical = historical -pre/TIME:pre)
        §TRANS Transitivity. Prefix conveys transitivity.
      isa PREFIX
            [290]
                                      (transitivising: påsejle 'collide': sejle -på/TRANS)
                  4.2.2 Suffix relations: SUFFIX
        SUFFIX Semantic relations appearing with suffixes. A semantic relation is created between a base
isa MORPHDERIV and a suffix.
            [273]
                 Subtypes: §AUG §DENUM §DER §DERan:qual §DERna §DERnn §DERv §DIMIN §PEJ.
          §AUG Augmentation. Suffix conveys augmentation.
      isa SUFFIX
            [296]
                                    (augmentative: perrazo 'big dog' = perro +azo/AUG)
       §DENUM Adjective-numeral derivation. Suffix creates denumeral adjectives in a broad sense.
      isa SUFFIX Subtypes: DENUM:apart\ DENUM:ord\ DENUM:quant.
 §DENUM: apart Adjective-partitive derivation (deprecated DENUM:part). Suffix creates partitive numerals.
     isa §DENUM
            [346]
                                     "kardinal=doce - partitiv=doceavo" 'tolv/tolvtedel'
   §DENUM:ord Adjective-ordinal derivation. Suffix creates ordinals.
     isa §DENUM
            [345]
                                        "kardinal=dos - ordinal=segundo" 'to/anden'
§DENUM:quant Adjective-multiplicative derivation. Suffix creates multiplicative numerals.
     isa §DENUM
            [347]
                                "kardinal=cinco - multiplikativ=quíntuplo" 'fem/femdobbelte'
```

§DER *Verb derivation.* Suffix triggers a derivation isa SUFFIX Subtypes: $DERadvv\$ DERav $DERav\$ DERav $DERav\$ DERav $DERav\$ **§DERadvv** Adverb-verb derivation. Suffix triggers a derivation from an adverb to a verb isa §DER §DERav Adjective-verb derivation (deprecated §DER:av). Suffix triggers a derivation from an adjective isa §DER to a verb. [301]

(adjective->verb derivation: darken = dark +en/§DERav)

§DERny Noun-verb derivation (deprecated §DER:nvPRED). Suffix triggers a derivation from a noun to a isa §DER verb.

[300] Subtypes: §DERvn:inst §DERvn:other.

(noun->verb derivation: salar 'to salt' = sal +ar/\(DERnv \)

§DERvn:inst Verb-noun derivation (instrument). Suffix creates deverbal nouns expressing the instrument isa §DERnv related to the meaning of the original noun. [311]

(instrument derivation: exprimidor 'saftpresser' = exprimir +dor/§DERnv:inst)

§DERvn:other *Verb-noun derivation (other).* If in doubt about the meaning conveyed by the suffix isa §DERnv

§DERVa Verb-adjective derivation (deprecated §DERV). Suffix creates deverbal adjectives in a broad isa §DER sense.

[325] Subtypes: §DERva:act §DERva:pas.

§DERva:act Verb-adjective derivation (pure) (deprecated DEVERB:act.pure). Suffix creates active adjectives isa §DERva with the meaning aspect "pure".

[326] Subtypes: §DERva:act.disp §DERva:act.epi.

"que V" (conmovedor – "que conmueve" 'gribende/der griber')

§DERva:act.disp Verb-adjective derivation (disposition) (deprecated DEVERB:act.disp). Suffix creates active adisa §DERva:act jectives with the meaning aspect "disposition". [327]

"que suele V, que tiende a V" (adulón - "que suele adular, que tiende a adular" 'smigre/som plejer eller

har tendens til at være krybende

§DERva:act.epi Verb-adjective derivation (potentiality) (deprecated DEVERB:act.poten). Suffix creates active adisa §DERva:act jectives with the meaning aspect "potentiality". [328] "que puede V" (móvil – que puede moverse 'bevægelig/der kan bevæge sig) **§DERva:pas** Verb-adjective derivation (passive) (deprecated DEVERB:pas). Suffix creates passive adjectives. isa DERva Subtypes: DERva:pas.deon DERva:pas.epi DERva:pas.part. [329] **§DERva:pas.deon** Verb-adjective derivation (passive deontic) (deprecated DEVERB:pas.deon). Suffix creates passive isa §DERva:pas adjectives with a deontic meaning. [332] "Que debe {ser PP/Vse} (abominable – "que debe ser abominado/que debe abominarse" áfskyelig/som må forkastes) **§DERva:pas.epi** Verb-adjective derivation (passive potentiality) (deprecated DEVERB:pas.poten). Suffix creates isa §DERva:pas passive adjectives with the meaning aspect "potentiality". [331] "que puede {ser PP/Vse}" (transportable - "máquina que puede {ser transportada/transportarse} 'transportabel/maskine som kan blive transporteret/transporteres **§DERva:pas.part** Verb-adjective derivation (passive participles) (deprecated DEVERB:pas.part). Suffix creates pasisa §DERva:pas sive adjectives with the form of participles. [330] "que {ha sido/está/es} PP" (comprado - "hombre que {ha sido/está/es} comprado 'mand som er blevet/er/bliver købt''

[305]

isa §DERvn

isa §DER sense.

§DERvn Verb-noun derivation (deprecated PREDDEVERBN). Suffix creates deverbal nouns in a broad

 $[304] \begin{tabular}{ll} Subtypes: $DERvn:agent $DERvn:core $DERvn:exper $DERvn:loc $DERvn:patient $DERvn:recip. \end{tabular}$

§DERvn:agent Verb-noun derivation (agent). Suffix creates deverbal nouns absorbing the agent role.



(agent derivation: singer = sing +er/§DERnv:agent)

§DERvn:core *Verb-noun derivation (core).* Suffix creates deverbal nouns expressing a nominalized version isa §DERvn of the situation denoted by the original verb.

[307]

(core derivation: exploitation = exploit@V +ation/\\$DERnv:core)

§DERvn:exper Verb-noun derivation (experiencer). Suffix creates deverbal nouns absorbing the experiencer isa §DERvn role.

[306]

(experiencer derivation: admirer = admire+r/\{DERnv:exper

§DERvn:loc *Verb-noun derivation (location).* Suffix creates deverbal nouns expressing the location related isa §DERvn to the meaning of the original noun.

(locative derivation: comedor 'spisestue' = comer +dor/\{DERny:loc\)

§DERvn:patient *Verb-noun derivation (patient).* Suffix creates deverbal nouns absorbing the patient role. isa §DERvn
[308]

(result derivation: hallazgo 'fund' = hallar +azgo/\{\}DERnv:result)

§DERvn:recip Verb-noun derivation (recipient). Suffix creates deverbal nouns absorbing the recipient role isa §DERvn
[309]

(recipient derivation: beneficiario 'den begunstigede' = beneficiar +ario/§DERny:recip)

§DERvv *Verb-verb derivation* (deprecated **§DER:vv**). Suffix triggers a derivation from a verb to another isa **§DER** verb. [302]

(verb->verb derivation: adormecer 'lull to sleep' = dormir -+[a][ecer]/\\$DERvv)

§DERan:qual *Adjective derivation* (deprecated QUAL). Suffix creates deadjectival nouns. isa SUFFIX

[313] (deadjectival noun: bitterness = bitter+ness/§DERan:qual)

§DERna Noun-adjective derivation (deprecated DENOM). Suffix creates denominal adjectives in a broad isa SUFFIX sense.

[333] Subtypes: §DERna:deono §DERna:disp §DERna:other §DERna:poss §DERna:rel §DERna:resem §DERna:telic.

§DERna:deono Noun-adjective derivation (naming) (deprecated DENOM:rel.deono). Suffix creates relational adisa §DERna jectives with the meaning of "naming".

[336] Subtypes: §DERna:deono.loc §DERna:deono.pers.

[338]

§DERna:deono.loc Noun-adjective derivation (naming places) (deprecated DENOM:rel.deono.place). Suffix creates isa §DERna:deono relational adjectives with the meaning of "naming" of places.

Madrileño 'som har at gøre med/kommer fra Madrid'

SDERna:deono.pers Noun-adjective derivation (naming persons) (deprecated DENOM:rel.deono.pers). Suffix creates isa §DERna:deono relational adjectives with the meaning of "naming" persons. [337]

Cervantino 'som har at gøre med Cervantes'

§DERna:disp Noun-adjective derivation (disposition) (deprecated DENOM:disp). Suffix creates denominal adisa §DERna jectives that express disposition. [341]

"que tiene afición por N" (mujeriego – "que afición por las mujeres" 'kvindeglad/som er glad for kvinder')

§DERna:other Noun-adjective derivation (other) (deprecated DENOM:other). If in doubt about the meaning isa §DERna conveyed by the suffix [343]

§DERna:poss Noun-adjective derivation (possession) (deprecated DENOM:poss). Suffix creates denominal adisa §DERna jectives that express possession. [340]

"que posee/tiene/lleva N" (barbudo – "que lleva barba" 'skægget/som bærer skæg')

§DERna:rel Noun-adjective derivation (relational) (deprecated DENOM:rel). Suffix creates denominal adjecisa §DERna tives with a relational meaning. [334] Subtypes: §DERna:rel.norm.

§DERna:rel.norm Noun-adjective derivation (normal) (deprecated DENOM:rel.norm). Suffix creates relational adisa §DERna:rel jectives with a "normal" meaning aspect. [335]

(denominal adjective: presidential = president +ial/DENOM:rel.norm)

§DERna:resem Noun-adjective derivation (resemblance) (deprecated DENOM:resem). Suffix creates denominal isa §DERna adjectives that express resemblance. [339]

"que se parece a N" (sanchopancesco - "que se parece a Sancho Panza" 'sanchopanzask/som ligner Sancho

Panza')

§DERna:telic *Noun-adjective derivation (effect)* (deprecated DENOM:eff). Suffix creates denominal adjectives isa §DERna that express an effect.

[342]

"que causa simpatía" (simpático – "que causa simpatía" 'sympatisk/som vækker sympati')

§DERnn *Noun-noun derivation* (deprecated NOPRED). Suffix creates non-predicative nouns (from other isa SUFFIX nouns) in a broad sense.

Subtypes: §DERnn:agent §DERnn:assoc §DERnn:capac §DERnn:cont §DERnn:loc §DERnn:other §DERnn:quant §DERnn:telic §DERnn:time.

§DERnn:agent Noun-noun derivation (agent) (deprecated NOPRED:agent). Suffix creates non-predicative nouns isa §DERnn expressing an agent role.

[315]

(agent derivation: miller = mill +er/§DERnn:agent)

§DERnn:assoc *Noun-noun derivation (association)* (deprecated NOPRED:script). Suffix creates non-predicative isa §DERnn nouns expressing a script/notion related to the original noun.

[322]

(script derivation: pontaje 'brobetaling' = puente +aje/§DERnn:assoc)

§DERnn:capac Noun-noun derivation (capacity) (deprecated NOPRED:capac). Suffix creates non-predicative isa §DERnn nouns expressing a capacity.

[320]

(capacity derivation: cestada 'kurvfuld' = cesta +ada/§DERnn:capac)

§DERnn:cont *Noun-noun derivation (container)* (deprecated NOPRED:cont). Suffix creates non-predicative isa §DERnn nouns expressing a container.

[317]

(container derivation: azucarero 'sugar bowl' = azucar +ero/\(DERnn:cont \)

§DERnn:loc Noun-noun derivation (location) (deprecated NOPRED:loc). Suffix creates non-predicative nouns isa §DERnn expressing a location.

[321]

(locative derivation: arenal 'sandet strækning' = arena +al/\{DERnn:loc\}

§DERnn:other Noun-noun derivation (other) (deprecated NOPRED:other). If in doubt about the meaning conisa §DERnn veyed by the suffix [323] **§DERnn:quant** Noun-noun derivation (quantification) (deprecated NOPRED:set). Suffix creates non-predicative isa §DERnn nouns expressing a quantification. [319] (set derivation: perrada 'hundekobbel' = perro +ada/§DERnn:quant) §DERnn:telic Noun-noun derivation (telic) (deprecated NOPRED:result). Suffix creates non-predicative nouns isa §DERnn expressing a telic result. [316] (result derivation: puñalada 'knivstik' = puñal +ada/§DERnn:telic) §DERnn:time Noun-noun derivation (time) (deprecated NOPRED:temp). Suffix creates non-predicative nouns isa §DERnn expressing a temporal aspect. [318] (temporal derivation: temporada 'tidsrum/sæson' = tiempo +ada/§DERnn:time) §DERv (deprecated DEVERB). isa SUFFIX **§DIMIN** *Diminution*. Suffix conveys diminution. isa SUFFIX [297] (diminutive: viejecito 'little old man' = viejo +ecito/DIM) **§PEJ** *Pejoration*. Suffix conveys a pejorative sense. isa SUFFIX [298] (pejorative: vinacho 'bad vine' = vino +acho/PEJ)

```
SUFFIX: semantic relations appearing with suffixes
   §AUG: augmentation
   §DENUM: adjective-numeral derivation
       §DENUM:apart: adjective-partitive derivation
       §DENUM:ord: adjective-ordinal derivation
       §DENUM:quant: adjective-multiplicative derivation
   §DER: verb derivation
       §DERadvv: adverb-verb derivation
       §DERay: adjective-verb derivation
       §DERnv: noun-verb derivation
          §DERvn:inst: verb-noun derivation (instrument)
          §DERvn:other: verb-noun derivation (other)
       §DERva: verb-adjective derivation
          §DERva:act: verb-adjective derivation (pure)
             §DERva:act.disp: verb-adjective derivation (disposition)
             §DERva:act.epi: verb-adjective derivation (potentiality)
          §DERva:pas: verb-adjective derivation (passive)
             §DERva:pas.deon: verb-adjective derivation (passive deontic)
             §DERva:pas.epi: verb-adjective derivation (passive potentiality)
             §DERva:pas.part: verb-adjective derivation (passive participles)
       §DERvn: verb-noun derivation
          §DERvn:agent: verb-noun derivation (agent)
          §DERvn:core: verb-noun derivation (core)
          §DERvn:exper: verb-noun derivation (experiencer)
          §DERvn:loc: verb-noun derivation (location)
          §DERvn:patient: verb-noun derivation (patient)
          §DERvn:recip: verb-noun derivation (recipient)
       §DERvv: verb-verb derivation
   §DERan:qual: adjective derivation
   §DERna: noun-adjective derivation
       §DERna:deono: noun-adjective derivation (naming)
          §DERna:deono.loc: noun-adjective derivation (naming places)
          §DERna:deono.pers: noun-adjective derivation (naming persons)
       §DERna:disp: noun-adjective derivation (disposition)
       §DERna:other: noun-adjective derivation (other)
       §DERna:poss: noun-adjective derivation (possession)
       §DERna:rel: noun-adjective derivation (relational)
          §DERna:rel.norm: noun-adjective derivation (normal)
       §DERna:resem: noun-adjective derivation (resemblance)
      §DERna:telic: noun-adjective derivation (effect)
   §DERnn: noun-noun derivation
       §DERnn:agent: noun-noun derivation (agent)
       §DERnn:assoc: noun-noun derivation (association)
       §DERnn:capac: noun-noun derivation (capacity)
       §DERnn:cont: noun-noun derivation (container)
       §DERnn:loc: noun-noun derivation (location)
       §DERnn:other: noun-noun derivation (other)
       §DERnn:quant: noun-noun derivation (quantification)
       §DERnn:telic: noun-noun derivation (telic)
       §DERnn:time: noun-noun derivation (time)
   §DERv:
   §DIMIN: diminution
   §PEJ: pejoration
```

Figure 4.5: The relations matching SUFFIX-TOPIC.

Chapter 5

Discourse relations: DISCOURSE

DISC: discourse level
DISCOTHER: other discourse relations
JOINT: no clear relation

REP: repaired SCENE: scene

DISCPRAG: pragmatic and illocutionary discourse relations

DISCSEM: semantic discourse relations RuleDisc: syntactic discourse relation

Figure 5.1: The relations matching DISCOURSE-!DISCFUNC-!DISCSEM-TOPIC.

 $\begin{tabular}{ll} [11] & Subtypes: DISCOTHER DISCPRAG DISCSEM Rule Disc. \end{tabular}$

DISCOTHER *Other discourse relations.* In two cases, REP and SCENE, the relations concern the formal isa ADJ DISC structure of the text. In the last case, JOINT, there is no clear relation between the segments

[217] in question

Subtypes: JOINT REP SCENE.

JOINT *No clear relation.* The dependent text segment adds a completely new content without any isa DISCOTHER clear discourse relation to the governing segment

[267] Confusion $_6$:.

REP Repaired (deprecated STRUCT:rep). Dependent text segment is interrupted and unfinished and isa DISCOTHER "repaired" by the following and governing text segments, which completes it

[266]

SCENE *Scene* (deprecated STRUCT:prepPREP). Dependent text segment expresses the scene of the folisa DISCOTHER lowing and governing text, e.g. headings, titles

[265] Confusion₆: SCENE $_{100\%}$.

DISCPRAG Pragmatic and illocutionary discourse relations (deprecated DISCFUNC). The dependent text segisa ADJ DISC ment expresses a change in speech act or pragmatic function (speaker's intention) wrt the governing segment; the label indicates the speech act or function of the dependent segment;

regarding speaker's intentions and speech acts we consider the narrating asserting speech act as our default value.

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

DISCSEM *Semantic discourse relations.* The relations hold between the propositions of the governing isa ADJ DISC and dependent text segments and are defined in semantic terms;

[215] Subtypes: AGENTIVE CONC COND CONJ CONST CONTR DISJ FORMAL TELIC TIME.

RuleDisc Syntactic discourse relation (long: " α " (PRIM)). A primary syntactic relation that has been used isa DISC RULE as a discourse relation for stilistic purposes.

5.1 Functional relations: DISCFUNC

DISCPRAG: pragmatic and illocutionary discourse relations

ANSW: answer

CONSOL: consolidation

CONSOL:inst: instrumental CONSOL:motiv: motivation CONSOL:source: justification

DIREC: directive act EXPR: expressive act

INTACT: interactional signals INTACT:attn: attention INTACT:inter: interruption

QUEST: question

Figure 5.2: The relations matching DISCFUNC-TOPIC.

DISCPRAG *Pragmatic and illocutionary discourse relations* (deprecated DISCFUNC). The dependent text segisa ADJ DISC ment expresses a change in speech act or pragmatic function (speaker's intention) wrt the governing segment; the label indicates the speech act or function of the dependent segment; regarding speaker's intentions and speech acts we consider the narrating asserting speech act

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

ANSW *Answer*. Governing text segment contains question or problem, dependent text segment anisa DISCPRAG swer or solution

 $\begin{tabular}{ll} [254] & Confusion_1 \colon ANSW_{100\%} \; . \end{tabular}$

as our default value.

CONSOL Consolidation (deprecated SUPPORT?).

isa DISCPRAG Subtypes: CONSOL:inst CONSOL:motiv CONSOL:source.

[260]

CONSOL:inst *Instrumental* (deprecated CONSOL:enabl). S is instrumental in helping reader or recipient to isa CONSOL carry out the action mentioned in N; frequent in directive texts

[262]

CONSOL:motiv *Motivation.* S motivates reader or recipient to carry out the action mentioned in N isa CONSOL

CONSOL:solifee *Justification* (deprecated JUSTCONSOL:just). S expresses a source that justifies N wrt its content isa CONSOL (reason for mentioning it or sim.) thereby strengthening it argumentatively

[261]

Typical connectives: [da] Fordi, Eftersom.

Confusion₂: AGENTIVE:sbj_{100%} .

DIREC Directive act. Dependent text segment contains an order, command or request

isa DISCPRAG Confusion $_2$: CONJ:elab $_{50\%}$ CONJ:seq $_{50\%}$.

[255]

e.g. imperatives

EXPR Expressive act. Dependent text segment contains an expression of the speaker's attitudes or isa DISCPRAG emotions, e.g. congratulations, excuses or thanks

[256]

[en] I'm sorry!; My condolences!

INTACT *Interactional signals.*

isa DISCPRAG Subtypes: INTACT:attn INTACT:inter.

[257]

INTACT:attn Attention. S contains an attention signal

isa INTACT [258]

[da] Ja; Nå; OK; [it] Sì; Beh; [en] Yeah, Oh, Really?

INTACT:inter Interruption. S contains an interruption signal

isa INTACT

[259]

[253]

[da] Jamen; [it] Ma; [en] But... But

QUEST Question. The dependent text segment contains a question with or withour an answer isa DISCPRAG

Semantic relations: DISCSEM 5.2

DISCSEM Semantic discourse relations. The relations hold between the propositions of the governing isa ADJ DISC and dependent text segments and are defined in semantic terms;

[215] Subtypes: AGENTIVE CONC COND CONJ CONST CONTR DISJ FORMAL TELIC TIME.

AGENTIVE Cause relation (discourse). The dependent segment expresses "bringing about" or cause in a isa DISCSEM broad sense

 $\begin{tabular}{ll} [219] & Subtypes: AGENTIVE:expl AGENTIVE:reas AGENTIVE:sbj. \end{tabular}$

AGENTIVE:expl Explanation relation in discourse. An explanation relation. The dependent segment explains isa AGENTIVE the governing segment. The relation is more general and elaborating than "reason".

[220] Typical connectives: [da] Nemlig; [it] Infatti; [en] In fact, Indeed.

Related types: reason.

Confusion₈: AGENTIVE:expl_{75%} AGENTIVE:expl_{75%} AGENTIVE:expl_{75%} .

AGENTIVE:reas Reason relation (discourse). A reason relation. The dependent segment expresses a specific isa AGENTIVE and concrete reason.

[221] Typical connectives: [da] Fordi, Eftersom; [en] Since, Because.

DISCSEM: semantic discourse relations

AGENTIVE: cause relation (discourse)

AGENTIVE:expl: explanation relation in discourse

AGENTIVE:reas: reason relation (discourse)

AGENTIVE:sbj: subjective cause

CONC: concession COND: condition

CONJ: conjunction

CONJ:add: conjunction, addition CONJ:elab: conjunction, elaboration

CONJ:seq: sequence

CONST: constitutive elaboration

CONST:apart: part of relation

CONST:elab: elaboration

CONST:exem: exemplification

CONST:rest: restatement

CONTR: contrast

CONTR:dir: direct contrast CONTR:sbj: subjective contrast

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:sbj: subjective disjunction

FORMAL: formal description

FORMAL:descr: neutral description

FORMAL:eval: positive/negative evaluation

TELIC: consequence/result/conclusion relation (discourse)

TELIC:cons.dir: direct, physical consequence, result

TELIC:cons.sbj: pragmatic/personal conclusion, deduction

TELIC:goal: goal relation (discourse)

TIME: temporal relation

TIME:cont: contemporaneity TIME:post: temporal succession TIME:pre: temporal precedence

Figure 5.3: The relations matching DISCSEM-TOPIC.

 $Confusion_6 : AGENTIVE : reas_{50\%} \ AGENTIVE : rea$

AGENTIVE:sbj *Subjective cause.* A subjective cause. The speaker uses the cause as a subjective/personal isa AGENTIVE argument to support a claim.

[222] Typical connectives: Because, In fact, Indeed.

Confusion₅: CONJ:add_{40%} CONSOL:source_{40%} AGENTIVE:reas_{20%} .

CONC Concession. S admits or acknowledges a fact wrt N, which may however not have the exisa DISCSEM pected consequence or effect

[235] Confusion 11:..

COND *Condition.*

isa DISCSEM $\ _{Confusion_1} \colon conj_{50\%} \ COND_{50\%}$.

[236]

CONJ *Conjunction.* Dependent text segment elaborates and expans knowledge of governing text isa DISCSEM segment or adds a new subject somehow related to it

[242] Subtypes: CONJ:add CONJ:elab CONJ:seq.

Confusion₁: $CONJ:add_{100\%}$.

CONJ:add *Conjunction, addition.* Dependent text segment adds a new subject somehow related to the isa CONJ governing text segment; in cases of uncertainty between add and elab we do not specify the

[243] subtype

Confusion₇₄: .

 $\textbf{CONJ:} \textbf{elab} \hspace{0.2cm} \textit{Conjunction}, \hspace{0.2cm} \textit{elaboration} \hspace{0.2cm} (\textit{deprecated} \hspace{0.2cm} \texttt{ELAB:} \texttt{spec}, \texttt{ELAB:} \texttt{exp}, \texttt{CONST:} \texttt{elab}). \hspace{0.2cm} \textbf{Dependent} \hspace{0.2cm} \textbf{text} \hspace{0.2cm} \textbf{seg-number of the proposition} \hspace{0.2cm} \textbf{Conjunction}, \hspace{0.2cm} \textbf{elaboration} \hspace{0.2cm} \textbf{(deprecated} \hspace{0.2cm} \texttt{ELAB:} \texttt{spec}, \texttt{ELAB:} \texttt{exp}, \texttt{CONST:} \texttt{elab}). \hspace{0.2cm} \textbf{Dependent} \hspace{0.2cm} \textbf{text} \hspace{0.2cm} \textbf{seg-number of the proposition} \hspace{0.2cm} \textbf{(deprecated} \hspace{0.2cm} \texttt{ELAB:} \texttt{exp}, \texttt{CONST:} \texttt{elab}). \hspace{0.2cm} \textbf{Dependent} \hspace{0.2cm} \textbf{text} \hspace{0.2cm} \textbf{(deprecated} \hspace{0.2cm} \texttt{ELAB:} \texttt{exp}, \texttt{CONST:} \texttt{elab}). \hspace{0.2cm} \textbf{(deprecated} \hspace{0.2cm} \texttt{ELAB:} \texttt{exp}, \texttt{ELAB:$

isa CONJ ment elaborates and expans knowledge of governing text segment; in cases of uncertainty

[244] between add and elab we do not specify the subtype

Confusion₄₉: TELIC:cons.sbj_{2%} CONST:rest_{2%} DIREC_{2%} CONC_{2%} .

CONJ:seq *Sequence.* Dependent text segment is part of list or sequence linked to governing text segment

isa CONJ as e.g. in recipes, sport results etc.

[245] Confusion₁₂: CONJ:seq_{75%} CONJ:seq_{75%} CONJ:seq_{75%} .

CONST Constitutive elaboration. A constitutive elaboration relation. The dependent segment adds

isa DISCSEM more details on the governing segments or parts of it.

[227] Subtypes: CONST:apart CONST:elab CONST:exem CONST:rest.

CONST:apart Part of relation. S is a part of N

isa CONST Typical connectives: [da] Herunder, Heri.

[230] Confusion₉: .

 $\textbf{CONST:elab} \ \ \textit{Elaboration} \ (\text{deprecated ELAB:spec}, \text{ELAB:exp}). \ \ S \ \ elaborates \ \ and \ expans \ knowledge \ of \ N; \ may \ be$

isa CONST difficult to distinguish from CONJ

[229] Typical connectives: [it] Cioè.

Related types: CONJ.

 $Confusion_3$:.

CONST:exem Exemplification. S gives examples of elements or phenomena mentioned in N

isa CONST Typical connectives: [en] For example.

[228] Confusion₁₁: .

CONST:rest Restatement. S states N again in a different way

isa CONST Typical connectives: [da] Dvs.; [it] Ossia, In altre parole, Cioè; [en] In other words, Or.

[231] Confusion₆: .

CONTR Contrast.

isa DISCSEM Subtypes: CONTR:dir CONTR:sbj.

[246] Confusion₁: AGENTIVE: $expl_{100\%}$.

CONTR:dir Direct contrast. The contrast lies between the governing and dependent text segment

isa CONTR Typical connectives: [da] Men, Derimod.

[247] Confusion₇: CONJ:add_{19%} CONJ:add_{19%}.

CONTR:sbj Subjective contrast (deprecated CONTR:prg). The contrast lies between an explicit and a subjec-

isa CONTR tively inferred text segment

[248] Typical connectives: [da] Men.

 $Confusion_6$:.

DISJ Disjunction. isa DISCSEM Typical connectives: [da] Eller. [249] Subtypes: DISJ:dir DISJ:sbj. DISJ:dir Direct disjunction. The disjunction lies between the governing and dependent text segment $isa\ DISJ\ _{-}Confusion_1{:}\ CONJ{:}add_{100\%}\ .$ [250] DISJ:sbj Subjective disjunction (deprecated DISJ:prg). The disjunction lies between the dependent and a isa DISJ subjectively inferred text segment [251] FORMAL Formal description. S describes N, N may be a first-order or second-order entity isa DISCSEM $_{_}$ Subtypes: FORMAL:descr FORMAL:eval. FORMAL:descr Neutral description (deprecated DESCR:qual). S expresses an objective and/or neutral description isa FORMAL of N [233] Confusion $_3$:. FORMAL:eval Positive/negative evaluation (deprecated DESCR:eval). S expresses a personal and/or subjective isa FORMAL positive or negative description of N [234] Confusion₆: FORMAL:eval_{50%} FORMAL:eval_{50%} FORMAL:eval_{50%} . TELIC Consequence/result/conclusion relation (discourse). The dependent segment expresses conseisa DISCSEM quence, result, purpose or conclusion wrt the governing segment. [223] Subtypes: TELIC:cons.dir TELIC:cons.sbj TELIC:goal. TELIC:cons.dir Direct, physical consequence, result (deprecated TELIC:dir). A consequence or result relation. isa TELIC The dependent segment expresses a physical and/or objectively observed consequence or [225] result. Typical connectives: [da] Derfor, Af den grund. Confusion₇: . TELIC:cons.sbj Pragmatic/personal conclusion, deduction (deprecated TELIC:sbj). A personal conclusion or deisa TELIC duction relation. The dependent segment expresses a subjective conclusion or deduction on [226] behalf of the speaker. Typical connectives: [da] Derfor, Af den grund. $Confusion_{10} : TELIC : cons.sbj_{40\%} \ CONJ : add_{20\%} \ CONST : rest_{20\%} \ CONJ : elab_{10\%} \ CONTR : dir_{10\%} \ .$ TELIC:goal Goal relation (discourse). A goal relation. The dependent segment expresses goal, purpose, isa TELIC aim or the like. $\begin{tabular}{ll} [224] & Typical connectives: [da] For (at). \end{tabular}$ TIME Temporal relation (deprecated CIRCUM). There is a clear temporal relation between N and S is a DISCSEM $\,$ Subtypes: TIME:cont TIME:post TIME:pre. [237] **TIME:cont** Contemporaneity. S is contemporary with N (now includes abolished TIME:dur) isa TIME Typical connectives: [da] Samtidig, Mens, Så længe, Da. TIME:post Temporal succession (deprecated TIME:succ). S succeeds N isa TIME Typical connectives: [en] Later, Some time afterwards.

TIME:pre Temporal precedence (deprecated TIME:prec). S precedes N

isa TIME Typical connectives: [en] Earlier, Some days before.

[239]

Chapter 6

Anaphor relations: ANAPHORA

ANA: anaphor level
ANAREL: anaphor-antecedent relation
anaphor:
assoc: associative anaphor
coref: coreference

Figure 6.1: The relations matching ANAPHORA-!coref-!assoc-TOPIC.

ANA Anaphor level (long: ANAPHORA). The anaphor level includes relations between anaphors and isa DIM:LEVEL their antecedents, as well as lexical features associated with anaphora.

Subtypes: ANAREL anaphor.

ANAREL Anaphor-antecedent relation. An anaphor-antecedent relation. Ie, a relation between an isa ANA REL anaphor (pronoun, definite description, etc.) and an antecedent that is either a coreferent or provides access to a coreferent via its qualia structure or some other semantic relation. The relation goes from antecedent to anaphor.

anaphor . This section concerns anaphors as well as cataphors. Cataphors may by and large express isa ANA the same relations with their postcedents as anaphors with their antecedents; the relations are therefore labelled identically and will be distinguished solely by the edge direction: from left to right (anaphors) or from right to left (cataphors). Because of their much higher frequency, we shall limit ourselves to examples of anaphors.

Subtypes: assoc coref.

assoc Associative anaphor. The anaphor designates an entity which is associated with the anisa anaphor tecedent

[192] Subtypes: "assoc-"QUALIA "assoc-"SEMROLE assoc-agent assoc-agentive assoc-const assoc-event assoc-exper assoc-formal assoc-inst assoc-loc assoc-patient assoc-rec assoc-telic assoc-time.

Confusion9: .

coref *Coreference.* The anaphor designates the same entity as the antecedent; all coreferential proisa anaphor nouns are labelled this way

[185] Subtypes: coref-evol coref-iden coref-res coref-var ref. Confusion₁₄₁: .

6.1 Coreference relations: coref

coref: coreference
 coref-evol: evolving anaphor
 coref-iden: coreferential NP with lexical identity
 coref-res: resumptive anaphor
 coref-res.prg: pragmatic resumptive anaphor
 coref-var: coreferential NP with lexical variety
 ref: syntactically determined coreference


Figure 6.2: The relations matching coref-TOPIC.

coref *Coreference.* The anaphor designates the same entity as the antecedent; all coreferential proisa anaphor nouns are labelled this way

[185] Subtypes: coref-evol coref-iden coref-res coref-var ref. Confusion₁₄₁: .

coref-evol *Evolving anaphor*. The anaphor refers to the same discourse referent as the antecedent, but isa coref after it has undergone radical changes in its ontological status


[190] Confusion₁: coref-var_{100%}.





coref-iden Coreferential NP with lexical identity (deprecated coref-id). The anaphor designates the same isa coref entity as the antecedent and the lexical noun is identical to that of the antecedent; if the [186] antecedent NP contains attributives or other modifiers, these too must be identical in the anaphor NP


Confusion₅₂:.




coref-res *Resumptive anaphor* (deprecated nowincludescoref-res.cause). The anaphor summarises a sentence, isa coref clause or predicate


[188] Subtypes: coref-res.prg.


 $Confusion_{25} \colon coref-res_{72\%} \ coref-var_{12\%} \ assoc-telic_{4\%} \ coref-iden_{4\%} \ coref_{4\%} \ coref-res.prg_{4\%} \ .$



coref-res.prg Pragmatic resumptive anaphor. The anaphor summarises a sentence, clause or predicate and isa coref-res evaluates it with respect to speech act [189] Confusion₁: coref-res_{100%}.









coref-var Coreferential NP with lexical variety. The anaphor designates the same entity as the anisa coref tecedent; the lexical noun and/or attributives or other modifiers are different from those of the antecedent

Confusion₉₇: coref-var_{79%} coref-



ref *Syntactically determined coreference.* Syntactically determined coreference (e.g. relative proisa SEC coref nouns, external topics)

[183] Confusion₄₂: $ref_{100\%}$.



6.2 Associative anaphor relations: assoc

assoc Associative anaphor. The anaphor designates an entity which is associated with the anisa anaphor tecedent

[192] Subtypes: "assoc-"QUALIA "assoc-"SEMROLE assoc-agent assoc-agentive assoc-const assoc-event assoc-event assoc-event assoc-telic assoc-time.

Confusion₉: .


"assoc-"QUALIA Associative anaphor wrt. qualia. The anaphor denotes an entity which is associated with the isa RULE assoc antecedent with regard to its qualia structure

"assoc-"SEMROLE Associative anaphor wrt. semantic role. The antecedent is a predicate or predicative noun, isa RULE assoc and the anaphor designates an entity or individual that plays a semantic role wrt the an
[205] tecedent predication

```
assoc: associative anaphor
   "assoc-"QUALIA: associative anaphor wrt. qualia
   "assoc-"SEMROLE: associative anaphor wrt. semantic role
   assoc-agent: associative anaphor (agent)
   assoc-agentive: associative anaphor (agentive)
       assoc-agentive.agent: associative anaphor (agentive-agent)
   assoc-const: associative anaphor (constitutive)
   assoc-event: associative anaphor (event)
   assoc-exper: associative anaphor (experiencer)
   assoc-formal: associative anaphor (formal)
   assoc-inst: associative anaphor (instrument)
   assoc-loc: associative locative anaphor
   assoc-patient: associative anaphor (patient)
   assoc-rec: associative anaphor (recipient)
   assoc-telic: associative anaphor (telic)
       assoc-telic.agent: associative anaphor (telic-agent)
       assoc-telic.exper: associative anaphor (telic-experiencer)
       assoc-telic.inst: associative anaphor (telic-instrument)
       assoc-telic.patient: associative anaphor (telic-patient)
       assoc-telic.rec: associative anaphor (telic-recipient)
   assoc-time: associative anaphor (time)
```

Figure 6.3: The relations matching assoc-TOPIC.


assoc-agent Associative anaphor (agent). The antecedent is a predicate or predicative noun, and the isa assoc anaphor is the semantic agent [206]



assoc-agentive Associative anaphor (agentive) (deprecated assoc-agent?). The anaphor is associated with the isa assoc antecedent wrt its agentive quale (the "bringing about" of the antecedent)

[196] Subtypes: assoc-agentive.agent.

Confusion₄: assoc-agentive $_{50\%}$ assoc-telic $_{25\%}$ assoc-const $_{25\%}$.




assoc-agentive.agent Associative anaphor (agentive-agent). The anaphor plays the semantic role of agent wrt the isa assoc-agentive "bringing about" of the antecedent



assoc-const Associative anaphor (constitutive). The anaphor is associated with the antecedent wrt its isa assoc constitutive quale (parts, elements, material, etc.)


[194] Confusion₃₉: .



assoc-event Associative anaphor (event). The anaphor is a predicate noun or similar which expresses an isa assoc event that can be associated with the antecedent or in which the antecedent plays a part [212] Confusion3: assoc-event_{100%}.



assoc-exper Associative anaphor (experiencer). The antecedent is a predicate or predicative noun, and the isa assoc anaphor is the semantic experiencer [209]



assoc-formal Associative anaphor (formal). The anaphor is associated with the antecedent wrt its formal isa assoc quale (shape, dimension, colour, etc.)

[195] Confusion₁: assoc-formal_{100%}.




assoc-inst Associative anaphor (instrument). The antecedent is a predicate or predicative noun, and the isa assoc anaphor is the instrument [210]

bread cutting -> the knife: Jim cut the bread and left the knife in the sink; hanging act -> the rope: Jim


wanted to hang himself but the rope broke

assoc-loc Associative locative anaphor. The anaphor is located in the antecedent isa assoc $Confusion_5$: assoc-loc_{100%}.


[204]



assoc-patient Associative anaphor (patient). The antecedent is a predicate or predicative noun, and the isa assoc anaphor is the semantic patient [207]




assoc-rec Associative anaphor (recipient). The antecedent is a predicate or predicative noun, and the isa assoc anaphor is the semantic recipient [208]



assoc-telic *Associative anaphor (telic)* (deprecated assoc-scope?). The anaphor is associated with antecedent isa assoc wrt its telic quale (purpose, function, result, consequence etc.)

[198] Subtypes: assoc-telic.agent assoc-telic.exper assoc-telic.inst assoc-telic.patient assoc-telic.rec. Confusion₂₄: .



assoc-telic.agent Associative anaphor (telic-agent). The anaphor plays the semantic role of agent wrt the telic isa assoc-telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the [199] inferred predicate)



assoc-telic.exper Associative anaphor (telic-experiencer). The anaphor plays the semantic role of experiencer is a assoc-telic wrt the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)



assoc-telic.inst Associative anaphor (telic-instrument). The anaphor plays the semantic role of instrument isa assoc-telic wrt the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)




assoc-telic.patient Associative anaphor (telic-patient). The anaphor plays the semantic role of patient wrt the isa assoc-telic telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the [200] inferred predicate)



assoc-telic.rec Associative anaphor (telic-recipient). The anaphor plays the semantic role of recipient wrt is a assoc-telic the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)



assoc-time Associative anaphor (time). The antecedent is a predicate or predicative noun, a time indicaisa assoc tion or a more general narrative frame, the anaphor is a point in time linked to it [211]



Chapter 7

Semantic relations: SEMANTICS

```
SEM: semantic level
    SEMREL: semantic role
       QUALIA: qualia role
       {agent}: An object or a person that performs an action
        {apart}:
       {arg}:
       {cause}:
       {class}:
       {const}:
       {elab}:
       {eval}:
        {event}:
        {experiencer}: The receiver of an emotion or a physical impact
        {form}:
       {func}:
        {goal}:
        {iden}:
        {location}: The location where something is situated or happens
        {loc}:
        {other}: No specific semantic role
        {patient}: An object or a person that is the subject of the action or the one who
is located somewhere
       {poss}:
       {quant}:
        {recipient}: The receiver of something
       {resem}:
        {source}:
       {time}:
```

Figure 7.1: The relations matching SEMANTICS-!QUALIA-!SEMROLE-TOPIC.

SEM Semantic level (long: SEMANTICS). The semantic level includes relations between lexical eleisa DIM:LEVEL ments construed as functors, arguments, and modifiers, as well as lexical features associated with semantic units.


Subtypes: SEMREL.

SEMREL Semantic role. A semantic relation. The semantic relation specifies the argument role that is a REL SEM

the child node fills with the parent node as its functor in the functor-argument structure, and encodes the semantic head in phrases headed by a function word without independent semantic meaning. In the DTAG visualization, semantic roles are drawn below the words. Semantic relations are always specified in parallel with a syntactic relation, whose type is determined by the word class of the involved lexical elements. In NP constructions, the syntactic head of an adjunct is assumed to also act as the semantic head of the adjunct, ie, the semantic relation mirrors the syntactic relation in this respect.

The DTAG annotation tool automatically replaces a relation with label "PRIM{SEMREL}" with two relations, one with label "PRIM" and one with label "{SEMREL}", so that relations of this form are drawn as two arrows. Relation names of this form are not strictly relation labels in their own right, merely shorthands in DTAG.

Subtypes: QUALIA {about} {agent} {arg} {cause} {class} {const} {elab} {eval} {event} {experiencer} {form} {func} {goal} {iden} {location} {loc} {other} {patient} {poss} {quant} {recipient} {resem} {source} {time}.



QUALIA *Qualia role.* A qualia role. Ie, a semantic relation that links a lexeme to a qualia role associated is SEMREL with that lexeme. Eg, "music" to the act of "composing" (agentive), "listening" (telic), etc.

[30] Subtypes: agentive const formal resemblance telic.

{about} . Used in noun phrases where the satellite indicates the content or genre of the nucleus, which is a SEMREL typically denotes a semiotic artefact.

[62] Confusion₃₅: .




{agent} An object or a person that performs an action. Used in noun phrases where the satellite is isa SEMREL the object or the person that performs the volitional action indicated by the nucleus. Used in noun phrases where there is a deverbal relation between the nucleus and the satellite. Often realized as a subject.

 $Confusion_{74}\colon \{arg\}_{27\%} \ \{arg\}_{27\%} \ \{about\}_{3\%} \ \{about\}_{3\%} \ \{about\}_{3\%} \ \{loc\}_{2\%} \ \{elab\}_{2\%} \ \{elab\}_{2\%$




 $\{apart\}$. Used in noun phrases where the satellite represents an arbitary part of the nucleus. Please is a SEMREL note that the semantic relation goes from the satellite to the nucleus in opposition to the main part of the other semantic roles.

Confusion₁₉:.



{arg} . Used in noun phrases where there is a deadjectival relation or another similiar relationship is a SEMREL between the nucleus and the satellite.

[68] Confusion₁₉₀: {patient}_{10 π} {



{cause} . Used in noun phrases where the satellite is the person or object that performs the non-isa SEMREL volitional action indicated by the nucleus.


[53] Confusion₁: $\{goal\}_{100\%}$.

sultedød ildebrand?

{class} . Used in noun phrases where the satellite indicates the super type or classification of the isa SEMREL nucleus. This is in opposition to the identity relation which denotates the opposit relationship between the two units. Please note that the semantic relation goes from the satellite to the nucleus in opposition to the main part of the other semantic roles.


Related types: {iden}.

Confusion₃: .



{const} . Used in noun phrases where the satellite represents a part, material or essential constituent is a SEMREL of the nucleus.

[49] Confusion₄₉: {loc} $_{2\%}$ {func} $_{2\%}$ {elab} $_{2\%}$ {apart} $_{2\%}$ {class} $_{2\%}$ {goal} $_{2\%}$ {source} $_{2\%}$.



{elab} . position).

isa SEMREL Related types: modp.


 $\begin{tabular}{ll} $\{48$] $ Confusion_{10}$: $\{elab\}_{40\%}$ $\{loc\}_{15\%}$ $\{agent\}_{15\%}$ $\{const\}_{10\%}$ $\{form\}_{10\%}$ $\{arg\}_{5\%}$ $\{other\}_{5\%}$. } \end{tabular}$

 $\{eval\}$. Used in noun phrases where there is a descriptive relation between the nucleus and the isa SEMREL satellite. The relation is often a subjective description from the writer who either evaluates the relationship in a positive or negative manner.

Confusion₂: $\{arg\}_{50\%}$ $\{eval\}_{50\%}$.



{event} .
isa SEMREL
[59]




{experiencer} *The receiver of an emotion or a physical impact.* Used in noun phrases where there is a isa SEMREL deverbal relation between the nucleus and the satellite. Often realized as a direct object

[71] Confusion₅: {agent} $_{80\%}$ {patient} $_{20\%}$.



 $\{ form \}$. Used in noun phrases where the satellite indicates the shape or form of the nucleus. is a SEMREL $_{Confusion_6:}$.




 $\{func\}$. Used in noun phrases where the satellite determinates the instrumental function of the isa SEMREL nucleus.

 $[55] \quad Confusion_{42} : \{arg\}_{19\%} \ \{arg\}_{19\%} \ \{arg\}_{19\%} \ \{arg\}_{19\%} \ \{arg\}_{19\%} \ \{arg\}_{19\%} \ .$



 $\{goal\}$. Used in noun phrases where the satellite determinates the goal or the intention for which is a SEMREL the nucleus is destinated.

[54] Confusion₆₀:.



{iden} . Used in noun phrases where the satellite indicates the identity of the nucleus. In this case it is also possible to equate the satellite to the nucleus i.e. that the nucleus represents the super type of the satellite.


Related types: {class}. Confusion₁: {func}_{100%} .



{location} The location where something is situated or happens. Used in noun phrases where there is isa SEMREL a deverbal relation between the nucleus and the satellite. Often realized as a prepositional

[73] object

Confusion₂: $\{loc\}_{50\%}$ $\{location\}_{50\%}$.



 $\{loc\}$ (deprecated $\{pos\}$). Used in noun phrases where the satellite indicates the location of the posiisa SEMREL tion or the location of nucleus.

[57] Confusion₈₃: $\{source\}_{6\pi}$ $\{source\}$




{other} *No specific semantic role.* Used when none of the other semantic roles are suitable or when isa SEMREL in doubt.

 $\begin{tabular}{ll} \hline (74) & $Confusion_{32}$: $\{time\}_{7\%}$ $\{time$

{patient} An object or a person that is the subject of the action or the one who is located somewhere. is a SEMREL Used in noun phrases where there is a deverbal relation between the nucleus and the satellite.

[70] Often realized as a direct object Confusion₈₆: .

bread producer




{poss} . Used in noun phrases where there is a possession relation between the nucleus and the isa SEMREL satellite. Often the satelitte is the owner or possessor of the nucleus.

[56] Confusion₂₉: .




{quant} . Used in noun phrases where the satellite indicates the quantity in numbers or another isa SEMREL countable unit of the nucleus.

[65] Confusion₂₃: .




{recipient} *The receiver of something.* Used in noun phrases where there is a deverbal relation between isa SEMREL the nucleus and the satellite. Often realized as an indirect object

[72] Confusion₂: $\{loc\}_{50\%}$ $\{goal\}_{50\%}$.




{resem} . Used in noun phrases where there is a resemblance between the nucleus and the satellite. is a SEMREL Confusion2: {resem} $_{50\%}$ {goal} $_{50\%}$.



{source} (deprecated {origin}). Used in noun phrases where the satellite is the source from which the isa SEMREL nucleus derives or is deduced.

[52] Confusion₄₃: $\{other\}_{7\%} \{other\}_{7\%} \{other\}_{7\%} \{other\}_{7\%}$.



{time} . Used in noun phrases where the satellite indicates some kind of temporal aspect of the isa SEMREL nucleus.

[58] $Confusion_{29}$: {time}_{69%} {time}_{69%} {time}_{69%} {time}_{69%} {time}_{69%} {time}_{69%} {time}_{69%} .



7.1 Qualia relations: QUALIA

QUALIA: qualia role
agentive: agentive qualia
const: constitutive qualia
formal: formal qualia
location: location qualia
resemblance: resemblance wrt. qualia role
""QUALIA: resemblance wrt. \$qualia relation
telic: telic qualia
about: about qualia

Figure 7.2: The relations matching QUALIA.

QUALIA *Qualia role.* A qualia role. Ie, a semantic relation that links a lexeme to a qualia role associated is SEMREL with that lexeme. Eg, "music" to the act of "composing" (agentive), "listening" (telic), etc.

[30] Subtypes: agentive const formal resemblance telic.

agentive *Agentive qualia.* A relation which describes the origin of an object. E.g., its creator, artifact, isa QUALIA natural kind, causal chain (cf. Pustejovsky 1995).

[41]

const *Constitutive qualia* (long: constitutive). A relation between an object and its constituents or isa QUALIA proper parts. E.g., material, weight, parts and component elements (cf. Pustejovsky 1995).

formal Formal qualia. A property that distinguishes the object within a larger domain. E.g., its isa QUALIA orientation, magnitude, shape, dimensionality, color, position (cf. Pustejovsky 1995).

[39] Subtypes: location.

location Location qualia. A qualia role that relates a lexeme to its location qualia.

isa formal

resembla[1622] Resemblance wrt. qualia role. Resemblance wrt. some qualia role isa QUALIA Subtypes: ""QUALIA.

[44]

""QUALIA Resemblance wrt. \$qualia relation. The property that distinguishes

isa RULE resemblance

telse Telic qualia. A relation which describes the purpose and function of the object. E.g., the isa QUALIA purpose of performing an act, the intended use of an artifact (cf. Pustejovsky 1995).

[40] Subtypes: about.

about About qualia. Relates to hyponym (subtype)

isa telic

[43]

7.2 Thematic role relations: SEMROLE

Figure 7.3: The relations matching SEMROLE.

Word alignment relations: **ALIGNMENT**

ALIGN: alignment level ALIGNREL: alignment relation "": unlabeled word alignment f: fuzzy word alignment

Figure 8.1: The relations matching ALIGNMENT-TOPIC.


ALIGN Alignment level (long: ALIGNMENT). The alignment level includes alignment relations as well isa DIM:LEVEL as lexical features associated with alignments.

Subtypes: ALIGNREL.

ALIGNREL Alignment relation. An alignment relation encodes a translational isa ALIGN REL equivalence between two sets of words (and their associated phrases), either in terms of form [31] or meaning. Null alignments - ie, a set of words in one text which does not correspond to any set of words in the other text - are encoded as a set of words that is aligned to itself.

Subtypes: "" f.

"" Unlabeled word alignment (long: align). An unlabeled word alignment is represented as a isa ALIGNREL word alignment where the label is an empty string. It is used to represent the default word [388] alignment, where there is full translational equivalence between the two sets of words.



f Fuzzy word alignment (long: fuzzy). A semantically fuzzy word alignment.

isa ALIGNREL

[389]



Rule schemata for complex relations: RULE

RULE: generative type specification rule

"assoc-"QUALIA: associative anaphor wrt. qualia

"assoc-"SEMROLE: associative anaphor wrt. semantic role

""QUALIA: resemblance wrt. \$qualia relation

RuleAnd: conjunctive both-and type

RuleAttr: attribution

RuleAttrD: down-dependent in attribution RuleAttrH: down-head in attribution RuleDisc: syntactic discourse relation RuleExpConn: explicit connector RuleGap: gapping dependent RuleIdiom: idiomatic relation pattern

RuleImpConn: implicit connector RuleMorph: syntactic morphlogy relation RuleOblAdv: valency-bound adverbial RuleOr: disjunctive either-or type RulePar: disambiguated type

RulePar: disambiguated type RuleSec: secondary relation pattern

Figure 9.1: The relations matching RULE-TOPIC.

RULE Generative type specification rule. Generative type specification rules specify how type names is ANY are created generatively using rules. A rule consists of a sequence of null-separated items which are either character sequences enclosed in double quotes or type names; parts of a rule may be enclosed in parentheses and followed by an optional repetition operator: "*" (0 or more times), "+" (1 or more times), or "?" (0 or 1 times). When specifying the super types for a generated type, \$1 refers to the part of the type name matched within the first pair of parentheses, \$2 the part within the second pairs of parentheses, etc. Generated types may be used as super types.

For example, the rule "<"PRIM">" generates all relation names formed by enclosing any relation name from the "PRIM" hierarchy in angle brackets. "<"PRIM("."PRIM)*">" generates all relation names formed by enclosing a "."-separated sequence of "PRIM" relation names in angle brackets.

Subtypes: "assoc-"QUALIA "assoc-"SEMROLE ""QUALIA RuleAnd RuleAttr RuleAttr RuleAttr RuleAttr RuleDisc

RuleExpConn RuleGap RuleIdiom RuleImpConn RuleMorph RuleOblAdv RuleOr RulePar RuleSec.

[193]

"assoc-"OUALIA Associative anaphor wrt. qualia. The anaphor denotes an entity which is associated with the isa RULE assoc antecedent with regard to its qualia structure

"assoc-"SEMROLE Associative anaphor wrt. semantic role. The antecedent is a predicate or predicative noun, isa RULE assoc and the anaphor designates an entity or individual that plays a semantic role wrt the an-[205] tecedent predication

isa RULE resemblance

""QUALIA Resemblance wrt. \$qualia relation. The property that distinguishes

Rule And Conjunctive both-and type (long: (REL)"&"(REL)). Conjunctive both-and relation types can isa RULE be formed as "&"-separated lists of relation types. Conjunctive relation types are used by [363] the annotators when two or more relation types seem to hold simultaneously. They may be removed from later versions of the CDT treebanks.

RuleAttr Attribution (long: (PRIM)"/ATTR"INTEGER). Specifies the person to whom the utterance is isa RULE attributed (ATTR or ATTR1, ATTR2, ... when there is more than one person)

[375]

RuleAttrD Down-dependent in attribution (long: DISC"*"). The dependent in the relation is one step isa RULE further down in the attribution chain

[377]

RuleAttrH Down-head in attribution (long: "*"DISC). The head in the relation is one step further down in isa RULE the attribution chain

[376]

RuleDisc Syntactic discourse relation (long: "¤"(PRIM)). A primary syntactic relation that has been used isa DISC RULE as a discourse relation for stilistic purposes.


[370]

RuleExpConn Explicit connector (long: PRIM"/"CONNECTOR). The discourse relation has explicit connector

isa RULE \$CONNECTOR


[378]

RuleGap Gapping dependent (long: "<"PRIM(":"PRIM)*":"INTEGER">"). A gapping dependency relaisa RULE gapd tion is formed by using angled brackets to enclose a colon-separated list of primary relations [368] followed by an integer that indicates the number of the gapped conjunct, starting with 1. The list of primary relations describes the path from the head of the gapped conjunct to the gapping dependent within the gapped conjunct, viewed as a copy of the tree structure within the first conjunct.



Peter likes dogs and Elizabeth cats .

RuleIdiom Idiomatic relation pattern (long: (SEMREL)"#"). A semantic relation can be marked as idisa IDIOM RULE iomatic by putting a trailing "#" after the semantic relation name. The idiom marker is only [372] used with semantic relations, not with syntactic relations.



 $\label{eq:RuleImpConn} \textit{RuleImpConn} \ \textit{Implicit connector} \ (long: \ PRIM"/("CONNECTOR")"). \ The \ discourse \ relation \ has \ implicit \ conisa \ RULE \ nector \ CONNECTOR$


[379]

[371]

RuleMorph *Syntactic morphlogy relation* (long: "§"(PRIM)). A primary syntactic relation that has been is a MORPH RULE used as a morphology relation for stilistic purposes.

RuleOblAdv *Valency-bound adverbial* (long: "@"ADVERB). An adverbial relation can be marked as obligaisa COMP RULE tory by putting "@" in front of the relation name.

[369] Related types: cont dir dur ext hab loc prec succ time.



RuleOr Disjunctive either-or type (long: (REL)"|"(REL)). Disjunctive either-or relation types can be isa RULE formed as "|"-separated lists of relation types. Disjunctive relations types are used by the annotators when one of the relation types in the disjunction seems to provide the right label for the relation, but it is difficult to decide which one of them is most appropriate. They may be removed from later versions of the CDT treebanks.

RulePar Disambiguated type (long: "("(REL)")"). Relation types can be disambiguated by enclosing isa RULE them in parentheses. The need for disambiguation normally only arises when specifying [365] conjunctive or disjunctive types.

RuleSec Secondary relation pattern (long: "["PRIM"]"). A secondary relation name is formed by enisa RULE SEC closing a primary relation name in square brackets.

[367] Related types: SEC.



Ontological relations: ONTOLOGY

ONT: ontology level ONTOCLASS: ontological class ¤top: ontological entity ¤abstract: abstract entity aconcrete: concrete entity

Figure 10.1: The relations matching ONTOLOGY-TOPIC.

ONT Ontology level (long: ONTOLOGY). The ontological level includes relations between lexical isa DIM:LEVEL elements construed as ontological units, as well as lexical features associated with ontological [13] units.

Subtypes: ONTOCLASS.

ONTOCLASS Ontological class. A class in the ontology. The ontology encodes a classification of all lexical isa FEAT ONT elements with respect to their natural kind. [420]

Subtypes: ¤top.

¤top Ontological entity.

isa ONTOCLASS Subtypes: ¤abstract ¤concrete.

[421]

pabstract Abstract entity.

isa ¤top

condrete Concrete entity.

isa ¤top [423]

Relations misplaced outside the ANY hierarchy

MISPLACED: misplaced relation §interfix:

Figure 11.1: The relations matching -ANY.

MISPLACED Misplaced relation. A misplaced relation. A relation is misplaced if it fails to have "ANY" [6] as a transitive super type. This should never happen, and the problem must be corrected if a misplaced relation shows up in the misplaced relations table.

§interfix . [274]

Annotation topics:: TOPICS

Figure 12.1: The relations matching TOPICS-DIM.

Appendix A

Overview tables

The tables in this section lists all the relations in the Copenhagen Dependency Treebanks, repeated from the preceding sections.

ANY: formal top node

DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: annotation type RULE: generative type specification rule

TOPIC: annotation topic

The relations matching ANY-!DIM:LEVEL-!DIM:TYPE-!RULE-!TOPIC.

DIM:LEVEL: dimension: linguistic level

ALIGN: alignment level ANA: anaphor level DISC: discourse level MORPH: morphology level ONT: ontology level

SEM: semantic level SYN: syntax level

The relations matching DIM:LEVEL-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!RULE-!TOPICS.

DIM:TYPE: dimension: annotation type

FEAT: lexical feature

REL: directed bilexical relation +: segment concatenation IDIOM: idiomatic relation

RuleIdiom: idiomatic relation pattern

LAND: landing relation

fill: licensed filler

land: landed lexical element PRIM: primary dependency relation

ADJ: adjunct relation COMP: complement relation

RuleOblAdv: valency-bound adverbial

SEC: secondary dependency relation RuleSec: secondary relation pattern repl: replacement in gapping coordination

The relations matching DIM:TYPE-!SYNTAX-!MORPHOLOGY-!DISCOURSE-!ANAPHORA-!SEMANTICS-!ALIGNMENT-!ONTOLOGY-!TOPICS.

SYN: syntax level

SYNADJ: syntactic adjunct

SYNCOMP: syntactic complement

The relations matching SYNTAX-!SYNCOMP-!SYNADJ-TOPIC.

```
SYNCOMP: syntactic complement
   @space: valency-bound location/direction adverbial
   @time: valency-bound time adverbial
   avobj: adverbial object
   dobj: direct object
   fobj: filler object
   gobj: genitive object
   iobj: indirect object
   nobj: nominal object
   numa: additive numeral complement
   numm: multiplicative numeral complement
   part: verbal particle
   pobj: prepositional object
   possd: possessed complement
   possr: possessor complement
   pred: predicative
       predo: object predicative
      preds: subject predicative
   qobj: quotational object
   robj: reflexive object
   subj: subject
       expl: expletive subject
   vobj: verbal object
```

The relations matching SYNCOMP-TOPIC.

82

```
SYNADJ: syntactic adjunct
   ADVERB: adverbial
   app: apposition
       appa: parenthetic apposition (comma)
          xpl: explication
       appr: restrictive apposition (no comma)
   attrg: genitive attributive
   conj: conjunct relation
   coord: coordinator relation
   correl: correlative coordinator relation
   fpred: free predicative
       fpredo: free direct-object predicative
       fpreds: free subject predicative
   gapd: gapping dependent
       RuleGap: gapping dependent
   mod: modifier/adverbial
       modp: parenthetic modifier
   name: part of name
       namef: first name
       namel: last name
       title: person title
   pnct: punctuation
   rel: relative clause
       relelab: elaborating relative clause
       relpa: parenthetic relative clause
       relr: restrictive relative clause
   voc: vocative
   xtop: external topic with resuming pronoun
```

The relations matching SYNADJ-!ADVERB-TOPIC.

83

ADVERB: adverbial agent: agent adverbial cause: causation adverbial goal: goal adverbial conc: concession adverbial concom: cond: condition adverbial cons: consequence adverbial event: Adverbial expressing an event exem: example adverbial man: manner adverbial accom: companionship adverbial inst: instrument adverbial neg: negation adverbial other: other adverbial prg: pragmatic adverbial discmark: sentence-initial discourse marker epi: epistemic adverbial eval: evaluation adverbial focal: focalizer adverbial scene: pragmatic condition and structural adverbial add: additive adverbial contr: contrast adverbial elab: elaboration adverbial quant: degree adverbial resem: comparison adverbial source: source attribution adverbial space: space adverbial dir: direction adverbial loc: location adverbial time: time adverbial iter: habituality adverb

The relations matching ADVERB-TOPIC.

MORPH: morphology level

MORPHCOMP: compositional semantic relations MORPHDERIV: derivational semantic relations RuleMorph: syntactic morphlogy relation

The relations matching MORPHOLOGY-!MORPHCOMP-!MORPHDERIV-TOPIC.

```
MORPHCOMP: compositional semantic relations

§ABOUT: noun-noun compound (about)

§AGENT:MC: noun-noun compound (agentive)

§CONST: noun-noun compound (constitutive)

§DOBJ.patient:

§EVAL: noun-noun compound (evaluative)

§FUNC: noun-noun compound (function)

§GOAL: noun-noun compound (goal)

§LOC: noun-noun compound (position)

§OTHER: noun-noun compound (other)

§POSS: noun-noun compound (possession)

§RESEM: noun-noun compound (resemblance)

§SOURCE: noun-noun compound (origin)

§TIME:MC: noun-noun compound (time)
```

The relations matching MORPHCOMP-TOPIC.

```
MORPHDERIV: derivational semantic relations
PREFIX: semantic relations appearing with prefixes
SUFFIX: semantic relations appearing with suffixes
```

The relations matching MORPHDERIV-!PREFIX-!SUFFIX-TOPIC.

```
PREFIX: semantic relations appearing with prefixes
   §AGENT: agentive
   §ITER: iteration
   §MOD: modification
      §MOD:eval: evaluation
      §MOD:qual: qualification
       §MOD:quant: quantification
   §NEG: negation
      §NEG:contr: contrast
      §NEG:priv: privation
      §NEG:rev: reversion
   §PRE:other: other prefix relation
   §SPACE: space
      §SPACE:dir: direction
      §SPACE:loc: location
      §SPACE:source: source
   §TELIC: telic
   §TIME: time
      §TIME:post: temporal succession
      §TIME:pre: temporal precedence
   §TRANS: transitivity
```

The relations matching PREFIX-TOPIC.

```
SUFFIX: semantic relations appearing with suffixes
   §AUG: augmentation
   §DENUM: adjective-numeral derivation
      §DENUM:apart: adjective-partitive derivation
      §DENUM:ord: adjective-ordinal derivation
      §DENUM:quant: adjective-multiplicative derivation
   §DER: verb derivation
      §DERadvv: adverb-verb derivation
      §DERay: adjective-verb derivation
      §DERnv: noun-verb derivation
          §DERvn:inst: verb-noun derivation (instrument)
          §DERvn:other: verb-noun derivation (other)
      §DERva: verb-adjective derivation
          §DERva:act: verb-adjective derivation (pure)
             §DERva:act.disp: verb-adjective derivation (disposition)
             §DERva:act.epi: verb-adjective derivation (potentiality)
          §DERva:pas: verb-adjective derivation (passive)
             §DERva:pas.deon: verb-adjective derivation (passive deontic)
             §DERva:pas.epi: verb-adjective derivation (passive potentiality)
             §DERva:pas.part: verb-adjective derivation (passive participles)
      §DERvn: verb-noun derivation
          §DERvn:agent: verb-noun derivation (agent)
          §DERvn:core: verb-noun derivation (core)
          §DERvn:exper: verb-noun derivation (experiencer)
          §DERvn:loc: verb-noun derivation (location)
          §DERvn:patient: verb-noun derivation (patient)
          §DERvn:recip: verb-noun derivation (recipient)
      §DERvv: verb-verb derivation
   §DERan:qual: adjective derivation
   §DERna: noun-adjective derivation
      §DERna:deono: noun-adjective derivation (naming)
          §DERna:deono.loc: noun-adjective derivation (naming places)
          §DERna:deono.pers: noun-adjective derivation (naming persons)
      §DERna:disp: noun-adjective derivation (disposition)
      §DERna:other: noun-adjective derivation (other)
      §DERna:poss: noun-adjective derivation (possession)
      §DERna:rel: noun-adjective derivation (relational)
          §DERna:rel.norm: noun-adjective derivation (normal)
      §DERna:resem: noun-adjective derivation (resemblance)
      §DERna:telic: noun-adjective derivation (effect)
   §DERnn: noun-noun derivation
      §DERnn:agent: noun-noun derivation (agent)
      §DERnn:assoc: noun-noun derivation (association)
      §DERnn:capac: noun-noun derivation (capacity)
      §DERnn:cont: noun-noun derivation (container)
      §DERnn:loc: noun-noun derivation (location)
      §DERnn:other: noun-noun derivation (other)
      §DERnn:quant: noun-noun derivation (quantification)
      §DERnn:telic: noun-noun derivation (telic)
      §DERnn:time: noun-noun derivation (time)
   §DERv:
   §DIMIN: diminution
   §PEJ: pejoration
```

The relations matching SUFFIX-TOPIC.

DISC: discourse level

DISCOTHER: other discourse relations

JOINT: no clear relation

REP: repaired SCENE: scene

DISCPRAG: pragmatic and illocutionary discourse relations

DISCSEM: semantic discourse relations RuleDisc: syntactic discourse relation

The relations matching DISCOURSE-!DISCFUNC-!DISCSEM-TOPIC.

DISCPRAG: pragmatic and illocutionary discourse relations

ANSW: answer

CONSOL: consolidation

CONSOL:inst: instrumental CONSOL:motiv: motivation CONSOL:source: justification

DIREC: directive act EXPR: expressive act

INTACT: interactional signals INTACT:attn: attention INTACT:inter: interruption

QUEST: question

The relations matching DISCFUNC-TOPIC.

DISCSEM: semantic discourse relations

AGENTIVE: cause relation (discourse)

AGENTIVE:expl: explanation relation in discourse

AGENTIVE:reas: reason relation (discourse)

AGENTIVE:sbj: subjective cause

CONC: concession COND: condition CONJ: conjunction

CONJ:add: conjunction, addition CONJ:elab: conjunction, elaboration

CONJ:seq: sequence

CONST: constitutive elaboration CONST:apart: part of relation CONST:elab: elaboration CONST:exem: exemplification CONST:rest: restatement

CONTR: contrast

CONTR:dir: direct contrast CONTR:sbj: subjective contrast

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:sbj: subjective disjunction FORMAL: formal description

FORMAL:descr: neutral description

FORMAL:eval: positive/negative evaluation

TELIC: consequence/result/conclusion relation (discourse)
TELIC:cons.dir: direct, physical consequence, result
TELIC:cons.sbj: pragmatic/personal conclusion, deduction

TELIC:goal: goal relation (discourse)

TIME: temporal relation

TIME:cont: contemporaneity
TIME:post: temporal succession
TIME:pre: temporal precedence

The relations matching DISCSEM-TOPIC.

ANA: anaphor level

ANAREL: anaphor-antecedent relation

anaphor:

assoc: associative anaphor

coref: coreference

The relations matching ANAPHORA-!coref-!assoc-TOPIC.

The relations matching coref-TOPIC.

```
assoc: associative anaphor
   "assoc-"QUALIA: associative anaphor wrt. qualia
   "assoc-"SEMROLE: associative anaphor wrt. semantic role
   assoc-agent: associative anaphor (agent)
   assoc-agentive: associative anaphor (agentive)
       assoc-agentive.agent: associative anaphor (agentive-agent)
   assoc-const: associative anaphor (constitutive)
   assoc-event: associative anaphor (event)
   assoc-exper: associative anaphor (experiencer)
   assoc-formal: associative anaphor (formal)
   assoc-inst: associative anaphor (instrument)
   assoc-loc: associative locative anaphor
   assoc-patient: associative anaphor (patient)
   assoc-rec: associative anaphor (recipient)
   assoc-telic: associative anaphor (telic)
       assoc-telic.agent: associative anaphor (telic-agent)
       assoc-telic.exper: associative anaphor (telic-experiencer)
       assoc-telic.inst: associative anaphor (telic-instrument)
       assoc-telic.patient: associative anaphor (telic-patient)
       assoc-telic.rec: associative anaphor (telic-recipient)
   assoc-time: associative anaphor (time)
```

The relations matching assoc-TOPIC.

```
SEM: semantic level
    SEMREL: semantic role
        QUALIA: qualia role
        {about}:
        {agent}: An object or a person that performs an action
        {apart}:
        {arg}:
        {cause}:
        {class}:
        {const}:
        {elab}:
        {eval}:
        {event}:
        {experiencer}: The receiver of an emotion or a physical impact
        {form}:
        {func}:
        {goal}:
        {iden}:
        {location}: The location where something is situated or happens
        {loc}:
        {other}: No specific semantic role
        {patient}: An object or a person that is the subject of the action or the one who
is located somewhere
        {poss}:
        {quant}:
        {recipient}: The receiver of something
        {resem}:
        {source}:
        {time}:
```

The relations matching SEMANTICS-!QUALIA-!SEMROLE-TOPIC.

```
QUALIA: qualia role
agentive: agentive qualia
const: constitutive qualia
formal: formal qualia
location: location qualia
resemblance: resemblance wrt. qualia role
""QUALIA: resemblance wrt. $qualia relation
telic: telic qualia
about: about qualia
```

The relations matching QUALIA.

The relations matching SEMROLE.

ALIGN: alignment level

ALIGNREL: alignment relation
"": unlabeled word alignment
f: fuzzy word alignment

The relations matching ALIGNMENT-TOPIC.

RULE: generative type specification rule

"assoc-"QUALIA: associative anaphor wrt. qualia

"assoc-"SEMROLE: associative anaphor wrt. semantic role

""QUALIA: resemblance wrt. \$qualia relation

RuleAnd: conjunctive both-and type

RuleAttr: attribution

RuleAttrD: down-dependent in attribution RuleAttrH: down-head in attribution RuleDisc: syntactic discourse relation RuleExpConn: explicit connector RuleGap: gapping dependent RuleIdiom: idiomatic relation pattern RuleImpConn: implicit connector

RuleMorph: syntactic morphlogy relation RuleOblAdv: valency-bound adverbial RuleOr: disjunctive either-or type RulePar: disambiguated type RuleSec: secondary relation pattern

The relations matching RULE-TOPIC.

ONT: ontology level

ONTOCLASS: ontological class

"top: ontological entity

"abstract: abstract entity

"concrete: concrete entity

The relations matching ONTOLOGY-TOPIC.

MISPLACED: misplaced relation

§interfix:

The relations matching -ANY.

Appendix B

Agreement and confusion tables

In the following tables, the columns are interpreted as follows:

- *Relation name R*: the name of the relation.
- Agreement A: the estimated level of agreement, defined as the probability that another annotator assigns the same label to the relation (this number may be inaccurate if N is small).
- $Relation\ count\ N$: the number of distinct multiply annotated tokens in the corpus that were annotated with the relation by at least one annotator.
- Confusion table: the relations that other annotators used, with a percentage that indicates the probability that each relation was used by the other annotator instead of R.

B.1 Confusion table: syntax

R	Α	N	Confusion list
xtop	100%	2	$xtop_{100\%}$
VOC	100%	1	$voc_{100\%}$
namel	100%	4	$namel_{100\%}$
expl	88%	25	$expl_{88\%}$ $subj_{5\%}$ $preds_{4\%}$ $time_{1\%}$ $pobj_{1\%}$
qobj	75%	38	$\begin{array}{llllllllllllllllllllllllllllllllllll$
namef	75%	90	$\begin{array}{llllllllllllllllllllllllllllllllllll$
pnct	74%	1278	$\begin{array}{llllllllllllllllllllllllllllllllllll$

exem	72%	11	$\begin{array}{lll} exem_{72\%} & subj_{5\%} & conj_{4\%} & other_{4\%} & attr_{3\%} & source_{2\%} \\ namef_{1\%} & nobj_{1\%} & dobj_{1\%} & goal_{1\%} & pobj_{1\%} \end{array}$
subj	70%	871	$\begin{array}{llllllllllllllllllllllllllllllllllll$
nobj	70%	2094	$\begin{array}{llllllllllllllllllllllllllllllllllll$
xpl	69%	13	$xpl_{69\%}$ $pobj_{9\%}$ $other_{7\%}$ $nobj_{6\%}$ $conj_{2\%}$ $subj_{1\%}$ $vobj_{1\%}$ $preds_{0\%}$ $pnct_{0\%}$ $title_{0\%}$
cause	66%	30	$\begin{array}{lll} cause_{66\%} \ attr_{10\%} \ conj_{3\%} \ time_{3\%} \ cons_{3\%} \ pobj_{3\%} \ subj_{1\%} \\ dobj_{1\%} \ other_{1\%} \ pnct_{1\%} \ iter_{0\%} \ nobj_{0\%} \ name_{0\%} \ vobj_{0\%} \end{array}$
vobj	65%	652	$\begin{array}{llllllllllllllllllllllllllllllllllll$
cond	65%	23	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
add	62%	40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
neg	61%	70	$\begin{array}{llllllllllllllllllllllllllllllllllll$
dobj	61%	535	$\begin{array}{llllllllllllllllllllllllllllllllllll$
cons	61%	13	$cons_{61\%} \ time_{23\%} \ inst_{7\%} \ cause_{7\%}$

conj	61%	412	$\begin{array}{llllllllllllllllllllllllllllllllllll$
possd	59%	177	$\begin{array}{llllllllllllllllllllllllllllllllllll$
quant	58%	131	$\begin{array}{llllllllllllllllllllllllllllllllllll$
preds	58%	307	$\begin{array}{llllllllllllllllllllllllllllllllllll$
coord	54%	327	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
attr	54%	973	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
time	52%	242	time $_{52\%}$ nobj $_{10\%}$ attr $_{7\%}$ pnct $_{4\%}$ iter $_{4\%}$ dobj $_{2\%}$ preds $_{2\%}$ subj $_{1\%}$ coord $_{1\%}$ pobj $_{1\%}$ quant $_{1\%}$ cons $_{1\%}$ man $_{1\%}$ conj $_{1\%}$ other $_{1\%}$ possd $_{0\%}$ vobj $_{0\%}$ scene $_{0\%}$ cause $_{0\%}$ mod $_{0\%}$ cond $_{0\%}$ numm $_{0\%}$ relr $_{0\%}$ possr $_{0\%}$ goal $_{0\%}$ fpredo $_{0\%}$ appa $_{0\%}$ loc $_{0\%}$ qobj $_{0\%}$ neg $_{0\%}$ expl $_{0\%}$ namef $_{0\%}$ part $_{0\%}$ inst $_{0\%}$ resem $_{0\%}$ name $_{0\%}$ eval $_{0\%}$ concom $_{0\%}$ appr $_{0\%}$ add $_{0\%}$
loc	51%	182	$\begin{array}{llllllllllllllllllllllllllllllllllll$
elab	50%	4	$possr_{0\%}$ $numm_{0\%}$ $qobj_{0\%}$ $name_{0\%}$ $relr_{0\%}$ $elab_{50\%}$ $prg_{25\%}$ $quant_{25\%}$

relr	48%	119	$\begin{array}{llllllllllllllllllllllllllllllllllll$
man	46%	98	$\begin{array}{llllllllllllllllllllllllllllllllllll$
title	45%	24	$\begin{array}{lll} title_{45\%} & nobj_{21\%} & subj_{5\%} & appr_{4\%} & dobj_{4\%} & pnct_{3\%} & attr_{3\%} \\ conj_{2\%} & vobj_{2\%} & preds_{1\%} & coord_{1\%} & name_{1\%} & neg_{0\%} & possd_{0\%} \\ agent_{0\%} & numm_{0\%} & pobj_{0\%} & xpl_{0\%} \end{array}$
iobj	45%	11	$\begin{array}{llllllllllllllllllllllllllllllllllll$
avobj	44%	25	$\begin{array}{llllllllllllllllllllllllllllllllllll$
pobj	43%	477	$\begin{array}{llllllllllllllllllllllllllllllllllll$
correl	42%	7	$correl_{42\%} \; subj_{15\%} \; focal_{14\%} \; nobj_{7\%} \; pnct_{7\%} \; dobj_{4\%} \; conj_{3\%} \; appr_{1\%} \; appa_{1\%} \; pobj_{1\%}$
agent	41%	12	$\begin{array}{lll} agent_{41\%} \ nobj_{19\%} \ attr_{9\%} \ pnct_{8\%} \ subj_{5\%} \ dobj_{3\%} \ conj_{3\%} \\ scene_{2\%} \ preds_{2\%} \ numm_{2\%} \ title_{0\%} \ neg_{0\%} \ vobj_{0\%} \end{array}$
appa	40%	40	$\begin{array}{llllllllllllllllllllllllllllllllllll$
eval	39%	38	$eval_{39\%} \ prg_{21\%} \ nobj_{8\%} \ quant_{7\%} \ epi_{5\%} \ focal_{2\%} \ neg_{2\%}$
			$\begin{array}{lll} man_{2\%} & other_{2\%} & attr_{2\%} & pnct_{1\%} & pobj_{1\%} & coord_{0\%} & conj_{0\%} \\ time_{0\%} & vobj_{0\%} & relr_{0\%} & namef_{0\%} & concom_{0\%} & numm_{0\%} \end{array}$
appr	37%	29	
appr relpa	37% 31%	29 16	$\begin{array}{llllllllllllllllllllllllllllllllllll$
			$\begin{array}{llllllllllllllllllllllllllllllllllll$
relpa	31%	16	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

inst	29%	24	$\begin{array}{lll} inst_{29\%} \;\; pobj_{9\%} \;\; predo_{8\%} \;\; possd_{5\%} \;\; attr_{5\%} \;\; pnct_{4\%} \;\; conj_{4\%} \\ concom_{4\%} \;\; preds_{4\%} \;\; scene_{4\%} \;\; cons_{4\%} \;\; man_{4\%} \;\; loc_{4\%} \;\; nobj_{3\%} \\ coord_{2\%} \;\; appa_{1\%} \;\; time_{0\%} \;\; subj_{0\%} \;\; dobj_{0\%} \end{array}$
scene	28%	42	scene $_{28\%}$ subj $_{9\%}$ attr $_{9\%}$ nobj $_{6\%}$ goal $_{4\%}$ coord $_{4\%}$ pnct $_{4\%}$ vobj $_{4\%}$ preds $_{3\%}$ time $_{3\%}$ conj $_{2\%}$ add $_{2\%}$ contr $_{2\%}$ part $_{2\%}$ man $_{2\%}$ inst $_{2\%}$ dobj $_{2\%}$ possd $_{1\%}$ namef $_{1\%}$ neg $_{1\%}$ relr $_{0\%}$ pobj $_{0\%}$ iter $_{0\%}$ agent $_{0\%}$ event $_{0\%}$
contr	28%	21	$\begin{array}{lll} contr_{28\%} & discmark_{19\%} & conc_{9\%} & coord_{9\%} & nobj_{7\%} & pnct_{6\%} \\ prg_{4\%} & scene_{4\%} & other_{4\%} & dobj_{2\%} & relr_{1\%} & attr_{1\%} & subj_{1\%} \end{array}$
epi	26%	15	$\begin{array}{lll} epi_{26\%} & nobj_{21\%} & man_{15\%} & eval_{13\%} & pnct_{7\%} & subj_{6\%} & relr_{2\%} \\ part_{1\%} & pobj_{1\%} & attr_{1\%} & quant_{1\%} & modp_{1\%} & vobj_{1\%} \end{array}$
aobj	24%	33	$\begin{array}{llllllllllllllllllllllllllllllllllll$
source	23%	13	$\begin{array}{llllllllllllllllllllllllllllllllllll$
focal	22%	27	$\begin{array}{llllllllllllllllllllllllllllllllllll$
dir	22%	40	$loc_{50\%}$ $dir_{22\%}$ $pobj_{17\%}$ $part_{2\%}$ $pnct_{2\%}$ $attr_{2\%}$ $dobj_{2\%}$
accom	22%	22	$\begin{array}{lll} man_{22\%} & accom_{22\%} & nobj_{14\%} & attr_{11\%} & pnct_{5\%} & coord_{5\%} \\ pobj_{4\%} & vobj_{2\%} & subj_{2\%} & goal_{2\%} & quant_{1\%} & neg_{1\%} & preds_{1\%} \\ conj_{1\%} & \end{array}$
iter	21%	19	$\begin{array}{ll} time_{52\%} \ \ iter_{21\%} \ \ vobj_{7\%} \ \ other_{5\%} \ \ nobj_{2\%} \ \ dobj_{1\%} \ \ relr_{1\%} \\ name_{1\%} \ \ scene_{1\%} \ \ cause_{1\%} \ \ pobj_{1\%} \ \ subj_{0\%} \ \ appr_{0\%} \ \ coord_{0\%} \\ quant_{0\%} \end{array}$
conc	20%	15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
resem	18%	11	$\begin{array}{llllllllllllllllllllllllllllllllllll$
modp	18%	22	$\begin{array}{llllllllllllllllllllllllllllllllllll$
robj	16%	6	$dobj_{66\%}$ $robj_{16\%}$ $iobj_{16\%}$
prg	14%	27	$\begin{array}{llllllllllllllllllllllllllllllllllll$
discmark	13%	29	$coord_{62\%}$ $contr_{13\%}$ $discmark_{13\%}$ $add_{6\%}$ $qobj_{3\%}$
other	11%	78	$\begin{array}{llllllllllllllllllllllllllllllllllll$
predo	5%	18	$\begin{array}{llllllllllllllllllllllllllllllllllll$
possr	4%	25	$\begin{array}{llllllllllllllllllllllllllllllllllll$

numm	4%	49	$\begin{array}{llllllllllllllllllllllllllllllllllll$
relelab	0%	2	$relr_{100\%}$
rel	0%	3	$relr_{100\%}$
numa	0%	2	$nobj_{62\%}$ attr $_{12\%}$ dobj $_{12\%}$ possd $_{12\%}$
mod	0%	10	$attr_{60\%} nobj_{10\%} man_{10\%} time_{10\%} other_{10\%}$
fpreds	0%	3	$man_{33\%}$ $nobj_{33\%}$ $vobj_{33\%}$
fpredo	0%	11	$\begin{array}{llllllllllllllllllllllllllllllllllll$
event	0%	3	$loc_{33\%}$ $nobj_{30\%}$ $attr_{10\%}$ $conj_{5\%}$ $scene_{5\%}$ $possd_{5\%}$ $subj_{3\%}$ $pnct_{3\%}$ $quant_{3\%}$
degr	0%	2	$quant_{100\%}$
concom	0%	14	$\begin{array}{llllllllllllllllllllllllllllllllllll$
comp	0%	1	$conj_{40\%} nobj_{40\%} subj_{20\%}$
TOTAL	59%	10147	

B.2 Confusion table: semantics

R	Α	N	Confusion list
time	69%	29	$\begin{array}{cccc} time_{69\%} & source_{13\%} & other_{7\%} & arg_{6\%} & about_{0\%} & patient_{0\%} \\ agent_{0\%} & & & & & & & & \\ \end{array}$
const	59%	49	$\begin{array}{llllllllllllllllllllllllllllllllllll$
func	54%	42	$\begin{array}{ll} func_{54\%} \ arg_{19\%} \ loc_{7\%} \ about_{4\%} \ goal_{4\%} \ const_{2\%} \ patient_{2\%} \\ iden_{2\%} \ other_{2\%} \end{array}$
resem	50%	2	$resem_{50\%} goal_{50\%}$
location	50%	2	$loc_{50\%}$ $location_{50\%}$
loc	50%	83	$\begin{array}{llllllllllllllllllllllllllllllllllll$
eval	50%	2	$arg_{50\%}$ eval $_{50\%}$
goal	46%	60	$\begin{array}{lll} goal_{46\%} \ arg_{21\%} \ loc_{7\%} \ other_{7\%} \ func_{3\%} \ agent_{3\%} \ patient_{2\%} \\ cause_{1\%} \ resem_{1\%} \ const_{1\%} \ recipient_{1\%} \ quant_{1\%} \ about_{0\%} \end{array}$
agent	43%	74	$\begin{array}{lll} agent_{43\%} & arg_{27\%} & patient_{9\%} & experiencer_{5\%} & about_{3\%} \\ goal_{2\%} & source_{2\%} & loc_{2\%} & elab_{2\%} & quant_{1\%} & poss_{0\%} & time_{0\%} \\ other_{0\%} & & & & & & & & \\ \end{array}$
apart	42%	19	$quant_{47\%} \ apart_{42\%} \ loc_{5\%} \ const_{5\%}$
patient	40%	86	$\begin{array}{llllllllllllllllllllllllllllllllllll$
elab	40%	10	elab $_{40\%}$ loc $_{15\%}$ agent $_{15\%}$ const $_{10\%}$ form $_{10\%}$ arg $_{5\%}$ other $_{5\%}$
arg	40%	190	$\begin{array}{llllllllllllllllllllllllllllllllllll$

source	39%	43	$source_{39\%} \ arg_{18\%} \ loc_{11\%} \ time_{9\%} \ other_{7\%} \ agent_{4\%} \ poss_{4\%}$					
			$const_{2\%}$ quant $_{2\%}$					
poss	34%	29	$poss_{34\%} \ arg_{20\%} \ other_{11\%} \ patient_{11\%} \ loc_{6\%} \ const_{6\%}$					
			$source_{6\%} \; agent_{1\%}$					
form	33%	6	$const_{33\%} \ form_{33\%} \ loc_{16\%} \ elab_{16\%}$					
quant	26%	23	$apart_{39\%}$ quant $_{26\%}$ $arg_{8\%}$ patient $_{5\%}$ other $_{5\%}$ $agent_{4\%}$					
			$source_{4\%} \ goal_{3\%} \ loc_{2\%} \ about_{1\%}$					
about	25%	35	$patient_{32\%}$ $about_{25\%}$ $arg_{23\%}$ $agent_{6\%}$ $func_{5\%}$ $loc_{2\%}$					
			$other_{1\%} \ quant_{0\%} \ time_{0\%} \ goal_{0\%}$					
other	7%	32	$arg_{20\%} \ goal_{13\%} \ poss_{10\%} \ loc_{9\%} \ source_{9\%} \ other_{7\%} \ time_{7\%}$					
			$class_{6\%} patient_{4\%} quant_{3\%} func_{3\%} elab_{1\%} about_{1\%}$					
			$agent_{0\%}$					
recipient	0%	2	$loc_{50\%} goal_{50\%}$					
iden	0%	1	func _{100%}					
experiencer	0%	5	$agent_{80\%}$ patient $_{20\%}$					
class	0%	3	other _{66%} const _{33%}					
cause	0%	1	$goal_{100\%}$					
TOTAL	41%	828						

B.3 Confusion table: discourse

R	A	N	Confusion list
SCENE	100%	6	SCENE _{100%}
ANSW	100%	1	$ANSW_{100\%}$
TELIC:cons.dir	76%	7	$TELIC.cons.dir_{76\%} \ AGENTIVE.reas_{14\%} \ conj_{9\%}$
CONJ:seq	75%	12	$CONJ:seq_{75\%} \ CONJ:add_{16\%} \ DIREC_{8\%}$
AGENTIVE:expl	75%	8	$AGENTIVE:expl_{75\%}$ $CONTR_{12\%}$ $AGENTIVE:reas_{12\%}$
CONST:exem	63%	11	$CONST.exem_{63\%} \ CONST.apart_{18\%} \ JOINT_{9\%} \ CONC_{9\%}$
CONC	54%	11	$CONC_{54\%}$ $CONJ:add_{18\%}$ $CONJ:elab_{9\%}$ $FOR-MAL:eval_{9\%}$ $CONST:exem_{9\%}$
CONJ:add	51%	74	$\begin{array}{lll} CONJ: add_{51\%} & CONJ: elab_{14\%} & conj_{7\%} & JOINT_{5\%} \\ CONJ: seq_{2\%} & TELIC: cons. sbj_{2\%} & AGENTIVE: sbj_{2\%} \\ CONST: apart_{2\%} & CONC_{2\%} & CONTR: dir_{1\%} & CONJ_{1\%} \\ CONTR: sbj_{1\%} & DISJ: dir_{1\%} & vobj_{1\%} \end{array}$
FORMAL:eval	50%	6	FORMAL:eval _{50%} CONJ:elab _{33%} CONC _{16%}
COND	50%	1	$conj_{50\%} \ COND_{50\%}$
AGENTIVE:reas	50%	6	$\begin{array}{ll} AGENTIVE:reas_{50\%} & AGENTIVE:expl_{16\%} \\ TELIC:cons.dir_{16\%} & AGENTIVE:sbj_{16\%} \end{array}$
CONJ:elab	46%	49	CONJ:elab $_{46\%}$ CONJ:add $_{22\%}$ CONST:apart $_{6\%}$ FORMAL:descr $_{4\%}$ FORMAL:eval $_{4\%}$ CONST:elab $_{4\%}$ subj $_{4\%}$ TELIC:cons.sbj $_{2\%}$ CONST:rest $_{2\%}$ DIREC $_{2\%}$ CONC $_{2\%}$
CONTR:sbj	44%	6	$CONTR: sbj_{44\%} \ conj_{22\%} \ CONTR: prg_{16\%} \ CONJ: add_{16\%}$
TELIC:cons.sbj	40%	10	$ \begin{array}{lll} TELIC: cons.sbj_{40\%} & CONJ: add_{20\%} & CONST: rest_{20\%} \\ CONJ: elab_{10\%} & CONTR: dir_{10\%} \\ \end{array} $
FORMAL:descr	33%	3	CONJ:elab _{66%} FORMAL:descr _{33%}
CONTR:dir	33%	7	$\begin{array}{ccc} conj_{33\%} & CONTR: dir_{33\%} & CONJ: add_{19\%} \\ TELIC: cons. sbj_{14\%} & \end{array}$
CONST:rest	22%	6	TELIC:cons.sbj $_{33\%}$ CONST:rest $_{22\%}$ CONJ:elab $_{16\%}$ CONST:elab $_{16\%}$ conj $_{11\%}$
CONST:apart	22%	9	$ \begin{array}{lll} \text{CONJ:elab}_{33\%} & \text{CONJ:add}_{22\%} & \text{CONST:apart}_{22\%} \\ \text{CONST:exem}_{22\%} & \end{array} $

JOINT	16%	6	$CONJ:add_{66\%}\ JOINT_{16\%}\ CONST:exem_{16\%}$
DISJ:dir	0%	1	$CONJ:add_{100\%}$
DIREC	0%	2	$CONJ:elab_{50\%}$ $CONJ:seq_{50\%}$
CONTR:prg	0%	1	$CONTR: sbj_{100\%}$
CONTR	0%	1	$AGENTIVE:expl_{100\%}$
CONST:elab	0%	3	CONJ:elab _{66%} CONST:rest _{33%}
CONSOL:source	0%	2	AGENTIVE:sbj _{100%}
CONJ	0%	1	$CONJ:add_{100\%}$
AGENTIVE:sbj	0%	5	$CONJ: add_{40\%} \ \ CONSOL: source_{40\%} \ \ AGENTIVE: reas_{20\%}$
TOTAL	47%	255	

B.4 Confusion table: anaphora

R	Α	N	Confusion list
ref	100%	42	$ref_{100\%}$
assoc-loc	100%	5	$assoc ext{-loc}_{100\%}$
assoc-formal	100%	1	$assoc\text{-}formal_{100\%}$
assoc-event	100%	3	$assoc\text{-event}_{100\%}$
coref	92%	141	$coref_{92\%}$ $coref\text{-var}_{4\%}$ $coref\text{-iden}_{1\%}$ $coref\text{-res}_{0\%}$ $assoc_{0\%}$ $assoc\text{-const}_{0\%}$
assoc-telic	83%	24	$\begin{array}{lll} {\sf assoc\text{-}telic}_{83\%} & {\sf assoc\text{-}const}_{8\%} & {\sf coref\text{-}res}_{4\%} & {\sf assoc\text{-}} \\ {\sf agentive}_{4\%} & & & & & & & & \\ \end{array}$
coref-iden	80%	52	coref-iden $_{80\%}$ coref-var $_{10\%}$ coref $_{3\%}$ assoc-const $_{1\%}$ corefres $_{1\%}$ coref coref-iden $_{1\%}$
coref-var	79%	97	coref-var $_{79\%}$ coref $_{6\%}$ coref-iden $_{5\%}$ assoc-const $_{4\%}$ corefres $_{3\%}$ coref-evol $_{1\%}$ assoc $_{1\%}$
coref-res	72%	25	coref-res $_{72\%}$ coref-var $_{12\%}$ assoc-telic $_{4\%}$ coref-iden $_{4\%}$ coref $_{4\%}$ coref-res.prg $_{4\%}$
assoc-const	66%	39	$ \begin{array}{lll} {\sf assoc\text{-}const}_{66\%} & {\sf coref\text{-}var}_{10\%} & {\sf assoc}_{10\%} & {\sf assoc\text{-}telic}_{5\%} \\ {\sf coref\text{-}iden}_{2\%} & {\sf coref}_{2\%} & {\sf assoc\text{-}agentive}_{2\%} \\ \end{array} $
assoc-agentive	50%	4	assoc-agentive $_{50\%}$ assoc-telic $_{25\%}$ assoc-const $_{25\%}$
assoc	38%	9	$assoc\text{-const}_{44\%} \ assoc_{38\%} \ coref\text{-var}_{11\%} \ coref_{5\%}$
coref-res.prg	0%	1	$coref\text{-}res_{100\%}$
coref-evol	0%	1	$coref ext{-}var_{100\%}$
coref coref-iden	0%	1	$coref ext{-}iden_{100\%}$
TOTAL	82%	445	

B.5 Confusion table: morphology

R A N Confusion list

B.6 Confusion table: alignment

R A N Confusion list

Appendix C

Annotation status

C.1 All texts

align	nment disc	course mor	phology	postag	syntax
none	1016	2048	2208		929
auto				1774	82
outdated-final	536				882
first	45	70	107	1	151
discussed	178	194	1		176
final				537	94

C.2 da texts

	discourse	morphology	postag	syntax
none	431	468		
auto				
outdated-final				486
first	20	68	1	17
discussed	86	1		23
final			536	7

C.3 de texts

	discourse	${ t morphology}$	postag	syntax
none	405	412		327
auto			413	
outdated-final				
first	8	1		55
discussed				8
final				23

C.4 en texts

	discourse	morphology	postag	syntax
none	496	535		
auto			536	70
outdated-final				396

	first discussed final	40			39 19 6
C.5	es texts				
	none auto outdated-final first discussed final	discourse 386 2 25	morphology 382 31	postag 413	syntax 358 2 49 4
C .6	it texts				
	none auto outdated-final first discussed final	discourse 330 83	morphology 411 5	postag 412	syntax 244 3 38 77 54
C.7	da-de texts				
	none auto outdated-final first discussed final	alignment 368 45	syntax		
C.8	da-en texts				
	none auto outdated-final first discussed final	alignment	morphology	syntax 1	
C .9	da-es texts				
		alignment	morphology	syntax	

none

auto 2

 $\verb"outdated-final"$

first 1

discussed 81

final

C.10 da-it texts

alignment syntax

none 316

auto 2

 ${\tt outdated-final}$

first

discussed 97

final

Appendix D

Index

((REL)) hyperpage, 76	ASPEC:cause+reflex, 36	CONSOL:source, 101
(PRIM)/ATTRINTEGER,	ASPEC:iter, 36	const, 99, 100
75	ASPEC:rev, 37	CONST:apart, 100
(REL)&(REL), 75	ASPEC:term+resul, 37	CONST:elab, 100, 101
(REL) (REL), 76	assoc, 101	CONST:exem, 100, 101
(SEMREL)# hyperpage, 7,	assoc-agent?, 58	CONST:rest, 96, 100, 101
75	assoc-agentive, 101	constitutive, 70
*DISC, 75	assoc-const, 101	cont, 8, 11, 76
<prim(:prim)*:integer> hyp</prim(:prim)*:integer>		CONTR, 100, 101
22, 75	assoc-formal, 101	contr, 94–98
@ADVERB, 8, 76	assoc-loc, 101	CONTR:dir, 96, 100
[PRIM] hyperpage, 9, 76	assoc-scope?, 61	CONTR:prg, 50, 100, 101
[\$PRIM] hyperpage, 17	assoc-telic, 101	CONTR:sbj, 96, 100, 101
{\$PRIM} hyperpage, 15	attr, 94–99	contrast, 30
{origin}, 69	avobj, 94–99	coord, 94–99
{pos}, 68		coref, 101
d · · · · ·	ben, 26	coref coref-iden, 101
about, 99, 100	cause, 94–100	coref-evol, 101
accom, 94-98	CIRCUM, 51	coref-id, 53
add, 94–98	class, 99, 100	coref-iden, 101
additive, 30	comp, 28, 95, 96, 99	coref-res, 101
ADJUNCT, 8	comparecomp, 31	coref-res.prg, 101
agent, 94–100	COMPLEMENT, 8	coref-var, 101
AGENTIVE:expl, 100,	CONC, 100	correl, 94–98
101	conc, 94–98	
AGENTIVE:reas, 100,	CONCATENATION, 7	degr, 31, 96, 99
101	concom, 94–99	DENOM, 42
AGENTIVE:sbj, 100, 101	COND, 100	DENOM:disp, 42
align, 72	cond, 94–99	DENOM:eff, 43
ALIGNMENT, 5, 72	CONJ, 100, 101	DENOM:other, 42
ANAPHORA, 5, 52	conj, 94–100	DENOM:poss, 42
ANSW, 100	CONJ:add, 94, 96, 100,	DENOM:rel, 42
aobj, 94–99	101	DENOM:rel.deono, 42
apart, 99, 100	CONJ:elab, 95, 100, 101	DENOM:rel.deono.pers,
appa, 94–99	CONJ:seq, 100, 101	42
appr, 94–99	cons, 95, 96, 98	DENOM:rel.deono.place,
arg, 99, 100	CONSOL:enabl, 47	42
<u>~</u>	·	

DENOM:rel.norm, 42	fpreds, 95, 97, 99	NOPRED:temp, 44
DENOM:resem, 42	fsrc, 9	nowincludescoref-
DENUM:part, 38	func, 99, 100	res.cause, 54
DESCR:eval, 51	fuzzy, 72	numa, 95, 96, 99
DESCR:qual, 51	•	numm, 94–99
DEVERB, 44	GAP, 20	
DEVERB:act.disp, 39	GAPPING, 20	ONTOLOGY, 6, 77
DEVERB:act.poten, 40	goal, 94–100	other, 94–100
DEVERB:act.pure, 39		nort 04 00
DEVERB:pas, 40	hab, 32	part, 94–99
DEVERB:pas.deon, 40	iden, 99, 100	patient, 99, 100
DEVERB:pas.part, 40	inst, 94–99	pnct, 94–99
DEVERB:pas.poten, 40	-	pobj, 94–99
DIMENSION, 4	iobj, 94–98	poss, 15, 99, 100
dir, 94–98	iter, 95–98	possd, 94–99
DIREC, 100, 101	JOINT, 100, 101	possr, 94–99
DISC* hyperpage, 75	JUSTCONSOL: just, 47	pragmatic, 29
DISCFUNC, 46, 47	jeoreensenjast, 17	prec, 8, 11, 76
discmark, 94–96, 98	LANDING, 7	PREDDEVERBN, 40
DISCOURSE, 6, 46	LOC, 37	predo, 94–99
discoursemarker, 29	loc, 94–100	preds, 94–99
DISJ:dir, 100, 101	LOC:dir, 37	prg, 94–99
DISJ:prg, 51	LOC:pos, 37	prgcondpcondbgstruct,
dobj, 94–99	LOC:proce, 37	30
dur, 8, 11, 32, 76	location, 99	PRIM/(CONNECTOR) hyperpage,
dai, 6, 11, 52, 70	•	76
elab, 96, 98–100	man, 94–99	PRIM/CONNECTOR, 75
ELAB:spec,ELAB:exp, 50	mod, 95–99	PRIMARY, 8
ELAB:spec,ELAB:exp,CONST:	elalMOD:cuant+GRAD:size,	qobj, 94–99
50	37	QUAL, 41
elaboration, 31	MOD:man, 36	quant 04_100
epi, 94–98	MOD:man, 36 MOD:qual+MOD:rel+GRAD:qu	al quantification, 31
epistemic, 29	36	quantinication, 31
eval, 94–99	modp, 94–98	reas, 26
evalatt, 29	MORPHOLOGY, 6, 33	reason, 48
evaluation, 29		recipient, 99, 100
event, 94-96, 98, 99	name, 94–99	ref, 101
ex, 28	namef, 94–99	rel, 97, 99
exem, 94-98	namel, 94	RELATION, 7
exemplification, 28	neg, 94–98	relation, 3
experiencer, 99, 100	NEG:oppo, 37	relelab, 97, 99
expl, 94–97	nobj, 94–99	relp, 23
ext, 8, 11, 32, 76	NOPRED, 43	relpa, 97
	NOPRED:agent, 43	relr, 94–99
FEATURE, 7	NOPRED:capac, 43	resem, 94–99
focal, 94–99	NOPRED:cont, 43	robj, 95, 97, 98
focalizator, 30	NOPRED:loc, 43	3, , ,
form, 99, 100	NOPRED:other, 44	SCENE, 100
FORMAL:descr, 100	NOPRED:result, 44	scene, 94–99
FORMAL:eval, 100	NOPRED:script, 43	SECONDARY, 9
fpredo, 94–99	NOPRED:set, 44	SEMANTICS, 6, 63

SEMROLE, 12, 14, 15, 19	TELIC:cons.dir, 96, 100	voc, 94
source, 94–100 STRUCT:prepPREP, 46	TELIC:cons.sbj, 100 TELIC:dir, 51 TELIC:sbj, 51	xpl, 94–98 xtop, 94
STRUCT:rep, 46 subj, 94–100 succ, 8, 11, 76	time, 94–100 TIME:prec, 38, 51	¤(PRIM), 47, 75 §(PRIM), 33, 76
super, 3	TIME:succ, 38, 51 title, 94–97, 99	§DER:av, 39 §DER:nvPRED, 39
SUPPORT?, 47 SYNTAX, 6, 10	vobj, 94–100	§DER:vv, 41 §DERV, 39