The inventory of linguistic relations used in the Copenhagen Dependency Treebanks

Matthias Buch-Kromann Morten Gylling-Jørgensen Lotte Jelsbech Knudsen Iørn Korzen Henrik Høeg Müller

Center for Research and Innovation in Translation and Translation Technology Dept. of International Language Studies and Computational Linguistics Copenhagen Business School

September 15, 2011

Abstract

This manual describes the inventory of linguistic relations used in the Copenhagen Dependency Treebanks, a set of parallel treebanks for Danish, English, German, Italian, and Spanish annotated with respect to syntax, morphology, discourse, coreference, and translational equivalence. The manual is generated automatically from the CDT project's online relation spreadsheet.¹

http://spreadsheets.google.com/ccc?key=OArjTKYTQS1lWcnNUWGJrX3lZTkxDc3QxYmlqWlRXQ1E&hl=

Contents

1	Introduction	3		
2	Top-level relations: ANY 2.1 Linguistic level dimension: DIM:LEVEL			
3	Syntactic relations: SYNTAX 3.1 Complement relations: SYNCOMP	10 10 17 25		
4	Morphological relations: MORPH 4.1 Compositional relations: MORPHCOMP	35 35 37 38 40		
5	Discourse relations: DISC 5.1 Functional relations: DISCFUNC	49 50 52		
6	Anaphor relations: ANA 6.1 Coreference relations: coref	57 58 62		
7	Semantic relations: SEM 7.1 Qualia relations: QUALIA	70 77 78		
8	Word alignment relations: ALIGN	79		
9	Rule schemata for complex relations: RULE	81		
10	Ontological relations: ONTO	84		
11	Deprecated relations from DDT: CDT1	85		
12	2 Relations misplaced outside the ANY hierarchy			
13	Annotation topics:: TOPIC	89		
Α	Overview tables	90		

В	Agre	ement and confusion tables	104
	B.1	Confusion table: syntax	104
	B.2	Confusion table: semantics	107
	B.3	Confusion table: discourse	107
	B.4	Confusion table: anaphora	109
	B.5	Confusion table: morphology	
	B.6	Confusion table: morphology-no-null	124
	B.7	Confusion table: alignment	
C	Anno	otation status	136
	C.1	All texts	136
	C.2	da texts	136
	C.3	de texts	136
	C.4	en texts	
	C.5	es texts	
	C.6	it texts	137
	C.7	da-de texts	
	C.8	da-en texts	
	C.9	da-es texts	137
	C.10	da-it texts	
D	Inde	x	139

Chapter 1

Introduction

This manual describes the relations used in the Copenhagen Dependency Treebanks. The relations are ordered in a hierarchy, where each relation may have zero or more immediate super types, and zero or more immediate subtypes. The relations are presented in detail in the following chapters, grouped by linguistic level and general relation type. Every time a relation is introduced, its name is written in the left margin, with an indication of its immediate super types and the row in the online CDT spreadsheet in which the relation was defined. An example is shown below.

relation The notation in the left margin indicates that we now describe the relation relation; it has isa super immediate super type super and is defined in row 12 in the spreadsheet. When describing a [12] relation, we also lists its other properties, if relevant, including its:

- long name: we use short names in the annotation for brevity, but long names are sometimes more descriptive, so we provide these as an alias for the short relation name;
- · deprecated names: when renaming relations, the old name is listed as a deprecated name for backwards compatibility, but it should be avoided in future annotation;
- immediate subtypes: the relation names that have been specified as the immediate subtypes of the relation;
- related types: lists the relations that are closely related to this relation, in some way or another, and which you might want to consult for clarification or additional information;
- · confusion: lists relations that are confused with this relation with percentages (ie, the probability that other annotators will use another relation name); the numbers in "Confusion $_{A,A_U,A_L}^N$ list the number of times the relation name has been used for a multiply-annotated in-node, and the labeled agreement A, the unlabeled agreement A_U , and the label agreement A_L for the relation.
- examples: small annotated text examples that illustrate how the relation is used;

In PDF versions of this document, relation names are clickable so that you can navigate through the relation hierarchy by clicking on the relation names.

Chapter 2

Top-level relations: ANY

ANY: formal top node

CDT1: Deprecated CDT1 relations

DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: annotation type RULE: generative type specification rule

Figure 2.1: The relations matching ANY-!DIM:LEVEL-!DIM:TYPE-!RULE-!TOPIC-!CDT1.

ANY Formal top node. The formal top node in the type hierarchy. The type hierarchy contains [2] all the annotations (features and relations) used in the Copenhagen Dependency Treebanks; it also contains all other documentation for the treebank, including hierarchically organized topics in the annotation which describe how to annotate particular linguistic constructions in the treebanks.

Subtypes: CDT1 DIM RULE.

CDT1 Deprecated CDT1 relations. Deprecated relations from the CDT1+2 treebanks.

isa ANY Subtypes: CDT1ADJ CDT1COMP CDT1GAP.

DIM *Dimension* (long: DIMENSION). A dimension in the type hierarchy. The dimensions include isa ANY the linguistic level (eg, syntax, morphology, semantics) and the annotation type (eg, primary

[3] dependency, secondary dependency, idiomatic construction)

Subtypes: DIM:LEVEL DIM:TYPE.

DIM:LEVEL Dimension: linguistic level. A dimension specifying the linguistic level of the relation. The

isa DIM classification of relations into linguistic levels is meant to give a rough classification of the

[8] relations that corresponds to the standard terminology in linguistic theory. The classification is intended for human use. It is not an important feature in the underlying linguistic theory, and there are borderline cases where the distinction between the levels is somewhat fuzzy.

Subtypes: ALIGN ANA DISC MORPH ONTO SEM SYN.

DIM:TYPE *Dimension: annotation type.* A dimension specifying the type of the annotation. Eg, a lexical isa DIM feature or a directed bilexical relation.

[17] Subtypes: FEAT REL.

RULE Generative type specification rule. Generative type specification rules specify how type names is ANY are created generatively using rules. A rule consists of a sequence of null-separated items which are either character sequences enclosed in double quotes or type names; parts of a rule may be enclosed in parentheses and followed by an optional repetition operator: "*" (0 or more times), "+" (1 or more times), or "?" (0 or 1 times). When specifying the super types for a generated type, \$1 refers to the part of the type name matched within the first pair of parentheses, \$2 the part within the second pairs of parentheses, etc. Generated types may be used as super types.

For example, the rule "<"PRIM">" generates all relation names formed by enclosing any relation name from the "PRIM" hierarchy in angle brackets. "<"PRIM("."PRIM)*">" generates all relation names formed by enclosing a "."-separated sequence of "PRIM" relation names in angle brackets.

Subtypes: ""QUALIA RuleAnd RuleAttr RuleAttrD RuleAttrH RuleDisc RuleExpConn RuleGap RuleIdiom RuleImpConn RuleMorph RuleOtlAdv RuleOr RulePar RuleSec.

2.1 Linguistic level dimension: DIM:LEVEL

DIM:LEVEL: dimension: linguistic level

ALIGN: alignment level ANA: anaphor level DISC: discourse level MORPH: morphology level ONTO: ontology level SEM: semantic level SYN: syntax level

Figure 2.2: The relations matching DIM:LEVEL-!SYNTAX-!MORPH-!DISC-!ANA-!SEM-!ALIGN-!ONTO-!RULE-!TOPIC-!CDT1.

DIM:LEVEL *Dimension: linguistic level.* A dimension specifying the linguistic level of the relation. The isa DIM classification of relations into linguistic levels is meant to give a rough classification of the

[8] relations that corresponds to the standard terminology in linguistic theory. The classification is intended for human use. It is not an important feature in the underlying linguistic theory, and there are borderline cases where the distinction between the levels is somewhat fuzzy.

Subtypes: ALIGN ANA DISC MORPH ONTO SEM SYN.

ALIGN *Alignment level* (long: ALIGNMENT). The alignment level includes alignment relations as well is a DIM:LEVEL as lexical features associated with alignments.

[15] Subtypes: ALIGNREL.

ANA *Anaphor level* (long: ANAPHORA). The anaphor level includes relations between anaphors and isa DIM:LEVEL their antecedents, as well as lexical features associated with anaphora.

[14] Subtypes: ANAREL anaphor.

DISC *Discourse level* (long: DISCOURSE). The discourse level includes relations between segments is a DIM:LEVEL in different sentences, as well as lexical features associated with discourse units.

[11] Subtypes: DISCOTHER DISCPRAG DISCSEM RuleDisc.

MORPH *Morphology level* (long: MORPHOLOGY). The morphological level includes relations between isa DIM:LEVEL two word segments within a single word, as well as lexical features associated with morphemes.

Subtypes: MORPHCOMP MORPHDERIV RuleMorph.

ONTO Ontology level (long: ONTOLOGY). The ontological level includes relations between lexical isa DIM:LEVEL elements construed as ontological units, as well as lexical features associated with ontological units.

Subtypes: ONTOCLASS.

SEM *Semantic level* (long: SEMANTICS). The semantic level includes relations between lexical eleisa DIM:LEVEL ments construed as functors, arguments, and modifiers, as well as lexical features associated

[12] with semantic units.

Subtypes: SEMREL.

SYN Syntax level (long: SYNTAX). The syntactic level includes relations between two segments is a DIM:LEVEL within a sentence, but not within a single word, as well as lexical features associated with [10] syntactic units.

Subtypes: SYNADJ SYNCOMP.

2.2 Annotation type dimension: DIM:TYPE

DIM:TYPE: dimension: annotation type

FEAT: lexical feature

REL: directed bilexical relation IDIOM: idiomatic relation

RuleIdiom: idiomatic relation pattern

LAND: landing relation fill: licensed filler

land: landed lexical element
PRIM: primary dependency relation

+: segment concatenation ADJ: adjunct relation

COMP: complement relation

RuleOblAdv: valency-bound adverbial

SEC: secondary dependency relation RuleSec: secondary relation pattern repl: replacement in gapping coordination

Figure 2.3: The relations matching DIM:TYPE-!SYNTAX-!MORPH-!DISC-!ANA-!SEM-!ALIGN-!ONTO-!TOPIC-!CDT1.

DIM:TYPE *Dimension: annotation type.* A dimension specifying the type of the annotation. Eg, a lexical isa DIM feature or a directed bilexical relation.

[17] Subtypes: FEAT REL.

FEAT *Lexical feature* (long: FEATURE). A lexical feature. Ie, an annotation that describes a particular isa DIM:TYPE property of a lexical element.

[18]

Subtypes: ONTOCLASS.

REL Directed bilexical relation (long: RELATION). A directed bilexical relation. Ie, a directed reisa DIM:TYPE lation that goes from one lexical element (the parent, head, governor, nucleus, stem, an[19] tecedent) to a dependent lexical element (the child, dependent, satellite, affix, anaphor).

Subtypes: ALIGNREL ANAREL IDIOM LAND PRIM SEC SEMREL.


IDIOM *Idiomatic relation.* An idiomatic relation. The relation links independent lexical elements is REL that jointly form an idiomatic lexical unit, ie, a unit where the meaning of the whole cannot

[32] be described as a semantic composition of its parts.

Subtypes: RuleIdiom. Related types: +.



RuleIdiom *Idiomatic relation pattern* (long: (SEMREL)"#"). A semantic relation can be marked as idisa IDIOM RULE iomatic by putting a trailing "#" after the semantic relation name. The idiom marker is only used with semantic relations, not with syntactic relations.



LAND *Landing relation* (long: LANDING). A relation between a lexical element and its landing site. isa REL Landing relations are not annotated explicitly in the Copenhagen Dependency Treebanks.

In Discontinuous Grammar, the word order is determined by a projective surface tree. The projective surface tree can be derived from the deep tree by defining the landing site for a node as the lowest transitive governor in the deep tree that deeply dominates all nodes between the node and the transitive governor. The resulting set of landing relations can be shown to form a projective tree. In this tree, a global word order uniquely corresponds to a local ordering of all the landed nodes at each landing site.

Subtypes: fill land.

fill Licensed filler. A landing relation from a filler licensor to a phonetically empty filler that it isa LAND licenses. The filler licensor is viewed as the landing site for the filler. Filler relations are never annotated explicitly in the CDT treebanks, but play an important role in the underlying linguistic theory, Discontinuous Grammar. In DG, a "filler" is a phonetically empty constituent which is licensed lexically by a "filler licensor" lexeme, and which functions as an anaphoric element that requires a "filler source" as its antecedent. For example, the relative verb in a relative construction acts as filler licensor for a filler that essentially provides a copy of the

relativized noun; in control constructions, the controlling verb passes on a copy of the controlled complement to the subordinate verb; and in gapping coordinations, the first conjunct licenses one or more gapping fillers that function as the elided heads of the gapped conjuncts.

land Landed lexical element. A landing relation for lexical elements. This relation is used when isa LAND the landed node is a lexical element rather than a filler. Landing relations are not annotated explicitly in the CDT annotation, but follow implicitly from the other annotation.

Related types: LAND.

PRIM Primary dependency relation (long: PRIMARY). A primary dependency relation. Ie, a bilexical isa REL relation which specifies the primary head associated with each lexical element in the analysis at the level of syntax, discourse, and morphology. The primary dependencies in a well-formed analysis must form a deep tree, which may be non-projective. The deep tree provides the primary interface to the underlying compositional semantics. In particular, the deep tree defines the application order in the compositional semantics by inducing a unique functor-argument tree for each modifier scope, ie, for each ordering of the adjuncts at all nodes in the analysis.

Subtypes: + ADJ COMP.

+ Segment concatenation (long: CONCATENATION). A concatenation relation. The relation is isa PRIM used to correct segmentation errors, and specifies that two nodes should have been analyzed as subsegments of the same lexical unit. The relation always goes from a node to its immediately following neighbour in the segmentation.

Related types: IDIOM.



ADJ *Adjunct relation* (long: ADJUNCT). A primary adjunct relation. The relation is licensed by isa PRIM the adjunct, ie, the lexical entry of the adjunct specifies the adjunct relations licensed by

the adjunct, ie, the lexical entry of the adjunct specifies the adjunct relations licensed by the adjunct, along with the associated semantic interpretation mechanisms and selectional restrictions on the licensed governors. In the compositional semantics, the adjunct acts as a modifier, ie, a functor that as its argument takes the semantic representation corresponding to the governor along with the governor's arguments and lower-scoped adjuncts.

Subtypes: DISCOTHER DISCPRAG DISCSEM SYNADJ.


COMP Complement relation (long: COMPLEMENT). A primary complement relation. The relation is a PRIM is licensed by the governor, ie, the lexical entry of the governor specifies the complement

[21] frames that it allows, along with the associated semantic interpretation mechanisms and selectional restrictions associated with each complement role. In the compositional semantics, the complements act as arguments with the governor as their functor.

Subtypes: RuleOblAdv SYNCOMP.

RuleOblAdv *Valency-bound adverbial* (long: "@"ADVERB). An adverbial relation can be marked as obligaisa COMP RULE tory by putting "@" in front of the relation name.

[398] Related types: cont dir dur ext hab loc prec succ time.




SEC Secondary dependency relation (long: SECONDARY). A secondary dependency relation. Intuisa REL itively, if a node functions as a dependent of more than one word (eg, in verbal chains, raising and control constructions, relatives, and elliptic coordinations), the dependency relation that determines the word order is encoded as a primary relation, and the remaining dependency relations are encoded as secondary dependency relations. In terms the underlying linguistic theory in Discontinuous Grammar, the secondary relations in the CDT annotation encode that the child node in the secondary dependency functions as the filler source for a filler that functions as a primary dependent of the parent node. Since the CDT annotation does not include filler nodes, there is no explicit annotation of the filler and its associated filler licensor and filler source, and the filler licensor must be reconstructed from the secondary dependency by means of heuristic rules.

Subtypes: RuleSec ref repl. Related types: fill fsrc.

RuleSec Secondary relation pattern (long: "["PRIM"]"). A secondary relation name is formed by enisa RULE SEC closing a primary relation name in square brackets.

[396] Related types: SEC.



repl Replacement in gapping coordination. A relation that encodes a constituent in the first conisa SEC junct replaced by a gapping dependent. The relation goes from the head of the replaced constituent to the head of the gapping dependent. The extraction path for the gapping dependent is defined as the path from the replaced constituent to the head of the first conjunct.

Related types: gapd.

Chapter 3

Syntactic relations: SYNTAX

SYN: syntax level SYNADJ: syntactic adjunct SYNCOMP: syntactic complement

Figure 3.1: The relations matching SYNTAX-!SYNCOMP-!SYNADJ-!CDT1-TOPIC.

SYN Syntax level (long: SYNTAX). The syntactic level includes relations between two segments is a DIM:LEVEL within a sentence, but not within a single word, as well as lexical features associated with [10] syntactic units.

Subtypes: SYNADJ SYNCOMP.

SYNADJ *Syntactic adjunct.* An adjunct role at the syntactic level. This relation type is used to group isa ADJ SYN a large class of adjunct roles that only apply at the syntactic level.

[105] Subtypes: ADVERB CDT1ADJ app attr attrg conj coord correl fpred gapd name pnct rel voc xtop.

SYNCOMP *Syntactic complement.* A complement role at the syntactic level. This relation type is used to isa COMP SYN group a large class of complement roles that only apply at the syntactic level.

Subtypes: @space @time CDT1COMP aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr pred qobj robj subj vobj.

3.1 Complement relations: SYNCOMP

SYNCOMP *Syntactic complement.* A complement role at the syntactic level. This relation type is used to isa COMP SYN group a large class of complement roles that only apply at the syntactic level.

Subtypes: @space @time CDT1COMP aobj avobj dobj fobj gobj iobj nobj numa numm part pobj possd possr pred qobj robj subj vobj.

@space Valency-bound location/direction adverbial (deprecated lobj). A valency bound locative expresisa SYNCOMP sion. Formerly analyzed as locative object "lobj", but we have decided to provide a general mechanism (@) for converting adverbial relations into valency-bound relations instead.

Related types: dir loc.

SYNCOMP: syntactic complement

@space: valency-bound location/direction adverbial

@time: valency-bound time adverbial

avobj: adverbial object dobj: direct object fobj: filler object gobj: genitive object iobj: indirect object nobj: nominal object

numa: additive numeral complement numm: multiplicative numeral complement

part: verbal particle pobj: prepositional object possd: possessed complement possr: possessor complement


pred: predicative

predo: object predicative preds: subject predicative qobj: quotational object robj: reflexive object subj: subject

expl: expletive subject

vobj: verbal object

Figure 3.2: The relations matching SYNCOMP-!CDT1-TOPIC.




@time Valency-bound time adverbial (deprecated tobj). A valency bound time expression. Formerly is a SYNCOMP analyzed as temporal object "tobj", but we have decided to provide a general mechanism (@) for converting adverbial relations into valency-bound relations instead.

Related types: cont dur ext hab prec succ.




avobj *Adverbial object.* isa SYNCOMP Related types: aobj part.

 $[94] \ \ Confusion_{67.6\%/97.1\%/67.6\%}^{34} : avobj_{67.6\%} \ other_{11.8\%} \ part_{5.9\%} \ quant_{5.9\%} \ aobj_{2.9\%} \ loc_{2.9\%} \ pobj_{2.9\%} \ .$




dobj *Direct object.* A direct object relation. In languages with case, the direct object is typically isa SYNCOMP accusative-marked.

[82] Related types: iobj robj.
Confusion⁷²⁶_{93.8%/98.3%/94.5%}: dobj_{94.5%} nobj_{1.7%} pobj_{1%} robj_{0.8%} iobj_{0.7%} preds_{0.3%} goal_{0.3%} pnct_{0.3%} predo_{0.1%} dir_{0.1%} quant_{0.1%} vobj_{0.1%}.




fobj Filler object. Filler objects are never annotated explicitly in the CDT annotation. In Disconisa SYNCOMP tinuous Grammar, a "filler" is a phonetically empty constituent which is licensed lexically by a "filler licensor" lexeme (eg, the relative verb in a relative construction acts as filler licensor for a filler that essentially provides a copy of the relativized noun). A "filler object" is reserved for the special case where a particular word (eg, a relative pronoun) must consume a filler (eg, the filler created by the relative verb). That is, most of the constructions which include a "ref" relation in the CDT involve the use of a filler object in the detailed theoretical account in Discontinuous Grammar.

Related types: fill ref.



gobj Genitive object. If the genitve object is part of a NP with a deverbal nucleus, the following anisa SYNCOMP notation possibilities are available: gobj.subj{SEMROLE} gobj.dobj{SEMROLE} gobj.pobj{SEMROLE}
gobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipiencer, experient, location.

Related types: SEMROLE attrg.



iobj Indirect object.

isa SYNCOMP Related types: dobj.


[85] Confusion $^{24}_{70.8\%/100\%/70.8\%}$: iobj $_{70.8\%}$ dobj $_{20.8\%}$ robj
8.3% .



nobj Nominal object. If the nominal object is part of a NP with a deverbal nucleus, the following isa SYNCOMP annotation possibilities are available: nobj.subj{SEMROLE} nobj.dobj{SEMROLE} nobj.pobj{SEMROLE} [92] nobj.iobj{SEMROLE} The relevant semantic roles in this context are agent, patient, recipient, experient, location.

> $Confusion_{95,2\%/97.6\%/96\%}^{2782}:\ nobj_{96\%}\ attr_{1.3\%}\ dobj_{0.4\%}\ aobj_{0.3\%}\ vobj_{0.3\%}\ preds_{0.2\%}\ name_{0.2\%}\ time_{0.2\%}\ subj_{0.2\%}$ $pobj_{0.2\%} \ conj_{0.1\%} \ pnct_{0.1\%} \ possd_{0.1\%} \ other_{0.1\%} \ title_{0.1\%} \ loc_{0.1\%} \ numa_{0\%} \ quant_{0\%} \ cond_{0\%} \ appr_{0\%} \ .$


They joined the party.



numa Additive numeral complement. An additive numeral complement relation. Numerals license isa SYNCOMP one additive and one numeral complement, both optional. The numerical value associated with the expression is the value M * N + A, where M is the numerical value of the multiplicative complement, A is the numerical value of the additive complement, and N is the numerical value associated with the lexical numeral itself. Eg, "two hundred four" has value "2 * 100 + 4", "two hundred four thousand" has value "(2 * 100 + 4) * 1000", and "two hundred four thousand and twenty three" has value "(2 * 100 + 4) * 1000 + (20 + (3))".

Related types: numm.


Confusion $_{80\%/100\%/80\%\%}^{5}$: numa_{80%} nobj_{20%}.



numm Multiplicative numeral complement. An multiplicative numeral complement relation. Nuisa SYNCOMP merals license one additive and one numeral complement, both optional. The numerical value [97] associated with the expression is the value M * N + A, where M is the numerical value of the multiplicative complement, A is the numerical value of the additive complement, and N is the numerical value associated with the lexical numeral itself. Eg, "two hundred four" has value "2 * 100 + 4", "two hundred four thousand" has value "(2 * 100 + 4) * 1000", and "two hundred four thousand and twenty three" has value "(2 * 100 + 4) * 1000 + (20 + (3))".

Related types: numa.

Confusion $^{12}_{100\%/100\%/100\%\%}$: numm $_{100\%}$.




part Verbal particle. Verbal particle.

isa SYNCOMP Related types: avobj.

[98] Confusion $^{19}_{78.9\%/100\%/78.9\%}$: part $^{78.9\%}$ avobj $^{10.5\%}$ other $^{5.3\%}$ dir $^{5.3\%}$.

the fair two years ago




pobj Prepositional object. A prepositional object relation. The governor may be a verb, noun, isa SYNCOMP adjective, adverbial, or another preposition. The preposition is analyzed as the head of the [83] prepositional object itself. If the prepositional object is part of a deverbal NP (ie, an NP where the nucleus is derived from a verb), the CDT annotation specifies the underlying role of the NP within the PP by adding a "." followed by the underlying role to the relation, e.g., "pobj.subj" (the NP in the PP would act as subject in the underlying V), "pobj.dobj", "pobj.pobj", and "pobj.iobj"; in these cases, the semantic role "{SEMROLE}" must be annotated as well (the most relevant semantic roles in this context are "agent", "patient", "recipient", "experiencer", "location").

Related types: SEMROLE avobj.

 $Confusion_{78.7\%/94.4\%/79.4\%}^{588} \colon pobj_{79.4\%} \; \; attr_{8.3\%} \; \; goal_{2.4\%} \; \; other_{1.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; dir_{1.5\%} \; agent_{1.4\%} \; dobj_{1.2\%} \; loc_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; dir_{1.5\%} \; dobj_{1.2\%} \; nobj_{0.9\%} \; dir_{1.5\%} \; dir_{1.5\%} \; dobj_{1.2\%} \; nobj_{0.9\%} \; dobj_{0.9\%} \; dobj_{0.$ $source_{0.5\%}$ preds_{0.3%} $inst_{0.3\%}$ avobj_{0.2%} $man_{0.2\%}$ cause_{0.2%} $accom_{0.2\%}$.


meeting of ministers



the discovering of the gold sale to minors nobj pobj.dobj nobj pobj.iobj nobj mindreårige el descubrimiento salg del oro til the discovering of-the gold minors sale to 0 2 0 1 2 {patient} {recipient}

possed Possessed complement. The possessed complement in a possessive construction. Possession isa SYNCOMP is understood in a syntactic sense as any construction with a clitic genitive marker, not nec-[99] essarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

> Related types: "{"\$PRIM"}" SEMROLE poss possr. $Confusion_{95.6\%/96.5\%/98.1\%}^{240} \colon possd_{98.1\%} \; nobj_{1.3\%} \; attr_{0.4\%} \; pnct_{0.2\%} \; .$



possr Possessor complement. NO LONGER IN USE

isa SYNCOMP

The possessor complement in a possessive construction. Possession is understood in a [100] syntactic sense as any construction with a clitic genitive marker, not necessarily as possession in a narrow semantic sense. A better name may be chosen for this relation in the future.

Related types: poss possd.

pred Predicative.


isa SYNCOMP Subtypes: predo preds.

[87] Related types: predo preds.

predo Object predicative.

isa pred Related types: preds.


[89] $Confusion_{9.5\%/85.7\%/9.5\%}^{21}$: $preds_{57.1\%}$ $inst_{9.5\%}$ $predo_{9.5\%}$ $vobj_{9.5\%}$ $attr_{4.8\%}$ $fpredo_{4.8\%}$ $dobj_{4.8\%}$.



preds Subject predicative.

isa pred Related types: predo.


[88] Confusion⁴³⁰_{78.8%/99.3%/78.8%}: preds_{78.8%} vobj_{10.9%} predo_{2.8%} loc_{2.8%} nobj_{1.4%} time_{0.7%} dobj_{0.5%} subj_{0.5%} aobj_{0.5%} pobj_{0.5%} fpredo_{0.2%} inst_{0.2%} resem_{0.2%}.



qobj *Quotational object.* A phrase or discourse segment functioning as directly quoted speech, isa SYNCOMP typically by an attribution verb. Indirect speech is analyzed as "dobj" or "nobj".

[101] Related types: xpl.

 $Confusion_{75\%/75\%/75\%}^{70}: qobj_{75\%} \ conj_{7.1\%} \ coord_{7.1\%} \ discmark_{2.9\%} \ CONJ: add_{2.1\%} \ TELIC: goal_{1.4\%} \ CONJ: elab_{1.4\%} \ CONST: rest_{1.4\%} \ AGENTIVE: reas_{1.4\%} \ .$




robj Reflexive object.

isa SYNCOMP Related types: dobj.

[91] Confusion $^9_{11.1\%/100\%/11.1\%\%}$: dobj $_{66.7\%}$ iobj $_{22.2\%}$ robj $_{11.1\%}$.

He decided to walk.




subj Subject. A subject relation. In languages with case, subjects are usually nominative-marked.
 isa SYNCOMP Agent-roles are often encoded as subjects, but not necessarily so (eg, in passive constructions).
 [80]

Subtypes: expl.

Related types: expl.

 $Confusion_{98.5\%/99.3\%/98.7\%}^{1172}: subj_{98.7\%} nobj_{0.4\%} expl_{0.4\%} preds_{0.2\%} attr_{0.1\%} appr_{0.1\%} correl_{0.1\%} CONJ: elab_{0\%} \ .$



expl Expletive subject. An expletive subject relation. The expletive subject is typically a situational isa subj place adverbial like "there" or time adverbial like "now", and is only possible for verbs that support the expletive alternation. The expletive alternation applies to all verbs that do not have a direct object (this observation, due to Richard Hudson, can be used as a test to distinguish between direct and indirect objects in verbs that take a single object). The alternation creates a new lexicalization of the verb by demoting the original subject to the vacant direct object role (with the restriction that only indefinites are allowed in this direct object role), and letting the subject role be filled by a situational place or time adverbial.


Related types: subj. Confusion $^{60}_{91.7\%/100\%/91.7\%\%}$: expl $_{91.7\%}$ subj $_{8.3\%}$.



vobj Verbal object.

isa SYNCOMP Related types: "["\$PRIM"]".

[90] Confusion⁸⁹⁵_{91.68/98.58/92.688}: vobj_{92.68} preds_{5.38} nobj_{0.88} pnct_{0.38} relr_{0.28} predo_{0.28} rel_{0.18} conj_{0.18} TIME:post_{0.18} dobj_{0.18} fpreds_{0.18}.



3.2 Non-adverbial adjunct relations: SYNADJ

SYNADJ *Syntactic adjunct.* An adjunct role at the syntactic level. This relation type is used to group isa ADJ SYN a large class of adjunct roles that only apply at the syntactic level.

[105] Subtypes: ADVERB CDT1ADJ app attr attrg conj coord correl fpred gapd name pnct rel voc xtop.

ADVERB Adverbial. V/N/P->adverbial

isa SYNADJ

[141] Subtypes: ATTRIBUTION BACKGROUND CAUSE COMMENT COMPARISON CONDITION CONTRAST ELAB-ORATION ENABLEMENT EVALUATION EXPLANATION MANNER MEANS SUMMARY TEMPORAL TOPIC agent attribution background cause comment comparison conc concom cond condition cons contrast elaboration enablement evaluation event exem explanation joint man manner means neg other prg quant resem source space summary temporal time topic.

app *Apposition*. An appositional relation between two phrases, typically NPs. The head of the isa SYNADJ first NP in the apposition is always analyzed as the head of the second NP.

[116] Subtypes: appa appr.
Related types: appa appr.


appa Parenthetic apposition (comma).

isa app [117]

```
SYNADJ: syntactic adjunct
   ADVERB: adverbial
   app: apposition
       appa: parenthetic apposition (comma)
          xpl: explication
       appr: restrictive apposition (no comma)
   attrg: genitive attributive
   conj: conjunct relation
   coord: coordinator relation
   correl: correlative coordinator relation
   fpred: free predicative
       fpredo: free direct-object predicative
       fpreds: free subject predicative
   gapd: gapping dependent
       RuleGap: gapping dependent
   name: part of name
       namef: first name
       namel: last name
       title: person title
   pnct: punctuation
   rel: relative clause
       relelab: elaborating relative clause
       relpa: parenthetic relative clause
       relr: restrictive relative clause
   voc: vocative
   xtop: external topic with resuming pronoun
```


Figure 3.3: The relations matching SYNADJ-!CDT1-!ADVERB-TOPIC.

Subtypes: xpl. Related types: appr xpl. Confusion $^{27}_{88.9\%/88.9\%/100\%}$: appa $_{100\%}$.



 ${f xpl}$ Explication. Explication of an NP or VP. isa appa Related types: qobj.


[130] Confusion¹⁸_{88.9%/100%/88.9%}: $xpl_{88.9\%}$ conj_{5.6%} other_{5.6%}.




appr Restrictive apposition (no comma).

isa app Related types: appa.

[118] $Confusion_{88.9\%/94.4\%/88.9\%}^{36}$: appr_{88.9\%} nobj_{2.8%} pnct_{2.8%} title_{2.8%} subj_{2.8%} .




attrg *Genitive attributive.*isa SYNADJ Related types: SEMROLE gobj.
[115]



conj Conjunct relation. A dependency relation relating the conjuncts in a coordination. Secondary is a SYNADJ conjuncts are analyzed as "conj"-dependents of the first conjunct. Coordinators are analyzed as dependents of the secondary conjuncts.

Related types: coord correl.

 $Confusion_{92.1\%/93.2\%/94.7\%}^{552}: conj_{94.7\%} CONJ: add_{1.4\%} \ qobj_{0.9\%} \ nobj_{0.5\%} \ attr_{0.5\%} \ CONTR: sbj_{0.4\%} \ CONTR: dir_{0.4\%} \ CONST: rest_{0.2\%} \ TELIC: cons. dir_{0.2\%} \ coord_{0.2\%} \ cause_{0.2\%} \ vobj_{0.2\%} \ xpl_{0.2\%} \ pnct_{0.1\%} \ .$





coord *Coordinator relation.* A dependency relation between a coordinating conjunction and a secisa SYNADJ ondary conjunct. The coordinator is analyzed as a dependent of the secondary conjunct.

[107] Secondary conjuncts are in turn analyzed as "conj"-dependents of the first conjunct.

Related types: conj correl discmark.

 $Confusion_{92\%/97\%/93.3\%}^{400}: coord_{93.3\%} \ discmark_{4.5\%} \ qobj_{1.3\%} \ contr_{0.5\%} \ conj_{0.3\%} \ neg_{0.3\%} \ .$







correl Correlative coordinator relation.

isa SYNADJ Related types: conj coord.

 $\begin{tabular}{ll} $[108]$ & Confusion $^9_{55.6\%/77.8\%/55.6\%}$: $correl_{55.6\%}$ add_{11.1\%}$ other_{11.1\%}$ focal_{11.1\%}$ subj_{11.1\%}$. \\ \end{tabular}$





fpred Free predicative.


isa SYNADJ Subtypes: fpredo fpreds.

[111] Related types: fpredo fpreds.

fpredo *Free direct-object predicative.*

isa fpred Related types: fpreds man.

[113] $Confusion_{0\%/66.7\%/0\%\%}^6$: $loc_{33.3\%}$ $goal_{16.7\%}$ $man_{16.7\%}$ $preds_{16.7\%}$ $predo_{16.7\%}$.



fpreds *Free subject predicative.*


isa fpred Related types: fpredo.


[112] Confusion $^3_{0\%/100\%/0\%\%}$: man $_{66.7\%}$ vobj $_{33.3\%}$.





gapd Gapping dependent (long: GAPPING, deprecated GAP). A relation between a gapping dependent isa SYNADJ in a secondary conjunct and the head of the first conjunct. In gapping coordinations, the sec-[23] ondary conjuncts have an elided head, so the remaining material in the secondary conjuncts is analyzed as gapping dependents of the head of the first conjunct instead. In Discontinuous Grammar, the first conjunct is assumed to generate a gapping filler for each gapping conjunct which encodes a copy of the entire tree associated with the first conjunct, and the gapping dependent is analyzed as a primary dependent of this gapping filler; any node within the copied tree may function as the primary governor of the gapping dependent, but the gapping filler always functions as the landing site for the gapping dependent, and the gapping dependent functions as an anaphoric element that must identify a phrase within the copied tree that it replaces, encoded with a "repl" relation.


Subtypes: CDT1GAP RuleGap.













RuleGap Gapping dependent (long: "<"PRIM(":"PRIM)*":"INTEGER">"). A gapping dependency relation is formed by using angled brackets to enclose a colon-separated list of primary relations followed by an integer that indicates the number of the gapped conjunct, starting with 1. The list of primary relations describes the path from the head of the gapped conjunct to the gapping dependent within the gapped conjunct, viewed as a copy of the tree structure within the first conjunct.



name Part of name. Part of a name.

isa SYNADJ Subtypes: namef namel title.

[124] $Confusion_{70.4\%/77.8\%/74.1\%}^{27}$: $name_{74.1\%}$ $nobj_{22.2\%}$ attr_{3.7%}.



namef First name. A first name.

isa name Related types: namel title.


[125] Confusion $_{97.9\%/97.9\%/100\%}^{146}$: name $_{100\%}$.



namel Last name. A second last name

isa name Related types: namef title.

[126] Confusion $^8_{100\%/100\%/100\%\%}$: namel $_{100\%}$.



title *Person title*. A title in a name. If the title is determinated by an article, eg. the director Smith, isa name the article is the head of the DP and the title and the name are dependents of the article, annotated as "nobj" and "appr", respectively.

Related types: namef namel. Confusion $^{30}_{86.7\%/90\%/86.7\%\%}$: title $_{86.7\%}$ nobj $_{10\%}$ appr $_{3.3\%}$.



pnct Punctuation.

isa SYNADJ Confusion $_{92.6\%/92.6\%/99.3\%}^{1799}$: pnct $_{99.3\%}$ nobj $_{0.2\%}$ vobj $_{0.2\%}$ dobj $_{0.1\%}$ conj $_{0.1\%}$ attr $_{0.1\%}$ possd $_{0.1\%}$ appr $_{0.1\%}$. [109]


subj dobj pnct conj coord conj pnct
We met John , Mary and Sue .
0 1 2 3 4 5 6 7

rel *Relative clause*. A relation between a relative clause and a relativized NP/VP. The finite verb isa SYNADJ in the relative clause is analyzed as a "rel" dependent of the head of the relativized NP/VP (ie, the determiner if present, otherwise the noun). If there is a relative pronoun, it receives an incoming "ref" arrow from the head of the relativized NP/VP; otherwise, the head of the relativized NP/VP must function as a secondary dependent of some word within the relative clause (often the relative verb itself).

Subtypes: relelab relpa relr.

Related types: relelab relpa relr.

Confusion $^{79}_{3.8\%/94.9\%/3.8\%\%}$: rel
r $_{88.6\%}$ relelab $_{5.1\%}$ rel $_{3.8\%}$ rel
pa $_{1.3\%}$ vobj $_{1.3\%}$.




relelab Elaborating relative clause. Ledsætning med sætningsantecedent i hovedsætning; da: hvilket,

isa rel it: il che, cosa che

[122] Related types: relpa relr.


Confusion $_{0\%/100\%/0\%\%}^{6}$: rel $_{66.7\%}$ rel $_{33.3\%}$.




relpa Parenthetic relative clause (deprecated relp).

isa rel Related types: relelab relr.

[121] Confusion $^{17}_{29.4\%/100\%/29.4\%\%}$: rel $_{64.7\%}$ rel $_{pa_{29.4\%}}$ rel $_{5.9\%}$.







relr Restrictive relative clause.

isa rel Related types: relelab relpa.

 $[120] \ \ Confusion_{37.2\%/93.8\%/40.7\%}^{145} \cdot \ rel_{48.3\%} \ relr_{40.7\%} \ relpa_{7.6\%} \ relelab_{1.4\%} \ vobj_{1.4\%} \ attr_{0.7\%} \ .$





voc Vocative. Vocative specification. The person to whom the statement is directed. is a SYNADJ Confusion $^3_{100\%/100\%/100\%\%}$: voc $_{100\%}$.




xtop External topic with resuming pronoun. An external topic is a sentence-initial NP whose only isa SYNADJ function is to provide the antecedent for a pronoun later in the sentence. Eg in "John, he is a [123] nice person". Here "John" is the "xtop" of "is", and "he" is the subject of "is".

Related types: cons ref xtop. Confusion $^4_{100\%/100\%/100\%}$: xtop $_{100\%}$.







3.3 Adverbial adjunct relations: ADVERB

ADVERB Adverbial. V/N/P->adverbial

isa SYNADJ [141]

Subtypes: ATTRIBUTION BACKGROUND CAUSE COMMENT COMPARISON CONDITION CONTRAST ELAB-ORATION ENABLEMENT EVALUATION EXPLANATION MANNER MEANS SUMMARY TEMPORAL TOPIC agent attribution background cause comment comparison conc concom cond condition cons contrast elaboration enablement evaluation event exem explanation joint man manner means neg other prg quant resem source space summary temporal time topic.

ATTRIBUTION Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB Subtypes: RuleAttr.

RuleAttr Attribution (long: (PRIM)''/ATTR''INTEGER). Specifies the person to whom the utterance is is a ATTRIBUTION RULE attributed (ATTR or ATTR1, ATTR2, ... when there is more than one person) [404]

BACKGROUND *Inter-sentential elementary discourse unit.* Morten: RST pilot study isa ADVERB

CAUSE Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

COMMENT Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

COMPARI\$00N Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

CONDITION Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

CONTRIAS *Inter-sentential elementary discourse unit.* Morten: RST pilot study isa ADVERB

ELABORATION Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

ENABLEMÉNO *Inter-sentential elementary discourse unit.* Morten: RST pilot study isa ADVERB

EVALUATION Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

EXPLANATION Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

MANNER Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB


MEÆNS Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

SUMM [ARX] Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

TEMPORAI Inter-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

agent Agent adverbial. The passivized agent in passives.

isa ADVERB Confusion $^{27}_{0\%/100\%/0\%\%}$: CONST $_{18.5\%}$ - $_{14.8\%}$ SUBJ.agent $_{11.1\%}$ SOURCE $_{11.1\%}$ ABOUT $_{11.1\%}$ AGENT:MC $_{7.4\%}$ [170] AGENT $_{7.4\%}$ DERan:qualOTHER $_{7.4\%}$ LOC $_{3.7\%}$ ARG $_{3.7\%}$ GOAL $_{3.7\%}$.



attribution *Intra-sentential elementary discourse unit.* Morten: RST pilot study isa ADVERB


backgrdund Intra-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

cairse Intra-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB Subtypes: goal.

 $\begin{tabular}{ll} [175] & Confusion^{48}_{79.2\%/87.5\%/87.5\%} : cause_{87.5\%} \ attr_{4.2\%} \ conj_{2.1\%} \ time_{2.1\%} \ cons_{2.1\%} \ pobj_{2.1\%} \ . \\ \end{tabular}$


goal *Goal adverbial* (deprecated ben). Describes the intended goal of the event/action. Also used in isa cause connection with free datives.

[161] Related types: reas. $Confusion^1_{0\%/100\%/0\%\%} : \mathsf{arg}_{100\%} \; .$



comment *Intra-sentential elementary discourse unit.* Morten: RST pilot study isa ADVERB

comparison Intra-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB




concom . Gerunds in Romance

isa ADVERB Related types: vobj.

[168] $Confusion_{25\%/100\%/25\%}^4$: $source_{25\%}$ $concom_{25\%}$ $man_{25\%}$ $inst_{25\%}$.


The agressor fled and/but got caught hours later.



cond Condition adverbial. Describes the condition of the event/action.

isa ADVERB Related types: pcond.

[163] $Confusion_{83.3\%/90\%/90\%}^{30}$: $cond_{90\%}$ $nobj_{3.3\%}$ $man_{3.3\%}$ $time_{3.3\%}$.



condition Intra-sentential elementary discourse unit. Morten: RST pilot study

isa ADVERB

consequence adverbial. Describes the consequence of the event/action.

isa ADVERB Related types: xtop.

[162] $Confusion_{50\%/85.7\%/64.3\%}^{14}$: $cons_{64.3\%}$ time_{21.4%} inst_{7.1%} cause_{7.1%} .

contrast Intra-sentential elementary discourse unit. Morten: RST pilot study

isa ADVERB

elabora 178 Intra-sentential elementary discourse unit. Morten: RST pilot study

isa ADVERB

enablement Intra-sentential elementary discourse unit. Morten: RST pilot study


isa ADVERB

evaluation Intra-sentential elementary discourse unit. Morten: RST pilot study

isa ADVERB


event Adverbial expressing an event. Used when the adverbial in questions expresses an event is ADVERB rather that time or place.

[156] $Confusion_{0\%/75\%/0\%\%}^4$: $time_{50\%} loc_{50\%}$.



exem *Example adverbial* (long: exemplification, deprecated ex). Exemplification; subordinated the object is a ADVERB which is added to a list.

[167] $Confusion_{71.4\%/78.6\%/92.9\%}^{14}$: exem_{92.9%} ex_{7.1%}.



explanation Intra-sentential elementary discourse unit. Morten: RST pilot study

isa ADVERB

joint Intra-sentential elementary discourse unit. Morten: RST pilot study


isa ADVERB

man Manner adverbial. The way things are done

isa ADVERB Subtypes: accom inst.

[157] Related types: fpredo.


 $Confusion_{55.7\%/88.7\%/61.3\%}^{106}: man_{61.3\%} \ accom_{6.6\%} \ attr_{3.8\%} \ quant_{3.8\%} \ other_{3.8\%} \ time_{2.8\%} \ inst_{2.8\%} \ epi_{1.9\%} \ fpreds_{1.9\%} \ source_{0.9\%} \ prg_{0.9\%} \ dir_{0.9\%} \ aobj_{0.9\%} \ eval_{0.9\%} \ cond_{0.9\%} \ concom_{0.9\%} \ scene_{0.9\%} \ fpredo_{0.9\%} \ goal_{0.9\%} \ resem_{0.9\%} \ pobj_{0.9\%} \ .$



accom Companionship adverbial (deprecated comp). Companionship

isa man Related types: man.


[158] Confusion $^{15}_{33.3\%/80\%/40\%}$: man $_{46.7\%}$ accom $_{40\%}$ other $_{6.7\%}$ pobj $_{6.7\%}$.



inst Instrument adverbial. Instrument/means

isa man Related types: man.


[159] $Confusion_{0\%/100\%/0\%\%}^2$: OTHER_{50%} DERav_{50%}.




manner *Intra-sentential elementary discourse unit.* Morten: RST pilot study isa ADVERB

 $\mathbf{means}^{\begin{bmatrix} 184 \end{bmatrix}}$ Intra-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

[185] Negation adverbial. Negation of a verbal isa ADVERB Confusion $_{94.3\%/98.1\%/96.2\%}^{105}$: neg $_{96.2\%}$ add $_{1\%}$ time $_{1\%}$ coord $_{1\%}$ eval $_{1\%}$. [171]



It's never a problem.




She never lied



other Other adverbial. Unspecified adverbial relation.

isa ADVERB $Confusion_{0\%/100\%/0\%\%}^{8}$: $ARG_{50\%}$ OTHER $_{25\%}$ $-_{12.5\%}$ GOAL $_{12.5\%}$.



prg Pragmatic adverbial (long: pragmatic). Sentence level.

isa ADVERB Subtypes: discmark epi eval focal scene.


[142] $Confusion_{14.8\%/100\%/14.8\%}^{27}$: $eval_{25.9\%}$ other_{18.5\%} $prg_{14.8\%}$ $conc_{7.4\%}$ $time_{7.4\%}$ $quant_{7.4\%}$ $add_{3.7\%}$ $elab_{3.7\%}$ $attr_{3.7\%}$ $man_{3.7\%}$ $contr_{3.7\%}$.

discmark Sentence-initial discourse marker (long: discoursemarker). Discourse marker

isa prg Related types: coord.

 $\begin{tabular}{ll} [147] & Confusion $^{32}_{15.6\%/90.6\%/15.6\%}$: $coord_{56.3\%}$ discmark_{15.6\%}$ contr_{12.5\%}$ add_{9.4\%}$ qobj_{6.3\%}$. \\ \end{tabular}$


And I'm telling you...



epi Epistemic adverbial (long: epistemic). Regarding the level of truth in the expression

isa prg Related types: eval.


[145] Confusion $^{14}_{50\%/92.9\%/57.1\%}$: epi $_{57.1\%}$ man $_{14.3\%}$ other $_{14.3\%}$ eval $_{14.3\%}$.




eval Evaluation adverbial (long: evaluation, deprecated evaluati). Evaluating and attitude adverbials

isa prg Related types: epi.

[146] $Confusion_{0\%/100\%/0\%\%}^5$: $EVAL_{40\%}$ MOD:eval] $b_{20\%}$ RESEM_{20%} LOC_{20%}.





focal Focalizer adverbial (long: focalizator). Focalization of a noun

isa prg Related types: quant.

 $[143] \ \ Confusion_{45.2\%/64.5\%/61.3\%}^{31} : focal_{61.3\%} \ attr_{12.9\%} \ other_{9.7\%} \ loc_{6.5\%} \ aobj_{3.2\%} \ correl_{3.2\%} \ eval_{3.2\%} \ .$




scene *Pragmatic condition and structural adverbial* (deprecated prgcondpcondbgstruct). Setting the isa prg scene


[144] Subtypes: add contr elab.

Related types: cond.

 $Confusion_{54.8\%/93.5\%/58.1\%}^{31}: scene_{58.1\%} \ add_{6.5\%} \ goal_{6.5\%} \ contr_{6.5\%} \ loc_{6.5\%} \ time_{3.2\%} \ attr_{3.2\%} \ man_{3.2\%} \ other_{3.2\%} \ inst_{3.2\%}.$




add Additive adverbial (long: additive). Additive information




contr Contrast adverbial (long: contrast). Opposition

isa scene Related types: struct.

 $[148] \ \ Confusion_{40.9\%/100\%/40.9\%}^{22} : contr_{40.9\%} \ discmark_{18.2\%} \ conc_{13.6\%} \ coord_{9.1\%} \ scene_{9.1\%} \ prg_{4.5\%} \ other_{4.5\%} \ .$




elab $\it Elaboration\ adverbial\ (long:\ elaboration).$ More detailed description is a scene $\it Confusion^4_{50\%/75\%/50\%}:\ elab_{50\%}\ prg_{25\%}\ quant_{25\%}$.




quant *Degree adverbial* (long: quantification, deprecated degr). Modifies the object or verbal by degree is a ADVERB Related types: focal.


[169] $Confusion_{80.4\%/93.5\%/82.4\%}^{153}$: quant_{82.4\%} attr_{3.3%} man_{2.6%} other_{2.6%} eval_{2%} prg_{1.3%} time_{1.3%} avobj_{1.3%} degr_{1.3%} nobj_{0.7%} elab_{0.7%} dobj_{0.7%}.



resem Comparison adverbial (deprecated comparecomp). Comparison is a ADVERB $Confusion^1_{0\%/100\%/0\%\%}$: RESEM $_{100\%}$. [165]



source Source attribution adverbial. Reference/source is a ADVERB $Confusion_{0\%/100\%/0\%\%}^{12}$: SOURCE_{66.7%} -16.7% CONST_{8.3%} LOC_{8.3%} . [166]



space Space adverbial. Space adverbials


isa ADVERB Subtypes: dir loc.

[153]

dir Direction adverbial. Movement from one place to another; direction

isa space Related types: loc.

 $[155] \quad Confusion_{40.5\%/95.9\%/40.5\%}^{74} : dir_{40.5\%} \\ loc_{39.2\%} \\ pobj_{12.2\%} \\ other_{2.7\%} \\ man_{1.4\%} \\ part_{1.4\%} \\ attr_{1.4\%} \\ dobj_{1.4\%} \\ .$



loc Location adverbial. Location

isa space Related types: dir.

 $[154] \;\; Confusion_{0\%/100\%/0\%\%}^{30} : LOC_{76.7\%} -_{6.7\%} \; \mathsf{GOAL}_{6.7\%} \; \mathsf{MOD:qual}_{3.3\%} \; \mathsf{DERnv}_{3.3\%} \; \mathsf{FORM}_{3.3\%} \; .$



summary Intra-sentential elementary discourse unit. Morten: RST pilot study

isa ADVERB

temploral Intra-sentential elementary discourse unit. Morten: RST pilot study


isa ADVERB

time Time adverbial. Time relating adverbials

isa ADVERB Subtypes: iter.

[151] $Confusion_{0\%/100\%/0\%}^{11}$: TIME:MC_{54.5%} $-_{27.3\%}$ TIME_{9.1%} TIME:pre_{9.1%}.


She never lied





iter Habituality adverb (deprecated hab). Habitual; repeated habit isa time Related types: dur ext.

[152] $Confusion_{19\%/81\%/23.8\%}^{21}$: $time_{57.1\%}$ $iter_{23.8\%}$ other_{9.5\%} $attr_{4.8\%}$ $eval_{4.8\%}$.



topic Intra-sentential elementary discourse unit. Morten: RST pilot study isa ADVERB

[188]

ADVERB: adverbial

ATTRIBUTION: inter-sentential elementary discourse unit

RuleAttr: attribution

BACKGROUND: inter-sentential elementary discourse unit

CAUSE: inter-sentential elementary discourse unit COMMENT: inter-sentential elementary discourse unit COMPARISON: inter-sentential elementary discourse unit CONDITION: inter-sentential elementary discourse unit CONTRAST: inter-sentential elementary discourse unit ELABORATION: inter-sentential elementary discourse unit ENABLEMENT: inter-sentential elementary discourse unit EVALUATION: inter-sentential elementary discourse unit

EXPLANATION: inter-sentential elementary discourse unit

MANNER: inter-sentential elementary discourse unit MEANS: inter-sentential elementary discourse unit SUMMARY: inter-sentential elementary discourse unit TEMPORAL: inter-sentential elementary discourse unit

agent: agent adverbial

attribution: intra-sentential elementary discourse unit background: intra-sentential elementary discourse unit cause: intra-sentential elementary discourse unit

goal: goal adverbial

comment: intra-sentential elementary discourse unit comparison: intra-sentential elementary discourse unit

conc: concession adverbial

concom:

cond: condition adverbial

condition: intra-sentential elementary discourse unit

cons: consequence adverbial

contrast: intra-sentential elementary discourse unit elaboration: intra-sentential elementary discourse unit enablement: intra-sentential elementary discourse unit evaluation: intra-sentential elementary discourse unit

event: Adverbial expressing an event

exem: example adverbial

explanation: intra-sentential elementary discourse unit joint: intra-sentential elementary discourse unit

man: manner adverbial

accom: companionship adverbial inst: instrument adverbial

manner: intra-sentential elementary discourse unit means: intra-sentential elementary discourse unit

neg: negation adverbial other: other adverbial prg: pragmatic adverbial

discmark: sentence-initial discourse marker

epi: epistemic adverbial eval: evaluation adverbial focal: focalizer adverbial

scene: pragmatic condition and structural adverbial

add: additive adverbial contr: contrast adverbial elab: elaboration adverbial

quant: degree adverbial

resem: comparison adverbial source: source attribution adverbial

space: space adverbial dir: direction adverbial loc: location adverbial

Chapter 4

Morphological relations: MORPH

MORPH: morphology level

MORPHCOMP: compositional semantic relations MORPHDERIV: derivational semantic relations RuleMorph: syntactic morphlogy relation

Figure 4.1: The relations matching MORPH-!CDT1-!MORPHCOMP-!MORPHDERIV-TOPIC.

MORPH Morphology level (long: MORPHOLOGY). The morphological level includes relations between isa DIM:LEVEL two word segments within a single word, as well as lexical features associated with morphemes.

Subtypes: MORPHCOMP MORPHDERIV RuleMorph.

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or more) isa MORPH elements which could potentially be used as stems. (A compound contains at least two roots.) [301]

Subtypes: _ABOUT _AGENT:MC _CONST _DOBJ.patient _EVAL _FUNC _GOAL _LOC _OTHER _POSS _RE-SEM _SOURCE _TIME:MC.

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and an affix isa MORPH [300] Subtypes: PREFIX SUFFIX.

RuleMorph Syntactic morphlogy relation (long: "_"(PRIM)). A primary syntactic relation that has been is a MORPH RULE used as a morphology relation for stilistic purposes.

[400]

4.1 Compositional relations: MORPHCOMP

MORPHCOMP Compositional semantic relations. A semantic relation is created between two (or more) isa MORPH elements which could potentially be used as stems. (A compound contains at least two roots.) [301]

Subtypes: _ABOUT _AGENT:MC _CONST _DOBJ.patient _EVAL _FUNC _GOAL _LOC _OTHER _POSS _RESEM _SOURCE _TIME:MC.

35

_ABOUT Noun-noun compound (about). Non-head has an aboutness meaning wrt. head.

isa MORPHCOMP [387]

```
MORPHCOMP: compositional semantic relations
                           ABOUT: noun-noun compound (about)
                           _AGENT:MC: noun-noun compound (agentive)
                           CONST: noun-noun compound (constitutive)
                           DOBJ.patient:
                           EVAL: noun-noun compound (evaluative)
                           _FUNC: noun-noun compound (function)
                           _GOAL: noun-noun compound (goal)
                           _LOC: noun-noun compound (position)
                           OTHER: noun-noun compound (other)
                           POSS: noun-noun compound (possession)
                           _RESEM: noun-noun compound (resemblance)
                           _SOURCE: noun-noun compound (origin)
                           TIME:MC: noun-noun compound (time)
                              Figure 4.2: The relations matching MORPHCOMP-!CDT1-TOPIC.
                                     (theme: skattelov 'tax law' = lov -[skat]te/ABOUT)

0 1 2 3 4 5 6
   _AGENT:MC Noun-noun compound (agentive). Non-head has an agentive meaning wrt. head.
isa MORPHCOMP
            [378]
                               (agent: politikontrol 'police control' = kontrol -politi/AGENT)

0 1 2 3 4 5 6
        CONST Noun-noun compound (constitutive). Non-head has a constitutive meaning wrt. head.
isa MORPHCOMP
           [377]
                                 (constitutive: træbord 'wooden table' = bord -træ/CONST) 0 1 2 3 4 5 6
 _DOBJ.patient .
isa MORPHCOMP
          EVAIL Noun-noun compound (evaluative). Non-head has an evaluative meaning wrt. head.
isa MORPHCOMP
           [385]
                                                  coche de lujo 'luksusbil' 0 1 2 3
         _FUNC Noun-noun compound (function). Non-head has a functional/instrumental meaning wrt.
isa MORPHCOMP head.
           [380]
                                    (function: vindmølle 'wind mill' =mølle -vind/FUNC)
         _GOAL Noun-noun compound (goal).
isa MORPHCOMP
            [381]
                                     (goal: krigsskib 'war ship' = skib -[krig]s/GOAL)

0 1 2 3 4 5 6
```

_LOC Noun-noun compound (position). Non-head has a locative meaning wrt. head. is a MORPHCOMP

[383] (position: loftlampe 'ceiling lamp' = lampe -loft/POS) 0 1 2 3 4 5 6

_OTHER *Noun-noun compound (other).* If in doubt about the meaning relation between head and isa MORPHCOMP non-head.

[388]

_POSS Noun-noun compound (possession). Non-head has a possessive meaning wrt. head.

isa MORPHCOMP

[382] (possession: politibil = bil-politi/POSS 0 1 2 3 4

_RESEM Noun-noun compound (resemblance). Denotations of head and non-head resemble each is a MORPHCOMP other.

[386]

silla de tijeras 'saksestol' [klapstol], válvula de mariposa 'sommerfugleventil' $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7 \quad 8$

_SOURCE Noun-noun compound (origin). Non-head has a meaning of origin wrt. head.

isa MORPHCOMP

[379] (origin: rørsukker 'cane sugar' = sukker -rør/ORIGIN) 0 1 2 3 4 5 6

_TIME:MC *Noun-noun compound (time).* Non-head has a temporal meaning wrt. head. isa MORPHCOMP

[384]

(time: oktoberregn 'October rain' = regn -oktober/TIME) 0 1 2 3 4 5 6

4.2 Derivational relations: MORPHDERIV

MORPHDERIV: derivational semantic relations PREFIX: semantic relations appearing with prefixes

SUFFIX: semantic relations appearing with suffixes

Figure 4.3: The relations matching MORPHDERIV-!CDT1-!PREFIX-!SUFFIX-TOPIC.

MORPHDERIV Derivational semantic relations. A semantic relation is created between a base and an affix

isa MORPH [300] Subtypes: PREFIX SUFFIX.

PREFIX Semantic relations appearing with prefixes. A semantic relation is created between a base isa MORPHDERIV and a prefix.

[303] Subtypes: _AGENT _ITER _MOD _NEG _PRE:other _SPACE _TELIC _TIME _TRANS.

SUFFIX Semantic relations appearing with suffixes. A semantic relation is created between a base is a MORPHDERIV and a suffix.

[304] Subtypes: AUG DENUM DER DERan:qual DERna DERnn DERv DIMIN PEJ.

```
PREFIX: semantic relations appearing with prefixes
   _AGENT: agentive
   _ITER: iteration
   MOD: modification
      MOD:eval: evaluation
      MOD:qual: qualification
      _MOD:quant: quantification
   _NEG: negation
      _NEG:contr: contrast
      _NEG:priv: privation
       NEG:rev: reversion
   PRE:other: other prefix relation
   _SPACE: space
      SPACE:dir: direction
      _SPACE:loc: location
      _SPACE:source: source
   TELIC: telic
   TIME: time
       _TIME:post: temporal succession
       _TIME:pre: temporal precedence
   _TRANS: transitivity
```

Figure 4.4: The relations matching PREFIX-!CDT1-TOPIC.

```
4.2.1
                         Prefix relations: PREFIX
        PREFIX Semantic relations appearing with prefixes. A semantic relation is created between a base
isa MORPHDERIV and a prefix.
                 Subtypes: AGENT ITER MOD NEG PRE:other SPACE TELIC TIME TRANS.
       AGENT Agentive (deprecated ASPEC:cause+reflex). Prefix conveys agentive action.
      isa PREFIX
           [319]
                                     (causative: acallar 'silence' = callar -a/AGENT)
                                                         2
                                                            3 4
          ITER Iteration (deprecated ASPEC:iter). Prefix conveys iteration.
      isa PREFIX
           [318]
                                         (iterative: redefine = define -re/ITER)
                                                     1 2 3
         MOD Modification. Prefix conveys modification in a broad sense.
      isa PREFIX Subtypes: _MOD:eval _MOD:qual _MOD:quant.
     _MOD:eval Evaluation (deprecated MOD:man). Prefix conveys evaluation
       isa _MOD
           [324]
                                    (manner: maleducado = educado -mal/MOD:eval)
                                              1
                                                     2 3
    MOD:qual Qualification (deprecated MOD:qual+MOD:rel+GRAD:qual). Prefix conveys qualification.
```

isa _MOD [325]

```
2
MOD:quant Quantification (deprecated MOD:cuant+GRAD:size). Prefix conveys quantification.
                 isa MOD
                                     [323]
                                                                                                                                (quantification: multicultural = cultural -multi/MOD:quant)
                                NEG Negation. Prefix conveys negation in a broad sense.
             isa PREFIX
                                                              Subtypes: _NEG:contr _NEG:priv _NEG:rev.
                                     [314]
     NEG:contr Contrast (deprecated NEG:oppo). Prefix conveys contrast.
                    isa_NEG
                                     [315]
                                                                                                                                                             (opposition: antihero = hero -anti/NEG:contr)

0 1 2 3 4
         _NEG:priv Privation. Prefix conveys privation.
                    isa_NEG
                                     [316]
                                                                                                                                                                             (privation: desalt = salt -de/NEG:priv)

0 1 2 3 4
             _NEG:rev Reversion (deprecated ASPEC:rev). Prefix conveys reversion.
                    isa NEG
                                     [317]
                                                                                                                                                            (reversion: deactivate = activate -de/NEG:rev) 0 	 1 	 2 	 3 	 4
        _PRE:other Other prefix relation. If in doubt about the meaning conveyed by the prefix
             isa PREFIX
                        SPACE Space (deprecated LOC). Prefix expresses space in a broad sense.
             isa PREFIX Subtypes: _SPACE:dir _SPACE:loc _SPACE:source.
                                      [306] \quad Confusion^{29}_{0\%/100\%/0\%\%}: loc_{79.3\%} \\ source_{3.4\%} \\ \ agent_{3.4\%} \\ \ agent_{DERna:rel.deono.loc_{3.4\%}} \\ poss_{3.4\%} \\ \ eval_{3.4\%} \\ \ DERvn:locLOC:loc_{3.4\%} \\ \ agent_{DERna:rel.deono.loc_{3.4\%}} \\ \ poss_{3.4\%} \\ \ eval_{3.4\%} \\ \ DERvn:locLOC:loc_{3.4\%} \\ \ poss_{3.4\%} \\ \ eval_{3.4\%} \\ \ poss_{3.4\%} \\ \ 
       _SPACE:dir Direction (deprecated LOC:dir). Prefix expresses direction.
             isa\_SPACE\_Confusion_{13\%/100\%/13\%\%}^{23}: SPACE: dir_{21.7\%} \ TELIC_{21.7\%} -_{17.4\%} \ LOC: dir_{13\%} \ SPACE. dir_{8.7\%} \ PRE: other_{8.7\%} \ TELIC] \\ m_{4.3\%} \ aggregation for the confusion_{13\%/100\%/13\%\%}^{23}: SPACE: dir_{21.7\%} \ TELIC_{21.7\%} -_{17.4\%} \ LOC: dir_{13\%} \ SPACE. dir_{8.7\%} \ PRE: other_{8.7\%} \ TELIC] \\ m_{4.3\%} \ aggregation_{13\%/100\%/13\%\%}^{23}: SPACE: dir_{21.7\%} \ TELIC_{21.7\%} -_{17.4\%} \ LOC: dir_{13\%} \ SPACE: dir_{8.7\%} \ PRE: other_{8.7\%} \ TELIC] \\ m_{4.3\%} \ aggregation_{13\%/100\%/13\%\%}^{23}: SPACE: dir_{21.7\%} \ TELIC_{21.7\%} -_{17.4\%} \ LOC: dir_{13\%} \ SPACE: dir_{13\%/100\%/13\%\%}^{23}: SPACE: dir_{13\%/100\%\%}^{23}: SPACE: dir_{13\%/
                                     [308]
                                                                           \mathsf{SPACE} \mathpunct{:} \mathsf{source}_{4.3\%} \;.
                                                                                                                                                 (direction/origin: deverbal = verbal -de/SPACE:dir) 0 1 2 3 4
      _SPACE:loc Location (deprecated LOC:pos). Prefix expresses location.
            isa SPACE
                                     [307]
                                                                                                                                                        (position: intramural = mural -intra/SPACE:pos)
                                                                                                                                                                                                                                                  2 3
```

(qualification: paleochristian = christian -paleo/MOD:qual)

```
isa SPACE
            [309]
                                        (origin: extraer: = traer -ex/SPACE:source) 0 	 1 	 2 	 3 	 4
         _TELIC Telic (deprecated ASPEC:term+resul). Prefix conveys termination or result.
      isa PREFIX
            [320]
                                       (terminative: oplåse 'open' = låse -op/TELIC)

0 1 2 3 4 5
          _TIME Time. Prefix conveys time in a broad sense.
      isa PREFIX Subtypes: _TIME:post _TIME:pre.
            [311]
     TIME:post Temporal succession (deprecated TIME:succ). Prefix conveys succession.
       isa _TIME
            [313]
                            _TIME:pre Temporal precedence (deprecated TIME:prec). Prefix conveys precedence.
       isa _TIME
            [312]
                               (temporal precedence: prehistorical = historical -pre/TIME:pre)
        TRANS Transitivity. Prefix conveys transitivity.
      isa PREFIX
            [321]
                                     (transitivising: påsejle 'collide': sejle-på/TRANS)
0 1 2 3 4
                 4.2.2 Suffix relations: SUFFIX
        SUFFIX Semantic relations appearing with suffixes. A semantic relation is created between a base
isa MORPHDERIV and a suffix.
                 Subtypes: _AUG _DENUM _DER _DERan:qual _DERna _DERnn _DERv _DIMIN _PEJ.
          _AUG Augmentation. Suffix conveys augmentation.
      isa SUFFIX
            [327]
                                    (augmentative: perrazo 'big dog' = perro +azo/AUG) 0 1 2 3 4 5 6
       _DENUM Adjective-numeral derivation. Suffix creates denumeral adjectives in a broad sense.
      is
a SUFFIX Subtypes: _DENUM:apart _DENUM:ord _DENUM:quant.
            [373]
 _DENUM:apart Adjective-partitive derivation (deprecated DENUM:part). Suffix creates partitive numerals.
    isa DENUM
```

_SPACE:source Source (deprecated LOC:proce). Prefix conveys source.

[375]

```
SUFFIX: semantic relations appearing with suffixes
   AUG: augmentation
   _DENUM: adjective-numeral derivation
       DENUM:apart: adjective-partitive derivation
       DENUM:ord: adjective-ordinal derivation
       DENUM: quant: adjective-multiplicative derivation
   DER: verb derivation
       DERadvv: adverb-verb derivation
       DERay: adjective-verb derivation
       DERnv: noun-verb derivation
       DERva: verb-adjective derivation
          DERva:act: verb-adjective derivation (pure)
             DERva:act.disp: verb-adjective derivation (disposition)
             DERva:act.epi: verb-adjective derivation (potentiality)
          DERva:pas: verb-adjective derivation (passive)
             DERva:pas.deon: verb-adjective derivation (passive deontic)
             DERva:pas.epi: verb-adjective derivation (passive potentiality)
             DERva:pas.part: verb-adjective derivation (passive participles)
       DERvn: verb-noun derivation
          _DERvn:agent: verb-noun derivation (agent)
          DERvn:core: verb-noun derivation (core)
          _DERvn:exper: verb-noun derivation (experiencer)
          DERvn:loc: verb-noun derivation (location)
          DERvn:other: verb-noun derivation (other)
          DERvn:patient: verb-noun derivation (patient)
          _DERvn:recip: verb-noun derivation (recipient)
       DERvv: verb-verb derivation
   _DERan:qual: adjective derivation
   DERna: noun-adjective derivation
       DERna:deono: noun-adjective derivation (naming)
          _DERna:deono.loc: noun-adjective derivation (naming places)
          DERna:deono.pers: noun-adjective derivation (naming persons)
       DERna:disp: noun-adjective derivation (disposition)
       DERna:other: noun-adjective derivation (other)
       DERna:poss: noun-adjective derivation (possession)
       DERna:rel: noun-adjective derivation (relational)
       DERna:resem: noun-adjective derivation (resemblance)
       DERna:telic: noun-adjective derivation (effect)
   DERnn: noun-noun derivation
       DERnn:agent: noun-noun derivation (agent)
       _DERnn:assoc: noun-noun derivation (association)
       DERnn:capac: noun-noun derivation (capacity)
       _DERnn:cont: noun-noun derivation (container)
       DERnn:loc: noun-noun derivation (location)
       _DERnn:other: noun-noun derivation (other)
       DERnn:quant: noun-noun derivation (quantification)
       DERnn:telic: noun-noun derivation (telic)
       DERnn:time: noun-noun derivation (time)
   DERv:
   _DIMIN: diminution
   _PEJ: pejoration
```

Figure 4.5: The relations matching SUFFIX-!CDT1-TOPIC.

"kardinal=doce - partitiv=doceavo" 'tolv/tolvtedel' 0 1 2 3

_DENUM:ord Adjective-ordinal derivation. Suffix creates ordinals.

isa _DENUM

[374]

"kardinal=dos – ordinal=segundo" 'to/anden'

DENUM:quant Adjective-multiplicative derivation. Suffix creates multiplicative numerals.

isa _DENUM

[376]

[331]

"kardinal=cinco – multiplikativ=quíntuplo" 'fem/femdobbelte'
0 1 2 3

_DER Verb derivation. Suffix triggers a derivation

isa SUFFIX Subtypes: _DERadvv _DERav _DERnv _DERva _DERvn _DERvv.

_DERadvv *Adverb-verb derivation.* Suffix triggers a derivation from an adverb to a verb isa _DER

_DERay Adjective-verb derivation (deprecated §DER:av). Suffix triggers a derivation from an adjective isa _DER to a verb.

[332]

(adjective->verb derivation: darken = dark +en/\\$DERav)
0 1 2 3 4 5

_DERnv Noun-verb derivation (deprecated §DER:nvPRED). Suffix triggers a derivation from a noun to a isa _DER verb.

(noun->verb derivation: salar 'to salt' = sal +ar/\$DERnv) 0 1 2 3 4 5 6 7

_**DERva** *Verb-adjective derivation* (deprecated §DERV). Suffix creates deverbal adjectives in a broad isa _DER sense.

[355] Subtypes: _DERva:act _DERva:pas.

_**DERva:act** *Verb-adjective derivation (pure)* (deprecated DEVERB:act.pure). Suffix creates active adjectives isa _DERva with the meaning aspect "pure".

[356] Subtypes: _DERva:act.disp _DERva:act.epi.

"que V" (conmovedor – "que conmueve" 'gribende/der griber') $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7$

_DERva:act.disp Verb-adjective derivation (disposition) (deprecated DEVERB:act.disp). Suffix creates active adisa _DERva:act jectives with the meaning aspect "disposition".

[357]

"que suele V, que tiende a V" (adulón – "que suele adular, que tiende a adular" 'smigre/som plejer eller $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7 \quad 8 \quad 9 \quad 10 \quad 11 \quad 12 \quad 13 \quad 14 \quad 15 \quad 16 \quad 17 \quad 18$ har tendens til at være krybende 20 21 22 23 **DERva:act.epi** Verb-adjective derivation (potentiality) (deprecated DEVERB:act.poten). Suffix creates active adisa _DERva:act jectives with the meaning aspect "potentiality". [358] "que puede V" (móvil – que puede moverse 'bevægelig/der kan bevæge sig) 0 1 2 3 4 5 6 7 8 9 10 11 **DERva:pas** Verb-adjective derivation (passive) (deprecated DEVERB:pas). Suffix creates passive adjectives. isa _DERva Subtypes: _DERva:pas.deon _DERva:pas.epi _DERva:pas.part. _DERva:pas.deon Verb-adjective derivation (passive deontic) (deprecated DEVERB:pas.deon). Suffix creates passive isa _DERva:pas adjectives with a deontic meaning. [362] "Que debe $\{ser\ PP/Vse\}$ (abominable – "que debe ser abominado/que debe abominarse" áfskyelig/som må 0 1 2 3 4 5 6 7 8 9 10 11 12 13 forkastes) 14 _DERva:pas.epi Verb-adjective derivation (passive potentiality) (deprecated DEVERB:pas.poten). Suffix creates isa _DERva:pas passive adjectives with the meaning aspect "potentiality". [361] "que puede $\{ser\ PP/Vse\}$ " (transportable – "máquina que puede $\{ser\ transportada/transportarse\}$ 0 1 2 3 4 5 6 7 8 9 10 'transportabel/maskine som kan blive transporteret/transporteres 12 13 14 _DERva:pas.part Verb-adjective derivation (passive participles) (deprecated DEVERB:pas.part). Suffix creates pas-

isa _DERva:pas sive adjectives with the form of participles.

[360]

'que {ha sido/está/es} PP'' (comprado – ''hombre que {ha sido/está/es} comprado 'mand som er 0 1 2 3 4 5 6 7 8 9 10 11 12 13

blevet/er/bliver købt''

_DERvn *Verb-noun derivation* (deprecated PREDDEVERBN). Suffix creates deverbal nouns in a broad isa _DER sense.

 $[335] \begin{tabular}{ll} Subtypes: $_DERvn:agent_DERvn:core_DERvn:exper_DERvn:loc_DERvn:other_DERvn:patient_DERvn:recip. \end{tabular}$

_**DERvn:agent** *Verb-noun derivation (agent)* (deprecated PRED:agentPRED:inst). Suffix creates deverbal nouns isa _DERvn absorbing the agent role.

[336]

_**DERvn:core** *Verb-noun derivation (core)* (deprecated PRED:core). Suffix creates deverbal nouns expressing a isa _DERvn nominalized version of the situation denoted by the original verb. [338]

_**DERvn:exper** *Verb-noun derivation (experiencer)* (deprecated PRED:exper). Suffix creates deverbal nouns abisa _DERvn sorbing the experiencer role.

[337]

(experiencer derivation: admirer = admire +r/ $periode{DERnv}$:exper 0 1 2 3 4 5

_**DERvn:loc** *Verb-noun derivation (location)* (deprecated PRED:loc). Suffix creates deverbal nouns expressing isa _DERvn the location related to the meaning of the original noun.

[341]

(locative derivation: comedor 'spisestue' = comer +dor/DERnv:loc) 0 1 2 3 4 5 6

_**DERvn:other** *Verb-noun derivation (other)* (deprecated PRED:other). If in doubt about the meaning conveyed isa _DERvn by the suffix

_**DERvn:patient** *Verb-noun derivation (patient)* (deprecated PRED:result). Suffix creates deverbal nouns absorbisa _DERvn ing the patient role.

[339]



_**DERvn:recip** *Verb-noun derivation (recipient)* (deprecated PRED:recip). Suffix creates deverbal nouns absorbisa _DERvn ing the recipient role [340]

(recipient derivation: beneficiario 'den begunstigede' = beneficiar +ario/PERnv:recip) 0 1 2 3 4 5 6 7

_DERvv Verb-verb derivation (deprecated §DER:vv). Suffix triggers a derivation from a verb to another isa _DER verb.

[333]

(verb->verb derivation: adormecer 'lull to sleep' = dormir ++[a][ecer]/\$DERvv) 0 1 2 3 4 5 6 7 8

_DERan:qual Adjective derivation (deprecated QUAL). Suffix creates deadjectival nouns.

isa SUFFIX [343]

(deadjectival noun: bitterness = bitter +ness/§DERan:qual) 0 1 2 3 4 5

_**DERna** *Noun-adjective derivation* (deprecated DENOM). Suffix creates denominal adjectives in a broad isa SUFFIX sense.

 $[363] \begin{tabular}{ll} Subtypes: $_DERna: deono $_DERna: disp $_DERna: other $_DERna: poss $_DERna: rel $_DERna: resem $_DERna: telic.$ \\ \end{tabular}$

_**DERna:deono** *Noun-adjective derivation (naming)* (deprecated DENOM:rel.deono). Suffix creates relational adisa _DERna jectives with the meaning of "naming".

[365] Subtypes: _DERna:deono.loc _DERna:deono.pers. $Confusion^1_{0\%/100\%/0\%\%}; \ \mathsf{DERna:rel}_{100\%} \ .$

_DERna:deono.loc Noun-adjective derivation (naming places) (deprecated DENOM:rel.deono.place). Suffix creates isa _DERna:deono relational adjectives with the meaning of "naming" of places.

[367]

Madrileño 'som har at gøre med/kommer fra Madrid' 0 1 2 3 4 5 6 7

_DERna:deono.pers Noun-adjective derivation (naming persons) (deprecated DENOM:rel.deono.pers). Suffix creates isa _DERna:deono relational adjectives with the meaning of "naming" persons.

Cervantino 'som har at gøre med Cervantes'
0 1 2 3 4 5 6

_**DERna:disp** Noun-adjective derivation (disposition) (deprecated DENOM:disp). Suffix creates denominal adisa _DERna jectives that express disposition.

[370]

45

DERna: other Noun-adjective derivation (other) (deprecated DENOM: other). If in doubt about the meaning isa _DERna conveyed by the suffix [372] _DERna:poss Noun-adjective derivation (possession) (deprecated DENOM:poss). Suffix creates denominal adisa _DERna jectives that express possession. [369] "que posee/tiene/lleva N" (barbudo – "que lleva barba" 'skægget/som bærer skæg') 0 1 2 3 4 5 6 7 8 9 10 **DERna:rel** Noun-adjective derivation (relational) (deprecated DENOM:rel). Suffix creates denominal adjecisa _DERna tives with a relational meaning. [364] **DERna:resem** Noun-adjective derivation (resemblance) (deprecated DENOM:resem). Suffix creates denominal isa _DERna adjectives that express resemblance. [368] "que se parece a N" (sanchopancesco – "que se parece a Sancho Panza" 'sanchopanzask/som ligner 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Sancho Panza') **15 16** _DERna:telic Noun-adjective derivation (effect) (deprecated DENOM:eff). Suffix creates denominal adjectives isa _DERna that express an effect. $\begin{tabular}{ll} [371] & Confusion^{12}_{0\%/100\%/0\%\%}: -_{50\%} & DERna: rel_{33.3\%} & DERna: telic_{8.3\%} & DERnvDERva: pas.epi_{8.3\%} & . \end{tabular}$ "que causa simpatía" (simpático – "que causa simpatía" 'sympatisk/som vækker sympati') 0 1 2 3 4 5 6 7 8 9 10_DERnn Noun-noun derivation (deprecated NOPRED). Suffix creates non-predicative nouns (from other isa SUFFIX nouns) in a broad sense. $[344] Subtypes: _DERnn: agent _DERnn: assoc _DERnn: capac _DERnn: cont _DERnn: loc _DERnn: other _DERnn: quantity of the content of the con$


'que tiene afición por N'' (mujeriego – "que afición por las mujeres" 'kvindeglad/som er glad for kvinder') $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7 \quad 8 \quad 9 \quad 10 \quad 11 \quad 12 \quad 13 \quad 14 \quad 15 \quad 16$

DERnn:agent Noun-noun derivation (agent) (deprecated NOPRED:agent). Suffix creates non-predicative nouns

_DERnn:telic _DERnn:time.

isa _DERnn expressing an agent role.

[345]



_**DERnn:assoc** Noun-noun derivation (association) (deprecated NOPRED:script). Suffix creates non-predicative isa _DERnn nouns expressing a script/notion related to the original noun.

[352]

(script derivation: pontaje 'brobetaling' = puente +aje/\$DERnn:assoc) 0 1 2 3 4 5 6

_DERnn:capac Noun-noun derivation (capacity) (deprecated NOPRED:capac). Suffix creates non-predicative isa _DERnn nouns expressing a capacity.

[350]

(capacity derivation: cestada 'kurvfuld' = cesta +ada/§DERnn:capac) 0 1 2 3 4 5 6

_**DERnn:cont** *Noun-noun derivation (container)* (deprecated NOPRED:cont). Suffix creates non-predicative isa _DERnn nouns expressing a container.

[347]

(container derivation: azucarero 'sugar bowl' = azucar +ero/\$DERnn:cont) 0 1 2 3 4 5 6 7

_**DERnn:loc** *Noun-noun derivation (location)* (deprecated NOPRED:loc). Suffix creates non-predicative nouns isa _DERnn expressing a location.
[351]

(locative derivation: arenal 'sandet strækning' = arena +al/DERnn:loc) 0 1 2 3 4 5 6 7

_DERnn:other Noun-noun derivation (other) (deprecated NOPRED:other). If in doubt about the meaning conisa _DERnn veyed by the suffix [353]

_DERnn:quant Noun-noun derivation (quantification) (deprecated NOPRED:set). Suffix creates non-predicative isa _DERnn nouns expressing a quantification.

[349]

(set derivation: perrada 'hundekobbel' = perro +ada/\$DERnn:quant) 0 1 2 3 4 5 6

_**DERnn:telic** Noun-noun derivation (telic) (deprecated NOPRED:result). Suffix creates non-predicative nouns isa _DERnn expressing a telic result.

[346]

(result derivation: puñalada 'knivstik' = puñal +ada/\$DERnn:telic) 0 1 2 3 4 5 6

_**DERnn:time** Noun-noun derivation (time) (deprecated NOPRED:temp). Suffix creates non-predicative nouns isa _DERnn expressing a temporal aspect.

[348]

_DERv (deprecated DEVERB).

isa SUFFIX

_**DIMIN** *Diminution*. Suffix conveys diminution.

isa SUFFIX

[328]

(diminutive: viejecito 'little old man' = viejo +ecito/DIM) 0 1 2 3 4 5 6 7

_PEJ Pejoration. Suffix conveys a pejorative sense.

isa SUFFIX

[329]

(pejorative: vinacho 'bad vine' = vino +acho/PEJ) 0 1 2 3 4 5 6

Chapter 5

Discourse relations: DISC

DISC: discourse level

DISCOTHER: other discourse relations

IOINT: no clear relation

REP: repaired SCENE: scene

DISCPRAG: pragmatic and illocutionary discourse relations

DISCSEM: semantic discourse relations RuleDisc: syntactic discourse relation

Figure 5.1: The relations matching DISC-!CDT1-!DISCFUNC-!DISCSEM-TOPIC.

DISC Discourse level (long: DISCOURSE). The discourse level includes relations between segments isa DIM:LEVEL in different sentences, as well as lexical features associated with discourse units.

[11] Subtypes: DISCOTHER DISCPRAG DISCSEM RuleDisc.

DISCOTHER Other discourse relations. In two cases, REP and SCENE, the relations concern the formal isa ADJ DISC structure of the text. In the last case, JOINT, there is no clear relation between the segments

[248] in question.

Subtypes: JOINT REP SCENE.

JOINT *No clear relation.* No evident discourse relation between the segments. The new text segment isa DISCOTHER adds a completely new content without any clear discourse relation to the preceding segment. [298]

 $Confusion_{21.4\%/42.9\%/35.7\%}^{14} : CONJ: add_{42.9\%} \ \ JOINT_{35.7\%} \ SCENE_{7.1\%} \ \ CONJ_{7.1\%} \ \ CONST: exem_{7.1\%} \ .$

REP Repaired (deprecated STRUCT:rep). A repaired text segment. The dependent text segment is isa DISCOTHER interrupted and unfinished and "repaired" by the following and governing text segment that [297] completes it.

Would you... (Would you marry me, Lisa?) $0 \quad 1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6$

SCENE Scene (deprecated STRUCT:prepPREP). A scene or similar description. The dependent text segisa DISCOTHER ment describes the scene of the following and governing text.

[296] $Confusion_{84.6\%/84.6\%/96.2\%}^{26}$: SCENE_{96.2%} JOINT_{3.8%} .

headings, titles

DISCPRAG Pragmatic and illocutionary discourse relations (deprecated DISCFUNC). The dependent text seg-

isa ADJ DISC ment expresses a change in speech act or pragmatic function (speaker's intention) wrt the

[247] governing segment; the label indicates the speech act or function of the dependent segment; regarding speaker's intentions and speech acts we consider the narrating asserting speech act as our default value.

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

DISCSEM Semantic discourse relations. The relations hold between the propositions of the governing

isa ADJ DISC and dependent text segments and are defined in semantic terms;

[246]Subtypes: AGENTIVE CONC COND CONJ CONST CONTR DISJ FORMAL TELIC TIME.

RuleDisc Syntactic discourse relation (long: "_"(PRIM)). A primary syntactic relation that has been used isa DISC RULE as a discourse relation for stilistic purposes.

[399]

Functional relations: DISCFUNC 5.1

DISCPRAG: pragmatic and illocutionary discourse relations

ANSW: answer

CONSOL: consolidation

CONSOL:inst: instrumental CONSOL:motiv: motivation

CONSOL:source: source

DIREC: directive act EXPR: expressive act

INTACT: interaction signals

INTACT:attn: attention

INTACT:inter: interruption

INTACT:start: start signal

INTACT:stop: stop

QUEST: question

Figure 5.2: The relations matching DISCFUNC-!CDT1-TOPIC.

DISCPRAG Pragmatic and illocutionary discourse relations (deprecated DISCFUNC). The dependent text seg-

isa ADJ DISC ment expresses a change in speech act or pragmatic function (speaker's intention) wrt the [247] governing segment; the label indicates the speech act or function of the dependent segment; regarding speaker's intentions and speech acts we consider the narrating asserting speech act

as our default value.

Subtypes: ANSW CONSOL DIREC EXPR INTACT QUEST.

ANSW Answer. An answer relation. The dependent text segment contains an answer or solution to isa DISCPRAG a question or problem contained in the governing text segment.

 $Confusion_{100\%/100\%/100\%\%}^{1}$: ANSW_{100%}.

CONSOL Consolidation (deprecated SUPPORT?). The dependent text segment consolidates or strengthens isa DISCPRAG the governing segment.

[291]

Subtypes: CONSOL:inst CONSOL:motiv CONSOL:source. $Confusion_{0\%/50\%/0\%\%}^2 \colon CONJ:elab_{100\%} \; .$

CONSOL:inst Instrumental (deprecated CONSOL:enabl). An instrumental or helpful text segment. The deisa CONSOL pendent text segment is instrumental in helping reader or recipient to carry out the action [293] mentioned in the governing segment; frequent in directive texts.

For a free catalogue, call... 0 1 2 3 4

CONSOL:motiv Motivation. Motivation or encouragement. The dependent text segment motivates, stimuisa CONSOL lates or encourages reader or recipient to carry out the action mentioned in the governing [294] segment.

Prices have never been so low.

0 1 2 3 4 5

Joe Johnson is an expert at teaching small children. (He says that...). The Rent Act clearly states it. 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

DIREC *Directive act.* A directive act. The dependent text segment contains a directive act (order, isa DISCPRAG command or request) somehow linked to the governing segment.

[284] $Confusion_{0\%/66.7\%/0\%\%}^3$: CONJ:elab_{66.7%} CONJ:seq_{33.3%}.

e.g. imperatives 0 1

EXPR Expressive act. An expressive act. The dependent text segment contains an expression of the isa DISCPRAG speaker's attitudes or emotions, e.g. congratulations, excuses or thanks, somehow linked to [285] the governing segment.

INTACT *Interaction signals*. The dependent text segment contains an interaction signal, i.e. a signal isa DISCPRAG used to start, sustain or end a conversation.

[286] Subtypes: INTACT:attn INTACT:inter INTACT:start INTACT:stop.

INTACT:attn *Attention.* An attention signal. The dependent text segment contains an attention signal. isa INTACT

[288]

INTACT:inter Interruption. An interruption signal. The dependent text segment contains an interruption is a INTACT signal [289]

[en] But... But, Just a moment!; [da] Jamen... Men..., Må jeg lige; [it] Ma; Un momento; Scusami 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

INTACT:start Start signal. The dependent text segment contains a start signal. isa INTACT
[287]

Undskyld! Du Peter; [it] Pronto? Ciao, Ecco, Guarda, Scusami 20 21 22 23 24 25 26 27 28

INTACT:stop *Stop*. The dependent text segment contains a conversation stop signal.

isa INTACT [290]

QUEST Question . A question relation. The dependent text segment contains a question somehow is a DISCPRAG linked to the governing segment. The following co-text may and may not contain an answer [282] to the question.

Related types: answer.

5.2 Semantic relations: DISCSEM

DISCSEM *Semantic discourse relations.* The relations hold between the propositions of the governing isa ADJ DISC and dependent text segments and are defined in semantic terms;

[246] Subtypes: AGENTIVE CONC COND CONJ CONST CONTR DISJ FORMAL TELIC TIME.

AGENTIVE *Cause relation (discourse).* The dependent segment expresses "bringing about" or cause in a isa DISCSEM broad sense

AGENTIVE:expl *Explanation relation in discourse.* An explanation relation. The dependent segment explains isa AGENTIVE the governing segment. The relation is more general and elaborating than "reason".

[251]

DISCSEM: semantic discourse relations

AGENTIVE: cause relation (discourse)

AGENTIVE:expl: explanation relation in discourse

AGENTIVE:reas: reason relation (discourse)

AGENTIVE:sbj: subjective cause

CONC: concession COND: condition CONJ: conjunction

> CONJ:add: conjunction, addition CONJ:elab: conjunction, elaboration CONJ:seq: conjunction, sequence

CONST: constitutive elaboration relation

CONST:apart: part of relation CONST:exem: exemplification CONST:rest: restatement

CONTR: contrast

CONTR:dir: direct contrast CONTR:sbj: subjective contrast

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:sbj: subjective disjunction FORMAL: formal description

FORMAL:descr: neutral description

FORMAL:eval: positive/negative evaluation

TELIC: consequence/result/conclusion/goal relation (discourse)

TELIC:cons.dir: direct, physical consequence, result

TELIC:cons.sbj: pragmatic/personal conclusion, deduction

TELIC:goal: goal relation (discourse)

TIME: temporal relation

TIME:cont: contemporaneity TIME:post: temporal succession TIME:pre: temporal precedence

Figure 5.3: The relations matching DISCSEM-!CDT1-TOPIC.

Typical connectives: [en] In fact, Indeed; [da] Nemlig; [it] Infatti.

Related types: reason.

 $Confusion_{63.6\%/100\%/63.6\%}^{11}: AGENTIVE: expl_{63.6\%} CONTR_{9.1\%} \ AGENTIVE_{9.1\%} \ AGENTIVE: sbj_{9.1\%} \ AGENTIVE: sbj_{9.1\%}$

AGENTIVE:reas Reason relation (discourse). A reason relation. The dependent segment expresses a specific isa AGENTIVE and concrete reason.

[252] Typical connectives: [en] Since, Because; [da] Fordi, Eftersom; [it] Perché, Dato che. $Confusion_{20\%/60\%/20\%\%}^{10} : AGENTIVE: sbj_{40\%} \ AGENTIVE: reas_{20\%} \ CONJ: elab_{20\%} \ CONJ: add_{10\%} \ TELIC: cons. dir_{10\%} \ .$

AGENTIVE:sbj Subjective cause. A subjective cause. The speaker uses the dependent segment as a subjecisa AGENTIVE tive/personal argument to support a claim.

[253] Typical connectives: [en] Because, In fact, Indeed; [da] Fordi, Eftersom, Nemlig; [it] Perché, Dato che, Infatti. $Confusion_{0\%/75\%/0\%\%}^{16} \cdot AGENTIVE: reas_{25\%} \ CONJ: add_{18.8\%} \ CONJ_{12.5\%} \ CONJ: elab_{12.5\%} \ AGENTIVE_{12.5\%} \ CONJ_{12.5\%} \ AGENTIVE_{12.5\%} \ AGENTIVE_{12.5\%$ SOL:source_{12.5%} AGENTIVE:expl_{6.3%} .

CONC *Concession.* A concession relation. The dependent segment admits or acknowledges a fact isa DISCSEM wrt N, which may however not have the expected consequence or effect.

Typical connectives: [en] Though, Although, However; [da] Skønt; Selvom; [it] Anche se; Sebbene.

Confusion²⁰_{40%/65%/40%}: CONC_{40%} CONJ:add_{25%} CONTR_{5%} FORMAL:eval_{5%} subj_{5%} CONTR:sbj_{5%} CONJ_{5%} CONST:exem_{5%} conj_{2.5%} CONTR:prg_{2.5%}.

COND *Condition.* A condition relation. The dependent segment expresses a condition for the realisa DISCSEM sation of the content of the gonerning segment.

[266] Typical connectives: [en] If, On the condition; [da] Hvis; I det tilfælde at; [it] A condizione che/di; Se. $Confusion^1_{0\%/100\%/0\%\%}$: CONJ:add_{100%}.

CONJ *Conjunction.* The dependent text segment elaborates and expans knowledge of the content is DISCSEM of the governing text segment or adds a new subject somehow related to it

[271] Subtypes: CONJ:add CONJ:elab CONJ:seq. $Confusion_{10.4\%/54.2\%/18.8\%}^{48}: CONJ:elab_{35.4\%} CONJ:add_{25\%} CONJ_{18.8\%} AGENTIVE:sbj_{4.2\%} TELIC:goal_{2.1\%} TELIC:cons.sbj_{2.1\%} \\ FORMAL:eval_{2.1\%} JOINT_{2.1\%} CONSOL:source_{2.1\%} TELIC:cons.dir_{2.1\%} CONST:apart_{2.1\%} CONC_{2.1\%} .$

CONJ:add Conjunction, addition. An addition relation. The dependent text segment adds a new subject isa CONJ somehow related to the governing text segment; in cases of uncertainty between add and [272] elab we do not specify the subtype.

 $\textbf{CONJ:elab} \quad \textit{Conjunction}, \textit{elaboration} \ (\textit{deprecated ELAB:spec}, \textit{ELAB:exp}, \textit{CONST:elab}). \ An elaboration \ relation.$

isa CONJ The dependent text segment elaborates and expans knowledge of the content of the governing text segment; in cases of uncertainty between add and elab we do not specify the subtype $Confusion^1_{0\%/100\%/100\%}$: CONJ:elab $_{100\%}$.

CONJ:seq *Conjunction, sequence.* A sequence relation. The dependent text segment is part of list or isa CONJ sequence linked to the governing text segment as e.g. in recipes, sport results etc.

 $\begin{tabular}{ll} \hline 274] & \hline $Confusion^{13}_{61.5\%/92.3\%/69.2\%}$: CONJ:seq$_{69.2\%}$ CONJ:add$_{15.4\%}$ CONJ:elab$_{7.7\%}$ DIREC$_{7.7\%}$.$

CONST *Constitutive elaboration relation.* The dependent segment adds more details regarding the isa DISCSEM constitution of the governing segments or part(s) of it.

Subtypes: CONST:apart CONST:exem CONST:rest. $Confusion_{0\%/100\%/0\%\%}^{39} : const_{66.7\%} \ agent_{12.8\%} -_{5.1\%} \ source_{2.6\%} \ \mathsf{MOD:qual}_{2.6\%} \ \mathsf{arg}_{2.6\%} \ \mathsf{argloc}_{2.6\%} \ \mathsf{func}_{2.6\%} \ \mathsf{apart}_{2.6\%}$

CONST:apart *Part of relation.* A part-of relation. The dependent segment expresses a part of the governing isa CONST segment or vice versa.

Typical connectives: [en] Including, Herein; [da] Herunder, Heri; [it] Incluso, Tra cui. Confusion $^{12}_{16.7\%/58.3\%/25\%}$: CONJ:elab $_{25\%}$ CONST:apart $_{25\%}$ CONJ:add $_{16.7\%}$ CONST:exem $_{16.7\%}$ CONJ $_{8.3\%}$ nobj $_{8.3\%}$

CONST: exem *Exemplification.* A constitutive exemplification relation. The dependent segment gives exisa CONST amples of elements or phenomena regarding the governing segment.

[259] Typical connectives: [en] For example; [da] For eksempel; [it] Per esempio.

 $Confusion_{29.4\%/70.6\%/47.1\%}^{17}: CONST: exem_{47.1\%} CONJ: add_{11.8\%} CONST: apart_{11.8\%} CONJ: elab_{5.9\%} JOINT_{5.9\%} CONST: rest_{5.9\%} CONSOL: source_{5.9\%} CONC_{5.9\%} .$

CONST:rest *Restatement.* A restatement relation. The dependent segment states the governing segment is a CONST again in a different way

Typical connectives: [en] In other words, Or; [da] Dvs., Sagt på en anden måde; [it] Ossia, In altre parole, Cioè. Confusion¹¹_{22.7%/59.1%/25.8%}: CONJ:elab_{27.3%} CONST:rest_{25.8%} TELIC:cons.sbj_{9.1%} TELIC:cons.dir_{9.1%} CONST:exem_{9.1%} AGENTIVE:expl_{9.1%} conj_{6.1%} qobj_{4.5%}.

CONTR *Contrast.* The dependent text segment expresses a contrast wrt the governing text segment. isa DISCSEM Subtypes: CONTR:dir CONTR:sbi.

[275] $\operatorname{Confusion}_{0\%/100\%/0\%\%}^4$: $\operatorname{CONJ:add}_{25\%}$ AGENTIVE: $\operatorname{expl}_{25\%}$ CONTR: $\operatorname{dir}_{25\%}$ CONC $_{25\%}$.

CONTR:dir *Direct contrast.* A direct contrast relation. The contrast lies between the governing and isa CONTR dependent text segment.

Typical connectives: [en] But, However; [da] Men, Derimod; [it] Ma, Invece.

Confusion 14/16.7%/31%/31%%: CONTR:dir31% conj20.2% CONTR:prg10.7% CONTR7.1% CONJ:elab7.1% TELIC:cons.sbj7.1%

TELIC:cons.dir7.1% CONTR:sbj7.1% CONJ:add2.4%.

CONTR:sbj *Subjective contrast* (deprecated CONTR:prg). A subjective contrast relation. The contrast lies is a CONTR between an explicit and a subjectively inferred text segment.

[277] Typical connectives: [en] But, However; [da] Men, Derimod; [it] Ma, Invece. $\text{Confusion}_{19.4\%/48.6\%/31.9\%}^{12} \text{: CONTR:sbj}_{31.9\%} \text{: conj}_{13.9\%} \text{: CONJ:elab}_{8.3\%} \text{: CONTR:prg}_{8.3\%} \text{: CONTR:prg}_{8.3\%} \text{: CONTR:dir}_{8.3\%} \text{: CONTR:di$

DISJ *Disjunction.* There is a disjunction relation between the governing and dependent text segisa DISCSEM ment.

[278] Subtypes: DISJ:dir DISJ:sbj.

DISJ:dir *Direct disjunction.* A direct disjunction relation. The disjunction lies between the governing isa DISJ and dependent text segment.

[279] Typical connectives: [en] Or, Or else, Otherwise; [da] Eller, Ellers; [it] Oppure, Altrimenti. $Confusion^2_{0\%/50\%/50\%}: CONJ: add_{50\%} \ DISJ: dir_{50\%} \ .$

DISJ:sbj *Subjective disjunction* (deprecated DISJ:prg). An indirect or subjective disjunction relation. The isa DISJ disjunction lies between the dependent and a subjectively inferred text segment.

[280] Typical connectives: [en] Or, Or else, Otherwise; [da] Eller, Ellers; [it] Oppure, Altrimenti.

FORMAL Formal description. The dependent segment describes the governing segment wrt its formal isa DISCSEM quale (form, dimension, colour, etc.). The governing segment may be a first-order or second- order entity.

Subtypes: FORMAL:descr FORMAL:eval.

FORMAL:descr Neutral description (deprecated DESCR:qual). An objective and neutral description relation. isa FORMAL The dependent segment expresses an objective and/or neutral description of the governing [263] segment.

Confusion $_{20\%/40\%/20\%\%}^{5}$: CONJ:elab $_{60\%}$ conj $_{20\%}$ FORMAL:descr $_{20\%}$.

FORMAL:eval *Positive/negative evaluation* (deprecated DESCR:eval). A personal and subjective description is a FORMAL relation. The dependent segment expresses a personal and/or subjective description of the governing segment.

 $Confusion^{10}_{20\%/40\%/30\%\%} : CONJ: elab_{50\%} \ FORMAL: eval_{30\%} \ CONJ_{10\%} \ CONC_{10\%} \ .$

TELIC Consequence/result/conclusion/goal relation (discourse). The dependent segment expresses is DISCSEM consequence, result, purpose, conclusion or goal wrt the governing segment.

[254] Subtypes: TELIC:cons.dir TELIC:cons.sbj TELIC:goal.

$$\begin{split} & \text{Confusion}_{28.6\%/100\%/28.6\%}^{119} : -_{35.3\%} \text{ TELIC}_{28.6\%} \text{ PRE:other}_{10.1\%} \text{ TRANS}_{4.2\%} \text{ LOC:} \\ & \text{dir}_{4.2\%} \text{ PRE:otherDERva:} \text{pas.part}_{2.5\%} \\ & \text{TELIC}]_{t_{2.5\%}} \text{ MOD:} \\ & \text{qual}_{2.5\%} \text{ NEG:} \\ & \text{contr}_{0.8\%} \text{ ASPEC:} \\ & \text{resutl}_{0.8\%} \text{ TELIC}]_{t_{0.8\%}} \text{ DERvn:} \\ & \text{core}_{0.8\%} \text{ MOD:} \\ & \text{eval}_{0.8\%} \text{ MOD:} \\ & \text{eval}_{0.8\%} \text{ PACE:} \\ & \text{source}_{0.8\%} \text{ SPACE:} \\ & \text{sourceDERva:} \\ & \text{pas.part}_{0.8\%} \text{ ASPEC:} \\ & \text{result}_{0.8\%} \text{ NEG:} \\ & \text{priv}_{0.8\%} \text{ .} \end{split}$$

TELIC:cons.dir Direct, physical consequence, result (deprecated TELIC:dir). A consequence or result relation.

isa TELIC The dependent segment expresses a physical and/or objectively observed consequence or [256] result wrt the governing segment.

 $Typical\ connectives: [en]\ Therefore, For\ this\ reason; [da]\ Derfor,\ Af\ den\ grund; [it]\ Perciò,\ Quindi.$ $Confusion_{29.4\%/58.8\%/41.2\%}^{17}: TELIC:cons.dir_{41.2\%}\ TELIC:cons.sbj_{11.8\%}\ CONJ:elab_{8.8\%}\ CONST:rest_{5.9\%}\ CONJ_{5.9\%}\ CONJ:elab_{8.8\%}\ AGENTIVE:reas_{5.9\%}\ CONTR:dir_{5.9\%}\ conj_{2.9\%}\ CONTR:sbj_{2.9\%}\ qobj_{2.9\%}\ .$

TELIC:cons.sbj *Pragmatic/personal conclusion, deduction* (deprecated TELIC:sbj). A personal conclusion or deisa TELIC duction relation. The dependent segment expresses a subjective conclusion or deduction on behalf of the speaker.

Typical connectives: [en] Therefore, For this reason; [da] Derfor, Af den grund; [it] Perciò, Quindi. $Confusion_{21.4\%/64.3\%/28.6\%}^{14}: TELIC:cons.sbj_{28.6\%} CONJ:add_{21.4\%} CONJ:elab_{14.3\%} TELIC:cons.dir_{14.3\%} CONJ_{7.1\%} CONST:rest_{7.1\%} CONTR:dir_{7.1\%}.$

TELIC:goal *Goal relation (discourse).* A goal relation. The dependent segment expresses goal, purpose, isa TELIC aim or the like wrt the governing segment.

[255] $Confusion^1_{0\%/100\%/0\%\%}$: $CONJ_{100\%}$.

TIME *Temporal relation* (deprecated CIRCUM). There is a clear temporal relation between the contents is a DISCSEM of the two text segments.

[267] Subtypes: TIME:cont TIME:post TIME:pre. $Confusion^1_{0\%/100\%/0\%\%}: time_{100\%} \ .$

TIME:cont *Contemporaneity* (deprecated nowincludesabolished TIME:dur). A contemporaneity relation. The isa TIME events of the two text segments occur simultaneously.

Typical connectives: [en] At the same time, Meanwhile; [da] Samtidig, Mens, Så længe, Da; [it] Contemporaneamente.

TIME:post *Temporal succession* (deprecated TIME:succ). A succession relation. The event described in the isa TIME dependent text segment succeeds the one described in the governing segment.

[270] Typical connectives: [en] Later, Some time afterwards; [da] Senere, Nogen tid efter; [it] Dopo, Poco tempo dopo. $Confusion_{66.7\%/100\%/66.7\%}^3$: TIME:post_{66.7\%} TRANS_{33.3%}.

TIME:pre *Temporal precedence* (deprecated TIME:prec). A precedence relation. The event described in the isa TIME dependent text segment precedes the one described in the governing segment.

[269] Typical connectives: [en] Earlier, Some days before; [da] Før det, Forinden; [it] Prima, Tre giorni prima. $\text{Confusion}_{50\%/100\%/50\%\%}^4 : \text{TIME:} \text{pre}_{50\%} - 25\% \text{ time}_{25\%} .$

Chapter 6

Anaphor relations: ANA

ANA: anaphor level ANAREL: anaphor-antecedent relation anaphor: assoc: associative anaphor coref: coreference

Figure 6.1: The relations matching ANA-!CDT1-!coref-!assoc-TOPIC.

ANA Anaphor level (long: ANAPHORA). The anaphor level includes relations between anaphors and isa DIM:LEVEL their antecedents, as well as lexical features associated with anaphora.

[14] Subtypes: ANAREL anaphor.

ANAREL Anaphor-antecedent relation. An anaphor-antecedent relation, i.e. a relation between an

isa ANA REL anaphor (pronoun, definite description, etc.) and an antecedent. The anaphor may be either [28] coreferential, i.e. it designates the same discourse referent as the antecedent, or associative. In the latter case, the anaphor designates a non-previously mentioned referent that is associable with the antecedent either wrt the antecedent's qualia structure or wrt some other semantic relation. The relation arrow goes from antecedent to anaphor.

anaphor. This section concerns anaphors as well as cataphors. Cataphors may by and large express isa ANA the same relations with their postcedents as anaphors with their antecedents; the relations are [207] therefore labelled identically and will be distinguished solely by the arrow direction: from left to right (anaphors) or from right to left (cataphors). Because of their much higher frequency, we shall limit ourselves to examples of anaphors.

Subtypes: assoc coref.


assoc Associative anaphor. The anaphor designates an entity which is associated with the anisa anaphor tecedent

[219] Subtypes: assoc-OTHER assoc-QUALIA assoc-SEMROLE. Confusion $^6_{33.3\%/83.3\%/33.3\%}$: assoc-const_{66.7%} assoc_{33.3%}.


coref Coreference. The anaphor designates the same entity as the antecedent; all coreferential proisa anaphor nouns are labelled this way

Subtypes: coref-ell coref-evol coref-iden coref-res coref-var ref. $Confusion_{60.6\%/63.7\%/89.1\%}^{238}$: $coref_{89.1\%}$ $coref-var_{6.8\%}$ $ref_{1.3\%}$ $coref-res_{1.3\%}$ assoc-const_{0.6%} $coref-iden_{0.6\%}$ assocagentive.agent_{0.4%}.

I had bought some wine but Maria has drunk it all.



I've already had wine. I don't want anymore right now.



6.1 Coreference relations: coref


```
coref: coreference
    coref-ell: elliptic anaphor
    coref-evol: evolving anaphor
    coref-iden: coreferential NP with complete lexical identity
        coref-iden.sb: coreferential NP with lexical identity in the noun but lexical variety in some other (typically attributive) component
    coref-res: resumptive anaphor
        coref-res.prg: pragmatic resumptive anaphor
    coref-var: coreferential NP with lexical variety in the noun
    ref: syntactically determined coreference
```

Figure 6.2: The relations matching coref-!CDT1-TOPIC.


coref *Coreference.* The anaphor designates the same entity as the antecedent; all coreferential proisa anaphor nouns are labelled this way

Subtypes: coref-ell coref-evol coref-iden coref-res coref-var ref. Confusion $^{238}_{60.6\%/63.7\%/89.1\%}$: coref $_{89.1\%}$ coref-var $_{6.8\%}$ ref $_{1.3\%}$ coref-res $_{1.3\%}$ assoc-const $_{0.6\%}$ coref-iden $_{0.6\%}$ assocagentive.agent $_{0.4\%}$.

I had bought some wine but Maria has drunk it all.



I've already had wine. I don't want anymore right now.




coref-ell Elliptic anaphor. The anaphor is a nominal demonstrative pronoun; the lexical noun of the isa coref antecedent is omitted; the arrow goes from the lexical noun of the antecedent to the demon [217] strative pronoun




coref-evol *Evolving anaphor*. The anaphor refers to the same discourse referent as the antecedent, but isa coref after it has undergone radical changes in its ontological status

[216] $Confusion^1_{0\%/100\%/0\%\%}$: coref-var $_{100\%}$.




coref-iden Coreferential NP with complete lexical identity (deprecated coref-id). The anaphor designates is a coref the same entity as the antecedent and the lexical noun is identical to that of the antecedent; [211] if the antecedent NP contains attributives or other modifiers, these too are identical in the anaphor NP. In cases such as example 3., the apposition functions as antecedent: Subtypes: coref-iden.sb.

 $Confusion_{72.6\%/81.2\%/77.4\%}^{62} : coref-iden_{77.4\%} \cdot coref-var_{16.7\%} \cdot coref_{2.7\%} \cdot assoc-telic_{1.6\%} \cdot assoc-const_{1.6\%} \cdot .$





coref-iden.sb Coreferential NP with lexical identity in the noun but lexical variety in some other (typically isa coref-iden attributive) component. The anaphor designates the same entity as the antecedent and the lexical noun is identical to that of the antecedent, but some other component (typically an attributive or a first name) is different from that of the antecedent, or the antecedent lacks a similar component




coref-res *Resumptive anaphor* (deprecated nowincludescoref-res.cause). The anaphor summarises a sentence, isa coref clause or predicate

[214] Subtypes: coref-res.prg. Confusion $^{36}_{61.7\%/67.2\%/75\%}$: coref-res $_{75\%}$ coref-var $_{11.1\%}$ coref $_{8.3\%}$ assoc-telic $_{2.8\%}$ ref $_{2.8\%}$.






coref-res.prg *Pragmatic resumptive anaphor.* The anaphor summarises a sentence, clause or predicate and isa coref-res evaluates it with respect to speech act [215]




coref-var Coreferential NP with lexical variety in the noun. The anaphor designates the same entity as isa coref the antecedent, but the lexical noun is different from that of the antecedent; other components [213] may be lexically identical or varied wrt similar components of the antecedent

 $Confusion_{58.7\%/71.5\%/73.4\%}^{146}: coref-var_{73.4\%} \ coref_{11.3\%} \ coref-iden_{7.1\%} \ assoc-const_{4.1\%} \ coref-res_{2.7\%} \ coref-evol_{0.7\%} \ assoc-agentive_{0.7\%} \ .$



ref Syntactically determined coreference (long: _). Syntactically determined coreference (e.g. relisa SEC coref ative pronouns, external topics). In the DG theory, "ref" is a shorthand for the label "[fobj]" with reversed direction of the arc, ie, a secondary filler object. It is typically used in relative clauses with a relative pronoun, in which the relative pronoun "consumes" the filler for the relativized noun generated by the relative verb.

Confusion $^{70}_{90\%/91.4\%/94.3\%}$: ref_{94.3%} coref_{4.3%} coref-res_{1.4%}.




6.2 Associative anaphor relations: assoc

assoc Associative anaphor. The anaphor designates an entity which is associated with the anisa anaphor tecedent

[219] Subtypes: assoc-OTHER assoc-QUALIA assoc-SEMROLE. Confusion $^6_{33.3\%/83.3\%/33.3\%}$: assoc-const $_{66.7\%}$ assoc $_{33.3\%}$.

assoc-OTHER Other anaphoric relations. These cases include for example locative relations (the anaphor is isa assoc located in the antecedent), time relations (the anaphor expresses a point in time linked to the antecedent), and event relations (the anaphor designates an event in which the antecedent plays a part).

Subtypes: assoc-event assoc-frame assoc-loc assoc-other assoc-time.




```
assoc: associative anaphor
   assoc-OTHER: other anaphoric relations
       assoc-event: associative anaphor (event)
       assoc-frame: anaphor associated with the story frame
       assoc-loc: associative anaphor (location)
       assoc-other: other types
       assoc-time: associative anaphor (time)
   assoc-QUALIA: associative anaphor wrt. qualia
       assoc-agentive: associative anaphor (agentive)
          assoc-agentive.agent: associative anaphor (agentive-agent)
          assoc-agentive.inst: associative anaphor (agentive-inst)
       assoc-const: associative anaphor (constitutive)
       assoc-formal: associative anaphor (formal)
       assoc-telic: associative anaphor (telic)
           assoc-telic.agent: associative anaphor (telic-agent)
          assoc-telic.exper: associative anaphor (telic-experiencer)
          assoc-telic.inst: associative anaphor (telic-instrument)
          assoc-telic.patient: associative anaphor (telic-patient)
          assoc-telic.rec: associative anaphor (telic-recipient)
   assoc-SEMROLE: associative anaphor wrt. semantic role
       assoc-agent: associative anaphor (agent)
       assoc-exper: associative anaphor (experiencer)
       assoc-inst: associative anaphor (instrument)
       assoc-patient: associative anaphor (patient)
       assoc-rec: associative anaphor (recipient)
```


Figure 6.3: The relations matching assoc-!CDT1-TOPIC.

assoc-frame Anaphor associated with the story frame. The anaphor is generally associable with the story is a assoc-OTHER or other frame rather than with a particular antecedent, such as e.g. "the member states", "the [241] Commission" in Europarl texts. Since there is no specific antecedent, we here use circular relation arrows




assoc-loc Associative anaphor (location). The anaphor is located in the antecedent is a assoc-OTHER Confusion $^2_{0\%/100\%/0\%\%}$: assoc-const_{100%}.





assoc-other *Other types.* Anaphor types that do not fit into one of the other subgroups of "assoc-OTHER" is a assoc-OTHER [243]

assoc-time Associative anaphor (time). The antecedent is a predicate or predicative noun, a time indiisa assoc-OTHER cation or a more general narrative frame, the anaphor expresses a point in time linked to it [240]




assoc-QUALIA Associative anaphor wrt. qualia. The anaphor denotes an entity which is associated with the isa assoc antecedent with regard to the antecedent's qualia structure

[220]

Subtypes: assoc-agentive assoc-const assoc-formal assoc-telic.


assoc-agentive *Associative anaphor (agentive)* (deprecated assoc-agent?). The anaphor is associated with the isa assoc-QUALIA antecedent wrt its agentive quale (the "bringing about" of the antecedent)


[223] Subtypes: assoc-agentive.agent assoc-agentive.inst. $Confusion_{50\%/100\%/50\%}^2 : coref-var_{50\%} \ assoc-agentive_{50\%} \ .$



assoc-agentive.agent Associative anaphor (agentive-agent). The anaphor plays the semantic role of agent wrt the isa assoc-agentive "bringing about" of the antecedent


[224] Related types: assoc-agentive.inst. Confusion $^3_{0\%/66.7\%/0\%\%}$: assoc-telic_{66.7%} coref_{33.3%}.








assoc-const *Associative anaphor (constitutive).* The anaphor is associated with the antecedent wrt its isa assoc-QUALIA constitutive quale (parts, elements, material, etc.)




I have bought a bottle of wine. Do you want some of it?




assoc-formal Associative anaphor (formal). The anaphor is associated with the antecedent wrt its formal isa assoc-QUALIA quale (shape, dimension, colour, etc.)

[222] Confusion $^1_{100\%/100\%/100\%}$: assoc-formal $_{100\%}$.




assoc-telic *Associative anaphor (telic)* (deprecated assoc-scope?). The anaphor is associated with antecedent isa assoc-QUALIA wrt its telic quale (purpose, function, result, consequence etc.)

[226] Subtypes: assoc-telic.agent assoc-telic.exper assoc-telic.inst assoc-telic.patient assoc-telic.rec. Confusion $^{25}_{40\%/76\%/56\%}$: assoc-telic $_{56\%}$ assoc-agentive.agent $_{8\%}$ assoc-telic.patient $_{8\%}$ assoc-const $_{8\%}$ assoc-telic.agent $_{8\%}$ coref-iden $_{4\%}$ assoc-telic.inst $_{4\%}$ coref-res $_{4\%}$.




assoc-telic.agent Associative anaphor (telic-agent). The anaphor plays the semantic role of agent wrt the telic isa assoc-telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the [227] inferred predicate)

 $Confusion^2_{0\%/100\%/0\%\%}$: assoc-telic_{100%}.



assoc-telic.exper Associative anaphor (telic-experiencer). The anaphor plays the semantic role of experiencer is a assoc-telic wrt the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)




assoc-telic.inst Associative anaphor (telic-instrument). The anaphor plays the semantic role of instrument is a assoc-telic wrt the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)

 $\text{Confusion}^1_{0\%/100\%/0\%\%}\text{: assoc-telic}_{100\%}$.




assoc-telic.patient Associative anaphor (telic-patient). The anaphor plays the semantic role of patient wrt the isa assoc-telic telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the [228] inferred predicate)

 $Confusion_{0\%/100\%/0\%\%}^2$: assoc-telic_{100%}.




assoc-telic.rec Associative anaphor (telic-recipient). The anaphor plays the semantic role of recipient wrt isa assoc-telic the telic quale of the antecedent (NB: the precise analysis of the semantic role will depend on the inferred predicate)



assoc-SEMROLE Associative anaphor wrt. semantic role. The antecedent is a predicate or predicative noun, isa assoc and the anaphor designates an entity or individual that plays a semantic role wrt the an[232] tecedent predication

Subtypes: assoc-agent assoc-exper assoc-inst assoc-patient assoc-rec.

assoc-agent Associative anaphor (agent). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic agent [233]




assoc-exper Associative anaphor (experiencer). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic experiencer [236]




assoc-inst Associative anaphor (instrument). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic instrument.

[237]



assoc-patient Associative anaphor (patient). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic patient [234]



assoc-rec Associative anaphor (recipient). The antecedent is a predicate or predicative noun, and the isa assoc-SEMROLE anaphor is the semantic recipient [235]



Chapter 7

Semantic relations: SEM

```
SEM: semantic level
    SEMREL: semantic role
       QUALIA: qualia role
       {agent}: An object or a person that performs an action
        {apart}:
       {arg}:
       {cause}:
       {class}:
       {const}:
       {elab}:
       {eval}:
        {event}:
        {experiencer}: The receiver of an emotion or a physical impact
        {form}:
       {func}:
        {goal}:
        {iden}:
        {location}: The location where something is situated or happens
        {loc}:
        {other}: No specific semantic role
        {patient}: An object or a person that is the subject of the action or the one who
is located somewhere
       {poss}:
       {quant}:
        {recipient}: The receiver of something
       {resem}:
        {source}:
       {time}:
```

Figure 7.1: The relations matching SEM-!CDT1-!QUALIA-!SEMROLE-TOPIC.

```
SEM Semantic level (long: SEMANTICS). The semantic level includes relations between lexical eleisa DIM:LEVEL ments construed as functors, arguments, and modifiers, as well as lexical features associated with semantic units.


Subtypes: SEMREL.
```

SEMREL *Semantic role.* A semantic relation. The semantic relation specifies the argument role that isa REL SEM

the child node fills with the parent node as its functor in the functor-argument structure, and encodes the semantic head in phrases headed by a function word without independent semantic meaning. In the DTAG visualization, semantic roles are drawn below the words. Semantic relations are always specified in parallel with a syntactic relation, whose type is determined by the word class of the involved lexical elements.

The DTAG annotation tool automatically replaces a relation with label "PRIM{SEMREL}" with two relations, one with label "PRIM" and one with label "{SEMREL}", so that relations of this form are drawn as two arrows. Relation names of this form are not strictly relation labels in their own right, merely shorthands in DTAG.

Subtypes: QUALIA {about} {agent} {arg} {cause} {class} {const} {elab} {eval} {event} {experiencer} {form} {func} {goal} {iden} {location} {loc} {other} {patient} {poss} {quant} {recipient} {resem} {source} {time}.



QUALIA Qualia role. A qualia role. Ie, a semantic relation that links a lexeme to a qualia role associated is SEMREL with that lexeme. Eg, "music" to the act of "composing" (agentive), "listening" (telic), etc.

[30] Subtypes: agentive const formal resemblance telic.

{about} . Used in noun phrases where the modifier indicates the content or genre of the head, which is a SEMREL typically denotes a semiotic artefact.

 $\begin{tabular}{ll} [62] & Confusion $^{30}_{43.3\%/96.7\%/43.3\%}$: {about}_{43.3\%}$ {arg}_{20\%}$ {patient}_{20\%}$ {goal}_{6.7\%}$ {func}_{6.7\%}$ {loc}_{3.3\%}$. \\ \end{tabular}$




{agent} An object or a person that performs an action. Used in noun phrases where the modifier is isa SEMREL the object or the person that performs the volitional action indicated by the head.

[50] Confusion $_{58.5\%/95.4\%/60\%}^{65}$: {agent} $_{60\%}$ {arg} $_{26.2\%}$ {patient} $_{4.6\%}$ {experiencer} $_{4.6\%}$ {loc} $_{1.5\%}$ {goal} $_{1.5\%}$ {source} $_{1.5\%}$.




{apart} . Used in noun phrases where the modifier specifies an arbitary part of the head. Please note is a SEMREL that the semantic relation goes from the modifier to the head in opposition to the main part of the other semantic roles.

 $Confusion_{42.1\%/100\%/42.1\%}^{19} \colon \{quant\}_{47.4\%} \; \{apart\}_{42.1\%} \; \{loc\}_{5.3\%} \; \{const\}_{5.3\%} \; .$




{arg} . Used in noun phrases with relational nouns.

 $\begin{array}{ll} isa \ SEMREL & Confusion_{55\%/94.7\%/56.6\%}^{189}: \{arg\}_{56.6\%} \ \{agent\}_{9\%} \ \{patient\}_{5.3\%} \ \{const\}_{4.8\%} \ \{func\}_{4.2\%} \ \{goal\}_{4.2\%} \ \{loc\}_{3.7\%} \ \{source\}_{3.7\%} \\ & [68] & \{about\}_{3.2\%} \ \{poss\}_{2.6\%} \ \{other\}_{1.6\%} \ \{quant\}_{0.5\%} \ \{time\}_{0.5\%} \ . \end{array}$




 $\{cause\}$. Used in noun phrases where the modifier is the person or object that performs the nonisa SEMREL volitional action indicated by the head.

[53] Confusion $^1_{0\%/100\%/0\%\%}$: {goal} $_{100\%}$.




 $\{class\}$. Used in noun phrases where the modifier indicates the super type or classification of the isa SEMREL head. Please note that the modifier is the semantic head of the NP in opposition to the main part of the other semantic roles.

Related types: {iden}. Confusion $^5_{40\%/100\%/40\%\%}$: {class}_{40\%} {other}_{40\%} {const}_{20\%} .



 $\{const\}$. Used in noun phrases that expresses a part-whole or whole-part relation between the modisa SEMREL ifer and the head or where the modifier denotes the material of or an essential constituent of the head.

 $Confusion_{55.1\%/95.9\%/57.1\%}^{49} : \{const\}_{57.1\%} \{arg\}_{18.4\%} \{source\}_{6.1\%} \{form\}_{4.1\%} \{poss\}_{4.1\%} \{apart\}_{2\%} \{loc\}_{2\%} \{class\}_{2\%} \{goal\}_{2\%} \{func\}_{2\%} .$



{elab} .

isa SEMREL Related types: modp.

[48] Confusion⁷_{71,4%/85,7%/85,7%}: $\{elab\}_{85.7\%}$ $\{loc\}_{14.3\%}$.


 $\{eval\}$. Used in noun phrases where there is a descriptive or evaluative relation between the modisa SEMREL ifier and the head.

[60] $Confusion^1_{100\%/100\%/100\%\%}$: {eval}_{100%}.



{event} . Used in noun phrases where the modifier denotes an event rather than a location or temporal isa SEMREL relation. Often used in connection with predicative head nouns.


[59] Related types: {loc} {time}.



{experiencer} The receiver of an emotion or a physical impact. Used in noun phrases with a predicative isa SEMREL head. Most often the modifier functions as the logical direct object of the predicate and [71] semantically as the experiencer of an emotion or physical impact.

 $Confusion_{42.9\%/100\%/42.9\%}^{7} : \{experiencer\}_{42.9\%} \; \{agent\}_{42.9\%} \; \{patient\}_{14.3\%} \; .$

 $\label{eq:form} \mbox{ . Used in noun phrases where the satellite indicates the shape or form of the nucleus. is a SEMREL Confusion $^6_{50\%/100\%/50\%\%}$: $\{\mbox{form}\}_{50\%}$ $\{\mbox{const}\}_{33.3\%}$ $\{\mbox{loc}\}_{16.7\%}$.}$




 $\{func\}$. Used in noun phrases where the satellite determinates the instrumental function of the isa SEMREL nucleus.

 $\begin{tabular}{ll} [55] & Confusion $^{45}_{51.1\%/100\%/51.1\%}$: {func}_{51.1\%}$ {arg}_{17.8\%}$ {goal}_{11.1\%}$ {loc}_{6.7\%}$ {about}_{4.4\%}$ {const}_{2.2\%}$ {iden}_{2.2\%}$ {patient}_{2.2\%}$ {other}_{2.2\%}$... $$} $$$



 $\{goal\}$. Used in noun phrases where the satellite determinates the goal or the intention for which is a SEMREL the nucleus is destinated.

 $\begin{array}{l} \left[54\right] \quad Confusion_{64.8\%/98.6\%/66.2\%}^{71} : \left\{goal\right\}_{66.2\%} \left\{arg\right\}_{11.3\%} \left\{func\right\}_{7\%} \left\{loc\right\}_{2.8\%} \left\{about\right\}_{2.8\%} \left\{cause\right\}_{1.4\%} \left\{const\right\}_{1.4\%} \left\{resem\right\}_{1.4\%} \left\{agent\right\}_{1.4\%} \left\{recipient\right\}_{1.4\%} \left\{other\right\}_{1.4\%}. \end{array}$




 $\{iden\}$. Used in noun phrases where the satellite indicates the identity of the nucleus. In this case it is also possible to equate the satellite to the nucleus i.e. that the nucleus represents the super type of the satellite.

Related types: {class}. $Confusion^1_{0\%/100\%/0\%\%} \colon \{func\}_{100\%} \; .$



{location} The location where something is situated or happens. Used in noun phrases where there is is a SEMREL a deverbal relation between the nucleus and the satellite. Often realized as a prepositional object

Confusion $^2_{50\%/100\%/50\%\%}$: {loc}_{50\%} {location}_{50%}.



 $\{loc\}\$ (deprecated $\{pos\}$). Used in noun phrases where the satellite indicates the location of the posiisa SEMREL tion or the location of nucleus.




{other} *No specific semantic role.* Used when none of the other semantic roles are suitable or when isa SEMREL in doubt.

[74] $\text{Confusion}_{36.4\%/95.5\%/36.4\%}^{22} : \{\text{other}\}_{36.4\%} \{\text{arg}\}_{13.6\%} \{\text{poss}\}_{13.6\%} \{\{\text{loc}\}_{9.1\%} \{\text{class}\}_{9.1\%} \{\text{quant}\}_{4.5\%} \{\text{func}\}_{4.5\%} \{\text{time}\}_{4.5\%} \{\text{goal}\}_{4.5\%} \; .$

{patient} An object or a person that is the subject of the action or the one who is located somewhere. is a SEMREL Used in noun phrases where there is a deverbal relation between the nucleus and the satellite.

[70] Often realized as a direct object $\begin{array}{ll} \text{Confusion}_{57.7\%/88.7\%/63.4\%}^{71}: \{\text{patient}\}_{63.4\%} \ \{\text{arg}\}_{14.1\%} \ \{\text{about}\}_{8.5\%} \ \{\text{agent}\}_{4.2\%} \ \{\text{loc}\}_{2.8\%} \ \{\text{func}\}_{1.4\%} \ \{\text{experiencer}\}_{1.4\%} \ \{\text{poss}\}_{1.4\%} \ . \end{array}$

bread producer




 $\{poss\}$. Used in noun phrases where there is a possession relation between the nucleus and the isa SEMREL satellite. Often the satelitte is the owner or possessor of the nucleus.

 $\begin{tabular}{ll} [56] & Confusion $^{27}_{44.4\%/88.9\%/48.1\%}$: $\{poss\}_{48.1\%}$ $\{arg\}_{18.5\%}$ $\{other\}_{11.1\%}$ $\{loc\}_{7.4\%}$ $\{const\}_{7.4\%}$ $\{patient\}_{3.7\%}$ $\{source\}_{3.7\%}$... $\{const\}_{7.4\%}$ $\{const\}_{7.4\%}$$




 $\{quant\}$. Used in noun phrases where the satellite indicates the quantity in numbers or another is a SEMREL countable unit of the nucleus.

 $\label{eq:confusion} \begin{tabular}{l} \mbox{Confusion}_{47.6\%/95.2\%/47.6\%\%}^{21} : \mbox{quant}_{47.6\%} \mbox{ {apart}}_{42.9\%} \mbox{ {arg}}_{4.8\%} \mbox{ {other}}_{4.8\%} \ .$




{recipient} *The receiver of something.* Used in noun phrases where there is a deverbal relation between isa SEMREL the nucleus and the satellite. Often realized as an indirect object

[72] $Confusion_{57.1\%/100\%/57.1\%}^{7} \colon \{recipient\}_{57.1\%} \; \{loc\}_{14.3\%} \; \{patient\}_{14.3\%} \; \{goal\}_{14.3\%} \; .$




 $\label{eq:confusion} \begin{tabular}{ll} \mbox{ Fresem} & \mbox{ Isa SEMREL } \\ \mbox{ Confusion}_{50\%/100\%/50\%\%}^2 : \mbox{ Fresem}_{50\%} \mbox{ goal}_{50\%} \,. \\ \mbox{ [61]} \end{tabular}$



{source} (deprecated {origin}). Used in noun phrases where the satellite is the source from which the isa SEMREL nucleus derives or is deduced.

 $\begin{tabular}{ll} [52] & Confusion $^{44}_{47.7\%/88.6\%/50\%\%}$: $\{source\}_{50\%}$ $\{loc\}_{15.9\%}$ $\{arg\}_{15.9\%}$ $\{const\}_{6.8\%}$ $\{time\}_{6.8\%}$ $\{agent\}_{2.3\%}$ $\{poss\}_{2.3\%}$. $$ $\{const\}_{6.8\%}$ $\{agent\}_{2.3\%}$ $\{age$



 $\{time\}$. Used in noun phrases where the satellite indicates some kind of temporal aspect of the isa SEMREL nucleus.



7.1 Qualia relations: QUALIA

QUALIA: qualia role
agentive: agentive qualia
const: constitutive qualia
formal: formal qualia
location: location qualia
resemblance: resemblance wrt. qualia role
""QUALIA: resemblance wrt. \$qualia relation
telic: telic qualia
about: about qualia

Figure 7.2: The relations matching QUALIA-!CDT1.

QUALIA *Qualia role.* A qualia role. Ie, a semantic relation that links a lexeme to a qualia role associated isa SEMREL with that lexeme. Eg, "music" to the act of "composing" (agentive), "listening" (telic), etc. [30]

Subtypes: agentive const formal resemblance telic.

agentive Agentive qualia. A relation which describes the origin of an object. E.g., its creator, artifact, isa QUALIA natural kind, causal chain (cf. Pustejovsky 1995). [41]

const Constitutive qualia (long: constitutive). A relation between an object and its constituents or isa QUALIA proper parts. E.g., material, weight, parts and component elements (cf. Pustejovsky 1995).

 $Confusion_{0.7/100\%/0.5\%}^{38}$: $CONST_{68.4\%} - 7.9\%$ ABOUT_{7.9%} $GOAL_{5.3\%}$ ARG_{5.3%} MOD:qual_{2.6%} SOURCE_{2.6%}.

formal Formal qualia. A property that distinguishes the object within a larger domain. E.g., its isa QUALIA orientation, magnitude, shape, dimensionality, color, position (cf. Pustejovsky 1995). [39] Subtypes: location.

location Location qualia. A qualia role that relates a lexeme to its location qualia. isa formal

resemblance Resemblance wrt. qualia role. Resemblance wrt. some qualia role isa QUALIA Subtypes: ""QUALIA.

""QUALIA Resemblance wrt. \$qualia relation.

isa RULE resemblance

telfo Telic qualia. A relation which describes the purpose and function of the object. E.g., the isa QUALIA purpose of performing an act, the intended use of an artifact (cf. Pustejovsky 1995). [40] Subtypes: about.

about About qualia. Relates to hyponym (subtype)

 $\text{is a telic} \\ \text{Confusion}_{0\%/100\%/0\%}^{34} : \mathsf{ABOUT}_{41.2\%} \, \mathsf{ARG}_{20.6\%} \, \mathsf{AGENT:MCPRE:other}_{8.8\%} \, \mathsf{OTHER}_{5.9\%} \, \mathsf{DERvn:coreDOBJ.patient}_{5.9\%}$ [43] $ABOUT]k_{5.9\%}$ PRE:other_{5.9%} $-_{2.9\%}$ FORM_{2.9%} .

Thematic role relations: **SEMROLE** 7.2

Figure 7.3: The relations matching SEMROLE-!CDT1.

Chapter 8

Word alignment relations: ALIGN

ALIGN: alignment level ALIGNREL: alignment relation "": unlabeled word alignment f: fuzzy word alignment

Figure 8.1: The relations matching ALIGN-!CDT1-TOPIC.

ALIGN Alignment level (long: ALIGNMENT). The alignment level includes alignment relations as well isa DIM:LEVEL as lexical features associated with alignments.


Subtypes: ALIGNREL.

ALIGNREL Alignment relation. An alignment relation encodes a translational

isa ALIGN REL equivalence between two sets of words (and their associated phrases), either in terms of form [31] or meaning. Null alignments - ie, a set of words in one text which does not correspond to any set of words in the other text - are encoded as a set of words that is aligned to itself.

Subtypes: "" f.

"" Unlabeled word alignment (long: align). An unlabeled word alignment is represented as a isa ALIGNREL word alignment where the label is an empty string. It is used to represent the default word [417] alignment, where there is full translational equivalence between the two sets of words.



f Fuzzy word alignment (long: fuzzy). A semantically fuzzy word alignment.

isa ALIGNREL

[418]



Chapter 9

Rule schemata for complex relations: RULE

RULE: generative type specification rule

""QUALIA: resemblance wrt. \$qualia relation

RuleAnd: conjunctive both-and type

RuleAttr: attribution

RuleAttrD: down-dependent in attribution RuleAttrH: down-head in attribution RuleDisc: syntactic discourse relation RuleExpConn: explicit connector RuleGap: gapping dependent RuleIdiom: idiomatic relation pattern RuleImpConn: implicit connector RuleMorph: syntactic morphlogy relation RuleOblAdv: valency-bound adverbial RuleOr: disjunctive either-or type

RulePar: disambiguated type RuleSec: secondary relation pattern

Figure 9.1: The relations matching RULE-!CDT1-TOPIC.

RULE Generative type specification rule. Generative type specification rules specify how type names is ANY are created generatively using rules. A rule consists of a sequence of null-separated items which are either character sequences enclosed in double quotes or type names; parts of a rule may be enclosed in parentheses and followed by an optional repetition operator: "*" (0 or more times), "+" (1 or more times), or "?" (0 or 1 times). When specifying the super types for a generated type, \$1 refers to the part of the type name matched within the first pair of parentheses, \$2 the part within the second pairs of parentheses, etc. Generated types may be used as super types.

For example, the rule "<"PRIM">" generates all relation names formed by enclosing any relation name from the "PRIM" hierarchy in angle brackets. "<"PRIM("."PRIM)*">" generates all relation names formed by enclosing a "."-separated sequence of "PRIM" relation names in angle brackets.

Subtypes: ""QUALIA RuleAnd RuleAttr RuleAttrD RuleAttrH RuleDisc RuleExpConn RuleGap RuleIdiom RuleImpConn RuleMorph RuleOblAdv RuleOr RulePar RuleSec.

""QUALIA Resemblance wrt. \$qualia relation.

RuleAnd Conjunctive both-and type (long: (REL)"&"(REL)). Conjunctive both-and relation types can isa RULE be formed as "&"-separated lists of relation types. Conjunctive relation types are used by [392] the annotators when two or more relation types seem to hold simultaneously. They may be removed from later versions of the CDT treebanks.

RuleAttr Attribution (long: (PRIM)"/ATTR"INTEGER). Specifies the person to whom the utterance is isa ATTRIBUTION RULE attributed (ATTR or ATTR1, ATTR2, ... when there is more than one person)

[404]


RuleAttrD *Down-dependent in attribution* (long: DISC"*"). The dependent in the relation is one step isa RULE further down in the attribution chain [406]

RuleAttrH *Down-head in attribution* (long: "*"DISC). The head in the relation is one step further down in isa RULE the attribution chain [405]


RuleDisc *Syntactic discourse relation* (long: "_"(PRIM)). A primary syntactic relation that has been used isa DISC RULE as a discourse relation for stilistic purposes.
[399]

RuleExpConn Explicit connector (long: PRIM"/"CONNECTOR). The discourse relation has explicit connector is a RULE \$CONNECTOR [407]

RuleGap Gapping dependent (long: "<"PRIM(":"PRIM)*":"INTEGER">"). A gapping dependency relation is formed by using angled brackets to enclose a colon-separated list of primary relations followed by an integer that indicates the number of the gapped conjunct, starting with 1. The list of primary relations describes the path from the head of the gapped conjunct to the gapping dependent within the gapped conjunct, viewed as a copy of the tree structure within the first conjunct.



RuleIdiom Idiomatic relation pattern (long: (SEMREL)"#"). A semantic relation can be marked as idisa IDIOM RULE iomatic by putting a trailing "#" after the semantic relation name. The idiom marker is only used with semantic relations, not with syntactic relations.



RuleImpConn *Implicit connector* (long: PRIM"/("CONNECTOR")"). The discourse relation has implicit conical RULE nector \$CONNECTOR


[408]

RuleMorph Syntactic morphlogy relation (long: "_"(PRIM)). A primary syntactic relation that has been is a MORPH RULE used as a morphology relation for stilistic purposes.

[400]

RuleOblAdv *Valency-bound adverbial* (long: "@"ADVERB). An adverbial relation can be marked as obligation is a COMP RULE tory by putting "@" in front of the relation name.

[398] Related types: cont dir dur ext hab loc prec succ time.




RuleOr Disjunctive either-or type (long: (REL)"|"(REL)). Disjunctive either-or relation types can be isa RULE formed as "|"-separated lists of relation types. Disjunctive relations types are used by the annotators when one of the relation types in the disjunction seems to provide the right label for the relation, but it is difficult to decide which one of them is most appropriate. They may be removed from later versions of the CDT treebanks.

RulePar Disambiguated type (long: "("(REL)")"). Relation types can be disambiguated by enclosing is a RULE them in parentheses. The need for disambiguation normally only arises when specifying conjunctive or disjunctive types.

RuleSec *Secondary relation pattern* (long: "["PRIM"]"). A secondary relation name is formed by enisa RULE SEC closing a primary relation name in square brackets.

[396] Related types: SEC.



Chapter 10

Ontological relations: ONTO

```
ONTO: ontology level
ONTOCLASS: ontological class
_top: ontological entity
_abstract: abstract entity
_concrete: concrete entity
```

Figure 10.1: The relations matching ONTO-!CDT1-TOPIC.

ONTO Ontology level (long: ONTOLOGY). The ontological level includes relations between lexical isa DIM:LEVEL elements construed as ontological units, as well as lexical features associated with ontological units.

Subtypes: ONTOCLASS.

ONTOCLASS *Ontological class.* A class in the ontology. The ontology encodes a classification of all lexical isa FEAT ONTO elements with respect to their natural kind.

```
Subtypes: _top.
```

[490]

Chapter 11

Deprecated relations from DDT: CDT1

```
CDT1: Deprecated CDT1 relations
   CDT1ADJ: Deprecated CDT1 adjunct relations
      err: Deprecated error relation.
      list: Deprecated list element.
      mod: modifier/adverbial
          modo: object-oriented modifier
          modp: parenthetic modifier
          modr: restrictive modifier
      mods:
      obl:
   CDT1COMP: Deprecated CDT1 complement relations
      lobj: Deprecated locative object.
      tobj: Deprecated temporal object.
   CDT1GAP: Deprecated CDT1 gap relations
      <avobj>:
      <dobj>:
      <lobj>:
       <mod>:
      <nobj>:
      <pobj:nobj>:
      <pobj>:
      <possd>:
      <pred>:
      <qobj>:
       <subj:pobj>:
      <subj>:
      <vobj>:
       <xpl>:
```

Figure 11.1: The relations matching CDT1.

```
CDT1 Deprecated CDT1 relations. Deprecated relations from the CDT1+2 treebanks. isa ANY [422] Subtypes: CDT1ADJ CDT1COMP CDT1GAP.
```

CDT1ADJ Deprecated CDT1 adjunct relations. Deprecated adjunct relations from the CDT1+2 tree-isa CDT1 SYNADJ


banks.

Subtypes: err list mod mods obl rep.

err Deprecated error relation. Deprecated error relation. Used when connecting two phrases isa CDT1ADJ that do not fit together, often because of errors in the text. [429]



list Deprecated list element.. Deprecated list element. Used when two or more phrases form isa CDT1ADJ a unit, but the internal structure is hard to analyze with the existing set of relations (eg, [428] addresses, phone numbers, etc). The secondary elements are analyzed as list adjuncts of the first element.



mod Modifier/adverbial. Deprecated name for adverbials

isa CDT1ADJ Subtypes: modo modp modr. [448]

modo Object-oriented modifier. Deprecated name for object-oriented modifiers

isa mod

mod Parenthetic modifier. Deprecated name for parenthetic modifiers

isa mod Related types: {elab}.

modr Restrictive modifier. Deprecated name for restrictive modifiers isa mod

mods

isa CDT1ADJ

[43b] .

isa CDT1ADJ

[4369] .

isa CDT1ADJ

CDT1COMP Deprecated CDT1 complement relations. Deprecated complement relations from the CDT1+2 isa CDT1 SYNCOMP treebanks.

[423] Subtypes: lobj tobj.

lobj Deprecated locative object.. Deprecated locative object.

isa CDT1COMP

[426]



tobj Deprecated temporal object.. Deprecated temporal object.

isa CDT1COMP

[427]



CDT1GAP Deprecated CDT1 gap relations. Deprecated gapping relations from the CDT1+2 treebanks.

isa CDT1 gapd

Subtypes: <avobj> <dobj> <lobj> <mod> <nobj> <pobj:nobj> <pobj> <possd> <pred> <qobj> <subj:pobj> <subj> <vobj> <xpl>.

<avobj> .

isa CDT1GAP

<db/>6
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10
10<br

isa CDT1GAP

<16466j5].

isa CDT1GAP

<m640.

isa CDT1GAP

<n648β}.

isa CDT1GAP

<pobj:nb46j3 .</pre>

isa CDT1GAP

<**pb∯** .isa CDT1GAP

isa CDT1GAP

isa CDT1GAP

<q**[o46j]∳**.

isa CDT1GAP

<subj:pbbp3 .

isa CDT1GAP

<stabje .

isa CDT1GAP

<**vb/b**j . isa CDT1GAP

<**x1911**].

isa CDT1GAP

sa CDITOAI

[443]

Chapter 12

Relations misplaced outside the ANY hierarchy

MISPLACED: misplaced relation _interfix:

Figure 12.1: The relations matching -ANY.

MISPLACED Misplaced relation. A misplaced relation. A relation is misplaced if it fails to have "ANY" [6] as a transitive super type. This should never happen, and the problem must be corrected if a misplaced relation shows up in the misplaced relations table.

_interfix . [305]

Chapter 13

Annotation topics:: TOPIC

Figure 13.1: The relations matching TOPIC-DIM.

Appendix A

Overview tables

The tables in this section lists all the relations in the Copenhagen Dependency Treebanks, repeated from the preceding sections.

ANY: formal top node

CDT1: Deprecated CDT1 relations

DIM: dimension

DIM:LEVEL: dimension: linguistic level DIM:TYPE: dimension: annotation type RULE: generative type specification rule

The relations matching ANY-!DIM:LEVEL-!DIM:TYPE-!RULE-!TOPIC-!CDT1.

DIM:LEVEL: dimension: linguistic level

ALIGN: alignment level ANA: anaphor level DISC: discourse level MORPH: morphology level ONTO: ontology level SEM: semantic level SYN: syntax level

The relations matching DIM:LEVEL-!SYNTAX-!MORPH-!DISC-!ANA-!SEM-!ALIGN-!ONTO-!RULE-!TOPIC-!CDT1.

DIM:TYPE: dimension: annotation type

FEAT: lexical feature

REL: directed bilexical relation IDIOM: idiomatic relation

RuleIdiom: idiomatic relation pattern

LAND: landing relation fill: licensed filler

land: landed lexical element PRIM: primary dependency relation

+: segment concatenation ADJ: adjunct relation COMP: complement relation

RuleOblAdv: valency-bound adverbial

SEC: secondary dependency relation RuleSec: secondary relation pattern repl: replacement in gapping coordination

The relations matching DIM:TYPE-!SYNTAX-!MORPH-!DISC-!ANA-!SEM-!ALIGN-!ONTO-!TOPIC-!CDT1.

SYN: syntax level

SYNADJ: syntactic adjunct


SYNCOMP: syntactic complement

The relations matching SYNTAX-!SYNCOMP-!SYNADJ-!CDT1-TOPIC.

```
SYNCOMP: syntactic complement
   @space: valency-bound location/direction adverbial
   @time: valency-bound time adverbial
   avobj: adverbial object
   dobj: direct object
   fobj: filler object
   gobj: genitive object
   iobj: indirect object
   nobj: nominal object
   numa: additive numeral complement
   numm: multiplicative numeral complement
   part: verbal particle
   pobj: prepositional object
   possd: possessed complement
   possr: possessor complement
   pred: predicative
       predo: object predicative
       preds: subject predicative
   qobj: quotational object
   robj: reflexive object
   subj: subject
       expl: expletive subject
   vobj: verbal object
```

The relations matching SYNCOMP-!CDT1-TOPIC.

```
SYNADJ: syntactic adjunct
   ADVERB: adverbial
   app: apposition
       appa: parenthetic apposition (comma)
          xpl: explication
       appr: restrictive apposition (no comma)
   attrg: genitive attributive
   conj: conjunct relation
   coord: coordinator relation
   correl: correlative coordinator relation
   fpred: free predicative
       fpredo: free direct-object predicative
       fpreds: free subject predicative
   gapd: gapping dependent
       RuleGap: gapping dependent
   name: part of name
       namef: first name
       namel: last name
       title: person title
   pnct: punctuation
   rel: relative clause
       relelab: elaborating relative clause
       relpa: parenthetic relative clause
       relr: restrictive relative clause
   voc: vocative
   xtop: external topic with resuming pronoun
```



```
ADVERB: adverbial
   ATTRIBUTION: inter-sentential elementary discourse unit
       RuleAttr: attribution
   BACKGROUND: inter-sentential elementary discourse unit
   CAUSE: inter-sentential elementary discourse unit
   COMMENT: inter-sentential elementary discourse unit
   COMPARISON: inter-sentential elementary discourse unit
   CONDITION: inter-sentential elementary discourse unit
   CONTRAST: inter-sentential elementary discourse unit
   ELABORATION: inter-sentential elementary discourse unit
   ENABLEMENT: inter-sentential elementary discourse unit
   EVALUATION: inter-sentential elementary discourse unit
   EXPLANATION: inter-sentential elementary discourse unit
   MANNER: inter-sentential elementary discourse unit
   MEANS: inter-sentential elementary discourse unit
   SUMMARY: inter-sentential elementary discourse unit
   TEMPORAL: inter-sentential elementary discourse unit
   agent: agent adverbial
   attribution: intra-sentential elementary discourse unit
   background: intra-sentential elementary discourse unit
   cause: intra-sentential elementary discourse unit
      goal: goal adverbial
   comment: intra-sentential elementary discourse unit
   comparison: intra-sentential elementary discourse unit
   conc: concession adverbial
   concom:
   cond: condition adverbial
   condition: intra-sentential elementary discourse unit
   cons: consequence adverbial
   contrast: intra-sentential elementary discourse unit
   elaboration: intra-sentential elementary discourse unit
   enablement: intra-sentential elementary discourse unit
   evaluation: intra-sentential elementary discourse unit
   event: Adverbial expressing an event
   exem: example adverbial
   explanation: intra-sentential elementary discourse unit
   joint: intra-sentential elementary discourse unit
   man: manner adverbial
      accom: companionship adverbial
      inst: instrument adverbial
   manner: intra-sentential elementary discourse unit
   means: intra-sentential elementary discourse unit
   neg: negation adverbial
   other: other adverbial
   prg: pragmatic adverbial
       discmark: sentence-initial discourse marker
      epi: epistemic adverbial
      eval: evaluation adverbial
       focal: focalizer adverbial
      scene: pragmatic condition and structural adverbial
          add: additive adverbial
          contr: contrast adverbial
          elab: elaboration adverbial
   quant: degree adverbial
   resem: comparison adverbial
   source: source attribution adverbial
   space: space adverbial
      dir: direction adverbial
```

94

loc: location adverbial

The relations matching ADVERB-!CDT1-TOPIC.

MORPH: morphology level

MORPHCOMP: compositional semantic relations MORPHDERIV: derivational semantic relations RuleMorph: syntactic morphlogy relation

The relations matching MORPH-!CDT1-!MORPHCOMP-!MORPHDERIV-TOPIC.

MORPHCOMP: compositional semantic relations

_ABOUT: noun-noun compound (about)

_AGENT:MC: noun-noun compound (agentive)

_CONST: noun-noun compound (constitutive)

_DOBJ.patient:

_EVAL: noun-noun compound (evaluative)

_FUNC: noun-noun compound (function)

_GOAL: noun-noun compound (goal)

_LOC: noun-noun compound (position)

_OTHER: noun-noun compound (other)

POSS: noun-noun compound (possession)

_RESEM: noun-noun compound (resemblance)

_SOURCE: noun-noun compound (origin)

_TIME:MC: noun-noun compound (time)

The relations matching MORPHCOMP-!CDT1-TOPIC.

MORPHDERIV: derivational semantic relations

PREFIX: semantic relations appearing with prefixes SUFFIX: semantic relations appearing with suffixes

The relations matching MORPHDERIV-!CDT1-!PREFIX-!SUFFIX-TOPIC.

```
PREFIX: semantic relations appearing with prefixes
   _AGENT: agentive
   _ITER: iteration
   _MOD: modification
      _MOD:eval: evaluation
      _MOD:qual: qualification
      _MOD:quant: quantification
   _NEG: negation
      _NEG:contr: contrast
      _NEG:priv: privation
      _NEG:rev: reversion
   _PRE:other: other prefix relation
   _SPACE: space
      _SPACE:dir: direction
      _SPACE:loc: location
       _SPACE:source: source
   _TELIC: telic
   _TIME: time
       _TIME:post: temporal succession
       _TIME:pre: temporal precedence
   _TRANS: transitivity
```

The relations matching PREFIX-!CDT1-TOPIC.

96

```
SUFFIX: semantic relations appearing with suffixes
   _AUG: augmentation
   DENUM: adjective-numeral derivation
       _DENUM:apart: adjective-partitive derivation
       DENUM:ord: adjective-ordinal derivation
       _DENUM:quant: adjective-multiplicative derivation
   DER: verb derivation
       DERadvv: adverb-verb derivation
       DERay: adjective-verb derivation
       DERnv: noun-verb derivation
       DERva: verb-adjective derivation
          _DERva:act: verb-adjective derivation (pure)
             DERva:act.disp: verb-adjective derivation (disposition)
              DERva:act.epi: verb-adjective derivation (potentiality)
          DERva:pas: verb-adjective derivation (passive)
              DERva:pas.deon: verb-adjective derivation (passive deontic)
             _DERva:pas.epi: verb-adjective derivation (passive potentiality)
             _DERva:pas.part: verb-adjective derivation (passive participles)
       DERvn: verb-noun derivation
          DERvn:agent: verb-noun derivation (agent)
          _DERvn:core: verb-noun derivation (core)
          DERvn:exper: verb-noun derivation (experiencer)
          _DERvn:loc: verb-noun derivation (location)
          DERvn:other: verb-noun derivation (other)
          DERvn:patient: verb-noun derivation (patient)
          DERvn:recip: verb-noun derivation (recipient)
       DERvv: verb-verb derivation
   _DERan:qual: adjective derivation
   _DERna: noun-adjective derivation
       DERna:deono: noun-adjective derivation (naming)
          DERna:deono.loc: noun-adjective derivation (naming places)
          DERna:deono.pers: noun-adjective derivation (naming persons)
       DERna:disp: noun-adjective derivation (disposition)
       DERna:other: noun-adjective derivation (other)
       _DERna:poss: noun-adjective derivation (possession)
       DERna:rel: noun-adjective derivation (relational)
       DERna:resem: noun-adjective derivation (resemblance)
       DERna:telic: noun-adjective derivation (effect)
   DERnn: noun-noun derivation
       _DERnn:agent: noun-noun derivation (agent)
       DERnn:assoc: noun-noun derivation (association)
       DERnn:capac: noun-noun derivation (capacity)
       DERnn:cont: noun-noun derivation (container)
       DERnn:loc: noun-noun derivation (location)
       DERnn:other: noun-noun derivation (other)
       DERnn:quant: noun-noun derivation (quantification)
       DERnn:telic: noun-noun derivation (telic)
       DERnn:time: noun-noun derivation (time)
   DERv:
   _DIMIN: diminution
   _PEJ: pejoration
```

The relations matching SUFFIX-!CDT1-TOPIC.

DISC: discourse level

DISCOTHER: other discourse relations

JOINT: no clear relation

REP: repaired SCENE: scene

DISCPRAG: pragmatic and illocutionary discourse relations

DISCSEM: semantic discourse relations RuleDisc: syntactic discourse relation

The relations matching DISC-!CDT1-!DISCFUNC-!DISCSEM-TOPIC.

DISCPRAG: pragmatic and illocutionary discourse relations

ANSW: answer

CONSOL: consolidation

CONSOL:inst: instrumental CONSOL:motiv: motivation CONSOL:source: source

DIREC: directive act EXPR: expressive act

INTACT: interaction signals INTACT:attn: attention INTACT:inter: interruption INTACT:start: start signal

INTACT:stop: stop QUEST: question

The relations matching DISCFUNC-!CDT1-TOPIC.

DISCSEM: semantic discourse relations

AGENTIVE: cause relation (discourse)

AGENTIVE:expl: explanation relation in discourse

AGENTIVE:reas: reason relation (discourse)

AGENTIVE:sbj: subjective cause

CONC: concession COND: condition CONJ: conjunction

CONJ:add: conjunction, addition CONJ:elab: conjunction, elaboration CONJ:seq: conjunction, sequence CONST: constitutive elaboration relation

CONST:apart: part of relation CONST:exem: exemplification CONST:rest: restatement

CONTR: contrast

CONTR:dir: direct contrast CONTR:sbj: subjective contrast

DISJ: disjunction

DISJ:dir: direct disjunction DISJ:sbj: subjective disjunction FORMAL: formal description

FORMAL:descr: neutral description

FORMAL:eval: positive/negative evaluation

TELIC: consequence/result/conclusion/goal relation (discourse)

TELIC:cons.dir: direct, physical consequence, result TELIC:cons.sbj: pragmatic/personal conclusion, deduction

TELIC:goal: goal relation (discourse)

TIME: temporal relation

TIME:cont: contemporaneity TIME:post: temporal succession TIME:pre: temporal precedence

The relations matching DISCSEM-!CDT1-TOPIC.

ANA: anaphor level

ANAREL: anaphor-antecedent relation

anaphor:

assoc: associative anaphor

coref: coreference

The relations matching ANA-!CDT1-!coref-!assoc-TOPIC.

```
coref: coreference
    coref-ell: elliptic anaphor
    coref-evol: evolving anaphor
    coref-iden: coreferential NP with complete lexical identity
        coref-iden.sb: coreferential NP with lexical identity in the noun but lexical variety in some other (typically attributive) component
    coref-res: resumptive anaphor
        coref-res.prg: pragmatic resumptive anaphor
    coref-var: coreferential NP with lexical variety in the noun
    ref: syntactically determined coreference
```

The relations matching coref-!CDT1-TOPIC.

```
assoc: associative anaphor
   assoc-OTHER: other anaphoric relations
       assoc-event: associative anaphor (event)
       assoc-frame: anaphor associated with the story frame
       assoc-loc: associative anaphor (location)
       assoc-other: other types
       assoc-time: associative anaphor (time)
   assoc-QUALIA: associative anaphor wrt. qualia
       assoc-agentive: associative anaphor (agentive)
          assoc-agentive.agent: associative anaphor (agentive-agent)
          assoc-agentive.inst: associative anaphor (agentive-inst)
       assoc-const: associative anaphor (constitutive)
       assoc-formal: associative anaphor (formal)
       assoc-telic: associative anaphor (telic)
          assoc-telic.agent: associative anaphor (telic-agent)
          assoc-telic.exper: associative anaphor (telic-experiencer)
          assoc-telic.inst: associative anaphor (telic-instrument)
          assoc-telic.patient: associative anaphor (telic-patient)
          assoc-telic.rec: associative anaphor (telic-recipient)
   assoc-SEMROLE: associative anaphor wrt. semantic role
       assoc-agent: associative anaphor (agent)
       assoc-exper: associative anaphor (experiencer)
       assoc-inst: associative anaphor (instrument)
       assoc-patient: associative anaphor (patient)
       assoc-rec: associative anaphor (recipient)
```

The relations matching assoc-!CDT1-TOPIC.

```
SEM: semantic level
    SEMREL: semantic role
        QUALIA: qualia role
        {about}:
        {agent}: An object or a person that performs an action
        {apart}:
        {arg}:
        {cause}:
        {class}:
        {const}:
        {elab}:
        {eval}:
        {event}:
        {experiencer}: The receiver of an emotion or a physical impact
        {form}:
        {func}:
        {goal}:
        {iden}:
        {location}: The location where something is situated or happens
        {loc}:
        {other}: No specific semantic role
        {patient}: An object or a person that is the subject of the action or the one who
is located somewhere
        {poss}:
        {quant}:
        {recipient}: The receiver of something
        {resem}:
        {source}:
        {time}:
```

The relations matching SEM-!CDT1-!QUALIA-!SEMROLE-TOPIC.

```
QUALIA: qualia role
agentive: agentive qualia
const: constitutive qualia
formal: formal qualia
location: location qualia
resemblance: resemblance wrt. qualia role
""QUALIA: resemblance wrt. $\frac{1}{2}$qualia relation
telic: telic qualia
about: about qualia
```

The relations matching QUALIA-!CDT1.

The relations matching SEMROLE-!CDT1.

ALIGN: alignment level

ALIGNREL: alignment relation
"": unlabeled word alignment
f: fuzzy word alignment

The relations matching ALIGN-!CDT1-TOPIC.

RULE: generative type specification rule

""QUALIA: resemblance wrt. \$qualia relation

RuleAnd: conjunctive both-and type

RuleAttr: attribution

RuleAttrD: down-dependent in attribution
RuleAttrH: down-head in attribution
RuleDisc: syntactic discourse relation
RuleExpConn: explicit connector
RuleGap: gapping dependent
RuleIdiom: idiomatic relation pattern
RuleImpConn: implicit connector
RuleMorph: syntactic morphlogy relation
RuleOblAdv: valency-bound adverbial
RuleOr: disjunctive either-or type
RulePar: disambiguated type
RuleSec: secondary relation pattern

The relations matching RULE-!CDT1-TOPIC.

ONTO: ontology level

ONTOCLASS: ontological class

_top: ontological entity

_abstract: abstract entity

_concrete: concrete entity

The relations matching ONTO-!CDT1-TOPIC.

```
CDT1: Deprecated CDT1 relations
   CDT1ADJ: Deprecated CDT1 adjunct relations
      err: Deprecated error relation.
      list: Deprecated list element.
      mod: modifier/adverbial
          modo: object-oriented modifier
          modp: parenthetic modifier
          modr: restrictive modifier
      mods:
      obl:
      rep:
   CDT1COMP: Deprecated CDT1 complement relations
      lobj: Deprecated locative object.
      tobj: Deprecated temporal object.
   CDT1GAP: Deprecated CDT1 gap relations
      <avobj>:
      <dobj>:
      <lobj>:
      <mod>:
      <nobj>:
      <pobj:nobj>:
      <pobj>:
      <possd>:
      <pred>:
      <qobj>:
      <subj:pobj>:
      <subj>:
      <vobj>:
      <xpl>:
```

The relations matching CDT1.

```
MISPLACED: misplaced relation __interfix:
```

The relations matching -ANY.

Appendix B

Agreement and confusion tables

In the following tables, the columns are interpreted as follows:

- *Relation name R:* the name of the relation.
- *Full labeled agreement A:* the probability that another annotator assigns the same label and out-node to the relation.
- Unlabeled agreement A_U : the probability that another annotator assigns the same outnode (but not necessarily label) to the relation.
- Label agreement A_L : the probability that another annotator assigns the same label (but not necessarily out-node) to the relation.
- *Relation count N*: the number of distinct multiply annotated tokens in the corpus that were annotated with the relation by at least one annotator.
- Confusion table: the relations that other annotators used, with a percentage that indicates the probability that each relation was used by the other annotator instead of R.

Agreement is computed differently for morphology than for the other linguistic levels (by comparing label sequences), and the scores for morphology are therefore used differently: in particular, $A=A_L$ always denotes the probability that the other annotator selects the same label in the sequence of labels (but no claim about outnode), and $A_U=100\%$ always because out-nodes cannot be compared.

B.1 Confusion table: syntax

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
att	1	100/100/100%	$att_{100\%}$
namel	8	100/100/100%	$namel_{100\%}$
numm	12	100/100/100%	$numm_{100\%}$
VOC	3	100/100/100%	$voc_{100\%}$
xtop	4	100/100/100%	xtop _{100%}
subj	1172	99/99/99%	$\begin{array}{ll} subj_{99\%} \ nobj_{0\%} \ expl_{0\%} \ preds_{0\%} \ attr_{0\%} \ appr_{0\%} \ correl_{0\%} \\ CONJ:elab_{0\%} \end{array}$
namef	146	98/98/100%	$namef_{100\%}$
possd	240	96/97/98%	$possd_{98\%} \ nobj_{1\%} \ attr_{0\%} \ pnct_{0\%}$

nobj	2782	95/98/96%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
neg	105	94/98/96%	$neg_{96\%}$ add _{1%} time _{1%} coord _{1%} eval _{1%}
dobj	726	94/98/95%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
pnct	1799	93/93/99%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
conj	552	92/93/95%	$\begin{array}{cccc} conj_{95\%} & CONJ:add_{1\%} & qobj_{1\%} & nobj_{1\%} & attr_{1\%} \\ CONTR:sbj_{0\%} & CONTR:dir_{0\%} & CONST:rest_{0\%} \\ TELIC:cons.dir_{0\%} & coord_{0\%} & cause_{0\%} & vobj_{0\%} & xpl_{0\%} \\ pnct_{0\%} & \end{array}$
coord	400	92/97/93%	$coord_{93\%}$ $discmark_{5\%}$ $qobj_{1\%}$ $contr_{1\%}$ $conj_{0\%}$ $neg_{0\%}$
expl	60	92/100/92%	$expl_{92\%} \; subj_{8\%}$
vobj	895	92/99/93%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
арра	27	89/89/100%	appa _{100%}
appr	36	89/94/89%	$appr_{89\%}$ $nobj_{3\%}$ $pnct_{3\%}$ $title_{3\%}$ $subj_{3\%}$
xpl	18	89/100/89%	$xpl_{89\%}$ conj $_{6\%}$ other $_{6\%}$
title	30	87/90/87%	$title_{87\%}$ $nobj_{10\%}$ $appr_{3\%}$
cond	30	83/90/90%	$cond_{90\%}$ $nobj_{3\%}$ $man_{3\%}$ $time_{3\%}$
quant	153	80/94/82%	$\begin{array}{lll} quant_{82\%} \ attr_{3\%} \ man_{3\%} \ other_{3\%} \ eval_{2\%} \ prg_{1\%} \ time_{1\%} \\ avobj_{1\%} \ degr_{1\%} \ nobj_{1\%} \ elab_{1\%} \ dobj_{1\%} \end{array}$
numa	5	80/100/80%	$numa_{80\%}$ $nobj_{20\%}$
cause	48	79/88/88%	$cause_{88\%} \ attr_{4\%} \ conj_{2\%} \ time_{2\%} \ cons_{2\%} \ pobj_{2\%}$
part	19	79/100/79%	$part_{79\%}$ avobj $_{11\%}$ other $_{5\%}$ dir $_{5\%}$
preds	430	79/99/79%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
pobj	588	79/94/79%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
attr	987	78/90/82%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
qobj	70	75/75/75%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
add	59	75/100/75%	$add_{75\%}$ other $_{12\%}$ discmark $_{5\%}$ scene $_{3\%}$ prg $_{2\%}$ correl $_{2\%}$ neg $_{2\%}$
time	245	74/90/79%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
exem	14	71/79/93%	$exem_{93\%}\ ex_{7\%}$
iobj	24	71/100/71%	$iobj_{71\%} \; dobj_{21\%} \; robj_{8\%}$
name	27	70/78/74%	$name_{74\%} nobj_{22\%} attr_{4\%}$
avobj	34	68/97/68%	$avobj_{68\%} \ other_{12\%} \ part_{6\%} \ quant_{6\%} \ aobj_{3\%} \ loc_{3\%} \ pobj_{3\%}$
eval	47	57/94/60%	$eval_{60\%}$ $prg_{15\%}$ $quant_{6\%}$ $epi_{4\%}$ $other_{4\%}$ $iter_{2\%}$ $time_{2\%}$ $focal_{2\%}$ $man_{2\%}$ $neg_{2\%}$

man	106	56/89/61%	$\begin{array}{lll} man_{61\%} \ accom_{7\%} \ attr_{4\%} \ quant_{4\%} \ other_{4\%} \ time_{3\%} \ inst_{3\%} \\ epi_{2\%} \ fpreds_{2\%} \ source_{1\%} \ prg_{1\%} \ dir_{1\%} \ aobj_{1\%} \ eval_{1\%} \\ cond_{1\%} \ concom_{1\%} \ scene_{1\%} \ fpredo_{1\%} \ goal_{1\%} \ resem_{1\%} \\ abs_{1\%} \ cond_{1\%} \ cond_{1\%} \ cond_{1\%} \ cond_{1\%} \end{array}$
corrol	9	56/78/56%	pobj _{1%}
correl scene	31	55/94/58%	correl $_{56\%}$ add $_{11\%}$ other $_{11\%}$ focal $_{11\%}$ subj $_{11\%}$ scene $_{58\%}$ add $_{7\%}$ goal $_{7\%}$ contr $_{7\%}$ loc $_{7\%}$ time $_{3\%}$ attr $_{3\%}$ man $_{3\%}$ other $_{3\%}$ inst $_{3\%}$
loc	218	54/93/56%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
cons	14	50/86/64%	$cons_{64\%} \; time_{21\%} \; inst_{7\%} \; cause_{7\%}$
elab	4	50/75/50%	$elab_{50\%}$ $prg_{25\%}$ $quant_{25\%}$
ері	14	50/93/57%	$epi_{57\%}$ $man_{14\%}$ other $_{14\%}$ $eval_{14\%}$
focal	31	45/65/61%	$focal_{61\%} \ attr_{13\%} \ other_{10\%} \ loc_{7\%} \ aobj_{3\%} \ correl_{3\%} \ eval_{3\%}$
contr	22	41/100/41%	$\begin{array}{lll} contr_{41\%} \ discmark_{18\%} \ conc_{14\%} \ coord_{9\%} \ scene_{9\%} \ prg_{5\%} \\ other_{5\%} \end{array}$
dir	74	41/96/41%	$dir_{41\%}\ loc_{39\%}\ pobj_{12\%}\ other_{3\%}\ man_{1\%}\ part_{1\%}\ attr_{1\%}\ dobj_{1\%}$
agent	15	40/100/40%	$pobj_{53\%}$ agent $_{40\%}$ attr $_{7\%}$
aobj	31	39/71/39%	$aobj_{39\%} \ nobj_{23\%} \ attr_{23\%} \ preds_{7\%} \ man_{3\%} \ avobj_{3\%} \ focal_{3\%}$
conc	13	39/92/39%	$conc_{39\%} \; contr_{23\%} \; prg_{15\%} \; other_{15\%} \; attr_{8\%}$
relr	145	37/94/41%	$rel_{48\%}$ $relr_{41\%}$ $relpa_{8\%}$ $relelab_{1\%}$ $vobj_{1\%}$ $attr_{1\%}$
source	11	36/100/36%	$source_{36\%} pobj_{27\%}$ other $_{18\%}$ concom $_{9\%}$ man $_{9\%}$
inst	25	36/88/40%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
goal	43	35/86/42%	$goal_{42\%}$ $pobj_{33\%}$ $attr_{9\%}$ $scene_{5\%}$ $dobj_{5\%}$ $man_{2\%}$ $other_{2\%}$ $fpredo_{2\%}$
accom	15	33/80/40%	$man_{47\%}$ $accom_{40\%}$ $other_{7\%}$ $pobj_{7\%}$
resem	6	33/33/67%	$resem_{67\%} man_{17\%} preds_{17\%}$
relpa	17	29/100/29%	$relr_{65\%}$ $relpa_{29\%}$ $rel_{6\%}$
concom	4	25/100/25%	$source_{25\%} \ concom_{25\%} \ man_{25\%} \ inst_{25\%}$
other	115	23/91/23%	other $_{23\%}$ attr $_{14\%}$ loc $_{10\%}$ pobj $_{10\%}$ add $_{6\%}$ prg $_{4\%}$ avobj $_{4\%}$ quant $_{4\%}$ man $_{4\%}$ nobj $_{3\%}$ focal $_{3\%}$ epi $_{2\%}$ source $_{2\%}$ dir $_{2\%}$ eval $_{2\%}$ iter $_{2\%}$ conc $_{2\%}$ time $_{1\%}$ contr $_{1\%}$ correl $_{1\%}$ part $_{1\%}$ scene $_{1\%}$ goal $_{1\%}$ accom $_{1\%}$ xpl $_{1\%}$
iter	21	19/81/24%	$time_{57\%}$ iter $_{24\%}$ other $_{10\%}$ attr $_{5\%}$ eval $_{5\%}$
discmark	32	16/91/16%	$coord_{56\%}$ discmark $_{16\%}$ $contr_{13\%}$ add $_{9\%}$ $qobj_{6\%}$
prg	27	15/100/15%	eval $_{26\%}$ other $_{19\%}$ prg $_{15\%}$ conc $_{7\%}$ time $_{7\%}$ quant $_{7\%}$ add $_{4\%}$ elab $_{4\%}$ attr $_{4\%}$ man $_{4\%}$ contr $_{4\%}$
robj	9	11/100/11%	$dobj_{67\%}$ $iobj_{22\%}$ $robj_{11\%}$
predo	21	10/86/10%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
rel	79	4/95/4%	$relr_{89\%}$ $relelab_{5\%}$ $rel_{4\%}$ $relpa_{1\%}$ $vobj_{1\%}$
degr	2	0/50/0%	$quant_{100\%}$
event	4	0/75/0%	$time_{50\%}$ $loc_{50\%}$
ex	1	0/100/0%	$exem_{100\%}$
fpredo	6	0/67/0%	$loc_{33\%}$ $goal_{17\%}$ $man_{17\%}$ $preds_{17\%}$ $predo_{17\%}$
fpreds	3	0/100/0%	$man_{67\%}$ vobj $_{33\%}$
relelab	6	0/100/0%	rel _{67%} relr _{33%}

B.2 Confusion table: semantics

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
eval	1	100/100/100%	$eval_{100\%}$
elab	7	71/86/86%	$elab_{86\%}$ $loc_{14\%}$
goal	71	65/99/66%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
time	28	64/79/82%	$time_{82\%} \ source_{11\%} \ arg_{4\%} \ other_{4\%}$
agent	65	59/95/60%	$agent_{60\%}$ $arg_{26\%}$ $patient_{5\%}$ $experiencer_{5\%}$ $loc_{2\%}$ $goal_{2\%}$ $source_{2\%}$
patient	71	58/89/63%	$\begin{array}{lll} patient_{63\%} \ arg_{14\%} \ about_{9\%} \ agent_{4\%} \ loc_{3\%} \ func_{1\%} \ ex- \\ periencer_{1\%} \ recipient_{1\%} \ goal_{1\%} \ poss_{1\%} \end{array}$
recipient	7	57/100/57%	$recipient_{57\%}\ loc_{14\%}\ patient_{14\%}\ goal_{14\%}$
const	49	55/96/57%	$const_{57\%}$ $arg_{18\%}$ $source_{6\%}$ $form_{4\%}$ $poss_{4\%}$ $apart_{2\%}$ $loc_{2\%}$ $class_{2\%}$ $goal_{2\%}$ $func_{2\%}$
arg	189	55/95/57%	$arg_{57\%}$ $agent_{9\%}$ $patient_{5\%}$ $const_{5\%}$ $func_{4\%}$ $goal_{4\%}$ $loc_{4\%}$ $source_{4\%}$ $about_{3\%}$ $poss_{3\%}$ $other_{2\%}$ $quant_{1\%}$ $time_{1\%}$
loc	82	51/87/60%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
func	45	51/100/51%	$\begin{array}{ll} func_{51\%} \ arg_{18\%} \ goal_{11\%} \ loc_{7\%} \ about_{4\%} \ const_{2\%} \ iden_{2\%} \\ patient_{2\%} \ other_{2\%} \end{array}$
form	6	50/100/50%	$form_{50\%} \; const_{33\%} \; loc_{17\%}$
location	2	50/100/50%	$loc_{50\%}$ $location_{50\%}$
resem	2	50/100/50%	$resem_{50\%} goal_{50\%}$
source	44	48/89/50%	$source_{50\%} \; loc_{16\%} \; arg_{16\%} \; const_{7\%} \; time_{7\%} \; agent_{2\%} \; poss_{2\%}$
quant	21	48/95/48%	$quant_{48\%}$ $apart_{43\%}$ $arg_{5\%}$ $other_{5\%}$
poss	27	44/89/48%	$poss_{48\%}$ $arg_{19\%}$ $other_{11\%}$ $loc_{7\%}$ $const_{7\%}$ $patient_{4\%}$ $source_{4\%}$
about	30	43/97/43%	$about_{43\%} \ arg_{20\%} \ patient_{20\%} \ goal_{7\%} \ func_{7\%} \ loc_{3\%}$
experiencer	7	43/100/43%	experiencer $_{43\%}$ agent $_{43\%}$ patient $_{14\%}$
apart	19	42/100/42%	$quant_{47\%}$ $apart_{42\%}$ $loc_{5\%}$ $const_{5\%}$
class	5	40/100/40%	$class_{40\%}$ other $_{40\%}$ $const_{20\%}$
other	22	36/96/36%	other $_{36\%}$ $\text{arg}_{14\%}$ $\text{poss}_{14\%}$ $\text{loc}_{9\%}$ $\text{class}_{9\%}$ $\text{quant}_{5\%}$ $\text{func}_{5\%}$ $\text{time}_{5\%}$ $\text{goal}_{5\%}$
cause	1	0/100/0%	$goal_{100\%}$
iden	1	0/100/0%	func _{100%}

TOTAL 802 54/93/57%

B.3 Confusion table: discourse

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list		
ANSW	1	100/100/100%	$ANSW_{100\%}$		
SCENE	26	85/85/96%	$SCENE_{96\%}$ $JOINT_{4\%}$		
AGENTIVE:expl	11	64/100/64%	$AGENTIVE:expl_{64\%}$	$CONTR_{9\%}$	AGENTIVE _{9%}
			CONST:rest _{9%} AGENT	™E:sbj _{9%}	

CONJ:seq	13	62/92/69%	$CONJ:seq_{69\%}\ CONJ:add_{15\%}\ CONJ:elab_{8\%}\ DIREC_{8\%}$
CONC	20	40/65/40%	$CONC_{40\%}$ $CONJ:add_{25\%}$ $CONTR_{5\%}$ $FORMAL:eval_{5\%}$
			$subj_{5\%}$ CONTR: $sbj_{5\%}$ CONJ $_{5\%}$ CONST: $exem_{5\%}$ $conj_{3\%}$
			CONTR:prg _{3%}
CONJ:add	133	37/64/47%	$CONJ:add_{47\%}$ $CONJ:elab_{14\%}$ $CONJ_{9\%}$ $JOINT_{5\%}$
			conj _{4%} CONC _{4%} TELIC:cons.sbj _{2%} AGENTIVE:sbj _{2%}
			CONJ: $seq_{2\%}$ CONST: $exem_{2\%}$ CONST: $apart_{2\%}$ CONTR: $prg_{1\%}$ CONTR: $sbj_{1\%}$
			$COND_{1\%}$ $Time.pie_{1\%}$ $CONTK.pig_{1\%}$ $COND_{1\%}$ $qobj_{1\%}$ $TELIC_{1\%}$ $TELIC.cons.dir_{1\%}$ $AGEN_{-}$
			TIVE:reas _{1%} DISJ:dir _{1%} vobj _{1%} CONTR:dir _{0%}
CONST:exem	17	29/71/47%	$CONST:exem_{47\%}$ $CONJ:add_{12\%}$ $CONST:apart_{12\%}$
	-,	27,72,72770	$CONJ:elab_{6\%}$ $JOINT_{6\%}$ $CONST:rest_{6\%}$ CON
			SOL:source _{6%} CONC _{6%}
TELIC:cons.dir	17	29/59/41%	TELIC:cons.dir _{41%} TELIC:cons.sbj _{12%} CONJ:elab _{9%}
			$CONST:rest_{6\%}$ $CONJ_{6\%}$ $CONJ:add_{6\%}$ $AGEN$
			$TIVE:reas_{6\%} CONTR:dir_{6\%} conj_{3\%} CONTR:sbj_{3\%}$
			$qobj_{3\%}$
CONJ:elab	110	23/53/34%	$CONJ:elab_{34\%} CONJ:add_{16\%} CONJ_{16\%} FOR ext{-}$
			$MAL:eval_{5\%}$ FORMAL:descr _{3%} CONST:rest _{3%}
			CONST:apart _{3%} qobj _{2%} TELIC:cons.sbj _{2%} AGEN-
			TIVE _{2%} AGENTIVE:sbj _{2%} subj _{2%} AGENTIVE:reas _{2%}
			$DIREC_{2\%}$ $CONSOL_{2\%}$ $TELIC$:cons.dir $_{1\%}$ $CONJ$:seq $_{1\%}$ $CONTR$:sbj $_{1\%}$ $CONTR$:prg $_{1\%}$ $CONST$:exem $_{1\%}$
			$CONTR.dir_{1\%}$ $CONST.elab_{1\%}$
CONST:rest	11	23/59/26%	CONJ:elab _{27%} CONST:rest _{26%} TELIC:cons.sbj _{9%}
		20,00,20,0	TELIC:cons.dir _{9%} CONST:exem _{9%} AGENTIVE:expl _{9%}
			$conj_{6\%} \; qobj_{5\%}$
JOINT	14	21/43/36%	$CONJ:add_{43\%} JOINT_{36\%} SCENE_{7\%} CONJ_{7\%}$
			CONST:exem _{7%}
TELIC:cons.sbj	14	21/64/29%	$TELIC: cons.sbj_{29\%} \qquad CONJ: add_{21\%} \qquad CONJ: elab_{14\%}$
			TELIC:cons.dir _{14%} CONJ _{7%} CONST:rest _{7%}
A CENTU (E			CONTR:dir _{7%}
AGENTIVE:reas	10	20/60/20%	AGENTIVE:sbj _{40%} AGENTIVE:reas _{20%} CONJ:elab _{20%}
CONCOL	_	20/40/20~	CONJ:add _{10%} TELIC:cons.dir _{10%}
CONSOL:source	5	20/60/20%	AGENTIVE: $\mathrm{sbj}_{40\%}$ CONJ $_{20\%}$ CONSOL: $\mathrm{source}_{20\%}$
FORMAL:descr	_	20//0/2007	CONST:exem _{20%}
FORMAL:eval	5	20/40/20%	CONUMBER FORMAL WAR CONUMBER CONC
	10	20/40/30%	CONTROLS CON
CONTR:sbj	12	19/49/32%	$\begin{array}{cccc} CONTR:sbj_{32\%} & conj_{14\%} & CONJ:elab_{8\%} & CONTR:prg_{8\%} \\ CONJ:add_{8\%} & qobj_{8\%} & CONTR:dir_{8\%} & CONC_{8\%} \end{array}$
			TELIC:cons.dir _{4%}
CONST:apart	12	17/58/25%	CONJ:elab _{25%} CONST:apart _{25%} CONJ:add _{17%}
CONST.apart	12	17/30/23/0	CONST: exem $_{17\%}$ CONJ $_{8\%}$ nobj $_{8\%}$
CONTR:dir	14	17/31/31%	CONTR: $dir_{31\%}$ conj _{20%} CONTR: $prg_{11\%}$ CONTR _{7%}
			$CONJ:elab_{7\%}$ $TELIC:cons.sbj_{7\%}$ $TELIC:cons.dir_{7\%}$
			$CONTR: sbj_{7\%} \ CONJ: add_{2\%}$
CONJ	48	10/54/19%	${\sf CONJ:elab}_{35\%} {\sf CONJ:add}_{25\%} {\sf CONJ}_{19\%} {\sf AGEN-}$
			$TIVE: sbj_{4\%} \qquad TELIC: goal_{2\%} \qquad TELIC: cons. sbj_{2\%}$
			FORMAL:eval _{2%} JOINT _{2%} CONSOL:source _{2%}
4.0ENI=": /=			TELIC:cons.dir _{2%} CONST:apart _{2%} CONC _{2%}
AGENTIVE	5	0/100/0%	CONJ:elab _{40%} AGENTIVE:sbj _{40%} AGENTIVE:expl _{20%}
AGENTIVE:sbj	16	0/75/0%	AGENTIVE:reas _{25%} CONJ:add _{19%} CONJ _{13%}
			CONJ:elab _{13%} AGENTIVE _{13%} CONSOL:source _{13%}
			AGENTIVE:expl _{6%}

COND	1	0/100/0%	$CONJ:add_{100\%}$
CONSOL	2	0/50/0%	$CONJ:elab_{100\%}$
CONST:elab	1	0/100/0%	$CONJ:elab_{100\%}$
CONTR	4	0/100/0%	$CONJ:add_{25\%} \qquad AGENTIVE:expl_{25\%} \qquad CONTR:dir_{25\%}$
			$CONC_{25\%}$
CONTR:prg	7	0/14/0%	$conj_{29\%} \ \ CONTR: dir_{21\%} \ \ CONTR: sbj_{14\%} \ \ CONJ: add_{14\%}$
			$CONJ:elab_{14\%}\ CONC_{7\%}$
DIREC	3	0/67/0%	$CONJ:elab_{67\%}$ $CONJ:seq_{33\%}$
DISJ:dir	2	0/50/50%	CONJ: $add_{50\%}$ DISJ: $dir_{50\%}$
TELIC	1	0/100/0%	$CONJ:add_{100\%}$
TELIC:goal	1	0/100/0%	$CONJ_{100\%}$
TIME:pre	1	0/100/0%	$CONJ:add_{100\%}$

TOTAL 547 29/61/37%

B.4 Confusion table: anaphora

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
assoc-event	2	100/100/100%	assoc-event _{100%}
assoc-formal	1	100/100/100%	$assoc\text{-}formal_{100\%}$
ref	70	90/91/94%	$ref_{94\%} \; coref_{4\%} \; coref-res_{1\%}$
coref-iden	62	73/81/77%	$coref\text{-}iden_{77\%}\ coref\text{-}var_{17\%}\ coref_{3\%}\ assoc\text{-}telic_{2\%}\ assoc\text{-}$
			$const_{2\%}$
coref-res	36	62/67/75%	$coref\text{-}res_{75\%} \ coref\text{-}var_{11\%} \ coref_{8\%} \ assoc\text{-}telic_{3\%} \ ref_{3\%}$
coref	238	61/64/89%	$coref_{89\%} coref-var_{7\%} ref_{1\%} coref-res_{1\%} assoc\text{-const}_{1\%}$
			$coref\text{-}iden_{1\%} \ assoc\text{-}agentive.agent_{0\%}$
coref-var	146	59/72/73%	$coref\text{-}var_{73\%}$ $coref_{11\%}$ $coref\text{-}iden_{7\%}$ assoc- $const_{4\%}$ $coref\text{-}$
			$res_{3\%}$ coref-evol $_{1\%}$ assoc-agentive $_{1\%}$
assoc-agentive	2	50/100/50%	coref-var $_{50\%}$ assoc-agentive $_{50\%}$
assoc-const	42	48/71/60%	$\begin{array}{ll} {\sf assoc\text{-}const}_{60\%} & {\sf coref\text{-}var}_{14\%} & {\sf assoc}_{10\%} & {\sf assoc\text{-}telic}_{5\%} \\ {\sf coref}_{5\%} & {\sf assoc\text{-}loc}_{5\%} & {\sf coref\text{-}iden}_{2\%} \end{array}$
assoc-telic	25	40/76/56%	$\begin{array}{ll} assoc\text{-telic}_{56\%} & assoc\text{-agentive}.agent_{8\%} & assoc\text{-}\\ telic.patient_{8\%} & assoc\text{-const}_{8\%} & assoc\text{-telic.agent}_{8\%} \end{array}$
			$coref\text{-}iden_{4\%}$ assoc-telic.inst $_{4\%}$ $coref\text{-}res_{4\%}$
assoc	6	33/83/33%	$assoc\text{-const}_{67\%} \ assoc_{33\%}$
assoc-	3	0/67/0%	assoc-telic $_{67\%}$ coref $_{33\%}$
agentive.agent			
assoc-loc	2	0/100/0%	$assoc\text{-const}_{100\%}$
assoc-telic.agent	2	0/100/0%	assoc-telic _{100%}
assoc-telic.inst	1	0/100/0%	assoc-telic _{100%}
assoc-telic.patient	2	0/100/0%	$assoc\text{-}telic_{100\%}$
coref-evol	1	0/100/0%	$coref ext{-}var_{100\%}$

TOTAL 641 62/72/79%

B.5 Confusion table: morphology

R	N	$A/A_U/A_L$	Confusion list
NEG:contr	23	74/100/74%	$NEG:contr_{74\%} \ -_{13\%} \ NEG:priv_{4\%} \ MOD:eval_{4\%} \ TELIC_{4\%}$

DER:aa	3	67/100/67%	DER:aa _{67%} - _{33%}
TIME:post	3	67/100/67%	TIME:post _{67%} TRANS _{33%}
DERvn:agent	99	65/100/65%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DERan:qual	65	63/100/63%	$\begin{array}{cccc} DERan:qual_{63\%} & -_{31\%} & DERnn:loc_{2\%} \\ DERna:rel.deono.loc_{2\%} & DEran:qual_{2\%} & DERnn:agent_{2\%} \end{array}$
DERav	24	54/100/54%	$DERav_{54\%} \ -_{42\%} \ inst_{4\%}$
DERnn:agent	32	53/100/53%	$\begin{array}{ll} DERnn:agent_{53\%} \ {31\%} \ DERvn:agent_{9\%} \ DERan:qual_{3\%} \\ DERna:rel.deono.loc_{3\%} \end{array}$
DERvn:loc	6	50/100/50%	$DERvn:loc_{50\%} \ -_{33\%} \ DERvn:patient \ TELIC_{17\%}$
TIME:pre	4	50/100/50%	$TIME:pre_{50\%} \ -_{25\%} \ time_{25\%}$
MOD:qual	39	46/100/46%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
DERvn:core	279	44/100/44%	$\begin{array}{llll} DERvn:core_{44\%}{29\%} \; DERvn:patient_{17\%} \; DERvn:other_{3\%} \\ DERvn:agent_{1\%} \; \; DErvn:core_{1\%} \; \; DERvn.core_{1\%} \; \; DERav \\ DERvn:patient_{1\%} \; \; DERnv_{1\%} \; \; DErvn:patient_{1\%} \; \; TELIC]I \\ DERvn:patient_{0\%} \; \; DERav \; \; DERva:patient_{0\%} \; \; TELIC_{0\%} \\ DERnv \; \; DERvn:patient_{0\%} \; \; DERvn:patient \; \; LOC:loc_{0\%} \\ TELIC]n \; \; DERvn:patient_{0\%} \; \; DERvn:patient_{0\%} \\ PRE:other \; DERvn:patient_{0\%} \; \; DERnn:other_{0\%} \\ DERnn:other_{0\%} \; \; DERnn:other_{0\%} \end{array}$
MOD:eval	14	43/100/43%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
ITER	5	40/100/40%	-40% ITER40% PRE:other DERva:pas.part20%
DERna:poss	11	36/100/36%	DERna:poss $_{36\%}$ DERna:rel.norm $_{27\%}$ ${18\%}$ DERna:disp $_{18\%}$
DERnn:assoc	12	33/100/33%	${42\%}$ DERnn:assoc $_{33\%}$ DERnv PRE:other DERvn:agent $_{8\%}$ DERnn:loc $_{8\%}$ ARG $_{8\%}$
DERva:pas.part	54	33/100/33%	${48\%}$ DERva:pas.part $_{33\%}$ DERnv $_{4\%}$ DERva:act $_{4\%}$ DERnv NEG:priv $_{2\%}$ DERna:disp $_{2\%}$ LOC:loc $_{2\%}$ DERvn:patient $_{2\%}$ DERvn:pas.part $_{2\%}$ DERva $_{2\%}$
DERnv	127	33/100/33%	$\begin{array}{lll}{58\%} & DERnv_{33\%} & DERvn:core_{2\%} & DERva:pas.part_{2\%} \\ func_{2\%} & OTHER_{1\%} & arg_{1\%} & loc_{1\%} & type_{1\%} & SOURCE_{1\%} \end{array}$
DERva:act	62	32/100/32%	$\begin{array}{cccc}{52\%} & DERva : act_{32\%} & DERva : pas.part_{3\%} & DE-VERB : rel.norm_{3\%} & DERvn : agent_{2\%} & DERva : pas.epi_{2\%} \\ TRANS_{2\%} & DERvn : other & DERna : rel_{2\%} & func_{2\%} & DERva_{2\%} \\ \end{array}$
MOD:quant	41	29/100/29%	${54\%}$ MOD:quant $_{29\%}$ MOD:qual $_{5\%}$ QUANT $_{5\%}$ DENUM:ord $_{2\%}$ MOD:quant]l $_{2\%}$ MOD:eval $_{2\%}$
TELIC	119	29/100/29%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
NEG:priv	8	25/100/25%	$ \begin{array}{lll} NEG:priv_{1\%} \\{38\%} \; NEG:priv_{25\%} \; NEG:contr_{13\%} \; ABOUT_{13\%} \; TELIC_{13\%} \\ \end{array} $

DERvn:patient	94	20/100/20%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
DERna:other	6	17/100/17%	${50\%}$ func $_{17\%}$ ABOUT $_{17\%}$ DERna:other $_{17\%}$
LOC:dir	23	13/100/13%	$\begin{array}{lll} SPACE:dir_{22\%} \ TELIC_{22\%} \{17\%} \ LOC:dir_{13\%} \ SPACE.dir_{9\%} \\ PRE:other_{9\%} \ TELIC]m_{4\%} \ SPACE:source_{4\%} \end{array}$
AGENT	8	13/100/13%	SUBJ.agent] $I_{38\%}$ agent $_{25\%}$ DERvn:core LOC:dir subj.agent func $_{13\%}$ PRE:other] $t_{13\%}$ AGENT $_{13\%}$
OTHER	69	9/100/9%	${28\%}$ func $_{15\%}$ arg $_{9\%}$ OTHER $_{9\%}$ iden $_{6\%}$ about $_{3\%}$ poss $_{3\%}$ MOD: qual $_{3\%}$ other $_{3\%}$ type $_{3\%}$ type type $_{1\%}$ type DERvn: core $_{1\%}$ DERvn: agent arg $_{1\%}$ iden DERnn: assoc DERvn: agent $_{1\%}$ DERvn: agent $_{1\%}$ DERna: rel.norm arg $_{1\%}$ dobj. patient DERvn: core $_{1\%}$ DERnv DERna: rel.norm MOD: qual $_{1\%}$ type DERnn: agent $_{1\%}$ inst $_{1\%}$ class $_{1\%}$ apart $_{1\%}$ FORM $_{1\%}$
TRANS	53	6/100/6%	$\begin{array}{lll}{60\%} & TELIC_{9\%} & TELIC]t_{9\%} & TRANS_{6\%} & PRE:other_{6\%} \\ TELIC & DERva:pas.part_{4\%} & DERva:act_{2\%} & TIME:post_{2\%} \\ PRE:other]g_{2\%} & \\ \end{array}$
DERna:rel.norm	67	2/100/2%	${49\%}$ DERna:rel $_{37\%}$ DERna:poss $_{5\%}$ DERva:rel $_{3\%}$ DErna:rel $_{2\%}$ DERan:rel DERav DERvn:core $_{2\%}$ DERna:rel.norm $_{2\%}$ ARG DERna:rel $_{2\%}$

732 0/100/0%

DERvn:core_{11%} $\mathsf{DERnv}_{10\%}$ TELIC_{6%} DERna:rel.deono.loc6% DERna:rel.norm5% DERva:act_{4%} $\mathsf{DERva:}\mathsf{pas.}\mathsf{part}_{4\%}$ $\mathsf{TRANS}_{4\%}$ MOD:quant_{3%} DERan:qual_{3%} DERvn:patient_{3%} OTHER_{3%} DERvn:agent_{3%} DERnn:other2% PRE:other2% DERav_{1\infty} DERnn:agent_{1\infty} LOC:loc_{1\infty} DOBJ.patient_{1%} DERna:rel_{1%} DERna:resem_{1%} DERvn:other_{1%} func DERvn:core_{1%} DENOM:eff_{1%} MOD :qual_{1%} DERnn :assoc_{1%} func DERnn :capac_{1%} $\mathsf{func}_{1\%} \quad \mathsf{DERna}: \mathsf{disp}_{1\%} \quad \mathsf{poss}_{1\%} \quad \mathsf{agent}_{1\%} \quad \mathsf{LOC}: \mathsf{dir}_{1\%}$ $\mathsf{NEG}:\mathsf{contr}_{0\%}$ TRANS DERva:act_{0%} SPACE:loc_{1%} $\mathsf{time}_{0\%}$ DERvn:core LOC:dir_{0%} DERna:other_{0%} TELIC]n_{0%} $\text{const}_{0\%}$ NEG:priv_{0%} GOAL_{0%} NUM:ord_{0%} DERvn:core TRANS_{0%} loc_{0%} DERva:pas.epi_{0%} CONST_{0%} DERna:poss_{0%} SPACE:dir_{0%} $\mathsf{DERnn}: \mathsf{loc}_{0\%}$ ARG_{0%} ABOUT_{0%} $source_{0\%}$ DERvn: $loc_{0\%}$ ITER_{0%} DERna: $telic_{0\%}$ TELIC DERvn:core_{0%} LOC:loc DERvn:core_{0%} agent.subj_{0%} $\mathsf{PRED}\mathsf{:}\mathsf{Core}_{0\%}$ DERvn:core TELIC_{0%} DERva:act DERvn:core_{0%} about LOC:dir DERvn:core0% SPACE:source_{0%} DERvn:core QUANT_{0%} DERvn:core_{0%} SOURCE_{0%} NEG:contr func_{0%} DER:aa_{0%} DERnv DERvn:core_{0%} DERan:qual $ARG_{0\%}$ DERav TRANS $g_{0\%}$ arg $g_{0\%}$ DERvn:agent $LOC:loc_{0\%}$ TIME:pre_{0%} DERaa_{0%} NOPRED:core_{0%} DERvn:core func_{0%} source DERan:qual_{0%} DE-DOBJ.patient FORM_{0%} $Rav|g_{0\%}$ type_{0%} sem DERva:pas.part_{0%} MOD:qual DERvn:core_{0%} GOAL SUBJ.agent_{0%} DErva:pas.part_{0%} NEG:rev_{0%} DERvn:core MOD:qual_{0%} tei.2>_{0%} PRED:reult_{0%} DERvv_{0%} TIME:pre DERva:act_{0%} DERvn:core NEG:rev TELIC_{0%} poss DERvn:core_{0%} DEV-ERV:act.pure_{0%} DERvn:core LOC:loc_{0%} TIME:time_{0%} iden_{0%} SPACE:source_{0%} DERvn:core MOD:quant_{0%} DERvn:patient TRANS_{0%} const DERvn:agent_{0%} DERva:act.epi_{0%} DERnv DERva:act_{0%} DERvn_{0%} DERnv TELIC DERvn:core_{0%} func func_{0%} func.dobj_{0%} DERva:act PRE:other_{0%} func NEG:contr_{0%} DERvn:patient arg DERvn:agent_{0%} type_{0%} DERvn:agent_{0%} DERvn:agent OTHER_{0%} DERna:rel.deono.pers_{0%} $\mathsf{MOD}:\mathsf{eval}_{0\%}$ DERvn:other $\mathsf{TELIC}_{0\%}$ about_{0%} DERnv DERva:pas.epi_{0%} func DERvn:agent DERnv_{0%} DERvn:patient TELIC_{0%} other_{0%} arg DERan:qual DERvn:loc_{0%} AGENT:MC_{0%} DEVERB:act:pure_{0%} DENUM:apart_{0%} ASPEC:result_{0%} resem DERvn:other $_{0\%}$ NEG:priv DERna:rel.norm $_{0\%}$ DERvn :agent DERnn :assoc $_{0\%}$ TELIC DERvn :patient $_{0\%}$ DERva:pas.part TRANS_{0%} FORM_{0%}

ABOUT 39 0/100/0%

ABOUT]k 2 0/100/0% about_{100%} AGENT:MC 3 0/100/0% agent_{67%} -33%

AGENT:MC DERna:rel	1	0/100/0%	MOD:qual DERna:rel.norm _{100%}
PRE:other AGENT:MC MOD:qual DERna:rel	1	0/100/0%	$DERna:rel.norm\ about_{100\%}$
AGENT:MC PRE:other	3	0/100/0%	$about_{100\%}$
AGENT:MC PRE:other	1	0/100/0%	DERna:rel.norm about _{100%}
DERna:rel			
ARG	55	0/100/0%	$\begin{array}{lll} arg_{47\%} \;\; func_{15\%} \;\; about_{13\%} \;\; other_{7\%} \;\; -_{4\%} \;\; const_{4\%} \;\; about \\ DERvn:core_{2\%} \;\; DERnn: assoc_{2\%} \;\; const \;\; LOC: dir_{2\%} \;\; TELIC \\ MOD: qual_{2\%} \;\; agent_{2\%} \;\; about \;\; DERvn: core \;\; TELIC_{2\%} \end{array}$
ARG DERna:rel	1	0/100/0%	DERna:rel.norm _{100%}
ARG]m	1	0/100/0%	poss _{100%}
ASPEC:core	3	0/100/0%	DERvn:core MOD:eval _{100%}
NEG:priv			
ASPEC:other	1	0/100/0%	PRE:other _{100%}
ASPEC:result	5	0/100/0%	${20\%}$ PRE:other $_{20\%}$ TELIC $_{20\%}$ TELIC $]$ g $_{20\%}$ TELIC DERva:pas.part $_{20\%}$
ASPEC:resutl	1	0/100/0%	TELIC _{100%}
CONST	39	0/100/0%	$\begin{array}{lll} const_{67\%} & agent_{13\%} & -_{5\%} & source_{3\%} & MOD \text{:} qual_{3\%} & arg_{3\%} \\ arg & loc_{3\%} & func_{3\%} & apart_{3\%} \end{array}$
CONST]p	1	0/100/0%	const DERvn:agent DERnv $_{100\%}$
DENOM:eff	12	0/100/0%	${50\%}$ DERna:rel $_{33\%}$ DERna:telic $_{8\%}$ DERnv DERva:pas.epi $_{8\%}$
DENOM:rel.deono	1	0/100/0%	DERna:rel _{100%}
DENUM:apart	1	0/100/0%	- 100%
DENUM:ord	5	0/100/0%	$-_{60\%}$ MOD:quant $_{20\%}$ QUANT $_{20\%}$
DERaa	1	0/100/0%	- 100%
DERan:qual ARG	1	0/100/0%	- 100%
DERan:qual OTHER	2	0/100/0%	$agent_{100\%}$
DERan:rel DERav DERvn:core	1	0/100/0%	DERna:rel.norm _{100%}
DERav DERva:patient	1	0/100/0%	DERvn:core _{100%}
DERav DERvn:patient	2	0/100/0%	DERvn:core _{100%}
DERav TRANS]g	1	0/100/0%	- 100%
DERav]g	1	0/100/0%	- 100%
DERna:deono.loc	4	0/100/0%	$DERna: rel. deono. loc_{100\%}$
DERna:deono.pers	1	0/100/0%	const DERna:rel.norm _{100%}
DERna:deono.pers MOD:qual	1	0/100/0%	$DERna : rel. deono.pers \ about_{100\%}$
DERna:disp	10	0/100/0%	$-_{40\%}$ DERna:rel $_{30\%}$ DERna:poss $_{20\%}$ DERva:pas.part $_{10\%}$
DERna:other DERvn:patient	1	0/100/0%	DERvn:core OTHER _{100%}

DERna:rel	45	0/100/0%	$\begin{array}{lll} DERna:rel.norm_{56\%} &{18\%} & DENOM:eff_{9\%} & DERna:disp_{7\%} \\ DERna:rel.norm & DENOM:rel.place_{4\%} & DERna:rel.norm \\ DERnn:assoc_{2\%} & DERna:rel.deono.loc_{2\%} & DE-NOM:rel.deono_{2\%} \end{array}$
DERna:rel DE- Ran:qual	1	0/100/0%	DERna:rel.norm DER:aa _{100%}
DERna:rel.deono.lo	c 49	0/100/0%	$\begin{array}{ccc}{84\%} & DERna:deono.loc_{8\%} & DERan:qual_{2\%} \\ DERnn:deono.loc_{2\%} & DERnn:agent_{2\%} & DERna:rel_{2\%} \end{array}$
DERna:rel.deono.pe	ers1	0/100/0%	- 100%
DERna:rel.deono.pe DERna:rel.norm about	ers1	0/100/0%	DERva:deono.pers PRE:other _{100%}
DERna:rel.deono.pe	ers1	0/100/0%	$DERna: deono.pers\ MOD: qual_{100\%}$
DERna:rel.norm DENOM:rel.place	3	0/100/0%	DERna:rel _{67%} DERnn:assoc DERna:rel _{33%}
DERna:rel.norm DER:aa	1	0/100/0%	DERna:rel DERan:qual _{100%}
DERna:rel.norm DERnn:assoc	1	0/100/0%	$DERna : rel_{100\%}$
DERna:rel.norm MOD:qual	2	0/100/0%	$OTHER_{50\%}$ DErna:rel PRE:other $_{50\%}$
DERna:rel.norm about	3	0/100/0%	AGENT:MC MOD:qual DERna: ${\sf rel}_{33\%}$ PRE:other $_{33\%}$ AGENT:MC PRE:other DERna: ${\sf rel}_{33\%}$
DERna:rel.norm	1	0/100/0%	OTHER _{100%}
arg DERna:rel.norm func	1	0/100/0%	DERva:act.epi GOAL _{100%}
DERna:resem	6	0/100/0%	- 100%
DERna:telic	3	0/100/0%	${67\%}$ DENOM:eff $_{33\%}$
DERnn:agent func	1	0/100/0%	GOAL _{100%}
DERnn:assoc DERna:rel	1	0/100/0%	DERna:rel.norm DENOM:rel.place _{100%}
DERnn:assoc MOD:quant	1	0/100/0%	$DERvn:patient\ OTHER_{100\%}$
DERnn:deono.loc	1	0/100/0%	$DERna$:rel.deono.loc $_{100\%}$
DERnn:loc	4	0/100/0%	-50% DERan:qual $_{25\%}$ DERnn:assoc $_{25\%}$
DERnn:other	16	0/100/0%	-94% DERvn:core $6%$
DERnn:other SOURCE	1	0/100/0%	agent DERnn:quant $_{100\%}$
DERnv DERva:act	1	0/100/0%	- 100%
DERnv	2	0/100/0%	-50% DENOM:eff $50%$
DERva:pas.epi			
DERnv DERvn:core	1	0/100/0%	- 100%
DERnv DERvn:patient	1	0/100/0%	$DERvn\text{:}core_{100\%}$
DERnv NEG:priv	1	0/100/0%	DERva:pas.part _{100%}
DERnv NEG:priv	1	0/100/0%	DERvn:core TELIC _{100%}
DERvn:patient	-	3, 200, 070	

DERnv PRE:other	1	0/100/0%	MOD:qual _{100%}
DERnv PRE:other	1	0/100/0%	DERnn:assoc _{100%}
DERvn:agent		0, 200, 000	
DERnv SPACE:loc	1	0/100/0%	LOC:loc _{100%}
DERnv TELIC	1	0/100/0%	-100%
DERvn:core		0, 200, 000	100%
DERnv inst	1	0/100/0%	$DOBJ.patient_{100\%}$
DERva	2	0/100/0%	$DERva:act_{50\%}$ $DERva:pas.part_{50\%}$
DERva:act	1	0/100/0%	-100%
DERvn:core			100%
DERva:act	1	0/100/0%	⁻ 100%
PRE:other			
DERva:act.epi	1	0/100/0%	- 100%
DERva:act.epi	1	0/100/0%	DERna:rel.norm func _{100%}
GOAL			
DERva:deono.pers	1	0/100/0%	DERna:rel.deono.pers DERna:rel.norm about _{100%}
PRE:other			
DERva:pas.epi	3	0/100/0%	${67\%}$ DERva:act $_{33\%}$
DERva:pas.part	2	0/100/0%	MOD:qual DERva:act $_{50\%}$ LOC:loc DERnv $_{50\%}$
PRE:other			
DERva:pas.part	1	0/100/0%	- 100%
TRANS			
DERva:rel	2	0/100/0%	$DERna:rel.norm_{100\%}$
DERvn	1	0/100/0%	- 100%
DERvn PRE:other	1	0/100/0%	DERvn:core LOC:loc _{100%}
DERvn.core	2	0/100/0%	DERvn:core _{100%}
DERvn:agent	1	0/100/0%	- 100%
DERnn:assoc			
DERvn:agent	1	0/100/0%	$DERvn:exper_{100\%}$
DOBJ.patient			
DERvn:agent	1	0/100/0%	- 100%
LOC:loc			
DERvn:agent	2	0/100/0%	${50\%}$ DERvn:exper $_{50\%}$
OTHER			
DERvn:agent	1	0/100/0%	$DERvn$:other $CONST_{100\%}$
agent DERan:qual			
DERvn:agent arg	1	0/100/0%	OTHER _{100%}
DERvn:agent	1	0/100/0%	$ABOUT_{100\%}$
dobj.patient		0/100/001	252
DERvn:agent ns	1	0/100/0%	DERvn:agent _{100%}
DERvn:core AS-	1	0/100/0%	$DERvn$:patient $_{100\%}$
PEC:TRANS	_	0/400/0~	050
DERvn:core	1	0/100/0%	$DERvn$:agent $_{100\%}$
DERnn:agent	0	0/400/00	
DERvn:core	2	0/100/0%	$about_{100\%}$
DOBJ.patient DERvn:core	1	0/100/09	DEDuninationt job! vasiaiset
	1	0/100/0%	DERvn:patient iobj.recipient _{100%}
IOBJ.exper DERvn:core	4	0/100/0%	SDACE: die DED vor national
LOC:dir	4	0/ 100/ 0%	-75% SPACE:dir DERvn:patient _{25%}
LOC.uli			

DERvn:core LOC:dir subj.agent	1	0/100/0%	AGENT _{100%}
func DERvn:core LOC:loc	2	0/100/0%	-50% DERvn PRE:other $50%$
DERvn:core MOD:eval	3	0/100/0%	ASPEC:core NEG:priv _{100%}
DERvn:core MOD:qual	3	0/100/0%	PRE:other _{67%} – _{33%}
DERvn:core MOD:qual]	1	0/100/0%	func $about_{100\%}$
DERvn:core MOD:quant	1	0/100/0%	⁻ 100%
DERvn:core NEG:rev TELIC	1	0/100/0%	- 100%
DERvn:core OTHER	1	0/100/0%	${\sf DERna:other\ DERvn:patient}_{100\%}$
DERvn:core PRE:other	1	0/100/0%	TRANS DERvn:patient _{100%}
DERvn:core SPACE:source	1	0/100/0%	- 100%
DERvn:core SUBJ.agent	1	0/100/0%	$\begin{array}{ccc} \text{arg.subj} & \text{DERvn:patient} & \text{DERnn:assoc} \\ \text{DERvn:agent}_{100\%} & \end{array}$
DERvn:core TELIC	6	0/100/0%	$\begin{array}{ll} PRE:other \;\; DERvn:patient_{50\%} \;\;\;{17\%} \;\;\; DERvn:other_{17\%} \\ DERnv \;\; NEG:priv \;\; DERvn:patient_{17\%} \end{array}$
DERvn:core TRANS	5	0/100/0%	$DERvn:patient_{60\%} \ {40\%}$
DERvn:core agent	1	0/100/0%	$GOAL_{100\%}$
DERvn:core arg	1	0/100/0%	$GOAL_{100\%}$
DERvn:core	2	0/100/0%	DERvn:other GOAL _{100%}
dobj.patient			
DERvn:core	2	0/100/0%	DERvn:patient DOBJ.patient $_{100\%}$
dobj.recip			
DERvn:core			
DERvn:core eval	2	0/100/0%	DERvn:patient MOD:eval $_{50\%}$ MOD:eval $_{50\%}$
DERvn:core func	2	0/100/0%	${50\%}$ DERvn:other MOD:qual $_{50\%}$
DERvn:core	7	0/100/0%	DERvn:patient $GOAL_{100\%}$
iobj.recipient			
DERvn:core	1	0/100/0%	$DERvn : other \; ABOUT_{100\%}$
subj.agent			
DERvn:exper	3	0/100/0%	$\begin{array}{ll} DERvn:agent & DOBJ.patient_{33\%} & DERvn:agent \\ OTHER_{33\%} & DERvn:agent_{33\%} \end{array}$
DERvn:inst	4	0/100/0%	$DERvn:patient_{75\%}\ DERvn:agent_{25\%}$
DERvn:loc LOC:loc	1	0/100/0%	LOC _{100%}
DERvn:other	15	0/100/0%	$\begin{array}{lll} DERvn:core_{47\%} &{40\%} & DERvn:patient_{7\%} & DERvn:core \\ TELIC_{7\%} & & & & & & & & & & & & & & & & & & &$
DERvn:other ABOUT	1	0/100/0%	${\sf DERvn:} {\sf core\ subj.agent}_{100\%}$

DERvn:other CONST	1	0/100/0%	${\sf DERvn:agent\ agent\ DERan:qual}_{100\%}$
DERvn:other DERna:rel	1	0/100/0%	DERva:act _{100%}
DERvn:other GOAL	2	0/100/0%	$DERvn : core \ dobj.patient_{100\%}$
DERvn:other MOD:qual	1	0/100/0%	$DERvn\text{:}core\;func_{100\%}$
DERvn:other	1	0/100/0%	- 100%
TELIC DERvn:other]s	3	0/100/0%	func DERvn:agent agent DERan:qual $_{100\%}$
pobj.other		0/100/08	DED .
DERvn:pas.part	1	0/100/0%	DERva:pas.part _{100%}
DERvn:patient ABOUT	1	0/100/0%	arg DERvn:core TRANS $_{100\%}$
DERvn:patient AGENT	1	0/100/0%	TELIC]g DERvn:core _{100%}
DERvn:patient ARG	1	0/100/0%	pobj:dobj DERvn:core _{100%}
DERvn:patient ARG]m	1	0/100/0%	poss about DERvn:agent TELIC $_{100\%}$
DERvn:patient DOBJ.patient	2	0/100/0%	DERvn:core dobj.recip DERvn:core $_{100\%}$
DERvn:patient	12	0/100/0%	${\sf DERvn:} {\sf core\ iobj.recipient}_{58\%}\ \ {\sf func\ DERvn:} {\sf agent}_{42\%}$
GOAL	_	0/100/0~	DED
DERvn:patient LOC:loc	1	0/100/0%	DERvn:core _{100%}
DERvn:patient MOD:eval	1	0/100/0%	DERvn:core eval $_{100\%}$
DERvn:patient OTHER	1	0/100/0%	DERnn:assoc MOD:quant _{100%}
DERvn:patient PRE:other	1	0/100/0%	SPEC:term DERvn:core _{100%}
DERvn:patient TELIC	3	0/100/0%	${33\%}$ DERvn:loc $_{33\%}$ NEG:priv DERvn:core $_{33\%}$
DERvn:patient TELIC n GOAL	1	0/100/0%	dobj.patient DERvn:core $_{100\%}$
DERvn:patient TRANS	1	0/100/0%	- 100%
DERvn:patient about DERvn:core	1	0/100/0%	TELIC ARG _{100%}
DERvn:patient	1	0/100/0%	- 100%
func DERvn:agent DERvn:patient	1	0/100/0%	DERvn:core IOBJ.exper _{100%}
iobj.recipient	_	- / /	2021
DERvn:recip	2	0/100/0%	DOBJ.patient _{50%} DERvn:agent _{50%}
DERvn:recip TELIC	1	0/100/0%	PRE:other DERva:pas.part _{100%}
DERvv	2	0/100/0%	-50% PRE:other $50%$
DEVERB:act:pure	1	0/100/0%	- 100%

DEVERB:rel.norm	2	0/100/0%	DERva:act _{100%}
DEVERV:act.pure	1	0/100/0%	- 100%
DEran:qual	1	0/100/0%	$DERan$: $qual_{100\%}$
DErna:rel	1	0/100/0%	DERna:rel.norm _{100%}
DErna:rel PRE:other	1	0/100/0%	$DERna:rel.norm\ MOD:qual_{100\%}$
DErva:pas.part	1	0/100/0%	-100%
DErvn:core	2	0/100/0%	DERvn:core _{100%}
DErvn:patient	2	0/100/0%	DERvn:core _{100%}
DOBJ.patient	26	0/100/0%	dobj.patient $_{65\%}$ - $_{27\%}$ DERvn:recip $_{4\%}$ DERnv inst $_{4\%}$
DOBJ.patient FORM	1	0/100/0%	-100%
DOBJ.patient]l	2	0/100/0%	dobj.patient arg DERan:qual DERvn:loc $_{50\%}$ dobj.patient DERan:qual $_{50\%}$
EVAL	3	0/100/0%	$eval_{67\%} \ LOC:loc_{33\%}$
FORM	11	0/100/0%	type $DERvn$: $core_{18\%}$ $OTHER_{9\%}$ form $_{9\%}$ MOD : $eval_{9\%}$ func $const$ $DERvn$: $core_{9\%}$ func $DERvn$: $patient$ $DERvn$: $core_{9\%}$ $loc_{9\%}$ $const$ $const_{9\%}$ about $_{9\%}$
FUNC	1	0/100/0%	$iden_{100\%}$
FUNC]FUNC	1	0/100/0%	const type _{100%}
GOAL	109	0/100/0%	$func_{53\%}$ func $DERvn$: $core_{7\%}$ $arg_{4\%}$ func $DERvn$: $agent_{4\%}$
			${3\%}$ poss $_{3\%}$ iden $_{2\%}$ const $_{2\%}$ loc $_{2\%}$ type DERvn:core $_{1\%}$ loc MOD:qual $_{1\%}$ func time func DERnn:other $_{1\%}$ func MOD:qual $_{1\%}$ type DERvn:agent $_{1\%}$ LOC:loc $_{1\%}$ other $_{1\%}$ arg DERvn:loc DERan:qual $_{1\%}$ type $_{1\%}$ about DERvn:core $_{1\%}$ DERvn:core agent $_{1\%}$ dobj.patient $_{1\%}$ func.dobj $_{1\%}$ func loc $_{1\%}$ func DERav $_{1\%}$ MOD:qual $_{1\%}$ arg.patient DERnn:agent $_{1\%}$ func DERan:qual $_{1\%}$ DERvn:core arg $_{1\%}$ DERnn:agent func $_{1\%}$ func DERvn:loc $_{1\%}$ agent $_{1\%}$ func iden $_{1\%}$
GOAL SOURCE	1	0/100/0%	MOD :qual $arg_{100\%}$
GOAL SUBJ.agent	1	0/100/0%	⁻ 100%
GOAL]k	1	0/100/0%	func _{100%}
GOAL]m	1	0/100/0%	func _{100%}
GOAL]t	1	0/100/0%	func $loc_{100\%}$
GOAI	1	0/100/0%	func _{100%}
IDEN	4	0/100/0%	$func_{75\%}$ $iden_{25\%}$
IDEN]k	1	0/100/0%	func _{100%}
LOC	29	0/100/0%	$\log_{79\%}$ source _{3%} agent _{3%} agent DERna:rel.deono. $\log_{3\%}$ poss _{3%} eval _{3%} DERvn: \log LOC: $\log_{3\%}$
LOC:dir DERav	1	0/100/0%	TELIC]t DERva:pas.part _{100%}
LOC:loc	21	0/100/0%	${38\%}$ SPACE: $\log_{33\%}$ PRE:other $_{10\%}$ DERva:pas.part $_{5\%}$ EVAL $_{5\%}$ DERnv SPACE: $\log_{5\%}$ GOAL $_{5\%}$
LOC:loc DERnv	1	0/100/0%	DERva:pas.part PRE:other _{100%}
LOC:loc DERvn:core	2	0/100/0%	⁻ 100%
LOC:loc LOC:loc	1	0/100/0%	SPACE:loc MOD:qual _{100%}
MOD:eval LOC:dir	1	0/100/0%	TELIC]I DERva:act _{100%}
MOD:eval]b	1	0/100/0%	$eval_{100\%}$
MOD:qual	1	0/100/0%	AGENT:MC DERna:rel PRE:other $_{100\%}$
DERna:rel.norm			

MOD:qual	1	0/100/0%	$DERva:pas.part\ PRE:other_{100\%}$
DERva:act			
MOD:qual	1	0/100/0%	- 100%
DERvn:core			
MOD:qual	1	0/100/0%	$TIME$:time $_{100\%}$
DERvn:recip			
MOD:qual arg	1	0/100/0%	GOAL SOURCE _{100%}
MOD:qual poss	1	0/100/0%	OTHER MOD:eval $_{100\%}$
DERvn:agent			
MOD:quant	1	0/100/0%	$QUANT_{100\%}$
DERvn:core			
TELIC			
MOD:quant]l	1	0/100/0%	MOD :quant $_{100\%}$
NEG:contr	1	0/100/0%	- 100%
DERvn:core			
NEG:priv	1	0/100/0%	- 100%
DERna:rel.norm			
NEG:priv	1	0/100/0%	DERvn:patient TELIC _{100%}
DERvn:core			
NEG:priv	1	0/100/0%	TIME:pre]s NEG:contr _{100%}
TIME:pre			L -1 100%
NEG:rev	2	0/100/0%	-50% TELIC50%
NEG:rev TRANS	1	0/100/0%	PRE:other _{100%}
NOPRED:core	1	0/100/0%	
OTHER FUNC	1	0/100/0%	const add type _{100%}
OTHER	1	0/100/0%	MOD:qual poss DERvn:agent _{100%}
MOD:eval		2, 222, 312	
OTHER OTHER	1	0/100/0%	type inst _{100%}
POS:dir	1	0/100/0%	PRE:other _{100%}
PRE:other	45	0/100/0%	-31% TELIC _{27%} TRANS _{7%} LOC:loc _{4%} DERvn:core
		.,,	$MOD:qual_{4\%} \ about_{4\%} \ LOC:dir_{4\%} \ TELIC \ DERvn:core_{2\%}$
			$DERna:rel.norm about_{2\%} ASPEC:result_{2\%} AS-$
			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
DDE 11 ADC		- 1 1	func _{2%}
PRE:other ARG	1	0/100/0%	func DERvn:agent LOC:loc _{100%}
PRE:other	6	0/100/0%	TELIC _{50%} ITER _{17%} DERvn:recip TELIC _{17%} TELIC DE-
DERva:pas.part			VERB:act:pure _{17%}
PRE:other	4	0/100/0%	DERvn:core TELIC $_{75\%}$ DERvn:core $_{25\%}$
DERvn:patient			
PRE:other	1	0/100/0%	func.dobj DERvn:core TELIC _{100%}
DOBJ.patient			
PRE:other	2	0/100/0%	type DERvn:core _{100%}
MOD:qual			
PRE:other]g	1	0/100/0%	TRANS _{100%}
PRE:other]t	1	0/100/0%	$AGENT_{100\%}$
PRED:Core	1	0/100/0%	- 100%
PRED:reult	1	0/100/0%	- 100%
QUANT	6	0/100/0%	$\begin{array}{lll} MOD:quant_{33\%} & DENUM:ord_{17\%} &{17\%} & func_{17\%} \\ MOD:quant & DERvn:core & TELIC_{17\%} \end{array}$
RESEM	2	0/100/0%	$resem_{50\%} \;\; eval_{50\%}$

SOURCE	18	0/100/0%	$\begin{array}{lll} source_{44\%} \ agent_{17\%} \ type_{11\%} \ MOD: qual_{6\%} \ DERnv_{6\%} \ - \\ {}_{6\%} \ const_{6\%} \ poss_{6\%} \end{array}$
SPACE.dir	2	0/100/0%	LOC:dir _{100%}
SPACE:dir	7	0/100/0%	LOC:dir _{71%} - _{29%}
SPACE:dir	1	0/100/0%	DERvn:core LOC:dir _{100%}
DERvn:patient			
SPACE:loc	11	0/100/0%	$LOC:loc_{64\%} \ extstyle -36\%$
SPACE:loc ARG	1	0/100/0%	func.iobj MOD:qual _{100%}
SPACE:loc	1	0/100/0%	LOC:loc LOC:loc _{100%}
MOD:qual			
SPACE:source	3	0/100/0%	-33% TELIC $33%$ LOC:dir $33%$
SPACE:source	1	0/100/0%	TELIC _{100%}
DERva:pas.part			
SPEC:term	1	0/100/0%	DERvn:patient PRE:other _{100%}
DERvn:core			
SUBJ.agent	10	0/100/0%	$subj.agent_{60\%} \; agent_{30\%} \; DERvn.agent_{10\%}$
SUBJ.agent]I	3	0/100/0%	$AGENT_{100\%}$
SUBJ.patient	1	0/100/0%	subj.agent DERvn:patient _{100%}
TELIC ARG	1	0/100/0%	DERvn:patient about DERvn:core _{100%}
TELIC	4	0/100/0%	TRANS _{50%} ASPEC:result _{25%} func _{25%}
DERva:pas.part			2010
TELIC	1	0/100/0%	agent DERvn:core MOD:eval _{100%}
DERvn:agent			0
CAUSE			
TELIC	4	0/100/0%	-50% PRE:other _{25%} TELIC]n DERvn:patient _{25%}
DERvn:core			
TELIC	2	0/100/0%	-50% DERvn:core $50%$
DERvn:patient			
TELIC DE-	1	0/100/0%	PRE:other DERva:pas.part _{100%}
VERB:act:pure			
TELIC MOD:qual	1	0/100/0%	$ARG_{100\%}$
TELIC]g	1	0/100/0%	ASPEC:result _{100%}
TELIC]g	1	0/100/0%	$DERvn:patient\;AGENT_{100\%}$
DERvn:core			1
TELIC]k	1	0/100/0%	TELIC _{100%}
DERva.pas.part			100%
TELIC]i '	1	0/100/0%	TELIC _{100%}
TELICII	1	0/100/0%	MOD:eval LOC:dir _{100%}
DERva:act			100%
TELIC]I	1	0/100/0%	DERvn:core _{100%}
DERvn:patient			
TELIC]i	1	0/100/0%	type DERvn:core TELIC DERvn:core _{100%}
DERvn:patient			100%
TIME:MC			
TELIC]I GOAL	2	0/100/0%	func DERvn:core TELIC _{50%} func DERvn:core _{50%}
TELIC]m	1	0/100/0%	LOC:dir _{100%}
TELIC]n	3	0/100/0%	-100%
TELIC]n	2	0/100/0%	TELIC DERvn:core _{50%} DERvn:core _{50%}
DERvn:patient		-,, -, -, -,	
TELIC]n GOAL	3	0/100/0%	func DERvn:core _{100%}
-1:-	-	.,	- 100%

TELIC]t	8	0/100/0%	TRANS _{63%} TELIC _{38%}
TELIC]t	1	0/100/0%	LOC:dir DERav _{100%}
DERva:pas.part	_	-,,	_ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
TIME	1	0/100/0%	time _{100%}
TIME:MC	6	0/100/0%	time _{100%}
TIME:pre	1	0/100/0%	-100%
DERva:act		, ,	100%
TIME:pre]s	1	0/100/0%	NEG:priv TIME:pre _{100%}
NEG:contr			- F - 100%
TIME:time	2	0/100/0%	${50\%}$ MOD:qual DERvn:recip $_{50\%}$
TRANS	3	0/100/0%	-100%
DERva:act			
TRANS	1	0/100/0%	DERvn:core PRE:other _{100%}
DERvn:patient			
about	34	0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
about DERvn:core	2	0/100/0%	$ARG_{50\%}$ $GOAL_{50\%}$
about DERvn:core	1	0/100/0%	ARG _{100%}
TELIC			
about LOC:dir	1	0/100/0%	⁻ 100%
DERvn:core			
agent	27	0/100/0%	$\begin{array}{cccc} CONST_{19\%} &{15\%} & SUBJ.agent_{11\%} & SOURCE_{11\%} \\ ABOUT_{11\%} & AGENT:MC_{7\%} & AGENT_{7\%} & DERan:qual \\ OTHER_{7\%} & LOC_{4\%} & ARG_{4\%} & GOAL_{4\%} \end{array}$
agent	1	0/100/0%	$LOC_{100\%}$
DERna:rel.deono.loc	2		
agent	1	0/100/0%	DERnn:other SOURCE _{100%}
DERnn:quant			
agent DERvn:core	1	0/100/0%	TELIC DERvn:agent CAUSE _{100%}
MOD:eval			
agent func	1	0/100/0%	⁻ 100%
agent.subj	1	0/100/0%	-100% CTUED CONST
apart	2	0/100/0%	OTHER _{50%} CONST _{50%}
arg	43	0/100/0%	$ARG_{61\%}$ $OTHER_{14\%}$ $GOAL_{9\%}$ $ABOUT_{7\%}$ $goal_{2\%}$ ${2\%}$ $DERnv_{2\%}$ $CONST_{2\%}$
arg DERan:qual DERvn:loc	1	0/100/0%	- 100%
arg DERvn:agent	1	0/100/0%	⁻ 100%
arg DERvn:core TRANS	1	0/100/0%	$DERvn:patient\;ABOUT_{100\%}$
arg DERvn:loc DERan:qual	1	0/100/0%	$GOAL_{100\%}$
arg loc	1	0/100/0%	CONST _{100%}
arg.patient	1	0/100/0%	GOAL _{100%}
DERnn:agent		-, -, -, -, -, -, -, -, -, -, -, -, -, -	100/6
arg.subj	1	0/100/0%	${\sf DERvn:} {\sf core} \ {\sf SUBJ.agent}_{100\%}$
DERvn:patient			
DERnn:assoc			
DERvn:agent			

class	1	0/100/0%	OTHER _{100%}
const	38	0/100/0%	$CONST_{68\%}^TOS{8\%} ABOUT_{8\%} GOAL_{5\%} ARG_{5\%}$
			$MOD:qual_{3\%}\ SOURCE_{3\%}$
const	1	0/100/0%	$DERna{:}deono.pers_{100\%}$
DERna:rel.norm			
const	1	0/100/0%	- 100%
DERvn:agent			<u>.</u>
const	1	0/100/0%	CONST]p _{100%}
DERvn:agent			
DERnv		- / /	400
const LOC:dir	1	0/100/0%	ARG _{100%}
const add type	1	0/100/0%	OTHER FUNC _{100%}
const const	1	0/100/0%	FORM _{100%}
const type	1	0/100/0%	FUNC]FUNC _{100%}
dobj.patient	19	0/100/0%	DOBJ.patient _{90%} TELIC _{5%} GOAL _{5%}
dobj.patient DE-	1	0/100/0%	$DOBJ.patient]I_{100\%}$
Ran:qual		0/100/001	DED TELICI COM OTHER
dobj.patient	2	0/100/0%	DERvn:patient TELIC]n GOAL $_{50\%}$ OTHER $_{50\%}$
DERvn:core		0/400/0~	ADOUT
dobj.patient	1	0/100/0%	ABOUT _{100%}
DERvn:patient		0/400/08	DODL : il
dobj.patient	1	0/100/0%	$DOBJ.patient]I_{100\%}$
arg DERan:qual			
DERvn:loc	_	0/100/08	EVAL MODE III DECEM LOC
eval	5	0/100/0%	EVAL _{40%} MOD:eval]b _{20%} RESEM _{20%} LOC _{20%}
form	1	0/100/0%	FORM _{100%}
func	103	0/100/0%	$GOAL_{56\%}$ OTHER $_{10\%}$ ARG $_{8\%}$ ABOUT $_{7\%}$ - $_{5\%}$ IDEN $_{3\%}$ DER $nv_{2\%}$ GOAL $lm_{1\%}$ DER va :act $_{1\%}$ PRE:other $_{1\%}$
			IDEN]k _{1%} TELIC DERva:pas.part _{1%} GOAl _{1%} CONST _{1%}
			$GOAL]k_{1\%}$ QUANT _{1%} DERna:other _{1%}
func DERan:qual	1	0/100/0%	$GOAL_{100\%}$
func DERav	1	0/100/0%	$GOAL_{100\%}$
func DERnn:capac	5	0/100/0%	- 100%
func DERvn:agent	9	0/100/0%	DERvn:patient GOAL $_{56\%}$ GOAL $_{44\%}$
func DERvn:agent	1	0/100/0%	- 100%
DERnv			
func DERvn:agent	1	0/100/0%	PRE:other ARG _{100%}
LOC:loc			
func DERvn:agent	3	0/100/0%	DERvn:other]s pobj.other _{100%}
agent DERan:qual			
func DERvn:core	18	0/100/0%	$GOAL_{44\%}$ $-_{33\%}$ $TELIC$ n $GOAL_{17\%}$ $TELIC$ l $GOAL_{6\%}$
func DERvn:core	1	0/100/0%	TELIC]I GOAL _{100%}
TELIC			
func DERvn:loc	1	0/100/0%	$GOAL_{100\%}$
func	1	0/100/0%	$FORM_{100\%}$
DERvn:patient			
DERvn:core			
func MOD:qual	1	0/100/0%	$GOAL_{100\%}$
func NEG:contr	1	0/100/0%	- 100%
func about	1	0/100/0%	$DERvn$:core MOD :qual $]_{100\%}$

func arg	1	0/100/0%	ABOUT _{100%}
DERvn:patient			
func const DERvn:core	1	0/100/0%	$FORM_{100\%}$
func func	1	0/100/007	
func iden	1	0/100/0%	-100% COAL
func loc	1	0/100/0%	GOAL COALL
func time	2 1	0/100/0% 0/100/0%	$GOAL_{50\%}$ $GOAL]t_{50\%}$ $ABOUT_{100\%}$
func time func	1	0/100/0%	GOAL _{100%}
DERnn:other	1		
func.dobj	2	0/100/0%	${50\%}$ GOAL $_{50\%}$
func.dobj DERvn:core TELIC	1	0/100/0%	${\sf PRE:other\ DOBJ.patient}_{100\%}$
func.iobj MOD:qual	1	0/100/0%	SPACE:loc ARG _{100%}
goal	1	0/100/0%	$arg_{100\%}$
iden	9	0/100/0%	OTHER _{44%} GOAL _{22%} ${11\%}$ IDEN _{11%} FUNC _{11%}
iden DERnn:assoc	1	0/100/0%	OTHER _{100%}
DERvn:agent		0, 100, 070	O 1112 (1 ₀₀ %
inst	2	0/100/0%	OTHER _{50%} DERav _{50%}
loc	30	0/100/0%	$LOC_{77\%}$ -7% $GOAL_{7\%}$ $MOD:qual_{3\%}$ $DERnv_{3\%}$ $FORM_{3\%}$
	30	0, 100, 070	200/1% 1% 00/12/% 1102.quai3% 22.1113% 1011113%
loc MOD:qual	1	0/100/0%	$GOAL_{100\%}$
other	8	0/100/0%	$ARG_{50\%}$ OTHER $_{25\%}$ $-_{13\%}$ GOAL $_{13\%}$
pobj:dobj DERvn:core	1	0/100/0%	DERvn:patient $ARG_{100\%}$
poss	12	0/100/0%	$_{33\%}$ GOAL $_{25\%}$ OTHER $_{17\%}$ ARG]m $_{8\%}$ LOC $_{8\%}$ SOURCE $_{8\%}$
poss DERvn:core	1	0/100/0%	- 100%
poss about DERvn:agent TELIC	1	0/100/0%	DERvn:patient ARG] $m_{100\%}$
poss type	1	0/100/0%	- 100%
resem	1	0/100/0%	RESEM _{100%}
resem	1	0/100/0%	- 100%
DERva:pas.part			
resem DERvn:other	1	0/100/0%	- 100%
source	12	0/100/0%	$SOURCE_{67\%}$ $-_{17\%}$ $CONST_{8\%}$ $LOC_{8\%}$
source DE-	1	0/100/0%	-100%
Ran:qual			
subj.agent	7	0/100/0%	$SUBJ.agent_{86\%}\ ABOUT_{14\%}$
subj.agent	1	0/100/0%	$SUBJ.patient_{100\%}$
DERvn:patient			
tei.2>			
	1	0/100/0%	- 100%
time	1 11	0/100/0% 0/100/0%	$^{-100\%}$ TIME:MC $_{55\%}$ $^{-}_{27\%}$ TIME $_{9\%}$ TIME:pre $_{9\%}$
time type			
	11	0/100/0%	$TIME : MC_{55\%} \ -_{27\%} \ TIME_{9\%} \ TIME : pre_{9\%}$

type DERvn:core	6	0/100/0%	$\begin{array}{lll} PRE:other & MOD:qual_{33\%} & FORM_{33\%} & OTHER_{17\%} \\ GOAL_{17\%} & \end{array}$
type DERvn:core TELIC	1	0/100/0%	TELIC]I DERvn:patient TIME:MC _{100%}
DERvn:core			
type inst	1	0/100/0%	OTHER OTHER $_{100\%}$
type type	1	0/100/0%	OTHER _{100%}

TOTAL 3513 14/100/14%

B.6 Confusion table: morphology-no-null

R	N	$\mathbf{A}/\mathbf{A}_U/\mathbf{A}_L$	Confusion list
DER:aa	2	100/100/100%	DER:aa _{100%}
DERav	14	93/100/93%	$DERav_{93\%}$ inst $_{7\%}$
DERan:qual	45	91/100/91%	$\begin{array}{ll} DERan:qual_{91\%} & DERnn:loc_{2\%} & DERna:rel.deono.loc_{2\%} \\ DEran:qual_{2\%} & DERnn:agent_{2\%} \end{array}$
NEG:contr	20	85/100/85%	$NEG:contr_{85\%} \ NEG:priv_{5\%} \ MOD:eval_{5\%} \ TELIC_{5\%}$
DERvn:agent	80	80/100/80%	$\begin{array}{ccccc} DERvn:agent_{80\%} & DERvn:core_{5\%} & DERnn:agent_{4\%} \\ OTHER_{1\%} & DERvn:core & DERnn:agent_{1\%} \\ DERvn:agent & ns_{1\%} & DERvn:exper_{1\%} & DERva:act_{1\%} \\ DERvn:recip_{1\%} & DERvn:patient_{1\%} & SUBJ.agent_{1\%} \\ DERvn:inst_{1\%} & & & & & & & & & & & \\ \end{array}$
DERnv	53	79/100/79%	$\begin{array}{lll} DERnv_{79\%} & DERvn:core_{4\%} & DERva:pas.part_{4\%} & func_{4\%} \\ OTHER_{2\%} & arg_{2\%} & loc_{2\%} & type_{2\%} & SOURCE_{2\%} \end{array}$
DERnn:agent	22	77/100/77%	$\begin{array}{ll} DERnn:agent_{77\%} & DERvn:agent_{14\%} & DERan:qual_{5\%} \\ DERna:rel.deono.loc_{5\%} \end{array}$
DERvn:loc	4	75/100/75%	$DERvn:loc_{75\%}$ $DERvn:patient$ $TELIC_{25\%}$
DERva:act	30	67/100/67%	$\begin{array}{ll} DERva: act_{67\%} \ \ DERva: pas. part_{7\%} \ \ DEVERB: rel. norm_{7\%} \\ TRANS_{3\%} \ \ DERva: pas. epi_{3\%} \ \ DERvn: other \ DERna: rel_{3\%} \\ func_{3\%} \ \ DERvn: agent_{3\%} \ \ DERva_{3\%} \end{array}$
ITER	3	67/100/67%	$ITER_{67\%}$ PRE:other DERva:pas.part $_{33\%}$
TIME:post	3	67/100/67%	$TIME:post_{67\%}$ $TRANS_{33\%}$
TIME:pre	3	67/100/67%	TIME:pre _{67%} time _{33%}
DERva:pas.part	28	64/100/64%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
MOD:quant	19	63/100/63%	$\begin{array}{lll} MOD:quant_{63\%} & MOD:qual_{11\%} & QUANT_{11\%} & DE-NUM:ord_{5\%} & MOD:quant] _{S_\%} & MOD:eval_{5\%} \end{array}$
DERvn:core	198	62/100/62%	$\begin{array}{llll} DERvn:core_{62\%} & DERvn:patient_{23\%} & DERvn:other_{4\%} \\ DERvn:agent_{2\%} & DErvn:core_{1\%} & DERvn.core_{1\%} & DERav \\ DERvn:patient_{1\%} & DERnv_{1\%} & DErvn:patient_{1\%} & TELIC]I \\ DERvn:patient_{1\%} & DERav & DERva:patient_{1\%} & TELIC_{1\%} \\ DERnv & DERvn:patient_{1\%} & DERvn:patient & LOC:loc_{1\%} \\ TELIC_{1\%} & DERvn:patient_{1\%} & TELIC & DERvn:patient_{1\%} \\ PRE:other & DERvn:patient_{1\%} & DERnn:other_{1\%} \\ \end{array}$
DERnn:assoc	7	57/100/57%	$\begin{array}{ll} DERnn:assoc_{57\%} & DERnv & PRE:other & DERvn:agent_{14\%} \\ DERnn:loc_{14\%} & ARG_{14\%} \end{array}$
MOD:qual	33	55/100/55%	$\begin{array}{llllllllllllllllllllllllllllllllllll$

MOD:eval	13	46/100/46%	$MOD:eval_{46\%}$ $MOD:qual_{15\%}$ $NEG:contr_{8\%}$ $DERvn:core$
WOD.cvai	13	40/100/40/0	$\text{eval}_{8\%}$ MOD: $\text{quant}_{8\%}$ FORM $_{8\%}$ TELIC $_{8\%}$
DERna:poss	9	44/100/44%	$DERna:poss_{44\%} \ DERna:rel.norm_{33\%} \ DERna:disp_{22\%}$
TELIC	77	44/100/44%	$\begin{array}{llll} TELIC_{44\%} & PRE: other_{16\%} & TRANS_{7\%} & LOC: dir_{7\%} \\ PRE: other & DERva: pas.part_{4\%} & TELIC]t_{4\%} & MOD: qual_{4\%} \\ NEG: contr_{1\%} & ASPEC: resutl_{1\%} & TELIC]l_{1\%} \\ DERvn: core_{1\%} & MOD: eval_{1\%} & NEG: rev_{1\%} & dobj. patient_{1\%} \\ TELIC]k & DERva. pas. part_{1\%} & SPACE: source_{1\%} \\ SPACE: source & DERva: pas. part_{1\%} & ASPEC: result_{1\%} \\ NEG: priv_{1\%} & & & & & & & & & \\ \end{array}$
NEG:priv	5	40/100/40%	$NEG:priv_{40\%}$ $NEG:contr_{20\%}$ $ABOUT_{20\%}$ $TELIC_{20\%}$
DERna:other	3	33/100/33%	$func_{33\%} ABOUT_{33\%} DERna:other_{33\%}$
DERvn:patient	75	25/100/25%	$\begin{array}{cccc} DERvn:core_{61\%} & DERvn:patient_{25\%} & DERvn:core \\ TRANS_{4\%} & DERvn:inst_{4\%} & DERva:pas.part_{1\%} \\ DERvn:core & ASPEC:TRANS_{1\%} & DERvn:other_{1\%} \\ DERvn:agent_{1\%} & & DERvn:other_{1\%} \\ \end{array}$
LOC:dir	19	16/100/16%	$\begin{array}{lll} SPACE:dir_{26\%} & TELIC_{26\%} & LOC:dir_{16\%} & SPACE.dir_{11\%} \\ PRE:other_{11\%} & TELIC]m_{5\%} & SPACE:source_{5\%} \end{array}$
TRANS	21	14/100/14%	$\begin{array}{lll} TELIC_{24\%} & TELIC] t_{24\%} & TRANS_{14\%} & PRE:other_{14\%} \\ TELIC & DERva:pas.part_{10\%} & DERva:act_{5\%} & TIME:post_{5\%} \\ PRE:other] g_{5\%} & \end{array}$
AGENT	8	13/100/13%	SUBJ.agent] $I_{38\%}$ agent $_{25\%}$ DERvn:core LOC:dir subj.agent func $_{13\%}$ PRE:other] $t_{13\%}$ AGENT $_{13\%}$
OTHER	50	12/100/12%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
DERna:rel.norm	34	3/100/3%	DERna: $rel_{74\%}$ DERna: $poss_{9\%}$ DERva: $rel_{6\%}$ DERna: $rel_{13\%}$ DERan: rel DERav DERvn: $core_{3\%}$ ARG DERna: $rel_{3\%}$
ABOUT	37	0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
ABOUT]k	2	0/100/0%	$about_{100\%}$
AGENT:MC	2	0/100/0%	$agent_{100\%}$
AGENT:MC DERna:rel PRE:other	1	0/100/0%	MOD:qual DERna:rel.norm _{100%}
AGENT:MC MOD:qual DERna:rel	1	0/100/0%	${\sf DERna:rel.norm\ about}_{100\%}$
AGENT:MC PRE:other	3	0/100/0%	$about_{100\%}$
AGENT:MC PRE:other DERna:rel	1	0/100/0%	$DERna:rel.norm\ about_{100\%}$
ARG	53	0/100/0%	$\begin{array}{lll} \text{arg}_{49\%} & \text{func}_{15\%} & \text{about}_{13\%} & \text{other}_{8\%} & \text{const}_{4\%} & \text{about} \\ \text{DERvn:} \text{core}_{2\%} & \text{DERnn:} \text{assoc}_{2\%} & \text{const LOC:} \text{dir}_{2\%} & \text{TELIC} \\ \text{MOD:} \text{qual}_{2\%} & \text{agent}_{2\%} & \text{about DERvn:} \text{core TELIC}_{2\%} \end{array}$

ARG DERna:rel	1	0/100/0%	DERna:rel.norm _{100%}
ARG]m	1	0/100/0%	poss _{100%}
ASPEC:core	3	0/100/0%	DERvn:core MOD:eval _{100%}
NEG:priv	3	0/100/070	DEITOIL.COTE WOD.CValifoon
ASPEC:other	1	0/100/0%	PRE:other _{100%}
ASPEC:result	4	0/100/0%	PRE:other _{25%} TELIC _{25%} TELIC] $g_{25\%}$ TELIC
7.01 Ec. result	1	0/100/070	DERva:pas.part _{25%}
ASPEC:resutl	1	0/100/0%	TELIC _{100%}
CONST	37	0/100/0%	$const_{70\%}^{700\%} agent_{14\%} source_{3\%} MOD:qual_{3\%} arg_{3\%} arg_{3\%}$
			$loc_{3\%}$ func $_{3\%}$ apart $_{3\%}$
CONST]p	1	0/100/0%	const DERvn:agent DERnv _{100%}
DENOM:eff	6	0/100/0%	$DERna:rel_{67\%} \qquad DERna:telic_{17\%} \qquad DERnv$
			DERva:pas.epi _{17%}
DENOM:rel.deono	1	0/100/0%	$DERna:rel_{100\%}$
DENUM:ord	2	0/100/0%	$MOD:quant_{50\%}\ QUANT_{50\%}$
DERan:qual	2	0/100/0%	$agent_{100\%}$
OTHER			
DERan:rel DERav	1	0/100/0%	$DERna : rel.norm_{100\%}$
DERvn:core			
DERav	1	0/100/0%	$DERvn$: $core_{100\%}$
DERva:patient			
DERav	2	0/100/0%	$DERvn$: $core_{100\%}$
DERvn:patient			
DERna:deono.loc	4	0/100/0%	$DERna: rel.deono.loc_{100\%}$
DERna:deono.pers	1	0/100/0%	const DERna:rel.norm _{100%}
DERna:deono.pers	1	0/100/0%	$DERna:rel.deono.persabout_{100\%}$
MOD:qual			
MOD.quai			
DERna:disp	6	0/100/0%	$DERna:rel_{50\%} \ DERna:poss_{33\%} \ DERva:pas.part_{17\%}$
•	6 1	0/100/0% 0/100/0%	DERna: ${\sf rel}_{50\%}$ DERna: ${\sf poss}_{33\%}$ DERva: ${\sf pas.part}_{17\%}$ DERvn: ${\sf core}$ OTHER $_{100\%}$
DERna:disp			
DERna:disp DERna:other			DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$
DERna:disp DERna:other DERvn:patient	1	0/100/0%	DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$ DERna:rel.norm DENOM:rel.place $_{5\%}$ DERna:rel.norm
DERna:disp DERna:other DERvn:patient	1	0/100/0%	DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$ DERna:rel.norm DENOM:rel.place $_{5\%}$ DERna:rel.norm DERnn:assoc $_{3\%}$ DERna:rel.deono.loc $_{3\%}$ DE-
DERna:disp DERna:other DERvn:patient DERna:rel	37	0/100/0%	$\label{eq:decomposition} \begin{split} & DERvn:core\;OTHER_{100\%} \\ & DERna:rel.norm_{68\%} DENOM:eff_{11\%} DERna:disp_{8\%} \\ & DERna:rel.norm\; DENOM:rel.place_{5\%} DERna:rel.norm \\ & DERnn:assoc_{3\%} DERna:rel.deono.loc_{3\%} DENOM:rel.deono_{3\%} \end{split}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel	1	0/100/0%	DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$ DERna:rel.norm DENOM:rel.place $_{5\%}$ DERna:rel.norm DERnn:assoc $_{3\%}$ DERna:rel.deono.loc $_{3\%}$ DE-
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel DERna:qual	1 37 1	0/100/0% 0/100/0% 0/100/0%	DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$ DERna:rel.norm DENOM:rel.place $_{5\%}$ DERna:rel.norm DERnn:assoc $_{3\%}$ DERna:rel.deono.loc $_{3\%}$ DENOM:rel.deono $_{3\%}$ DERna:rel.norm DER:aa $_{100\%}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel	1 37 1	0/100/0%	$\label{eq:decomposition} \begin{split} & DERvn:core\ OTHER_{100\%} \\ & DERna:rel.norm_{68\%} DENOM:eff_{11\%} DERna:disp_{8\%} \\ & DERna:rel.norm\ DENOM:rel.place_{5\%} DERna:rel.norm\ DERna:rel.deono.loc_{3\%} DENOM:rel.deono_{3\%} \\ & DERna:rel.norm\ DER:aa_{100\%} \\ & DERna:deono.loc_{50\%} \\ \end{split}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel DE- Ran:qual DERna:rel.deono.log	1 37 1 2 8	0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel DE-Ran:qual DERna:rel.deono.log DERna:rel.deono.pe	1 37 1 2 8	0/100/0% 0/100/0% 0/100/0%	$\label{eq:decomposition} \begin{split} & DERvn:core\ OTHER_{100\%} \\ & DERna:rel.norm_{68\%} DENOM:eff_{11\%} DERna:disp_{8\%} \\ & DERna:rel.norm\ DENOM:rel.place_{5\%} DERna:rel.norm\ DERna:rel.deono.loc_{3\%} DENOM:rel.deono_{3\%} \\ & DERna:rel.norm\ DER:aa_{100\%} \\ & DERna:deono.loc_{50\%} \\ \end{split}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:qual DERna:rel.deono.loc DERna:rel.deono.pe	1 37 1 2 8	0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:qual DERna:rel.deono.loc DERna:rel.norm about	1 37 1 2.8 rs1	0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.norm about DERna:rel.deono.pe	1 37 1 2.8 rs1	0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.norm about DERna:rel.deono.pe about	1 37 1 2 8 rs1	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\label{eq:decomposition} \begin{split} & DERvn:core\;OTHER_{100\%} \\ & DERna:rel.norm_{68\%} DENOM:eff_{11\%} DERna:disp_{8\%} \\ & DERna:rel.norm\; DENOM:rel.place_{5\%} DERna:rel.norm \\ & DERnn:assoc_{3\%} DERna:rel.deono.loc_{3\%} DE \\ & NOM:rel.deono_{3\%} \\ & DERna:rel.norm\; DER:aa_{100\%} \\ & DERna:deono.loc_{50\%} DERna:qual_{13\%} \\ & DERnn:deono.loc_{13\%} DERnn:agent_{13\%} DERna:rel_{13\%} \\ & DERva:deono.pers\; PRE:other_{100\%} \\ & DERna:deono.pers\; MOD:qual_{100\%} \\ \end{split}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.norm about DERna:rel.deono.pe about DERna:rel.norm	1 37 1 2.8 rs1	0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.deono.pe DERna:rel.deono.pe about DERna:rel.deono.pe about DERna:rel.deono.pe	1 37 1 2 8 rs1 3	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.deono.pe DERna:rel.deono.pe about DERna:rel.norm about DERna:rel.norm DERna:rel.norm DERna:rel.norm	1 37 1 2 8 rs1	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\label{eq:decomposition} \begin{split} & DERvn:core\;OTHER_{100\%} \\ & DERna:rel.norm_{68\%} DENOM:eff_{11\%} DERna:disp_{8\%} \\ & DERna:rel.norm\; DENOM:rel.place_{5\%} DERna:rel.norm \\ & DERnn:assoc_{3\%} DERna:rel.deono.loc_{3\%} DE \\ & NOM:rel.deono_{3\%} \\ & DERna:rel.norm\; DER:aa_{100\%} \\ & DERna:deono.loc_{50\%} DERna:qual_{13\%} \\ & DERnn:deono.loc_{13\%} DERnn:agent_{13\%} DERna:rel_{13\%} \\ & DERva:deono.pers\; PRE:other_{100\%} \\ & DERna:deono.pers\; MOD:qual_{100\%} \\ \end{split}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.deono.pe about DERna:rel.norm about DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm	1 37 1 c 8 rs1 3 1	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$ DERna:rel.norm DENOM:rel.place $_{5\%}$ DERna:rel.norm DERnn:assoc $_{3\%}$ DERna:rel.deono.loc $_{3\%}$ DE-NOM:rel.deono $_{3\%}$ DERna:rel.norm DER:aa $_{100\%}$ DERna:deono.loc $_{50\%}$ DERnn:agent $_{13\%}$ DERna:rel $_{13\%}$ DERva:deono.pers PRE:other $_{100\%}$ DERna:deono.pers MOD:qual $_{100\%}$ DERna:rel $_{67\%}$ DERnn:assoc DERna:rel $_{33\%}$ DERna:rel DERan:qual $_{100\%}$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.deono.pe DERna:rel.deono.pe about DERna:rel.deono.pe about DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm	1 37 1 2 8 rs1 3	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.deono.pe DERna:rel.deono.pe about DERna:rel.norm DENOM:rel.place DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm	1 37 1 2 8 rsi 3 1 1	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
DERna:disp DERna:other DERvn:patient DERna:rel DERna:rel DERna:rel.deono.loc DERna:rel.deono.pe DERna:rel.deono.pe DERna:rel.deono.pe about DERna:rel.deono.pe about DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm DERna:rel.norm	1 37 1 c 8 rs1 3 1	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	DERvn:core OTHER $_{100\%}$ DERna:rel.norm $_{68\%}$ DENOM:eff $_{11\%}$ DERna:disp $_{8\%}$ DERna:rel.norm DENOM:rel.place $_{5\%}$ DERna:rel.norm DERnn:assoc $_{3\%}$ DERna:rel.deono.loc $_{3\%}$ DE-NOM:rel.deono $_{3\%}$ DERna:rel.norm DER:aa $_{100\%}$ DERna:deono.loc $_{50\%}$ DERnn:agent $_{13\%}$ DERna:rel $_{13\%}$ DERva:deono.pers PRE:other $_{100\%}$ DERna:deono.pers MOD:qual $_{100\%}$ DERna:rel $_{67\%}$ DERnn:assoc DERna:rel $_{33\%}$ DERna:rel DERan:qual $_{100\%}$

DERna:rel.norm about	3	0/100/0%	AGENT:MC MOD:qual DERna:rel _{33%} PRE:other _{33%} AGENT:MC PRE:other DERna:rel _{33%}
DERna:rel.norm	1	0/100/0%	OTHER _{100%}
arg			
DERna:rel.norm	1	0/100/0%	DERva:act.epi GOAL _{100%}
func			
DERna:telic	1	0/100/0%	$DENOM:eff_{100\%}$
DERnn:agent func	1	0/100/0%	$GOAL_{100\%}$
DERnn:assoc	1	0/100/0%	DERna:rel.norm DENOM:rel.place _{100%}
DERna:rel			
DERnn:assoc	1	0/100/0%	DERvn:patient OTHER _{100%}
MOD:quant			
DERnn:deono.loc	1	0/100/0%	DERna:rel.deono.loc _{100%}
DERnn:loc	2	0/100/0%	DERan:qual _{50%} DERnn:assoc _{50%}
DERnn:other	1	0/100/0%	DERvn:core _{100%}
DERnn:other	1	0/100/0%	agent DERnn:quant $_{100\%}$
SOURCE			5 1 100%
DERnv	1	0/100/0%	DENOM:eff _{100%}
DERva:pas.epi		.,,	- 100%
DERnv	1	0/100/0%	DERvn:core _{100%}
DERvn:patient	•	0, 100, 0,0	52. ((m.es).61 _{00%}
DERnv NEG:priv	1	0/100/0%	DERva:pas.part _{100%}
DERnv NEG:priv	1	0/100/0%	DERvn:core TELIC _{100%}
DERvn:patient	1	0/100/070	DERVII.COTE TELICI _{100%}
DERny PRE:other	1	0/100/0%	MOD :qual $_{100\%}$
DERny PRE:other	1	0/100/0%	DERnn:assoc _{100%}
DERvn:agent	1	0/100/076	DENIII.assoc _{100%}
DERVII.ageiit DERnv SPACE:loc	1	0/100/007	LOCAL
	1	0/100/0%	LOC:loc _{100%}
DERnv inst	1	0/100/0%	DOBJ.patient _{100%}
DERva	2	0/100/0%	DERva:act _{50%} DERva:pas.part _{50%}
DERva:act.epi	1	0/100/0%	DERna:rel.norm func _{100%}
GOAL	4	0/100/08	
DERva:deono.pers	1	0/100/0%	DERna:rel.deono.pers DERna:rel.norm about _{100%}
PRE:other		- / /	252
DERva:pas.epi	1	0/100/0%	DERva:act _{100%}
DERva:pas.part	2	0/100/0%	MOD:qual DERva:act _{50%} LOC:loc DERnv _{50%}
PRE:other			
DERva:rel	2	0/100/0%	DERna:rel.norm _{100%}
DERvn PRE:other	1	0/100/0%	DERvn:core LOC:loc _{100%}
DERvn.core	2	0/100/0%	DERvn:core _{100%}
DERvn:agent	1	0/100/0%	$DERvn$:exper $_{100\%}$
DOBJ.patient			
DERvn:agent	1	0/100/0%	DERvn:exper _{100%}
OTHER			
DERvn:agent	1	0/100/0%	$DERvn$:other $CONST_{100\%}$
agent DERan:qual			
DERvn:agent arg	1	0/100/0%	OTHER _{100%}
DERvn:agent	1	0/100/0%	$ABOUT_{100\%}$
dobj.patient			
DERvn:agent ns	1	0/100/0%	$DERvn$:agent $_{100\%}$

DERvn:core AS-	1	0/100/0%	$DERvn$: patient $_{100\%}$		
PEC:TRANS					
DERvn:core	1	0/100/0%	$DERvn:agent_{100\%}$		
DERnn:agent					
DERvn:core	2	0/100/0%	$about_{100\%}$		
DOBJ.patient					
DERvn:core	1	0/100/0%	$DERvn$:patient iobj.recipient $_{100\%}$		
IOBJ.exper					
DERvn:core	1	0/100/0%	SPACE:dir DERvn:patient _{100%}		
LOC:dir					
DERvn:core	1	0/100/0%	$AGENT_{100\%}$		
LOC:dir subj.agent					
func		- / /	0.50		
DERvn:core	1	0/100/0%	DERvn PRE:other _{100%}		
LOC:loc		011001001	ACDEC NEC .		
DERvn:core	3	0/100/0%	ASPEC:core NEG:priv _{100%}		
MOD:eval		011001001	DDE 4		
DERvn:core	2	0/100/0%	PRE:other _{100%}		
MOD:qual		011001001			
DERvn:core	1	0/100/0%	func about $_{100\%}$		
MOD:qual]	_	0/400/00	DED 11 DED 11 1		
DERvn:core	1	0/100/0%	DERna:other DERvn:patient $_{100\%}$		
OTHER		0/400/08	TRANS DED		
DERvn:core	1	0/100/0%	TRANS DERvn:patient _{100%}		
PRE:other DERvn:core	4	0/100/08	DED THE DED		
	1	0/100/0%	arg.subj DERvn:patient DERnn:assoc		
	-		DERvin:agent.co		
SUBJ.agent			DERvn:agent _{100%}		
SUBJ.agent DERvn:core	5	0/100/0%	${\sf PRE:other\ DERvn:patient}_{60\%}\ {\sf DERvn:other}_{20\%}\ {\sf DERnv}$		
SUBJ.agent DERvn:core TELIC	5	0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core			${\sf PRE:other\ DERvn:patient}_{60\%}\ {\sf DERvn:other}_{20\%}\ {\sf DERnv}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS	5	0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent	5 3 1	0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg	5 3 1 1	0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core	5 3 1	0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient	5 3 1 1 2	0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core	5 3 1 1	0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip	5 3 1 1 2	0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core	5 3 1 1 2 2	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core eval	5 3 1 1 2 2	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core eval DERvn:core func	5 3 1 1 2 2	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ DERvn:patient MOD:eval $_{50\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core eval DERvn:core func DERvn:core	5 3 1 1 2 2	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core eval DERvn:core func DERvn:core iobj.recipient	5 3 1 1 2 2 2 1 7	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ DERvn:patient MOD:eval $_{50\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$ DERvn:patient GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core iobj.recipient DERvn:core	5 3 1 1 2 2	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ DERvn:patient MOD:eval $_{50\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core eval DERvn:core func DERvn:core iobj.recipient DERvn:core subj.agent	5 3 1 1 2 2 2 1 7	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$ DERvn:patient GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core iobj.recipient DERvn:core	5 3 1 1 2 2 2 1 7	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ DERvn:patient MOD:eval $_{50\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$ DERvn:patient GOAL $_{100\%}$		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core eval DERvn:core func DERvn:core iobj.recipient DERvn:core subj.agent	5 3 1 1 2 2 2 1 7	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:other ABOUT $_{100\%}$ DERvn:other ABOUT $_{100\%}$ DERvn:agent DOBJ.patient $_{33\%}$ DERvn:agent		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core DERvn:core eval DERvn:core func DERvn:core iobj.recipient DERvn:core subj.agent DERvn:exper	5 3 1 1 2 2 2 1 7	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ MOD:eval $_{50\%}$ DERvn:patient MOD:eval $_{50\%}$ MOD:eval $_{50\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:agent DOBJ.patient $_{33\%}$ DERvn:agent OTHER $_{33\%}$ DERvn:agent		
SUBJ.agent DERvn:core TELIC DERvn:core TRANS DERvn:core agent DERvn:core arg DERvn:core dobj.patient DERvn:core dobj.recip DERvn:core DERvn:core eval DERvn:core func DERvn:core iobj.recipient DERvn:core subj.agent DERvn:exper	5 3 1 1 2 2 2 1 7 1 3 4	0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0% 0/100/0%	PRE:other DERvn:patient $_{60\%}$ DERvn:other $_{20\%}$ DERnv NEG:priv DERvn:patient $_{20\%}$ DERvn:patient $_{100\%}$ GOAL $_{100\%}$ GOAL $_{100\%}$ DERvn:other GOAL $_{100\%}$ DERvn:patient DOBJ.patient $_{100\%}$ MOD:eval $_{50\%}$ DERvn:other MOD:qual $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:patient GOAL $_{100\%}$ DERvn:other ABOUT $_{100\%}$ DERvn:agent DOBJ.patient $_{33\%}$ DERvn:agent OTHER $_{33\%}$ DERvn:agent $_{33\%}$ DERvn:agent $_{25\%}$		

DERvn:other	9	0/100/0%	DERvn:core _{78%} TELIC _{11%}	$DERvn:patient_{11\%}$	DERvn:core		
DERvn:other ABOUT	1	0/100/0%	DERvn:core subj.agent $_{100\%}$				
DERvn:other CONST	1	0/100/0%	DERvn:agent agen	t DERan:qual _{100%}			
DERvn:other DERna:rel	1	0/100/0%	DERva:act _{100%}				
DERvn:other GOAL	2	0/100/0%	DERvn:core dobj.p	$atient_{100\%}$			
DERvn:other MOD:qual	1	0/100/0%	DERvn:core func ₁₀	0%			
DERvn:other]s pobj.other	3	0/100/0%	func DERvn:agent	agent DERan:qual $_{100\%}$;		
DERvn:pas.part	1	0/100/0%	DERva:pas.part ₁₀₀₉				
DERvn:patient	1	0/100/0%					
ABOUT	1	0/100/076	arg DERvn:core Tf	(AN3 _{100%}			
DERvn:patient AGENT	1	0/100/0%	TELIC]g DERvn:co	pre _{100%}			
DERvn:patient ARG	1	0/100/0%	pobj:dobj DERvn:d	ore _{100%}			
DERvn:patient ARG]m	1	0/100/0%	poss about DERvn	agent TELIC _{100%}			
DERvn:patient	2	0/100/0%	DERvn:core dobj.recip DERvn:core _{100%}				
DOBJ.patient DERvn:patient	12	0/100/0%	${\sf DERvn:} {\sf core\ iobj.recipient}_{58\%}\ \ {\sf func\ DERvn:} {\sf agent}_{42\%}$				
GOAL		01.001001	0.50				
DERvn:patient LOC:loc	1	0/100/0%	DERvn:core _{100%}				
DERvn:patient MOD:eval	1	0/100/0%	DERvn:core eval ₁₀₀	0%			
DERvn:patient OTHER	1	0/100/0%	DERnn:assoc MOE	$0:$ quant $_{100\%}$			
DERvn:patient PRE:other	1	0/100/0%	SPEC:term DERvn	:core _{100%}			
DERvn:patient TELIC	2	0/100/0%	DERvn:loc _{50%} NEO	G:priv DERvn:core _{50%}			
DERvn:patient TELIC n GOAL	1	0/100/0%	dobj.patient DERv	n:core _{100%}			
DERvn:patient about DERvn:core	1	0/100/0%	TELIC ARG _{100%}				
DERvn:patient	1	0/100/0%	DERvn:core IOBJ.	exper _{100%}			
iobj.recipient	0	0/100/00	DOD +:+	DED			
DERvn:recip	2	0/100/0%	DOBJ.patient _{50%} [
DERvn:recip TELIC	1	0/100/0%	PRE:other DERva:	pas.part _{100%}			
DERvv	1	0/100/0%	$PRE \mathpunct{:} other_{100\%}$				
DEVERB:rel.norm	2	0/100/0%	$DERva \mathpunct{:} act_{100\%}$				
DEran:qual	1	0/100/0%	$DERan.qual_{100\%}$				
DErna:rel	1	0/100/0%	$DERna : rel.norm_{100}$	%			

DErna:rel	1	0/100/0%	DERna:rel.norm MOD:qual _{100%}
PRE:other			,
DErvn:core	2	0/100/0%	DERvn:core _{100%}
DErvn:patient	2	0/100/0%	DERvn:core _{100%}
DOBJ.patient	19	0/100/0%	$dobj.patient_{90\%} \ DERvn:recip_{5\%} \ DERnv \ inst_{5\%}$
DOBJ.patient]l	2	0/100/0%	dobj.patient arg DERan:qual DERvn:loc $_{50\%}$ dobj.patient DERan:qual $_{50\%}$
EVAL	3	0/100/0%	$eval_{67\%}$ LOC: $loc_{33\%}$
FORM	10	0/100/0%	$\begin{array}{llllllllllllllllllllllllllllllllllll$
FUNC	1	0/100/0%	$iden_{100\%}$
FUNC]FUNC	1	0/100/0%	const type $_{100\%}$
GOAL	106	0/100/0%	func $_{55\%}$ func DERvn:core $_{8\%}$ arg $_{4\%}$ func DERvn:agent $_{4\%}$ poss $_{3\%}$ iden $_{2\%}$ const $_{2\%}$ loc $_{2\%}$ about DERvn:core $_{1\%}$ DERvn:core agent $_{1\%}$ type DERvn:core $_{1\%}$ loc MOD:qual $_{1\%}$ func time func DERnn:other $_{1\%}$ dobj.patient $_{1\%}$ func MOD:qual $_{1\%}$ func.dobj $_{1\%}$ type DERvn:agent $_{1\%}$ func DERav $_{1\%}$ func loc $_{1\%}$ MOD:qual $_{1\%}$ DERvn:core arg $_{1\%}$ func DERan:qual $_{1\%}$ arg.patient DERnn:agent $_{1\%}$ LOC:loc $_{1\%}$ DERnn:agent func $_{1\%}$ other $_{1\%}$ arg DERvn:loc DERan:qual $_{1\%}$ agent $_{1\%}$ func DERvn:loc $_{1\%}$ type $_{1\%}$ func iden $_{1\%}$
GOAL SOURCE	1	0/100/0%	MOD:qual arg _{100%}
GOAL]k	1	0/100/0%	func _{100%}
GOALÎm	1	0/100/0%	func _{100%}
GOALÎt	1	0/100/0%	func loc _{100%}
GOAI	1	0/100/0%	func _{100%}
IDEN	4	0/100/0%	func _{75%} iden _{25%}
IDEN]k	1	0/100/0%	func _{100%}
roc	29	0/100/0%	$loc_{79\%}$ source $_{3\%}$ agent $_{3\%}$ agent DERna:rel.deono.loc $_{3\%}$
LOCAL DEDay	1	0/100/00	poss _{3%} eval _{3%} DERvn:loc LOC:loc _{3%}
LOC:dir DERav	1	0/100/0%	TELIC]t DERva:pas.part _{100%}
LOC:loc	13	0/100/0%	$\begin{array}{lll} SPACE:loc_{54\%} & PRE:other_{15\%} & DERva:pas.part_{8\%} \\ EVAL_{8\%} & DERnv & SPACE:loc_{8\%} & GOAL_{8\%} \end{array}$
LOC:loc DERnv	1	0/100/0%	DERva:pas.part PRE:other _{100%}
LOC:loc LOC:loc	1	0/100/0%	SPACE:loc MOD:qual _{100%}
MOD:eval LOC:dir	1	0/100/0%	TELIC]I DERva:act _{100%}
MOD:eval]b	1	0/100/0%	$eval_{100\%}$
MOD:qual	1	0/100/0%	AGENT:MC DERna:rel PRE:other _{100%}
DERna:rel.norm			
MOD:qual	1	0/100/0%	DERva:pas.part PRE:other _{100%}
DERva:act			
MOD:qual	1	0/100/0%	TIME:time _{100%}
DERvn:recip			
MOD:qual arg	1	0/100/0%	GOAL SOURCE _{100%}
MOD:qual poss DERvn:agent	1	0/100/0%	OTHER MOD:eval _{100%}
MOD:quant DERvn:core TELIC	1	0/100/0%	$QUANT_{100\%}$
MOD:quant]I	1	0/100/0%	$MOD:quant_{100\%}$

NEG:priv DERvn:core	1	0/100/0%	DERvn:patient TELIC _{100%}
NEG:priv TIME:pre	1	0/100/0%	TIME:pre]s NEG:contr $_{100\%}$
NEG:rev	1	0/100/0%	TELIC _{100%}
NEG:rev TRANS	1	0/100/0%	PRE:other _{100%}
OTHER FUNC	1	0/100/0%	const add type _{100%}
OTHER MOD:eval	1	0/100/0%	MOD:qual poss DERvn:agent _{100%}
OTHER OTHER	1	0/100/0%	type inst _{100%}
POS:dir	1	0/100/0%	PRE:other _{100%}
PRE:other	31	0/100/0%	TELIC $_{39\%}$ TRANS $_{10\%}$ LOC:loc $_{7\%}$ DERvn:core
i inc.other	31	0/100/0/6	$\begin{array}{llllllllllllllllllllllllllllllllllll$
PRE:other ARG	1	0/100/0%	func DERvn:agent LOC:loc _{100%}
PRE:other DERva:pas.part	6	0/100/0%	TELIC $_{50\%}$ ITER $_{17\%}$ DERvn:recip TELIC $_{17\%}$ TELIC DEVERB:act:pure $_{17\%}$
PRE:other DERvn:patient	4	0/100/0%	$DERvn : core \ TELIC_{75\%} \ DERvn : core_{25\%}$
PRE:other	1	0/100/0%	func.dobj DERvn:core TELIC $_{100\%}$
DOBJ.patient PRE:other MOD:qual	2	0/100/0%	type DERvn:core _{100%}
PRE:other]g	1	0/100/0%	TRANS _{100%}
PRE:other]t	1	0/100/0%	AGENT _{100%}
QUANT	5	0/100/0%	$\begin{array}{lll} MOD:quant_{40\%} & DENUM:ord_{20\%} & func_{20\%} & MOD:quant \\ DERvn:core & TELIC_{20\%} & \end{array}$
RESEM	2	0/100/0%	$resem_{50\%}$ eval 50%
SOURCE	17	0/100/0%	$\begin{array}{lll} source_{47\%} & agent_{18\%} & type_{12\%} & MOD.qual_{6\%} & DERnv_{6\%} \\ const_{6\%} & poss_{6\%} & \end{array}$
SPACE.dir	2	0/100/0%	LOC : $dir_{100\%}$
SPACE:dir	5	0/100/0%	LOC:dir _{100%}
SPACE:dir	1	0/100/0%	DERvn:core LOC:dir _{100%}
DERvn:patient			
SPACE:loc	7	0/100/0%	LOC : $loc_{100\%}$
SPACE:loc ARG	1	0/100/0%	func.iobj MOD:qual _{100%}
SPACE:loc	1	0/100/0%	LOC:loc LOC:loc _{100%}
MOD:qual			
SPACE:source	2	0/100/0%	TELIC _{50%} LOC:dir _{50%}
SPACE:source	1	0/100/0%	TELIC _{100%}
DERva:pas.part			
SPEC:term DERvn:core	1	0/100/0%	DERvn:patient PRE:other _{100%}
SUBJ.agent	10	0/100/0%	$subj.agent_{60\%} \; agent_{30\%} \; DERvn.agent_{10\%}$
SUBJ.agent]I	3	0/100/0%	AGENT _{100%}
SUBJ.patient	1	0/100/0%	subj.agent DERvn:patient _{100%}
TELIC ARG	1	0/100/0%	DERvn:patient about DERvn:core _{100%}
TELIC	4	0/100/0%	TRANS $_{50\%}$ ASPEC:result $_{25\%}$ func $_{25\%}$
DERva:pas.part			

TELIC	1	0/100/0%	agent DERvn:core MOD:eval _{100%}
DERvn:agent			
CAUSE			
TELIC	2	0/100/007	DDE other TELICIP DED montiont
	2	0/100/0%	$PRE.other_{50\%} \ TELIC]n \ DERvn.patient_{50\%}$
DERvn:core			
TELIC	1	0/100/0%	DERvn:core _{100%}
DERvn:patient			
TELIC DE-	1	0/100/0%	PRE:other DERva:pas.part _{100%}
VERB:act:pure	-	0, 100, 070	1 (C. other B2)(Va.pas.part100%
·	_	0/100/0~	ADC
TELIC MOD:qual	1	0/100/0%	$ARG_{100\%}$
TELIC]g	1	0/100/0%	ASPEC:result _{100%}
TELIC]g	1	0/100/0%	DERvn:patient AGENT _{100%}
DERvn:core			
TELIC]k	1	0/100/0%	TELIC _{100%}
DERva.pas.part	1	0/ 100/ 0/0	12210100%
	_	0/100/0~	TELIC
TELIC]I	1	0/100/0%	TELIC _{100%}
TELIC]I	1	0/100/0%	MOD:eval LOC:dir _{100%}
DERva:act			
TELIC]I	1	0/100/0%	DERvn:core _{100%}
DERvn:patient			100%
TELIC]I	1	0/100/0%	tuno DEPunicara TELIC DEPunicara
•	1	0/100/076	type DERvn:core TELIC DERvn:core _{100%}
DERvn:patient			
TIME:MC			
TELIC]I GOAL	2	0/100/0%	func DERvn:core TELIC $_{50\%}$ func DERvn:core $_{50\%}$
TELIC]m	1	0/100/0%	LOC:dir _{100%}
TELIC]n	2	0/100/0%	TELIC DERvn:core _{50%} DERvn:core _{50%}
DERvn:patient			1 100%
· · · · · · · · · · · · · · · · · · ·	0	0/100/007	f DED
TELICI GOAL	3	0/100/0%	func DERvn:core _{100%}
TELIC]t	8	0/100/0%	TRANS _{63%} TELIC _{38%}
TELIC]t	1	0/100/0%	LOC:dir DERav _{100%}
DERva:pas.part			
TIME	1	0/100/0%	$time_{100\%}$
TIME:MC	6	0/100/0%	$time_{100\%}$
TIME:pre]s		0/100/0%	NEG:priv TIME:pre _{100%}
•	1	0/100/076	NEG.priv Tilvie.pre _{100%}
NEG:contr			
TIME:time	1	0/100/0%	MOD :qual DERvn:recip $_{100\%}$
TRANS	1	0/100/0%	DERvn:core PRE:other _{100%}
DERvn:patient			
about	33	0/100/0%	ABOUT _{42%} ARG _{21%} AGENT:MC PRE:other _{9%}
			$OTHER_{6\%}$ DERvn:core DOBJ.patient _{6%} ABOUT] $k_{6\%}$
			PRE:other _{6%} FORM _{3%}
about DERvn:core	2	0/100/0%	$ARG_{50\%}$ $GOAL_{50\%}$
about DERvn:core	1	0/100/0%	$ARG_{100\%}$
TELIC			
agent	23	0/100/0%	$CONST_{22\%}$ SUBJ.agent _{13%} SOURCE _{13%} ABOUT _{13%}
			$AGENT:MC_{9\%} AGENT_{9\%} DERan:qual OTHER_{9\%}$
			$LOC_{4\%}$ $ARG_{4\%}$ $GOAL_{4\%}$
agent	1	0/100/0%	$LOC_{100\%}$
DERna:rel.deono.loc	2		

agent DERnn:quant	1	0/100/0%	$DERnn:other\;SOURCE_{100\%}$
agent DERvn:core MOD:eval	1	0/100/0%	TELIC DERvn:agent CAUSE _{100%}
apart	2	0/100/0%	OTHER _{50%} CONST _{50%}
arg	42	0/100/0%	$ARG_{62\%}$ $OTHER_{14\%}$ $GOAL_{10\%}$ $ABOUT_{7\%}$ $goal_{2\%}$ $DERnv_{2\%}$ $CONST_{2\%}$
arg DERvn:core TRANS	1	0/100/0%	$DERvn:patient\;ABOUT_{100\%}$
arg DERvn:loc DERan:qual	1	0/100/0%	$GOAL_{100\%}$
arg loc	1	0/100/0%	$CONST_{100\%}$
arg.patient DERnn:agent	1	0/100/0%	$GOAL_{100\%}$
arg.subj DERvn:patient DERnn:assoc	1	0/100/0%	${\sf DERvn:core\ SUBJ.agent}_{100\%}$
DERvn:agent			
class	1	0/100/0%	OTHER _{100%}
const	35	0/100/0%	$CONST_{74\%}$ $ABOUT_{9\%}$ $GOAL_{6\%}$ $ARG_{6\%}$ $MOD:qual_{3\%}$ $SOURCE_{3\%}$
const DERna:rel.norm	1	0/100/0%	DERna:deono.pers _{100%}
const DERvn:agent DERnv	1	0/100/0%	CONST]p _{100%}
const LOC:dir	1	0/100/0%	ARG _{100%}
const add type	1	0/100/0%	OTHER FUNC _{100%}
const const	1	0/100/0%	FORM _{100%}
const type	1	0/100/0%	FUNC]FUNC _{100%}
dobj.patient	19	0/100/0%	DOBJ.patient $_{90\%}$ TELIC $_{5\%}$ GOAL $_{5\%}$
dobj.patient DE- Ran:qual	1	0/100/0%	$DOBJ.patient]I_{100\%}$
dobj.patient DERvn:core	2	0/100/0%	DERvn:patient TELIC]n GOAL $_{50\%}$ OTHER $_{50\%}$
dobj.patient DERvn:patient	1	0/100/0%	ABOUT _{100%}
dobj.patient arg DERan:qual DERvn:loc	1	0/100/0%	$DOBJ.patient]I_{100\%}$
eval	5	0/100/0%	EVAL MODiovalle PESEM LOC
form	3 1	0/100/0%	$EVAL_{40\%}$ $MOD:eval]b_{20\%}$ $RESEM_{20\%}$ $LOC_{20\%}$ $FORM_{100\%}$
func	98	0/100/0%	$GOAL_{59\%}^{100\%}$ OTHER _{10%} ARG _{8%} ABOUT _{7%} IDEN _{3%}
	70	0/100/0/6	DERnv _{2%} GOAL] _{m_{1%}} GOAl _{1%} CONST _{1%} DERva:act _{1%} GOAL] $k_{1\%}$ PRE:other _{1%} IDEN] $k_{1\%}$ QUANT _{1%} DERna:other _{1%} TELIC DERva:pas.part _{1%}
func DERan:qual	1	0/100/0%	GOAL _{100%}
func DERav	1	0/100/0%	GOAL _{100%}
func DERvn:agent	9	0/100/0%	DERvn:patient GOAL _{56%} GOAL _{44%}
func DERvn:agent LOC:loc	1	0/100/0%	PRE:other ARG _{100%}

func DERvn:agent agent DERan:qual	3	0/100/0%	${\sf DERvn:other]s~pobj.other}_{100\%}$
func DERvn:core	12	0/100/0%	$GOAL_{67\%}$ TELIC]n $GOAL_{25\%}$ TELIC]I $GOAL_{8\%}$
func DERvn:core	1	0/100/0%	TELIC]I GOAL _{100%}
TELIC			•
func DERvn:loc	1	0/100/0%	$GOAL_{100\%}$
func	1	0/100/0%	$FORM_{100\%}$
DERvn:patient			
DERvn:core			
func MOD:qual	1	0/100/0%	$GOAL_{100\%}$
func about	1	0/100/0%	$DERvn : core \ MOD : qual]_{100\%}$
func arg	1	0/100/0%	$ABOUT_{100\%}$
DERvn:patient			
func const	1	0/100/0%	$FORM_{100\%}$
DERvn:core			
func iden	1	0/100/0%	$GOAL_{100\%}$
func loc	2	0/100/0%	$GOAL_{50\%}$ $GOAL]t_{50\%}$
func time	1	0/100/0%	$ABOUT_{100\%}$
func time func	1	0/100/0%	$GOAL_{100\%}$
DERnn:other			
func.dobj	1	0/100/0%	$GOAL_{100\%}$
func.dobj	1	0/100/0%	$PRE: other \ DOBJ.patient_{100\%}$
DERvn:core			
TELIC			
func.iobj	1	0/100/0%	SPACE:loc ARG _{100%}
MOD:qual			
goal	1	0/100/0%	$arg_{100\%}$
iden	8	0/100/0%	OTHER _{50%} GOAL _{25%} IDEN _{13%} FUNC _{13%}
iden DERnn:assoc	1	0/100/0%	$OTHER_{100\%}$
DERvn:agent		0.1100.1001	OTHER DED
inst	2	0/100/0%	OTHER _{50%} DERav _{50%}
loc	28	0/100/0%	$LOC_{82\%}$ $GOAL_{7\%}$ $MOD:qual_{4\%}$ $DERnv_{4\%}$ $FORM_{4\%}$
loc MOD:qual	1	0/100/0%	$GOAL_{100\%}$
other	7	0/100/0%	ARG _{57%} OTHER _{29%} GOAL _{14%}
pobj:dobj	1	0/100/0%	DERvn:patient ARG _{100%}
DERvn:core	0	0/100/08	COAL OTHER ARCI LOC COURCE
poss	8	0/100/0%	$GOAL_{38\%}$ OTHER $_{25\%}$ ARG] $m_{13\%}$ LOC $_{13\%}$ SOURCE $_{13\%}$
poss about	1	0/100/0%	DERvn:patient ARG m _{100%}
DERvn:agent	1	0/100/076	DERVII. patient ARGJIII100%
TELIC			
resem	1	0/100/0%	RESEM _{100%}
source	10	0/100/0%	SOURCE _{80%} CONST _{10%} LOC _{10%}
subj.agent	7	0/100/0%	SUBJ.agent _{86%} ABOUT _{14%}
subj.agent	1	0/100/0%	SUBJ.patient _{100%}
DERvn:patient	1	0, 100, 070	3023.pattern1 _{100%}
time	8	0/100/0%	TIME:MC _{75%} TIME _{13%} TIME:pre _{13%}
type	6	0/100/0%	OTHER _{33%} SOURCE _{33%} DERnv _{17%} GOAL _{17%}
type DERnn:agent	1	0/100/0%	OTHER _{100%}
type DERvn:agent	1	0/100/0%	GOAL _{100%}
71			100%

type DERvn:core	6	0/100/0%	PRE:other $MOD:qual_{33\%}$ $FORM_{33\%}$ $OTHER_{17\%}$ $GOAL_{17\%}$
type DERvn:core TELIC	1	0/100/0%	TELIC]I DERvn:patient TIME:MC _{100%}
DERvn:core			
type inst	1	0/100/0%	OTHER OTHER _{100%}
type type	1	0/100/0%	OTHER _{100%}

TOTAL 2049 23/100/23%

B.7 Confusion table: alignment

R	N	$A/A_U/A_L$	Confusion list	
TOTAL	0	0/0/0%		

Appendix C

Annotation status

C.1 All texts

a	lignment	discourse	morphology	postag	status	syntax
none	950	1690	1985			911
auto				1774		65
outdated-fin	al 53	66			,	372
first	45	38	52	1	1	129
discussed	i 132	86				89
final	112	507	283	536	,	757

C.2 da texts

	discourse	morphology	postag	syntax
none	183	290		
auto				
outdated-final				1
first	2	6	1	5
discussed	12			3
final	340	240	535	527

C.3 de texts

	discourse	morphology	postag	syntax
none	405	412		326
auto			413	
outdated-final				
first	9	1		56
discussed				8
final				23

C.4 en texts

	discourse	morphology	postag	syntax
none	445	535		
auto			536	65
outdated-final				371

	first discussed final	22 72	1		30 1 69
C.5	es texts				
	none auto outdated-final first discussed final	discourse 341 2 72	morphology 337 34 42	postag 413	syntax 341 72
C.6	it texts				
	none auto outdated-final	discourse 316	morphology 411	postag 412	syntax 244
	first discussed final	74 23	5	1	38 77 57
C.7	da-de texts				
	none auto outdated-final	alignment 368	morphology	syntax	
	auto	_	morphology 2	syntax	
C.8	auto outdated-final first discussed	368		·	
C.8	auto outdated-final first discussed final da-en texts none auto	368 45 alignment	2	·	syntax
C.8	auto outdated-final first discussed final da-en texts	368 45	2	4	syntax
	auto outdated-final first discussed final da-en texts none auto outdated-final first discussed	368 45 alignment	2 discourse	4 morphology	

auto
outdated-final
first 1 2
discussed 39
final 43

C.10 da-it texts

alignme	nt discour	se morphology	status	syntax
none	251			
auto				
outdated-final				
first		1	1	1
discussed	93			
final	69			2

Appendix D

Index

((REL)) hyperpage, 83	112, 121	114, 125, 127
(PRIM)/ATTRINTEGER,	ABOUT]k, 78, 112, 121,	AGENT:MCPRE:other,
26, 82	125, 132	78
(REL)&(REL), 82	accom, 105, 106	agentDERna:rel.deono.loc,
(REL) (REL), 83	add, 105, 106	39
(SEMREL)# hyperpage, 7,	additive, 31	AGENTIVE, 107, 108
82	ADJUNCT, 8	AGENTIVE:expl, 107-
*DISC, 82	AGENT, 26, 111, 116,	109
-, 26, 30, 32, 33, 39, 46, 54,	119-121, 125,	AGENTIVE:reas, 105,
56, 78, 109-123	128, 131, 132	108
<prim(:prim)*:integer> hyp</prim(:prim)*:integer>	erpgeget, 105–107, 111–113,	AGENTIVE:sbj, 107, 108
22, 82	118, 120, 121,	align, 79
@ADVERB, 8, 83	125, 126, 130-	ALIGNMENT, 5, 79
[PRIM] hyperpage, 9, 83	132	ANAPHORA, 5, 57
[\$PRIM] hyperpage, 17	agent DERna:rel.deono.loc,	ANSW, 107
_, 62	118, 121, 130,	answer, 52
_(PRIM), 35, 50, 82, 83	132	aobj, 105, 106
{\$PRIM} hyperpage, 15	agent DERnn:quant, 114,	apart, 54, 107, 111, 113,
{origin}, 77	121, 127, 133	121, 125, 126,
{pos}, 75	agent DERvn:core	133
	MOD:eval, 120,	appa, 105
ABOUT, 26, 78, 110-	121, 132, 133	appr, 104, 105
112, 115, 121-	agent func, 112, 121	ARG, 26, 30, 78, 110,
123, 125, 127,	agent.subj, 112, 121	112, 113, 120-
132-134	AGENT:MC, 26, 112, 121,	125, 132–134
about, 107, 111–113, 115,	125, 132	arg, 26, 54, 107, 110–113,
118, 119, 121,	AGENT:MC DERna:rel	118, 121, 123-
125, 128, 130-	PRE:other, 113,	126, 130, 133,
132	118, 125, 130	134
about DERvn:core, 113,	AGENT:MC MOD:qual	arg DERan:qual
118, 121, 125,	DERna:rel, 113,	DERvn:loc, 112,
130, 132	114, 125, 127	121
about DERvn:core	AGENT:MC PRE:other,	ARG DERna:rel, 111, 113,
TELIC, 113, 121,	113, 121, 125,	125, 126
125, 132	132	arg DERvn:agent, 112,
about LOC:dir	AGENT:MC PRE:other	121
DERvn:core,	DERna:rel, 113,	arg DERvn:core TRANS,

117, 121, 129,	cause, 105–107	CONST]p, 113, 122, 126,
133	CIRCUM, 56	133
arg DERvn:loc DE-	class, 107, 111, 122, 125,	constitutive, 78
Ran:qual, 118,	133	cont, 8, 11, 83
121, 130, 133	comp, 29	CONTR, 107–109
arg loc, 113, 121, 126, 133	comparecomp, 32	contr, 105, 106
arg.patient DERnn:agent,	COMPLEMENT, 8	CONTR:dir, 105, 108, 109
118, 121, 130,	CONC, 108, 109	CONTR:prg, 55, 108, 109
133	conc, 105, 106	CONTR:sbj, 105, 108, 109
arg.subj DERvn:patient	CONCATENATION, 8	contrast, 31
DERnn:assoc	concom, 106	coord, 105, 106
DERvn:agent,	COND, 108, 109	coref, 109
116, 121, 128,	cond, 105, 106	coref-evol, 109
133	CONJ, 108, 109	coref-id, 60
ARG]m, 113, 123, 126,	conj, 105, 108, 109	coref-iden, 109
134	CONJ:add, 105, 108, 109	coref-res, 109
argloc, 54	CONJ:elab, 104, 105, 108,	coref-var, 109
ASPEC:cause+reflex, 38	109	correl, 104–106
ASPEC:core NEG:priv,	CONJ:seq, 108, 109	
113, 116, 126,	cons, 105, 106	degr, 32, 105, 106
128	CONSOL, 108, 109	DENOM, 45
ASPEC:iter, 38	CONSOL:enabl, 51	DENOM:disp, 45
ASPEC:other, 113, 119,	CONSOL:source, 108	DENOM:eff, 46, 112-114,
126, 131	CONST, 110, 112, 113,	126, 127
ASPEC:result, 56, 110,	121-124, 126,	DENOM:other, 46
112, 113, 119,	132-134	DENOM:poss, 46
120, 125, 126,	const, 107, 110, 112, 113,	DENOM:rel, 46
131, 132	118, 120, 122,	DENOM:rel.deono, 45,
ASPEC:resutl, 56, 110,	124-126, 130,	113, 114, 126
113, 125, 126	131, 133	DENOM:rel.deono.pers,
ASPEC:rev, 39	const add type, 119, 122,	45
ASPEC:term+resul, 40	131, 133	DENOM:rel.deono.place,
assoc, 109	const const, 118, 122, 130,	45
assoc-agent?, 64	133	DENOM:resem, 46
assoc-agentive, 109	const DERna:rel.norm,	DENUM:apart, 112, 113
assoc-agentive.agent, 109	113, 122, 126,	DENUM:ord, 110, 112,
assoc-const, 109	133	113, 119, 124,
assoc-event, 109	const DERvn:agent, 112,	126, 131
assoc-formal, 109	122	DENUM:part, 40
assoc-loc, 109	const DERvn:agent	DER:aa, 110, 112, 124
assoc-scope?, 66	DERnv, 113,	DERaa, 112, 113
assoc-telic, 109	122, 126, 133	DERan:qual, 110, 112,
assoc-telic.agent, 109	const LOC:dir, 113, 122,	114, 118, 124,
assoc-telic.inst, 109	125, 133	126, 127, 129
assoc-telic.patient, 109	const type, 118, 122, 130,	DEran:qual, 110, 118, 124,
att, 104	133	129
attr, 104–106	CONST:apart, 108	DERan:qual ARG, 112,
avobj, 105, 106	CONST:elab, 108, 109	113
arooj, 100, 100	CONST:exem, 108	DERan:qual OTHER, 113,
ben, 26	CONST:rest, 105, 107, 108	121, 126, 132
5611, 20	331,01,100, 103, 107, 100	121, 120, 132

DED LOTTING	1	
DERan:qualOTHER, 26	about, 114, 115,	134
DERan:rel DERav	126, 127	DERnv DERva:act, 112,
DERvn:core,	DERna:rel.norm, 110-	114
111, 113, 125,	115, 118, 125-	DERnv DERva:pas.epi,
126	127, 129	112–114, 126,
DERav, 29, 110, 112, 123,	DERna:rel.norm about,	127
124, 134	113, 114, 119,	DERnv DERvn:core, 112,
DERav DERva:patient,	125, 127, 131	114
110, 113, 124,	DERna:rel.norm arg, 111,	DERnv DERvn:patient,
126	114, 125, 127	110, 114, 124,
DERav DERvn:patient,	DERna:rel.norm DE-	127
110, 113, 124,	NOM:rel.place,	DERnv inst, 115, 118, 127,
126	114, 126, 127	130
DERav TRANS]g, 112,	DERna:rel.norm DER:aa,	DERnv NEG:priv, 110,
113	114, 126	114, 124, 127
DERav]g, 112, 113	DERna:rel.norm	DERnv NEG:priv
DERna:deono.loc, 113,	DERnn:assoc,	DERvn:patient,
114, 126	114, 126	114, 116, 127,
DERna:deono.pers, 113,	DERna:rel.norm func,	128
122, 126, 133	114, 115, 127	DERnv PRE:other, 110,
DERna:deono.pers	DERna:rel.norm	115, 124, 127
MOD:qual, 113,	MOD:qual, 111,	DERnv PRE:other
114, 126	114, 118, 125,	DERvn:agent,
DERna:disp, 110, 112-	126, 130	110, 115, 124,
114, 124–126	DERna:resem, 112, 114	127
DERna:other, 111, 112,	DERna:telic, 46, 112-114,	DERnv SPACE:loc, 115,
122, 125, 133	126, 127	118, 127, 130
DERna:other DERvn:patient,	DERnn:agent, 110, 112,	DERnv TELIC
113, 116, 126,	114, 124, 126	DERvn:core,
128	DERnn:agent func, 114,	112, 115
DERna:poss, 110–113,	118, 127, 130	DERnvDERva:pas.epi, 46
125, 126	DERnn:assoc, 110, 112-	DERva, 110, 115, 124, 127
DERna:rel, 45, 46, 111-	115, 124, 125,	DERva:act, 110–112, 115,
114, 125, 126	127	117, 118, 122,
DErna:rel, 111, 118, 125,	DERnn:assoc DERna:rel,	124, 125, 127,
129	114, 126, 127	129, 133
DERna:rel DERan:qual,	DERnn:assoc MOD:quant,	DERva:act DERvn:core,
114, 126	114, 117, 127,	112, 115
DErna:rel PRE:other, 114,	129	DERva:act PRE:other,
118, 126, 130	DERnn:deono.loc, 114,	112, 115
DERna:rel.deono.loc,	126, 127	DERva:act.epi, 112, 115
110, 112–114,	DERnn:loc, 110, 112, 114,	DERva:act.epi, 112, 113 DERva:act.epi GOAL,
124, 126, 127	124, 127	114, 115, 127
DERna:rel.deono.pers,	DERnn:other, 110, 112,	DERva:deono.pers
•		PRE:other, 114,
112, 114	114, 124, 127	
DERna:rel.deono.pers	DERnn:other SOURCE,	115, 126, 127 DEPyropagani 110, 112
about, 113, 114,	114, 121, 127,	DERva:pas.epi, 110, 112,
DEProved doors now	133	115, 124, 127
DERna:rel.deono.pers	DERnv, 33, 110–112, 120–	DERva:pas.part, 110–115,
DERna:rel.norm	125, 131, 133,	117, 118, 124–

405 400 400	444 445 405	DED OTHER 440
127, 129, 130	111, 115, 125,	DERvn:core OTHER, 113,
DErva:pas.part, 112, 118	128	116, 126, 128
DERva:pas.part	DERvn:core DERnn:agent,	DERvn:core PRE:other,
PRE:other, 115,	110, 115, 124,	116, 121, 128,
118, 119, 127,	128	132
130	DERvn:core DOBJ.patient,	DERvn:core SPACE:source,
DERva:pas.part TRANS,	115, 121, 128,	112, 116
112, 115	132	DERvn:core SUBJ.agent,
DERva:rel, 111, 115, 125,	DERvn:core dobj.patient,	116, 121, 128,
127	116, 117, 128,	133
DERvn, 112, 115	129	DERvn:core subj.agent,
DERvn PRE:other, 115,	DERvn:core dobj.recip	116, 128, 129
116, 127, 128	DERvn:core,	DERvn:core TELIC, 112,
DERvn.core, 110, 115,	116, 117, 128,	114, 116, 119,
124, 127	129	127-129, 131
DERvn:agent, 110–112,	DERvn:core eval, 110,	DERvn:core TRANS, 111,
115–117, 120,	116, 117, 125,	112, 116, 125,
124, 125, 127-	128, 129	128
129, 131	DERvn:core func, 112,	DERvn:coreDOBJ.patient,
DERvn:agent agent DE-	116, 117, 128,	78
Ran:qual, 115,	129	DERvn:exper, 110, 115,
117, 127, 129	DERvn:core IOBJ.exper,	116, 124, 127,
	115, 117, 128,	110, 124, 127,
DERvn:agent arg, 111,	113, 117, 128,	
115, 125, 127		DERvn:inst, 110, 111, 116,
DERvn:agent DERnn:assoc,	DERvn:core iobj.recipient,	124, 125, 128
112, 115	116, 117, 128,	DERvn:loc, 110, 112, 117,
DERvn:agent DOBJ.patient,	129	124, 129
115, 116, 127,	DERvn:core LOC:dir,	DERvn:loc LOC:loc, 116,
128	112, 115, 120,	118, 128, 130
DERvn:agent dobj.patient,	128, 131	DERvn:locLOC:loc, 39
112, 115, 125,	DERvn:core LOC:dir	DERvn:other, 110–112,
127	subj.agent func,	116, 124, 125,
DERvn:agent LOC:loc,	111, 116, 125,	128, 129
112, 115	128	DERvn:other ABOUT,
DERvn:agent OTHER,	DERvn:core LOC:loc,	116, 128, 129
112, 115, 116,	112, 115, 116,	DERvn:other CONST,
127, 128	127, 128	115, 117, 127,
DERvn:agent ns, 110, 115,	DERvn:core MOD:eval,	129
124, 127	113, 116, 126,	DERvn:other DERna:rel,
DERvn:core, 56, 110–120,	128	110, 117, 124,
124-127, 129-	DERvn:core MOD:qual,	129
132	112, 116, 119,	DERvn:other GOAL, 116,
DErvn:core, 110, 118, 124,	128, 131	117, 128, 129
130	DERvn:core MOD:qual],	DERvn:other MOD:qual,
DERvn:core agent, 116,	116, 122, 128,	116, 117, 128,
118, 128, 130	134	129
DERvn:core arg, 116, 118,	DERvn:core MOD:quant,	DERvn:other TELIC, 112,
128, 130	112, 116	117
DERvn:core AS-	DERvn:core NEG:rev	DERvn:other]s
PEC:TRANS,	TELIC, 112, 116	pobj.other, 117,
1 LC-110 1110,	1111C, 112, 110	pobj.omci, 117,

122, 129, 134	110, 112, 117,	Ran:qual
DERvn:pas.part, 110, 117,	119, 124, 129,	DERvn:loc, 118,
124, 129	131	122, 130, 133
DERvn:patient, 110–112,	DERvn:patient TELIC]n	dobj.patient DERan:qual,
115, 116, 124,	GOAL, 117, 122,	118, 122, 130,
125, 128, 129	129, 133	133
DErvn:patient, 110, 118,	DERvn:patient TRANS,	dobj.patient DERvn:core,
124, 130	112, 117	111, 117, 122,
DERvn:patient ABOUT,	DERvn:recip, 110, 117,	125, 129, 133
117, 121, 129,	118, 124, 129,	dobj.patient DERvn:patient,
133	130	112, 122, 125,
DERvn:patient about	DERvn:recip TELIC, 117,	133
DERvn:core,	119, 129, 131	DOBJ.patient FORM, 112,
117, 120, 129,	DERvv, 112, 117, 119, 129,	118
131	131	DOBJ.patient]l, 118, 122,
DERvn:patient AGENT,	DESCR:eval, 55	130, 133
117, 120, 129,	DESCR:qual, 55	dur, 8, 11, 33, 83
132	DEVERB, 48	, , , ,
DERvn:patient ARG, 117,	DEVERB:act.disp, 42	elab, 105–107
123, 129, 134	DEVERB:act.poten, 43	ELAB:spec,ELAB:exp,CONST:elab,
DERvn:patient ARG]m,	DEVERB:act.pure, 42	54
117, 123, 129,	DEVERB:act:pure, 112,	elaboration, 32
134	117	epi, 105, 106
DERvn:patient	DEVERB:pas, 43	epistemic, 30
DOBJ.patient,	DEVERB:pas.deon, 43	EVAL, 30, 118, 122, 130,
116, 117, 128,	DEVERB:pas.part, 43	133
129	DEVERB:pas.poten, 43	eval, 105–107, 118, 119,
DERvn:patient func	DEVERB:rel.norm, 110,	122, 130, 131,
DERvn:agent,	118, 124, 129	133
112, 117		evalatt, 30
	DEVERV:act.pure, 112, 118	evaluation, 30
DERvn:patient GOAL,	DIMENSION, 4	event, 105, 106
116, 117, 122,	•	ex, 28, 105, 106
128, 129, 133	dir, 105, 106	exem, 105, 106
DERvn:patient	DIREC, 108, 109	exemplification, 28
iobj.recipient,	DISC* hyperpage, 82	experiencer, 107
115, 117, 128,	DISCFUNC, 50	expl, 104, 105
129	discmark, 105, 106	ext, 8, 11, 33, 83
DERvn:patient LOC:loc,	DISCOURSE, 5, 49	
110, 117, 124,	discoursemarker, 30	FEATURE, 6
129	DISJ:dir, 108, 109	focal, 105, 106
DERvn:patient	DISJ:prg, 55	focalizator, 31
MOD:eval, 116,	dobj, 105, 106	FORM, 33, 78, 110–112,
117, 128, 129	DOBJ.patient, 112, 115,	118, 121–125,
DERvn:patient OTHER,	117, 118, 122,	130, 132–135
114, 117, 127,	127, 129, 130,	form, 107, 118, 122, 130,
129	133	133
DERvn:patient	dobj.patient, 56, 110, 118,	FORMAL:descr, 108
PRE:other, 117,	122, 125, 130,	FORMAL:eval, 108
120, 129, 131	133	fpredo, 105, 106
DERvn:patient TELIC,	dobj.patient arg DE-	fpreds, 105, 106

	_	
fsrc, 9	func NEG:contr, 112, 122	inst, 105, 106, 110, 111,
FUNC, 118, 123, 130, 134	func time, 112, 123, 125,	123–125, 134
func, 54, 107, 110–113,	134	iobj, 105, 106
118–120, 122,	func time func	ITER, 110, 112, 119, 124,
124–126, 130,	DERnn:other,	131
131, 133	118, 123, 130,	iter, 105, 106
func about, 116, 122, 128,	134	
134	func.dobj, 112, 118, 123,	JOINT, 107, 108
func arg DERvn:patient,	130, 134	JUSTCONSOL: just, 51
112, 123, 125,	func.dobj DERvn:core	
134	TELIC, 119, 123,	LANDING, 7
func const DERvn:core,	131, 134	lobj, 10
118, 123, 130,	func.iobj MOD:qual, 120,	LOC, 39, 116, 118, 121-
134	123, 131, 134	123, 128, 130,
func DERan:qual, 118,	FUNC]FUNC, 118, 122,	132-134
122, 130, 133	130, 133	loc, 105-107, 110, 112,
func DERav, 118, 122,	fuzzy, 79	118, 123, 124,
130, 133		130, 134
func DERnn:capac, 112,	GAP, 20	loc MOD:qual, 118, 123,
122	GAPPING, 20	130, 134
func DERvn:agent, 117,	GOAL, 26, 30, 33, 78,	LOC:dir, 39, 110–112, 119,
118, 122, 129,	110, 112, 114,	120, 125, 131,
130, 133	116, 118, 121-	132
func DERvn:agent agent	124, 127, 128,	LOC:dir DERav, 118, 121,
DERan:qual,	130, 132–135	130, 132
117, 122, 129,	GOAl, 118, 122, 130, 133	LOC:loc, 110, 112, 115,
134	goal, 105–107, 121, 123,	118–120, 124,
func DERvn:agent	133, 134	127, 130, 131
DERnv, 112, 122	GOAL SOURCE, 118,	LOC:loc DERny, 115, 118,
func DERvn:agent	119, 130	127, 130
LOC:loc, 119,	GOAL SUBJ.agent, 112,	LOC:loc DERvn:core,
122, 131, 133	118	112, 118
2 555	GOAL]k, 118, 122, 130,	LOC:loc LOC:loc, 118,
	133	
118, 120, 122,	GOAL]m, 118, 122, 130,	120, 130, 131
130, 132, 134	133	LOC:pos, 39
func DERvn:core TELIC,	GOAL]t, 118, 123, 130,	LOC:proce, 40
120, 122, 132,	134	location, 107
134		105 104
func DERvn:loc, 118, 122,	hab, 33	man, 105, 106
130, 134		MOD:cuant+GRAD:size,
func DERvn:patient	IDEN, 118, 122, 123, 130,	39
DERvn:core,	133, 134	MOD:eval, 56, 109, 110,
118, 122, 130,	iden, 107, 111, 112, 118,	112, 116, 118,
134	123, 125, 130,	124, 125, 128,
func func, 112, 123	134	130
func iden, 118, 123, 130,	iden DERnn:assoc	MOD:eval LOC:dir, 118,
134	DERvn:agent,	120, 130, 132
func loc, 118, 123, 130, 134	111, 123, 125,	MOD:eval]b, 30, 118, 122,
func MOD:qual, 118, 122,	134	130, 133
130, 134	IDEN]k, 118, 122, 130, 133	MOD:man, 38

MOD:qual, 33, 54, 56, 78,	121, 131, 132	poss about DERvn:agent
110–113, 115,	NEG:rev, 56, 110, 112,	TELIC, 117, 123,
118, 120, 122-	119, 125, 131	129, 134
127, 130, 131,	NEG:rev TRANS, 119,	poss DERvn:core, 112,
133, 134	131	123
MOD:qual arg, 118, 119,	nobj, 104–106, 108	poss type, 112, 123
130	NOPRED, 46	possd, 104, 105
MOD:qual DERna:rel.norm,	NOPRED:agent, 46	pragmatic, 30
113, 118, 125,	NOPRED:capac, 47	PRE:other, 39, 56, 78,
130	NOPRED:cont, 47	110-114, 116-
MOD:qual DERva:act,	NOPRED:core, 112, 119	122, 125–133
115, 119, 127,	NOPRED:loc, 47	PRE:other ARG, 119, 122,
130	NOPRED:other, 47	131, 133
MOD:qual DERvn:core,	NOPRED:result, 47	PRE:other DERva:pas.part,
112, 119	NOPRED:script, 47	110, 117, 119,
MOD:qual DERvn:recip,	NOPRED:set, 47	120, 124, 125,
119, 121, 130,	NOPRED:temp, 47	129, 131, 132
132	nowincludesabolishedTIME:dur,	PRE:other DERvn:patient,
MOD:qual poss	56	110, 116, 119,
DERvn:agent,	nowincludescoref-	124, 128, 131
119, 130, 131	res.cause, 60	PRE:other DOBJ.patient,
MOD:qual+MOD:rel+GRAD:qu	_{Ia} ļņuma, 105	119, 123, 131,
38	numm, 104	134
MOD:quant, 110, 112,	ONTHOLOGY (a)	PRE:other MOD:qual,
113, 119, 124-	ONTOLOGY, 6, 84	119, 124, 131,
126, 130, 131	OTHER, 29, 30, 78, 110-	135
MOD:quant DERvn:core	112, 114, 115,	PRE:other]g, 111, 119,
TELIC, 119, 130,	118, 121–127,	125, 131
131	130, 132–135	PRE:other]t, 111, 119,
MOD:quant]l, 110, 119,	other, 105–107, 111–113,	125, 131
124, 130	118, 123, 125,	PRE:otherDERva:pas.part,
MORPHOLOGY, 6, 35	130, 134	56
	OTHER FUNC, 119, 122,	prec, 8, 11, 83
name, 105	131, 133	PRED:agentPRED:inst,
namef, 104	OTHER MOD:eval, 119,	44
namel, 104	130, 131	PRED:Core, 112, 119
neg, 105	OTHER OTHER, 119,	PRED:core, 44
NEG:contr, 56, 109, 110,	124, 131, 135	PRED:exper, 44
112, 124, 125	part, 105, 106	PRED:loc, 44
NEG:contr DERvn:core,	patient, 107	PRED:other, 44
112, 119	pnct, 104, 105	PRED:recip, 45
NEG:oppo, 39	pobj, 105, 106	PRED:result, 44
NEG:priv, 56, 109, 110,	pobj:dobj DERvn:core,	PRED:reult, 112, 119
112, 124, 125	117, 123, 129,	PREDDEVERBN, 44
NEG:priv DERna:rel.norm,	134	predo, 105, 106
112, 119	POS:dir, 119, 131	preds, 104–106
NEG:priv DERvn:core,	poss, 15, 39, 107, 111–113,	prg, 105, 106
117, 119, 129,	118, 120, 123,	prgcondpcondbgstruct,
131	125, 126, 130,	31
NEG:priv TIME:pre, 119,	131, 134	PRIM/(CONNECTOR) hyperpage,
F 12	-52, 202	and the state of t

SPACE-dir, 39, 111, 112, 113, 120, 121, 121, 121, 123, 124, 125, 126, 125, 131			
PRIMARY, 8 SPACE:dir DERvn:patient, 115, 120, 128, 121, 131, 133 QUAL, 45 QUANT, 110, 112, 113, 119, 122, 124, 126, 130, 131, 133 SPACE:loc AMG, 120, 123, 119, 122, 124, 126, 130, 131, 133 SPACE:loc MOD:qual, quant, 105-107 quantification, 32 recipient, 107 ref, 109 ref, 109 ref, 109 ref, 105, 106 RELATION, 7 relation, 3 releibab, 106 relp, 24 relpa, 106 relp, 24 respan 105-107, 119, 122, 123, 131, 133, SPACE:sourceDERva:pas.part, relpa, 106 relp, 24 respan 105-107, 119, 123, 134 resem DERva:pas.part, 112, 123 resem DERva:pas.part, 112, 123 resem DERva:pas.part, 112, 123 resem DERva:pas.part, 112, 123 respan DERva:pas.part, 113, 134 respan DERva:pas.part, 114, 120 re	83	SPACE:dir, 39, 111, 112,	TELIC DERva:pas.part,
115, 120, 128, 131, 133 131 131 131 131 131 132 132 131 131 131 131 132 132 131 133 131 131 133 131 133 131 133 131 133 131 133 131 133 131 133 131 131 131 131 132 133 133 133 133 133 133 133 133 133 133 133 133 133 133 133 134 132 134 132 133 133 134	PRIM/CONNECTOR, 82	120, 125, 131	111, 113, 120,
QUAL, 45 SPACE:loc, 112, 118, 120, 121, 132, 133, 131 TELIC DERvn:agent CAUSE, 120, 123, 130, 131 TELIC DERvn:agent CAUSE, 120, 123, 121, 132, 133 TELIC DERvn:core, 112, 121, 132, 133 TELIC DERvn:core, 112, 131, 134 TELIC DERvn:core, 112, 131, 134 TELIC DERvn:core, 112, 132, 133 TELIC DERvn:core, 112, 132, 133 TELIC DERvn:core, 112, 132, 133, 134 TELIC DERvn:core, 112, 132, 132, 134 TELIC DERvn:core, 112, 132, 132, 132, 131 TELIC DERvn:core, 112, 132, 132, 132, 132, 132, 133, 132, 134 TELIC DERvn:core, 112, 132, 132, 134 TELIC DERvn:core, 112, 132, 132, 132, 132, 131, 133, 134 TELIC DERvn:core, 112, 132, 132, 132, 132, 132, 131, 133, 134 TELIC DERvn:core, 112, 132, 132, 132, 132, 132, 132, 132	PRIMARY, 8	SPACE:dir DERvn:patient,	122, 125, 126,
QUAL, 45 QUANT, 110, 112, 113, 130, 131 119, 122, 124, 126, 130, 131, 134 119, 122, 124, 133 quant, 105-107 quantification, 32 reas, 26 reason, 53 recipient, 107 ref, 109 rel, 105, 106 relp, 24 relpa, 106 relp, 24 resem, 105-107, 119, 123, 134 resem DERva:pas.part, 112, 123 resem DERva:pas.part, 112, 120, 123, 131, 134 resem DERva:pas.part, 112, 120, 123, 131, 134 resem DERva:pas.part, 112, 120, 123, 131, 134 resem DERva:pas.part, 112, 123 resem DERva:pas.part, 112, 120, 123, 131, 134 resem DERva:pas.part, 112, 120, 123, 132, 134 resem DERva:pas.part, 112, 120, 123, 131, 134 resem DERva:pas.part, 112, 120, 123, 132, 134 resem DERva:pas.part, 122, 123, 131, 134 resem DERva:pas.part, 122, 123, 134 resem DERva:pas.part, 124, 125, 132 resem DERva:pas.part, 125, 132 resem DERva:p	• .	115, 120, 128,	131, 133
QUANT, 110, 112, 113, 119, 122, 124, 126, 130, 131 121, 132, 133 131, 134 119, 122, 124, 126, 130, 131, 131, 134 119, 120, 131, 133 131, 133 132, 134 119, 120, 131, 133 131, 133 132, 134 119, 120, 131, 134 119, 120, 131, 134 119, 120, 131, 132 132 133 131, 131, 134 119, 120, 131, 134 110, 112, 120, 125, 131 110, 112, 120, 126, 126, 130, 131, 134 120, 126, 126, 130, 131, 134 120, 126, 136, 131, 134 120, 126, 126, 130, 131, 134 120, 126, 126, 130, 131, 134 120, 126, 127, 129, 132, 131, 134 120, 126, 127, 129, 132, 131, 134 120, 126, 127, 129, 132, 131, 134 120, 126, 127, 129, 132, 131, 134 120, 126, 131, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 123, 131, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 132, 134 120, 120, 121, 134 120, 120, 121, 134 120, 120, 121, 134 120, 120, 121, 134 120, 120, 121, 134 132 124, 134 132 132 134 134 132 134 132 134 134 132 134 134 135 135 134 135 135 134 135 135 135 135 135 135 135 135 135 135	÷ •	131	TELIC DERvn:agent
119, 122, 124, 126, 130, 131, 131, 134 119, 120, 131, 134 119, 120, 131, 132 133 134 132 133 134 132 132 132 132 132 132 132 132 132 132 132 133 134 132 132 132 132 132 132 132 132 132 132 132 132 132 132 132 132 133 134 132 132 132 132 132 132 132 132 132 133 134 132 132 132 132 132		SPACE:loc, 112, 118, 120,	CAUSE, 120,
126, 130, 131, 133	• •	130, 131	121, 132, 133
SPACE MOD:qual 132 132 132 131	119, 122, 124,	SPACE:loc ARG, 120, 123,	TELIC DERvn:core, 112,
quant, 105–107 quantification, 32 reas, 26 reason, 53 recipient, 107 ref, 109 rel, 105, 106 RELATION, 7 relation, 3 relelab, 106 relp, 24 relpa, 106 relp, 124 resem, 105–107, 119, 123, 131, 134 resem DERva:pas.part, 123, 131, 134 resem DERva:pas.part, 123, 131, 134 resem DERva:pas.part, 121, 120, 129, 131, 132 resem DERva:pas.part, 121, 123, 131, 134 resem DERva:pas.part, 121, 123, 124 resem DERva:pas.part, 124, 125, 125 resem DERva:pas.part, 125, 131, 134	126, 130, 131,	131, 134	119, 120, 131,
quantification, 32	133	SPACE:loc MOD:qual,	132
quantification, 32 reas, 26 reas, 26 reason, 53 recipient, 107 ref, 109 rel, 105, 106 RELATION, 7 relation, 3 relelab, 106 relp, 24 relpa, 106 relr, 105, 106 RESEM, 30, 32, 119, 122, 123, 131 resem DERvarpas.part, 134 resem DERvarpas.part, 131 resem DERvarpas.part, 132 resem DERvarpas.part, 133 resem DERvarpas.part, 134 resem DERvarpas.part, 135 resem DERvarpas.part, 131, 134 resem DERvarpas.part, 131, 134 resem DERvarpas.part, 131, 134 resem DERvarpas.part, 131, 132, 134 resem DERvarpas.part, 1	-	118, 120, 130,	TELIC DERvn:patient,
reason, 53	quantification, 32	131	-
reason, 53		SPACE:source, 39, 56,	
resipent, 107 ref, 109 rel, 105, 106 RELATION, 7 relation, 3 relelab, 106 relp, 24 relpa, 106 rell, 105, 106 RESEM, 30, 32, 119, 122, 123, 131 resem, 105–107, 119, 123, 121, 122, 122 resem DERvapas.part, 112, 123 robj, 105, 106 SEONDARY, 9 SEMROLE, 12, 14, 15, 19 SOURCE, 26, 32, 78, 110, 120, 123, 131, 134 source, 105–107, 112, 113, 120, 125, 131 SPACE.sourceDERvapas.part, 120, 123, 131, 134 scource, 105–106 SPECterm DERvn.core, 112, 123, 124, 124, 125, 132 resem DERvapas.part, 122, 123 robj, 105–106 SECONDARY, 9 SEMROLE, 12, 14, 15, 19 SOURCE, 26, 32, 78, 110, 112, 120, 123, 112, 120–124, 131–134 SOURCE, 105–107, 112, 113, 120, 124, 113, 134 SUBJ.agent, 12, 120, 123, 134 SUBJ.agent, 112, 120, 123, 134 SUBJ.agent, 111, 120, 120, 123, 132 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 111, 120, 120, 123, 132 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 111, 120, 120, 123, 132 SUBJ.agent, 111, 120, 121, 131, 134 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 111, 120, 121, 131, 134 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 121, 131, 134 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 121, 131, 134 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 123, 131 SUBJ.agent, 111, 120, 123, 132 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 111, 120, 123, 1			
ref, 109 ref, 109 rel, 105, 106 RELATION, 7 relation, 3 relelab, 106 relp, 24 relp, 105, 106 RESEM, 30, 32, 119, 122, 123, 131, 134 resem DERva:pas.part, 102, 125, 132 resem DERva:pas.part, 121, 123 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 121, 123 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 121, 123 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 132 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 132 resem DERva:pas.part, 132 resem DERva:pas.part, 132 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 132 resem DERva:pas.part, 132 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 132 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 132 re			•
rel, 105, 106 rel, 105, 106 RELATION, 7 relation, 3 relelab, 106 relp, 24 relpa, 106 relr, 105, 106 RESEM, 30, 32, 119, 122, 123, 134 resem DERva:pas.part, 105, 107, 119, 123, 121, 122, 123 resem DERva:pas.part, 105, 106 resem, 105-107, 119, 123, 124, 112, 123 resem DERva:pas.part, 105, 106 resem, 105-107, 119, 123, 124, 125, 131, 134 resem DERva:pas.part, 112, 123 resem DERva:pas.part, 112, 120, 123, 131 resem DERva:pas.part, 112, 120, 123, 132 resem DERva:pas.part, 112, 120, 123, 134 resem DERva:pas.part, 112, 120, 123, 132 resem DERva:pas.part, 131, 134 resem DERva:pas.part, 132 resem DERva:pas.part, 132 resem DERva:pas.part, 131, 134	-		
RELATION, 7 relation, 3 relelab, 106 relp, 24 relpa, 106 relr, 105, 106 RESEM, 30, 32, 119, 122, 123, 131 resem, 105–107, 119, 123, 131, 134 resem DERva-pas.part, 121, 123 resem DERvn:other, 112, 123 resem DERvn:other, 112, 123 resem DERvn:other, 112, 123 resem DERvn:other, 112, 123 resem, 105, 106 SCENE, 107, 108 SC			
relation, 3 reletab, 106 relp, 24 relpa, 106 relp, 25 relpa, 106 relp, 26 relp, 27 relpa, 106 relp, 105, 106 RESEM, 30, 32, 119, 122, 123, 131, 133, 134 resem 105-107, 119, 123, 124, 112, 123 resem DERvn:other, 112, 123 resem DERvn:other, 112, 123 robj, 105, 106 SCENE, 107, 108 SCENE, 107, 109 SCENE, 107, 108 SCENE, 107, 109 SCENE, 107, 109 SCENE, 107, 109 SCENE,			-
relation, 3 relelab, 106 relp, 24 relpa, 106 relp, 24 relpa, 106 relr, 105, 106 RESEM, 30, 32, 119, 122, 123, 131, 133, 134 resem, 105-107, 119, 123, 124, 112, 123 resem DERvn:other, 112, 123 robj, 105, 106 SCENE, 107, 108 SCENE, 107, 108 SCENE, 105, 106 SUBJ.agent, 121, 123, 134 SUBJ.agent, 112, 120, 123, 132 robj, 105, 106 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 112, 123, 134 resem DERvn:other, 112, 123 robj, 105, 106 SUBJ.agent, 112, 120, 123, 134 SUBJ.agent, 112, 120, 123, 132 robj, 105, 106 SUBJ.agent, 111, 120, 123, 134 SUBJ.agent, 112, 120, 123, 134 resem DERvn:other, 112, 125, 131, 134 resem DERvn:other, 112, 125, 131, 134 robj, 105, 106 SUBJ.agent, 112, 120, 123, 131, 132 SCENE, 107, 108 SCENE, 107, 108 SCENE, 107, 108 SCENE, 107, 108 SEMROLE, 12, 14, 15, 19 SUBJ.agent, 112, 120, 123, 131, 120, 130, 132 SEMANTICS, 6, 70 SUBJ.agent, 112, 120, 123, 131 SEMROLE, 12, 14, 15, 19 SUBJ.agent, 112, 120, 123, 131 SUBJ.agent, 112, 120, 123, 132 SUBJ.agent, 112, 120, 123, 131 SUBJ.agent, 113, 134 SUBJ.agent, 113, 120, 123, 132 SUBJ.agent, 113, 134 SUBJ.agent, 133, 134 SUBJ.agent, 113, 134 SUBJ.agent, 113, 134 SUBJ.agent, 12, 120, 123, 132 SUBJ.agent, 113, 134 SUBJ.agent, 124, 120, 123,			
relab, 106 relp, 24 relpa, 106 relp, 105, 106 RESEM, 30, 32, 119, 122,			
relp, 24 relpa, 106 relr, 105, 106 RESEM, 30, 32, 119, 122,		1 1	_
relr, 105, 106 relr, 105, 106 RESEM, 30, 32, 119, 122,	-		
RESEM, 30, 32, 119, 122, 123, 131, 133, 134 TELIC]g, 113, 120, 126, 123, 131, 133, 134 STRUCT:rep, 49 TELIC]g DERvn:core, 131, 134 SUBJ.agent, 26, 110, 120, 132 TELIC]k DERva.pas.part, 112, 123 subj.agent, 112, 120, 123, 132 TELIC]k DERva.pas.part, 112, 123 subj.agent DERvn:patient, 123 subj.agent DERvn:patient, 124 secene, 105, 106 SUBJ.agent]l, 111, 120, 123, 134 TELIC]k DERva.pas.part, 120, 123, 131, TELIC]k DERva.pas.part, 120, 123, 131, TELIC]k DERva.pas.part, 123 subj.agent DERvn:patient, 124 secene, 105, 106 SUBJ.agent]l, 111, 120, 125, 131 SEMANTICS, 6, 70 SUBJ.agent]l, 111, 120, 123, 132 TELIC]l DERvn:patient, 120, 123, 132 TELIC]l DERvn:patient, 131-134 SUPPORT?, 50 TELIC]l DERvn:patient, 131-134 SUPPORT?, 50 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TELIC]l DERvn:patient 132, 134 TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 TELIC]l GOAL, 120, 122, 123 133 TELIC]l GOAL, 120, 121, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 120, 123, 124, 125, 132 TELIC]l DERvn:patient, 120, 123, 124, 125, 132 TELIC]l DERvn:patient, 120, 123, 124, 125, 132 TELIC]l GOAL, 120, 122, 123 133 TELIC]l GOAL, 120, 122, 123 133 TELIC]l GOAL, 120, 122, 123 133 TELIC]l DERvn:patient, 120, 121, 120 TELIC]l DERvn:patient, 120, 122, 123 TELIC]l DERvn:patient, 120, 122, 123 TELIC]l DERvn:patient, 120, 122, 123 TELIC]l DERvn:patient, 120, 123, 124, 125, 125	-		•
STRUCT:prepPREP, 49 132 133, 131, 133, 133, 134 resem, 105–107, 119, 123, 131, 134 resem DERva:pas.part, 112, 123, 124, 120, 123, 132 resem DERvn:other, 112, 123, 124, 125, 131, 134 robj, 105, 106 SCENE, 107, 108 SCENE, 105, 106 SUBJ.agent, 111, 120, 120, 121, 120, 123, 132 SCENE, 105, 106 SUBJ.agent, 111, 120, 120, 123, 131, 132 SCENE, 105, 106 SUBJ.agent, 111, 120, 120, 123, 131 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, 131 SEMROLE, 12, 14, 15, 19 SOURCE, 26, 32, 78, 110, 131, 134 SOURCE, 26, 32, 78, 110, 131, 134 SUBJ.agent, 120, 123, 131 SUBJ.agent, 111, 120, 120, 123, 132 TELIC]I DERvn:patient, 120, 123, 132 TELIC]I DERvn:patient, 131–134 SUPPORT?, 50 TIME:MC, 120, 124, 135, 132 TELIC]I DERvn:patient, 131–134 SUPPORT?, 50 TIME:MC, 120, 122, 122, 126, 130, 131, 124, 132 TELIC]I GOAL, 120, 122, 123, 132, 134 TELIC]I GOAL, 120, 122, 123, 134 TELIC]I GOAL, 120, 122, 123			•
TELIC]g DERVn:core, subj. 104–106, 108 117, 120, 129, 131, 134 121, 123, 124, 123, 124, 110, 120, 125, 123 123 124 110, 120, 125, 131, 134 123 124 125, 131, 134 132 132 132 132 132 132 134 134 132 132 134 134 132 134 134 132 134 134 132 134 134 132 134 135 134 134 132 134 134 132 134 134 132 134 134 132 134 134 132 134 134 132 134 134 132 134 134 135 134 135 135 135 135 135 135 135 135 135 135	RESEM, 30, 32, 119, 122,		
resem, 105–107, 119, 123,	123, 131, 133,		
SUBJ.agent, 26, 110, 120, 132 131, 134 112, 123 124, 110, 120, 125, 132 132, 134 110, 120, 125, 132 132 132 132 132 132 132 132 132 132 132 132 133 132 134 110, 120, 125, 132 132 132 132 132 133 132 132 132 133 132 132 133 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 132 134 134 134 135 134 135 134 135 134 135	134	*	-0
resem DERva:pas.part, 1121, 123, 124, 110, 120, 125, 112, 123 subj.agent, 112, 120, 123, 132 subj.agent, 112, 120, 123, 132 subj.agent, 112, 120, 123, 132 subj.agent DERvn:patient, 123 subj.agent DERvn:patient, 124, 125, 131, 134 subj.agent DERvn:patient, 126, 120, 123, 131, 12LIC]kDERva.pas.part, 120, 123, 131, 134 scene, 105, 106 subj.agent DERvn:patient, 120, 123, 131, 12LIC]l, 56, 110, 120, 125, 132 scene, 105, 106 sUBJ.agent]l, 111, 120, 121, 120, 120, 130, 132 semANTICS, 6, 70 subj.agent]l, 111, 120, 123, 120, 130, 132 semANTICS, 6, 70 subj.agent]l, 131, 134 subj.agent]l, 120, 123, 131, 134 subj.agent]l, 131, 134 subj.agent]l, 131, 134 subj.agent]l, 131, 134 subj.agent]l, 120, 120, 124, 120, 120, 124, 120, 120, 124, 120, 120, 120, 120, 120, 120, 120, 120	resem, 105–107, 119, 123,	-	
resem DERva:pas.part, 112, 123 subj.agent, 112, 120, 123, 132 subj.agent, 112, 120, 123, 132 TELIC]kDERva.pas.part, 56 120, 123, 131, 132, 134 132 scene, 105, 106 SUBJ.agent]l, 111, 120, 121, 132 scene, 105, 106 SUBJ.agent]l, 111, 120, TELIC]l DERva:act, 118, SECONDARY, 9 125, 131 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC]l DERvn:patient, SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 TELIC]l DERvn:patient 131–134 SUPPORT?, 50 TIME:MC, 120, source, 105–107, 112, 113, SYNTAX, 6, 10 124, 132, 135 TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 TELIC]l GOAL, 120, 122, 123 source DERan:qual, 112, 124–126, 131–125, 132 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, TELIC]n DERvn:patient, 120, 123, 123 TELIC]n DERvn:patient, 120, 123, 123 TELIC]n DERvn:patient, 120, 123, 124–126, 131–125, 132 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 120, 121, 122, 123 TELIC]n DERvn:patient, 120, 123, 123 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 125, 132 TELIC]n DERvn:patient, 120, 123, 124, 124, 125, 125, 125 TELIC]n DERvn:patient, 125, 126, 127, 129, 121, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 125, 125, 125 TELIC]n DERvn:patient, 125, 126, 127, 129, 121, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 125, 125, 125 TELIC]n DERvn:patient, 125, 126, 127, 127, 120, TELIC]n DERvn:patient, 125, 126, 127, 127, 120, TELIC]n DERvn:patient, 121, 122, 123 TELIC]n DERvn:patient, 125, 126, 127, 127, 120, TELIC]n DERvn:patient, 125, 126, 127, 127, 127, 127, 120, TELIC]n DERvn:patient, 125, 126, 127, 127, 127, 127, 127, 127, 127, 127	131, 134		
resem DERvn:other, 112, 123, 123, 132 resem DERvn:other, 112, 123, 125, 131, 134 robj, 105, 106 SCENE, 107, 108 scene, 105, 106 SUBJ.agent] , 111, 120, 121, 132 scene, 105, 106 SUBJ.agent] , 111, 120, TELIC] , 56, 110, 120, 125, 132 scene, 105, 106 SUBJ.agent] , 111, 120, TELIC] DERva:act, 118, 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC] DERvn:patient, 120, 130, 132 SEMROLE, 12, 14, 15, 19 SUBJ.patient, 120, 123, TELIC] DERvn:patient, 131, 134 SUPPORT, 50 SUBJ.agent] , 111, 120, 123, TELIC] DERvn:patient, 120, 130, 132 TELIC] DERvn:patient, 120, 120, 124, 120, 120, 120, 120, 120, 120, 120, 120	resem DERva:pas.part,		
Testin DERvirothiel, 112, 123 125, 131, 134 TELIC]kDERva.pas.part, 56 robj, 105, 106 subj.agent DERvn:patient, 120, 123, 131, 134 56 TELIC]l, 56, 110, 120, 125, 125, 131 132 scene, 105, 106 SUBJ.agent]l, 111, 120, 120, 121, 120, 130, 132 TELIC]l DERva:act, 118, 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, 120, 123, 120, 130, 132 TELIC]l DERvn:patient, 120, 120, 124, 120, 120, 124, 120, 120, 124, 132, 134 SOURCE, 26, 32, 78, 110, 112, 120–124, 113, 120–124, 131–134 succ, 8, 11, 83 132 Source, 105–107, 112, 113, 13–134 SUPPORT?, 50 TIME:MC, 120, 120, 120, 120, 120, 120, 122, 126, 130, 131, 120, 123, 135 118, 120, 123, 123, 134 TELIC]l GOAL, 120, 122, 126, 130, 131, 120, 121, 123 132, 134 134 TELIC, 108–113, 119–122, 123 TELIC]m, 39, 111, 120, 125, 132 source DERan:qual, 112, 123, 133 TELIC]m, 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 120, 121, 121, 120			
robj, 105, 106 subj.agent DERvn:patient, 120, 123, 131, TELIC]l, 56, 110, 120, 125, SCENE, 107, 108 134 scene, 105, 106 SUBJ.agent]l, 111, 120, SECONDARY, 9 125, 131 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, SEMROLE, 12, 14, 15, 19 131, 134 SURCE, 26, 32, 78, 110, 112, 120–124, 131–134 SUPPORT?, 50 SUPPORT?, 50 SUPPORT?, 50 TIME:MC, 120, 122, 118, 120, 123, 118, 120, 123, 118, 120, 123, 119–122, 126, 130, 131, TELIC]l GOAL, 120, 122, 126, 130, 131, TELIC, 108–113, 119–122, SOURCE DERan:qual, 112, 123 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient, 56 TELIC]l, 56, 110, 120, 125, 132 TELIC]l DERva:act, 118, 132 TELIC]l DERvn:patient, 130, 124, 132, 135 TELIC]l GOAL, 120, 122, 126, 130, 131, 127 TELIC]l GOAL, 120, 122, TELIC]m, 39, 111, 120, TELIC]n, 112, 120	resem DERvn:other, 112,		
120, 123, 131, TELIC]I, 56, 110, 120, 125, SCENE, 107, 108 134 132 scene, 105, 106 SUBJ.agent]I, 111, 120, TELIC]I DERva:act, 118, SECONDARY, 9 125, 131 120, 123, 131 TELIC]I DERva:act, 118, 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC]I DERvn:patient, SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, 110, 120, 124, 110, 120, 124, 132 SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120–124, super, 3 TELIC]I DERvn:patient 131–134 SUPPORT?, 50 TIME:MC, 120, 120, 124, 132, 135 118, 120, 123, TELIC]I GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 126, 130, 131, tei.2>, 112, 123 132 TELIC]I GOAL, 120, 122, 123 SOurce DERan:qual, 112, 124–126, 131– 125, 132 123 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,	123		
SCENE, 107, 108 134 132 scene, 105, 106 SUBJ.agent]l, 111, 120, TELIC]l DERva:act, 118, SECONDARY, 9 125, 131 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC]l DERvn:patient, SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,	robj, 105, 106		
scene, 105, 106 SUBJ.agent]l, 111, 120, TELIC]l DERva:act, 118, SECONDARY, 9 125, 131 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC]l DERvn:patient, SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			-
SECONDARY, 9 125, 131 120, 130, 132 SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC]l DERvn:patient, SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
SEMANTICS, 6, 70 SUBJ.patient, 120, 123, TELIC]l DERvn:patient, SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,		• -	-
SEMROLE, 12, 14, 15, 19 131, 134 110, 120, 124, SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
SOURCE, 26, 32, 78, 110, succ, 8, 11, 83 132 112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,		- *	-
112, 120-124, super, 3 TELIC]l DERvn:patient 131-134 SUPPORT?, 50 TIME:MC, 120, source, 105-107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
131–134 SUPPORT?, 50 TIME:MC, 120, source, 105–107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]I GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108–113, 119–122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124–126, 131– 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
source, 105–107, 112, 113, SYNTAX, 6, 10 124, 132, 135 118, 120, 123, TELIC]I GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108–113, 119–122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124–126, 131– 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,		_	_
118, 120, 123, TELIC]l GOAL, 120, 122, 126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
126, 130, 131, tei.2>, 112, 123 132, 134 134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,		SYNTAX, 6, 10	
134 TELIC, 108-113, 119-122, TELIC]m, 39, 111, 120, source DERan:qual, 112, 124-126, 131- 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
source DERan:qual, 112, 124–126, 131– 125, 132 123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
123 133 TELIC]n, 112, 120 SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,			
SPACE.dir, 39, 111, 120, TELIC ARG, 117, 120, TELIC]n DERvn:patient,	-		
•			——————————————————————————————————————
125, 131 129, 131 110, 120, 124,			
	125, 131	129, 131	110, 120, 124,

132	132	type DERvn:core, 111,
TELIC]n GOAL, 120, 122,	TIME:prec, 40, 56	118, 119, 124,
132, 134	TIME:succ, 40, 56	125, 130, 131,
TELIC]t, 56, 110, 111, 121,	TIME:time, 112, 119, 121,	135
125, 132	130, 132	type DERvn:core TELIC
TELIC]t DERva:pas.part,	title, 105	DERvn:core,
118, 121, 130,	tobj, 11	120, 124, 132,
132	TRANS, 56, 110–112,	135
TIME, 121, 123, 132, 134	119-121, 124,	type inst, 119, 124, 131,
time, 105-107, 110, 112,	125, 131, 132	135
121, 123, 124,	TRANS DERva:act, 112,	type type, 111, 124, 125,
132, 134	121	135
TIME:MC, 33, 121, 123,	TRANS DERvn:patient,	1. 405 404 400
132, 134	116, 121, 128,	vobj, 105, 106, 108
TIME:post, 105, 110, 111,	132	voc, 104
124, 125	type, 110–112, 118, 120,	xpl, 105, 106
TIME:pre, 108–110, 112,	123–125, 130,	xtop, 104
123, 124, 134	131, 134	
TIME:pre DERva:act,	type DERnn:agent, 111,	§DER:av, 42
112, 121	123, 125, 134	§DER:nvPRED, 42
TIME:pre]s NEG:contr,	type DERvn:agent, 118,	§DER:vv, 45
119, 121, 131,	123, 130, 134	§DERV, 42