

# Operators Manual

## Introduction

Welcome to the Colosseum Range!

Colosseum is a self-contained training environment containing all the necessary resources to enable students to explore all aspects of cyber operations. Using Colosseum, students have an entire range at their disposal with endless training opportunities. Students can experiment with both offensive and defensive tools, they can work on their Active Directory skills, they can develop playbooks, safely perform malware analysis or even participate in an instructor led training event. Colosseum was designed for a single user, but can easily support larger teams who want to exercise as a group.

## Aim

The aim of this Operation Manual is to provide users with the necessary information to start training in Colosseum. Each portion of the range is described in detail, along with tips and tricks so that they gain the most benefit from their time using the range.

## Overview of Colosseum

Colosseum is a range environment that exists within CSTE and is suitable for one or more users to develop their cyber tradecraft. The range itself is a fully functioning cyber ecosystem that was designed to be completely self-contained, and was purposely built to consume a small footprint yet still enable users to practice on all of the common tools.

Colosseum is comprised of three spaces;

- Grey Space
- Blue Space
- Red Space

**Grey Space** represents the Internet and hosts all the services used to mimic the Internet.

**Blue Space** consists of a small corporate network called corp.ca. Corp.ca consists of a Server zone, a Workstation zone, and a Security Operations Center (SOC).

**Red Space** is where the adversary is located and consists of the various servers and workstations used by the Red Team.

The Colosseum range environment is self-contained in order to isolate it from all the other ranges. Being self-contained means that the risk of one range negatively affecting another range is drastically minimized. The last thing anyone wants to experience is down-time due to the collateral damage generated from a neighbouring range.

Access to the real Internet from Colosseum is restricted. No traffic from Colosseum can leave CSTE. Don't confuse the term Internet with Grey Space. Grey Space is the fake Internet, and Colosseum has access to that.

Colosseum leverages a red team emulation tool from MITRE called Caldera. Caldera is used as a training aid in that it allows someone from the Red Team to script out an offensive operation that can be played and replayed on command. When an offensive operation is required, a user or perhaps an instructor triggers the operation to start. Once the operation starts the entire set of offensive actions executes one after the other without further human intervention until complete. Caldera can even be configured to make decisions based on previous actions. For example, it can scan for open ports, and based on the results, Caldera will initiate the appropriate next action. The end result is that Caldera enables customized "operations" to be prepared in advance and used to enable training. Caldera is from MITRE, so it naturally incorporates all of its offensive actions into the MITRE Attack Framework.

When students are ready for the next challenge, they can pivot away from Caldera and onto Cobalt Strike to start performing more advanced attacks. One of the most effective ways to learn how to defend against offensive cyber attacks is to understand offensive cyber attacks by observing the results using the Security Incident and Event Management (SIEM) built into Colosseum, and the Colosseum is ready for the challenge. One of the main features of Colosseum is that the user is in control, and can replay attacks over and over again to reinforce their understanding, and to assist with developing new defensive tradecraft.

Some of Colosseum's key components include:

- A corporate domain with Domain Controller, Exchange Server and File Server
- A Red Team segment which can be used to leverage Caldera or Cobalt Strike
- A fully functional Grey Space with over 100 web servers, 9 Certificate Authorities and a mail server
- User Emulation (UE) which includes the UE Server as well as UE Agents deployed onto the enterprise domain.

The Colosseum design is a combination of Virtual Machine templates and scripts. The deployment of VMs are managed using Terraform and Ansible. This process allows each instance of Colosseum to be deployed in under 30 minutes. More importantly, the human element is eliminated from deployments, ensuring that each range is deployed exactly as designed. This is a very important concept when considering using Colosseum for assessments. Consistent and reliable deployments ensure that every user receives the exact same range, and anyone who plans to use Colosseum for assessments can be confident that each student will receive the exact same 'test environment'.

## Responsible Use

The aim of the Colosseum is to offer a safe environment to train on both offensive and defensive tools. To achieve that level of safety, users must always act professionally and take responsibility for their actions. Before being granted access to the Colosseum, users must first accept the Acceptable Use Policy, as well as the Rules of Engagement. As long as users act responsibly and respect the Rules of Engagement, training will be rewarding and fun.

Removing malware from the CSTE environment is strictly forbidden

The CSTE Red Team development team devote a lot of time into generating payloads that are able to bypass Windows Defender and other Anti Virus tools. The whole point of bypassing AV is to enable the Blue Team to train in an environment that closely matches reality. We don't want to disable Defender because disabling Defender prevents us from giving a real-world experience. The Windows hosts on the range are not able to send malware samples to Microsoft, so there is no fear of malware being signaturred by Microsoft. However, if Blue Team submit CSTE malware to Virus Total and Microsoft for analysis, then the next time we update a Windows host it is highly likely that any updated Windows host will now be imunue to our malware - which then causes the Red Team developers to re-generate malware.

Links to documents

- Acceptable Use Policy
- Rules of Engagement

## Requesting a Colosseum range

The process to request Colosseum access is as simple as submitting a Jira ticket with the following information:

- Project: CSTE Ticket System (CTS)
- Issue Type: Range Request
- Summary: Request Colosseum
- Attachment: Not required
- Due Date: Select the date you want the range deployed
- Description: List of users who require access to the Colosseum being deployed
- Assignee: Automatic
- Priority: Medium (unless you have a genuine reason for high or highest priority)
- Labels: Not required

The Jira ticket will be reviewed for completeness, and once approved a range number will be assigned (such as Range08G).

Once the Jira ticket is approved and range staff have been assigned to the task, the actual deployment of the range normally takes less than 20 minutes. Priorities and work load will naturally affect this estimate.

## Customization

We understand that not every user has the same needs, and thus we have developed Colosseum to be customizable. The standard deployment includes all of the three previously mentioned spaces; Grey Space, Blue Space and Red Space. The corporate network has a SIEM, but other than packet capture, no other defensive services are deployed or enabled. As such, a standard Colosseum deployment has no Windows Event Logs being pushed to the WEC, no Sysmon agents are installed, no Wazuh agents are installed, no osquery agents are installed, no Carbon Black agents are installed, and finally no Velociraptor agents are installed. The standard Colosseum deployment is bare so that students can practice deploying these agents and services.

However, Colosseum can be requested with any or all of these additional defensive services and tools deployed and active, and leveraging Ansible, the additional time to deploy the range is about one additional hour.

Deploying a fully functional SOC with deployed agents could come in handy when you want to conduct training, but don't want to have to spend time deploying and configuring Sysmon. It also comes in handy when an instructor wants to leverage Colosseum as an assessment tool, and wants each range to be correctly provisioned.

The ability to request a 'weakened' domain is currently being developed. A weakened domain is a domain which includes misconfigurations as well as vulnerable apps and services.

## Available customizations

-

Typical Caldera Use Case:

- A group of five Cyber Operators have been tasked to conduct a refresher event
- Each Cyber Operator has been assigned their own instance of Colosseum
- The Event Lead (EL) logs into Caldera on each range and uploads the previously created adversary profile selected for the event
- The EL plants the Caldera Agent onto each network.
- The EL launches the campaign on each range.

One of the main features of Caldera is that the adversary profile is customized to perform specific tasks at specific times. The end result is that each Cyber Operator starts with an identical range, and each range is being aggressed by an adversary who is performing the exact same techniques, at the same time. The result is a very standardized environment.

Console onto VM

Shutting down a VM

Powering on a VM

Rebooting a VM

Snapshots Snapshots are not permitted. Snapshots running inside an ESXi environment will introduce issues the longer the snapshot is permitted to exist. Normally, snapshots would be created immediately before testing a configuration change, and then immediately rolled back if the test fails, or deleted if the test was successful

## Range Overview

Consult the range diagram.

The range consists of 24 VMs that are viewable by the user. Note that the Edge Router at the top of the diagram is not accessible to the user, and is only included on the diagram for clarity.

Colosseum consists of three zones or spaces:

1. Grey Space
2. Blue Space
3. Red Space

Each space performs a specific role.

### Grey Space

Grey Space represents the Internet, and is where all of the Grey Space services are located. The two key services offered by Grey Space are Web Servers and Mail.

During an instructor led event, it is highly probable that the Grey Space VMs will be hidden from the students.

### Web Servers

The Internet wouldn't be the Internet without facebook and twitter, and Colosseum has this covered. There is a service running in Grey Space called ACE that is responsible for hosting the web services one would expect to see on the Internet. Note that Red Teams redirectors (when used) are located in Grey Space. ACE is designed to support Red Team activities by generating the redirectors (sometimes called call-back domains) used during a campaign. ACE supports http, https and dns Command and Control redirectors.

It is expected that users of Colosseum will get to know the domains, and might even start to memorize them. The adversary relies on web traffic to hide his C2, and it defeats the purpose of an training event if the student knows which domains are good (and thus which are bad). Therefore, when an instructor wishes to conduct a training or validation exercise, please advise the CSTE staff and we'll be sure to provide you with an instance of ACE that has a random sample of domains.

Note that when the ACE VM boots, it automatically launches the appropriate python scripts needed to start the web services and host web sites. Give ACE a few minutes for this to complete.

Importantly, new Root CA certificates are NOT re-generated on boot. Re-generating new Root CA certificates is a fairly big process, as it would require pushing the new SSL certificates to each Windows host.

### Mail

Mail is one of the primary means adversaries use to get malware into a network. In fact, Business Email Compromise (BEC) costs businesses over \$500M US each year. Colosseum provides an email server and Web GUI in Grey Space that allow an attacker to compose and send malicious emails into the defended domain. Right now the email server is quite basic (ie, no DKIM, no certs) but as time progresses we'll continue to improve the mail service so that it closely resembles legitimate mail traffic.

## Blue Space

The Blue Space is where corp.ca exists. Corp.ca is a small enterprise network.

## SOC

The SOC represents the subnet where some of the security tools are deployed. Note that the main VM for event forwarding is the Windows Event Collector (WEC) which is located in the Servers subnet.

SIEM

The Security Incident and Event Management (SIEM) tool is Security Onion (SO). SO has two sniffing interfaces, one interface is connected to the Servers subnet, while the other is connected to the Workstations subnet.

## Servers

The servers subnet is where the four corp.ca servers reside.

- Domain Controller (DC)
- Exchange Email Server (EXCH)
- File Server (FILE)
- Windows Event Collector (WEC)

Each server consists of a Microsoft Server 2016 VM with the appropriate services installed. Annex XX includes a more detailed breakdown of each VM, such as hardware specs, GPOs, etc. The DC contains a total of 62 users.

## Workstations

Corp.ca has five Windows 10 workstations. Each workstation has a dedicated user who logs into the workstation when it boots.

## Red Space

The Red Space is purposely placed into the 172.16.1.0/24 CIDR range to highlight the need for adversaries to obfuscate their Command and Control (C2). If an attacker launches an attack from Red Space into Blue Space, the 172.16.1.0/24 IP address should be a dead give away.

There is a Cobalt Strike Team Server, A Caldera Server, a Kali VM and a Windows 10 VM. The Windows 10 VM is primarily there to offer the attacker the ability to craft a malicious Office document.

The three main tools supported are:

1. Caldera
2. Cobalt Strike
3. Metasploit

There are absolutely dozens if not hundreds of other offensive tools/frameworks that an adversary can use. However, for the purposes of training Caldera, Cobalt Strike and Metasploit offer everything needed to deliver offensive actions, and will be documented and supported by CSTE.

During an instructor led event, it is highly probable that the Red Space VMs will be hidden from the students.

## Domain Specs

- Diagram
- Domain Users
- GPOs
- OUs and Security Groups
- Routing
- Credentials
- SOC
- Packet Capture
- TAP location

## Services

Not surprisingly the Colosseum itself is nothing without a number of services that either add capabilities to the range, or allow for better work-flow. Services have been broken down into Colosseum specific services, and CSTE Core Services. Both are explained below. However, you will also find more complete documentation on many of these services throughout Confluence.

There are two groups of services that will be discussed:

1. Colosseum Services
2. CSTE Core Services

## Colosseum Services

### User Emulation

A critical component of the Colosseum is the ability to replicate the actions of a real user on each workstation. This is accomplished by an agent running on each Windows 10 host. The Agent is controlled by a command and control (C2) Server which is responsible to manage the various parameters of the Agent.

Note that the IP and ports used by the User Emulation C2 are identified in the Rules of Engagement as well as the No Strike List. The agent and server applications are off limits. Anyone caught trying to tamper with or reverse engineer these applications will be reported to the CSTE chain of command.

The UE Agent is configured to auto start on boot. However, this can be easily modified from the UE Server.

A User Emulation Operation Manual is under development and will cover all the details of using UE to its full potential.

The Agent is designed to perform the following actions:

- Browse web sites
  - The agent will browse to a random web site at a given frequency - such as every 90 seconds
  - If a web site has links, the agent will randomly select a link and click it
  - If a web site has a forum, the agent will attempt to fill the forum fields and send it
- Email
  - The agent will send emails to other corp.ca users
  - The agent will send emails to external recipients
  - The agent will read new mail
  - The agent will mark the email as 'read'
  - The agent will delete mail once its over a day old
  - If an email contains a link, the agent will click the link
- Application Execution
  - The Agent will periodically launch a random application
  - Apps such as Notepad, Calculator, PowerShell, Cmd, etc
  - The app will launch, and then after a short time, will exit
- Office Document Creation
  - The agent will periodically create a new Word, Excel or PowerPoint document
  - The new document will be saved to disk
- File Transfer
  - The agent will periodically fetch a random file from available file shares and copy the file to a local folder

#### User Emulation Road Map

The aim is to continuously improve User Emulation so that the training environment keeps getting better and better. Here are some of the features we want to add to the User Emulation Agent:

- Ability to deploy onto a non-domain joined Linux workstation

### Advanced Cyberspace Emulator (ACE)

- The ACE Operation Manual is under development, and will cover all the details of using ACE.
- Redirectors can be requested via Jira.

### Certificate Authorities

Explained below in more detail

Adding a redirector

Root CA

### Time

The Colosseum range does not include an NTP server. Although deploying an NTP server seems trivial, the server itself needs to be seeded from an actual in-service NTP server on the Internet, and this is causing deployment issues.

We're working on a solution for NTP.

## Core services

CSTE has a wide variety of core services available to users. The two most relevant core services that apply directly to Colosseum are:

- Kali Software Repository
- NextCloud

The other core services are available to all users, but not directly tied into the Colosseum:

- Outlook email
- Confluence wiki
- Jira help desk
- GitLab

## Kali Software Repository

Users who wish to install additional tools into Kali need not worry about limited Internet access. CSTE maintains an up to date Kali software repository allowing users to update and install tools at your leisure. Kali VMs should already be configured to point to the Kali software repository, but if not, here is the address:

```
nano /etc/apt/sources.list
deb http://cste-kali.greyspace.ca/kali kali-rolling main contrib non-free
```

Once the cste repository has been configured, users can update and install applications as usual:

```
sudo apt update
sudo apt-get install <package name>
```

## NextCloud

NextCloud is an open-source file sharing service. The CSTE version of NextCloud is accessible from both your host, as well as from any VM on the range.

<https://cste-nxt.cste.mil.ca>

<https://cste-nxt.greyspace.ca>

## Outlook Web Access Email

Users can use OWA to send other CSTE users email.

<https://cste-exchange.cste.mil.ca>

## Confluence

Confluence is the knowledge management system used by CSTE.

Confluence supports CSTE Single Sign On, so please log in using your standard CSTE account. If you have an A- account, do not use it for Confluence.

<https://cste-conf.cste.mil.ca>

## GitLab

Users can request a GitLab account if they wish to develop software while on the CSTE range.

Is GitLab accessible from a VM located on the range?

Networking

SOC Subnet

- DHCP

Greyspace Subnet

- DHCP for the first 40 IPs

- Hosts web servers
- Hosts User Emulation Server
- Hosts Mail Servers
- Rainloop
- Hotmail

#### Domain Subnet

- Hosts both servers and workstations
- The domain perimeter IP is 10.0.0.2
- [corp.ca](#) resolves to 10.0.0.2

#### OPFOR Subnet

- Configured to enable adversary emulation
- Has a Windows VM to build malicious Office Documents

How to mount a DVD to the VM

How to transfer files into and out of the range

How to request a snapshot - note that snapshots will have a time limit on them

## Certificate Authorities

Significant effort has gone into accurately representing real web traffic so that Cyber Operators are presented with realistic logs and packets. To aid in representing the complexity of the Internet, Colosseum includes nine Certificate Authorities (CA):

- Better Encrypt
- Fast SSL
- Go Mummy
- InTrust
- Kokomo
- RockStar
- SuperSign
- VodkaSign
- WOSign

The Root CA from each of these nine CAs has been installed on each Windows host. Web sites that support SSL will have a certificate generated from one of the above nine CAs. As of Colosseum version 1.0, each Root CA configuration is fairly similar. We intend to

#### The SIEM

- Consists of Security Onion version 2.4.50
- Deployed in standalone mode
- Uses Zeek for connection logs
- Configured with 2x sniffing interfaces connected to the SERVERS and WORKSTATION subnet
- 250 GB of storage should provide xx days of packet and log retention
- Default deployment is not collecting any Windows Events, Sysmon or Syslog

#### OPTIONAL ANALYST WORKSTATION OPTIONS

- Kali Linux
- Ubuntu Linux
- SANS SIFT - for incident response and digital forensics
- Mandiant Flare - for malware analysis
- Commando for Red Team
- Remnux - for reverse engineering
- Security Onion's SOC Analyst Workstation based on CentOS

# Offensive Tools

Out of the box Cobalt Strike is highly signed by both rule based AV, as well as heuristic based AV. However, with some effort the Cobalt Strike payload can be obfuscated. It is understood that the skills to obfuscate Cobalt Strike take time to learn and master, and for that reason students are offered the option of having Windows Defender disabled

## Caldera

There is a Caldera User Manual under development which will assist students and instructors get up and running as fast as possible. Here are the basics of Caldera.

Starting Caldera

- Log into the Caldera VM (radmin :: Canada)
- sudo su
- cd /caldera
- python3 server.py --insecure

## Cobalt Strike

Installed on each Kali VM is the commercial threat emulation tool called Cobalt Strike ver 4.7.2. Cobalt Strike is itself a complex tool, and mastery only comes after much practice.

- Located /opt/cobaltstrike

## Metasploit

Most students have likely learned about Metasploit. It's the open source exploitation tool that is packaged by default with Kali .

Sending malicious email to domain users

Researching the kill chain of malicious emails will help Cyber Operators learn and understand how to detect when malicious emails are received by a user. The Colosseum makes recreating the entire kill chain of a phishing campaign relatively easy to recreate and investigate.

When the time comes to draft and send a malicious email to domain users, Colosseum offers Rain Loop.

Rain Loop is a web based service that allows the Red Team to draft and send emails under the persona of a fake person.

The exchange server in [Corp.ca](#) is listening on tcp port 25 for incoming mail.

Typical Use Case:

- Red Team generates a Cobalt Strike payload
- Red Team uses the OPFOR Windows VM to create a Microsoft Office document and embeds the Cobalt Strike Payload
- Red Team browses to [rainloop.com](#) and logs in as fake user named 'Bad User' with password 'baduser'
- Creates a new email
- Addresses the email to one of the five domain users
  - Rick Sanchez (sanchez.r@corp.ca and a-sanchez.r@corp.ca)
  - Natalie Simpson (simpson.n@corp.ca)
  - Joseph Marshall (marshall.j@corp.ca)
  - Cameron Hamilton (hamilton.c@corp.ca)
  - Audrey Gill (gill.a@corp.ca)
- Attaches the malicious office document to the email
- Sends the email
- Consoles onto the domain users host and opens the email

Local time zone

## Planned Improvements

- There is currently no NTP Server in the Colosseum range. This is on the road map

## Process to request redirectors

- Create a new JIRA ticket
- Range Number
- Team Server IP
- Number of domain names requested
- Type of redirector (dns or http)
- For each http Domain Name:
  - Requested domain name
  - http bind port
  - https bind port
- You will be contacted once the redirectors have been configured


Requesting changes to a deployed Colosseum

Adding more analyst or OPFOR workstations can be done via a Jira ticket request.

## Feedback

We are always open to receive feedback.

In order to post feedback, please visit the Colosseum Feedback page here: [Feedback](#) and post a comment by placing your mouse into the 'Write a comment...' box and start writing. Note that comments are viewable by anyone who visits the page.



## VM Copy and Paste

VMs with a GUI interface have Copy and Paste enabled.

Note that Copy and Paste will only work when the VM is being accessed using VMWare Remote Console. If the VM is being accessed using the web interface copy and paste will not work.

Note that headless servers do not support copy and paste, even if the VM is being access from VMWare Remote Console. If copy and paste is needed, the best option is to SSH into the headless server from a VM with a GUI.

## VM Descriptions

Note that the small purple circles with a number represent generic Virtual Local Area Network (VLAN) tags.

### Perimeter

#### FW Edge

FW Edge is an OpenSense Firewall VM with four network interfaces which establishes connectivity between Greyspace and the Defended Domain, which includes the SOC, the servers and the workstations.

## Security Operations Center (SOC)

The SOC mimics a very scaled down Fly Away Kit (FAK). It contains the minimum about of services to enable a Cyber Operator to conduct training on using Security Onion.

## SIEM

The SIEM is a Security Onion VM installed as a StandAlone deployment with 2x sniffing interfaces. One sniffing interface is connected to VLAN-4 (Servers) and the other sniffing interface is connected to VLAN-5 (Workstations).

## Velociraptor

Velociraptor is an Ubuntu 20.04 Server VM hosting the Velociraptor Endpoint Detection and Response (EDR) service.

## SOC-Kali

Each SOC-Kali VM is essentially a Kali 2021-3 installation with some additional tools.

## Servers

### Domain Controller (DC)

The domain controller is the Active Directory (AD) of [corp.ca](#).

### Exchange Server (EXCHANGE)

The Exchange Server is the mail server for [corp.ca](#). Incoming smtp traffic hits the Edge Router and is then forwarded to the Firewall. The Firewall then forwards the traffic to the Exchange Server.

### File Server (FILE)

The File Server is configured with a number of shares. Headquarters, Confidential, Mission.

### Windows Event Collector (WEC)

The Windows Event Collector is a standard Windows 2016 Server install. The WEC capability is already part of Server 2016, and simply needs to be enabled. The WEC server is deployed as standard. Cyber Operators are expected to utilize the WEC when configuring Windows Event Log forwarding.

## Workstations

### Workstation

Each domain workstation is Windows 10 Professional with Office 2016 installed. Each workstation is configured to automatically logon a domain user. Furthermore, the workstations are configured to never sleep.

## Greyspace

Greyspace represents the services one would typically find on the Internet.

### Edge Router

The Edge Router is the CSTE controlled router that connects the range to CSTE Core. It is not accessible by range users, and it not visible in vCenter. It is included here for completeness.

## ACE

Advanced Cyberspace Emulator

### User Agent Server

The User Agent Server is a Windows Server that hosts the Command and Control for User Emulation.

The User Agent Server is on the No Strike List.

### Hotmail Mail Server

The Hotmail Mail Server is a postgres mail server set up to mimic [hotmail.com](#).

The Hotmail Mail Server is on the No Strike List.

## RainLoop

RainLoop is the Web GUI used by OPFOR to send emails into the defended domain. OPFOR is provided the credentials for a number hotmail accounts, and can log into RainLoop using these credentials. Once logged into RainLoop, the OPFOR operator can create and then send emails.

## OPFOR

The OPFOR area represents the VMs associated with the adversary. Typically the OPFOR VMs would be in the Greyspace subnet and have 22.xx.xx.xx IPs, but for easier identification it was decided to place the OPFOR VMs on their own subnet with the 172.16.1.xx IP address.

### Team Server

The Team Server VM is essentially a Kali VM with Cobalt Strike.

### Caldera Server

The Caldera Server VM is a Windows VM hosting the Caldera Red Team emulation tool. Users who want to use Caldera access the Caldera Web Dashboard from either the OPFOR-Kali VM, or the OPFOR-Windows VM.

### OPFOR-Kali

The OPFOR-Kali is a Kali VM with Cobalt Strike installed.

### OPFOR-Windows

The OPFOR-Windows is a Windows 10 Professional VM with Cobalt Strike installed. Also installed is Visual Code so that the Cobalt Strike Artifact kit can be recompiled using a different compiler. It also includes Microsoft Office so that malicious office documents can be created.

## Additional CSTE resources

For additional guidance or assistance, the following resources can be found on Confluence:

- [Caldera Operation Manual - Link...](#)
- [ACE Operation Manual - Link...](#)
- [User Emulation Operation Manual - Link...](#)
- [Cobalt Strike Operation Manual - Link...](#)
- [Security Onion Operation Manual - Link...](#)
- [Threat Emulation Manual - Link...](#)
- [Jira User Manual - Link...](#)
- [Confluence User Manual - Link...](#)

## Annexes

- [Colosseum - Acceptable Use Policy](#)
- [Colosseum - Rules of Engagement](#)