

Usage of process mining for security in Process-Aware Information Systems

Marlon Müller¹

Technical University of Munich, Munich, Germany
`marlonbenedikt.mueller@tum.de`

Abstract. Security in Process-Aware Information System (PAIS) is critical for almost every organisation and company, as a lack of security measures leads to vulnerabilities that can, if abused, cause severe financial damage. The survey [9] by Leitner and Rinderle-Ma from 2013 analysed in a systematic literature review the researched security controls in PAIS. The authors identified that the usage of Process Mining may be an emerging topic, so this paper provides a systematic literature review to analyze the advances in Process Mining research for security in PAIS and clusters the results by the security goals that are protected as well as the Process Mining applications and concepts that can be used for security in PAIS.

Keywords: Process Mining · Security · Process-Aware Information Systems · Systematic literature review.

1 Introduction

In 2018 76% of businesses in Germany saw a significant risk for their business processes coming from cyberattacks on their information systems [2] and in a report by the Federal Bureau of Investigation from 2023 companies in the United States reported total damages of 37.5 billion US-Dollars due to cybercrime [6]. This shows the need for companies to protect their business processes from cyberattacks.

Therefore over the last years the research in security for Process-Aware Information Systems (PAIS) has increased and has produced a vast amount of research papers. The survey [9] conducted a systematic literature review on security in PAIS and identified Process-Mining as an emerging technology that can be used to improve security in PAIS and predicted that the usage of Process Mining for security purposes in PAIS will be a focus of future research.

In 2018, already 65% of German businesses investigated log-files to identify security incidents based on the suspicion of a security incident and 33% use log-files to systematically identify security incidents without concrete suspicions [2].

Therefore Process Mining has the potential to be further enhanced to be used for security in Process-Aware Information Systems and was further researched in the last years. This paper aims to update the survey by Leitner and Rinderle-Ma [9] in the field of Process Mining and to provide an overview over the recent

advances in the usage of Process Mining for security purposes in PAIS since 2012. For this goal we will conduct a systematic literature review to outline the possible applications of Process Mining for security in PAIS.

To approach this goal the following research questions were targeted:

1. How does Process Mining contribute to security in PAIS?
2. Have the research challenges defined in [9] been addressed by recent research?

In Section 2 we will first provide some definitions and explanations over the terms used in this paper. Section 3 evaluates related works in this field and how this paper adds further contribution to current research. Section 4 outlines the different steps of the literature review consisting of literature search, literature selection, data extraction and the classification of security goals and security concepts. The results of the literature review are described in Section 5 and in Section 6 the results are discussed and the paper is concluded.

2 Fundamentals

Below definitions for the most relevant terms in this paper are provided.

2.1 Process Mining

The main idea of Process Mining is to extract knowledge from event logs generated by existing information systems. Because event logs are often stored in an unstructured format, Process Mining uses Data Science approaches to extract the desired information in a format that can easily be analyzed by humans.[11] Because Process Mining uses Data Science approaches, such as data mining or machine learning, it can be seen as the bridge between Data Science and Process Science.

Process Mining can be used for

- Process Discovery: The automatic generation of a process model based on the information extracted from an event log.
- Conformance Checking: Compare the event log of a process execution with the formal process model of that process to detect deviations.
- Enhancement: Usage of the actual process execution extracted from the event log to extend or improve an existing process model.

2.2 Information Security

Security in Information Systems (also called Information Security) is defined by the International Organization for Standardization (ISO) as the protection of Confidentiality, Integrity and Availability of information [7]. This definition is also known as the CIA-Properties, but can be extended by other security goals as defined below. In other literature the term Information Security describes the

protection of systems to enter a state that allows unauthorized access to information or resources. This means, that security involves an unauthorized entity (the attacker). Security can be differentiated from safety by the fact that safety describes the ability of a system to be prone to software or hardware failures from within the system itself without the influence of an attacker.[4]

Security Goals Later in this paper the results will be clustered according to the security goals that are protected by the applications proposed by the reviewed papers (Section 4 and 5.1). The clusters are chosen based on the security goals as described by Eckert in [4]. While the CIA-Properties (Confidentiality, Integrity, Availability) are commonly agreed on as the primary security goals the other security goals (especially Privacy and Accountability) are acknowledged as valid security goals but their relevance to different use cases is discussed and not commonly agreed on. Nonetheless this six security goals according to [4] are chosen because clustering only by the CIA-Properties would not reflect the whole bandwidth of security research in Process Mining for PAIS while still allowing clear distinctions between them. The following definitions of the different security goals are taken from [4].

Confidentiality Confidentiality to protect information from being disclosed to unauthorized entities. This includes the encryption of data as well as models to restrict the flow of information according to an organisations policies.

Integrity A system is considered to have integrity if it provides protection against unauthorized and unnoticed manipulation of data or processes. To guarantee integrity Access Control mechanisms are used to ensure that only authorized entities with the proper Access Rights can modify data or processes under certain constraints (e.g. limit the amount of money a user can withdraw from an account). In systems where manipulations can not be avoided (e.g. in network communication) cryptographic hashing should be used to detect manipulations and avoid further damages.

Availability Availability is the property of a system to be accessible and usable by authorized entities without unauthorized delays or restrictions. Delays that are a result of the normal operation of a system (e.g. concurrency over shared resources) are considered as authorized delays and therefore do not violate the property of availability.

Accountability The property of accountability (sometimes referred to as non-repudiation) is to ensure that an entity can not deny the actions it has taken. Accountability is important for Electronic Commerce to be able to prove in lawsuit that a contract has been signed by a certain entity or that a contract has been fulfilled.

Privacy The ability of individuals to control the collection, use and disclosure of their personal information is called Privacy and obliges organisations to protect the data of identified or identifiable individuals. Privacy is considered a human right [5] and is therefore often regulated by laws like the General Data Protection Regulation (GDPR) in the European Union.

Authenticity Authenticity is the validation of the identity of an acting entity using unique identifiers or characteristics, such as cryptographic keys or biometric data. The act of verifying the identity of an entity is called authentication, that happens typically using user accounts with a distinct username and a secret password and/or biometric factors. The data that is used to verify the identity (e.g. the password) is called credentials to provide an abstraction of the concrete authentication method used.

2.3 Process-Aware Information Systems

The term Process-Aware Information Systems is defined by Dumas et al. [3] by combining the definitions of Information Systems (as PAIS are a special kind of Information Systems) and business processes. Their understanding of a business process is a “way for an organizational entity to organize work and resources (...) to accomplish its aims”. On that foundation PAIS are defined as “a software system that manages and executes operational processes involving people, applications, and/or information sources on the basis of process models”. Additionally to the formal definition they marked that these process models are often represented using visual languages, like Petri-Net notations.

The main difference between a PAIS and a task-driven Information System (e.g. text editor or e-mail client) is described as the fact that task-driven applications are unaware of the process they are used in and therefore can neither support nor restrict the user in the process execution. By this differentiation PAIS are also defined as systems that support processes Instead of only isolated activities.[11]

3 Related Work

In this section the survey by Leitner and Rinderle-Ma [9], that this paper aims to update, is briefly summarized and other related works are presented and explained how this paper adds further contribution to the research in Process Mining for security in PAIS.

3.1 Survey by Leitner and Rinderle-Ma from 2013

The main objective of this paper is to update the systematic literature review conducted in [9] regarding the Process Mining security control and to provide an overview over the recent advances in the usage of Process Mining for security purposes in PAIS until 2012.

Summary of the survey In that survey the authors identified Process Mining as an emerging technology and gave a brief overview over the security related research regarding Process Mining in PAIS. The authors assigned Process Mining to the action type Detection and placed it in the Change phase of the process lifecycle.

In this survey the authors assigned Process Mining the action type Detection and placed it in the Change phase of the process lifecycle. They identified that the main usage of Process Mining for security purposes in PAIS is to examine the conformance of the process model with the actual process execution that could be derived from the event logs. The derived model from the event logs can be used to detect inconsistencies and anomalous behaviour that could be an indicator for security incidents like fraud or intrusions. Another use case the authors identified is to use event logs to validate the conformity of the process execution with the security policies of the company, like Role-Based Access Control (RBAC) models or data flow policies. It was concluded, that Process Mining can be used to capture relevant information on data, resources and task execution to find or address security issues and compliance violations and their root causes.

Research Challenges identified For security in PAIS in general (and not only regarding Process Mining) the authors identified the following research challenges:

1. Agreement on Terminology and Controls
2. Consistency with Related Fields and Concepts
3. Measurement
4. Testing
5. Evaluation
6. Detection Controls
7. Reaction Controls
8. Human Orientation

Agreement on Terminology and Controls The authors identified that the terminology used in the field of security in PAIS is not consistent and in some research no definition of security or the protected security goals are provided.

Consistency with Related Fields and Concepts Even though research in security in PAIS is an interdisciplinary field, it was identified that except for the NIST standard for RBAC no standards or recommendations are considered in the research.

Measurement The authors could not identify any methods or metrics are used to evaluate the effectiveness of the security controls in PAIS, while in other security areas well developed standards, e.g. the ISO/IEC 27004 standard, exist.

Testing Most of the security concepts in PAIS research are theoretical models and no method to test these models is provided.

Evaluation In the examined research the evaluation of the security in PAIS centers on post-ex evaluation using Process Mining techniques and the authors stated that It should be considered how to evaluate the security in PAIS at design or run time.

Detection Controls Investigations of possible security incidents does not happen at run time but the authors identified that it could be beneficial to detect anomalies at run time to then be able to react to them.

Reaction Controls So far, reaction controls are focused on failure handling such as exception handling or process recovery. The authors identified that it could be beneficial to react to identified security problems at design time.

Human Orientation Human factors are not considered in the research instead it only focuses on the technological aspects of security in PAIS. The authors stressed that humans are an important factor in business processes and that they also could be a security risk if they are psychologically manipulated during Social Engineering attacks.

3.2 Other Systematic Literature Reviews

The surveys [8] and [10] also conducted systematic literature reviews on the usage of Process Mining in security applications. The systematic literature review by Kelemen focused on the topics covered and the main challenges in Process Mining in the security domain [8], while the survey by Silalahi et al. identified the datasets, methods, tools and frameworks used in Process Mining research [10]. Both surveys gave a broad overview over the research in Process Mining for security applications but did not focus on security in PAIS.

This paper provides further contribution as it gives a more in depth analysis over the usage of Process Mining for security in PAIS. It also gives a unique classification of the research by identifying the security goals that are protected. As this paper narrowing down the specific research field it takes a broader and more up-to-date time frame into consideration as [10] only reviewed papers between 2017 and 2021 and [8] reviewed papers between 2000 and 2016.

4 Methodology

The systematic literature review conducted in this paper follows the guidelines outlined in [1] and is also based on the methodology used in the systematic literature review by Leitner and Rinderle-Ma [9]. At first a clear definition of the research questions is given before in the second step an extensive literature search is conducted. The resulting data based on the literature search is then analysed and synthesized to answer the research questions by clustering the papers into different categories.

4.1 Research identification

This paper aims to update the survey by Leitner and Rinderle-Ma [9] in the field of Process Mining and security in PAIS and therefore to examine and evaluate the advances of security research using Process Mining in PAIS since 2012. To approach this goal we redefine the research questions formulated in Section 1:

1. What is the contribution of security research using Process Mining in PAIS?
 - 1.1. What security goals are protected by the applications proposed by the reviewed papers?
 - 1.2. What Process Mining applications and concepts are used for security in PAIS?
2. How where the research challenges defined in [9] been addressed by recent research?

The first research question is investigates the contribution of recent research in the field of Process Mining for security in PAIS and is divided into two sub-questions to give a more detailed and holistic insight into the research field. The subquestion 1.1 synthesizes the results into a classification of the security goals, as defined in Section 2.2, that are protected by the applications and methods proposed by the reviewed papers. The analysis of the Process Mining applications and concepts used for security in PAIS is done in subquestion 1.2.

To analyze how the reviewed papers contributed and addressed the research challenges presented in [9] and summarized in Section 3.1 in the second research question it is analysed what papers addressed these challenges and how they contributed to the solution of these challenges.

4.2 Literature Search

Inc 1	Search string: „process mining“ „data mining“) & („security“ „constraints“ „access control“ „authorization“) & („process aware“ „workflow“ „business process“)
Exc 1	The paper was published before 2013
Exc 2	The paper is not written in English
Exc 3	Title, keywords and abstract do not indicate relevance for Security, Process Mining and PAIS
Exc 4	Content is not related to the usage of Process Mining to enhance security in PAIS
Inc 2	Extend results by relevant papers from the references of the included papers

Table 1. Inclusion and Exclusion Criteria for the Literature Search and Selection

To identify the relevant papers for the literature review a manual search was conducted using the IEEE Xplore and Scopus databases (retrieving date: June, 17th 2024). In the literature search the search string of inclusion criteria 1 from

Table 1 was used with the exclusion criteria 1 and 2 applied. Those databases were chosen because they are known for their high quality of scientific papers and their relevance to the field of Computer Science. In total 261 papers were found in the search.

4.3 Literature Selection

Applied Criteria	Number of Papers
Inc 1, Exc 1 - 2	261
Exc 3	38
Exc 4	15
Inc 2	17

Table 2. Number of papers after each step of the Literature Selection

4.4 Data Extraction

5 Results

5.1 How does Process Mining contribute to security in PAIS?

Security goals

Security concepts

5.2 Have the research challenges been addressed by recent research?

6 Discussion and Conclusion

References

1. Pearl Brereton, Barbara A. Kitchenham, David Budgen, Mark Turner, and Mohamed Khalil. Lessons from applying the systematic literature review process within the software engineering domain. *Journal of Systems and Software*, 80(4):571–583, 2007. Software Performance.
2. Bundesamt für Sicherheit in der Informationstechnik. Cyber-sicherheits-umfrage – cyber-risiken & schutzmaßnahmen in unternehmen, Apr 2019. Accessed: 2024-07-01.
3. Marlon Dumas, Wil M. P. van der Aalst, and Arthur H. M. ter Hofstede. *Process-Aware Information Systems: Bridging People and Software through Process Technology*. 2005. Cited by: 770.
4. Claudia Eckert. *IT-Sicherheit*. De Gruyter, 10th edition, 2018.

5. European Union. Charter of fundamental rights of the european union. *Official Journal of the European Union*, 55(C 326):391–407, Oct 2012.
6. Federal Bureau of Investigation. Internet crime report 2023, Apr 2024.
7. International Organization for Standardization. *ISO/IEC 27000:2018 Information technology – Security techniques – Information security management systems – Overview and vocabulary*. Geneva, 5th edition, Feb 2018.
8. Robert Kelemen. Systematic review on process mining and security. *Central and Eastern European eDem and eGov Days*, 325:145–164, Mar. 2018.
9. M. Leitner and S. Rinderle-Ma. A systematic review on security in process-aware information systems - constitution, challenges, and future directions. *Information and Software Technology*, 56(3):273–293, 2014. cited By 58.
10. S. Silalahi, U.L. Yuhana, T. Ahmad, and H. Studiawan. A survey on process mining for security. pages 1–6, 2022. cited By 3.
11. Wil van der Aalst. *Process Mining*. Springer, 2nd edition, 2016.