


TESTS

POST


1. Trying to create a fundraiser without providing authentication:

Unsuccessful result.




2. Trying to create a fundraiser as a mentee:

Success. I couldn't do it.



3. Trying to do it as a mentor: success



BOOKING SLOT

4. Posting Time Slot as Mentor: Success

The screenshot shows a REST client interface with a tab for 'POST http://localhost:8000/Bookings/'. The status bar indicates '201 Created' with a response time of 14 ms and a body size of 93 B. The 'Body' tab is selected, showing a JSON request:

```
1 {
2   "start_time": "2025-12-03T17:30:00",
3   "fundraiser": 2
4 }
```

 The 'Preview' tab shows the JSON response:

```
1 {
2   "id": 3,
3   "start_time": "2025-12-03T17:30:00Z",
4   "end_time": "2025-12-03T18:30:00Z",
5   "fundraiser": 2
6 }
```

5. Test posting time slot as Mentee

Not allowed


The screenshot shows a REST client interface with a tab for 'POST http://localhost:8000/Bookings/'. The status bar indicates '400 Bad Request' with a response time of 16 ms and a body size of 68 B. The 'Body' tab is selected, showing a JSON request:

```
1 {
2   "start_time": "2025-12-01T17:30:00",
3   "fundraiser": 2
4 }
```

 The 'Preview' tab shows the JSON response:

```
1 {
2   "non_field_errors": [
3     "This slot overlaps with an existing booking"
4   ]
5 }
```



6. Posting a time slot in a fundraiser that is not mine



GET

Get Details on Fundraisers

Success, I can view both a list or an individual fundraiser without auth.



PLEDGES

GET: not allowed to view pledges if not authenticated

The screenshot shows a REST client interface with a tab for 'POST Post a Pledge'. The request is a POST to 'http://localhost:8000/pledges/' with a JSON body:

```
{  "slot": 2,  "fundraiser": 2}
```

. The response is a 401 Unauthorized status with a 7 ms response time and 58 B of data. The response body is:

```
{  "detail": "Authentication credentials were not provided."}
```

POST: not authorised to pledge a time slot without being authenticated:

Not allowed as mentor either:

The screenshot shows a REST client interface with a tab for 'POST Post a Pledge'. The request is a POST to 'http://localhost:8000/pledges/' with a Bearer token in the Authorization header. The response is a 403 Forbidden status with a 7 ms response time and 63 B of data. The response body is:

```
{  "detail": "You do not have permission to perform this action."}
```

Posting a pledge as mentee: success

The screenshot shows a REST client interface with a tab for 'POST Post a Pledge'. The request is a POST to 'http://localhost:8000/pledges/' with a JSON body:

```
{  "slot": 8,  "notes": "I'd like to learn basic photography"}
```


. The response is a 201 Created status with a 24 ms response time and 134 B of data. The response body is:

```
{  "id": 4,  "mentee": 3,  "fundraiser": 4,  "notes": "I'd like to learn basic photography",  "date_created": "2025-12-14T04:19:58.830913Z",  "slot": 8}
```


DELETE

Delete a booking that doesn't belong to the right mentor:


Response: not allowed



Success I could delete it as the owner that created it:



I cannot delete a slot that has a pledge:



Delete fundraiser:

Trying to delete as a non-fundraiser owner: not authorised

The screenshot shows a REST client interface with a DELETE request to `http://localhost:8000/Bookings/6/`. The response is `403 Forbidden` with a status of `11 ms` and `63 B`. The response body is:

```
1 {
2   "detail": "You do not have permission to perform this action."
3 }
```

Trying to deactivate as an owner: success

The screenshot shows a REST client interface with a DELETE request to `http://localhost:8000/fundraisers/4/`. The response is `200 OK` with a status of `11 ms` and `45 B`. The response body is:

```
1 {
2   "detail": "Profile deactivated successfully"
3 }
```

Editing a fundraiser as owner: success


The screenshot shows a REST client interface with a PUT request to `http://localhost:8000/fundraisers/4/`. The response is `200 OK` with a status of `17 ms` and `282 B`. The request body is:

```
1 {
2   "is_active": true
3 }
```

The response body is:


```
1 {
2   "id": 4,
3   "owner": 4,
4   "pledges": [],
5   "booking_time": [],
6   "category": "Creative_Skills",
7   "title": "Photography",
8   "background": "lifestyle photographer",
9   "years_experience": 2,
10  "profile_url": "https://www.linkedin.com",
11  "is_active": true,
12  "session_length": 30,
13  "date_created": "2025-12-13T07:31:45.100866Z"
14 }
```

Editing a fundraiser as non-owner: not allowed.




Edit a pledge:


Restricted from editing a pledge if not authenticated



Restricted from editing a pledge if non-owner:




Success, I can edit as a pledge owner:




USERS


I can't see user's details if not authenticated



Users can see their own profile and mentors profiles



Mentors can see other mentors, but only mentees that pledge to them,



Mentees can't view other mentees.

