




Ονοματεπώνυμο: Μιχαήλ-Παναγιώτης Μπόφος

Αριθμός Ταυτότητας: ΑΟ082689

Proof of concept: Για να είμαστε σίγουροι ότι όλα λειτουργούν σωστά δημιουργήσαμε ένα πολύ μικρό πρόβλημα για να μπορούμε να κάνουμε testing.

Παραδοχές: Κάθε λιμάνι έχει σταθμό, τα τρένα μπορούν να ενώσουν MONO σταθμούς πόλεων και χωρών που γειτονεύουν με στεριά (έχει οριστεί σχέση στο domain). Η μεταφορά από το λιμάνι στο σταθμό του λιμανιού ΔΕΝ απαιτεί φορτηγό και γίνεται από μόνη της (πχ με κάποιο γερανό).



Στο πρόβλημα αυτό θέλουμε να χρησιμοποιήσουμε όλα τα μέσα μεταφοράς για να επιδείξουμε τη συμπεριφορά τους. Ξεκινάμε με δύο πακέτα και πέντε φορτηγά στη Ρώμη και θέλουμε και τα δύο πακέτα να μεταφερθούν στη Θεσσαλονίκη. Τα φορτηγά, τα βαγόνια και τα πακέτα παραλείπονται από το σχήμα καθώς θα δημιουργούσαν χάος, επίσης όπου έχουμε λιμάνι θεωρούμε ότι υπάρχει και σταθμός.

Ορισμός Προβλήματος:

```
(located pkg1 Storage_Roma)
  (located pkg2 Storage_Roma)
)

(:goal (and
   ;;;todo: put the goal condition here
    (located pkg1 Station_Thessaloniki)
    (located pkg2 Station_Thessaloniki)
));;
```

Traceroute:

```
(load package to truck truck roma 5 pkg2 roma storage roma italy)
(load package to truck truck roma 1 pkg1 roma storage roma italy)
(drive truck anywhere truck roma 5 storage roma roma harbour roma roma italy)
(unload_package_from_truck truck_roma_5 pkg2 roma harbour_roma italy)
(load ship with package mediterenian pkg2 roma harbour roma italy)
(drive truck anywhere truck roma 1 storage roma roma harbour roma roma italy)
(unload package from truck truck roma 1 pkg1 roma harbour roma italy)
(load ship with package mediterenian pkg1 roma harbour roma italy)
(sail to port mediterenian harbour roma roma harbour patras patras italy greece)
(unload ship from package mediterenian pkg2 patras harbour patras greece)
(move_package_from_harbour_to_station pkg2 station_patras harbour_patras patras greece)
(unload_ship_from_package mediterenian pkg1 patras harbour_patras greece)
(move_package_from_harbour_to_station pkg1 station_patras harbour_patras patras greece)
(attach_wagon_to_train wagon3 engine_thessaloniki station_thessaloniki thessaloniki greece)
(railway_a_train engine_thessaloniki station_thessaloniki thessaloniki greece station_patras patras greece)
(dettach wagon from train wagon3 engine thessaloniki station patras patras greece)
(load a wagon with package wagon3 pkg2 station patras patras greece)
(attach wagon to train wagon3 engine thessaloniki station patras patras greece)
(railway a train engine thessaloniki station patras patras greece station thessaloniki thessaloniki greece)
(dettach wagon from train wagon3 engine thessaloniki station thessaloniki thessaloniki greece)
(unload package from wagon wagon3 pkg2 station thessaloniki thessaloniki greece)
(attach wagon to train wagon3 engine thessaloniki station thessaloniki thessaloniki greece)
```

```
(railway_a_train engine_thessaloniki station_thessaloniki thessaloniki greece station_patras patras greece)
(dettach_wagon_from_train wagon3 engine_thessaloniki station_patras patras greece)
(load_a_wagon_with_package wagon3 pkg1 station_patras patras greece)
(attach_wagon_to_train wagon3 engine_thessaloniki station_patras patras greece)
(railway_a_train engine_thessaloniki station_patras patras greece station_thessaloniki thessaloniki greece)
(dettach_wagon_from_train wagon3 engine_thessaloniki station_thessaloniki thessaloniki greece)
(unload_package_from_wagon wagon3 pkg1 station_thessaloniki thessaloniki greece)
```

Βλέπουμε πως το πλοίο χρησιμοποιείται μόνο μια φορά και πως το τρένο από τη Θεσσαλονίκη κατεβαίνει στην Πάτρα για να φορτώσει.

Πρόβλημα 1





Αρχική Κατάσταση και Goal State

```
(wagons
(wagon Wagon1)
(wagon Wagon2)
(wagon Wagon3)
(located Wagon1 Boston_Station_Harbour)
(located Wagon2 Boston_Station_Harbour)
(located Wagon3 Boston_Station_Harbour)

(wagon Wagon4)
(wagon Wagon5)
(wagon Wagon6)
(located Wagon4 Chicago_Station)
(located Wagon6 Chicago_Station)
(located Wagon6 Chicago_Station)
```

```
(located package1 London_Storage)
    (located package2 London_Storage)
   (located package3 London_Storage)
   (located package4 London_Storage)
   (located package5 Boston_Station_Harbour)
   (located package6 Boston_Station_Harbour)
   (located package7 Boston_Station_Harbour)
   (located package8 Chicago Storage)
   (located package9 Chicago_Storage)
   (located package10 Chicago Storage)
(:goal (and
   ;todo: put the goal condition here
   (located package1 Boston_Station_Harbour)
   (located package2 Boston_Station_Harbour)
   (located package3 Boston_Station_Harbour)
   (located package4 Chicago_Storage)
   (located package5 Chicago_Storage)
   (located package6 Chicago_Storage)
   (located package7 Chicago_Storage)
   (located package8 London_Storage)
   (located package9 London_Storage)
   (located package10 London_Storage)
```

Traceroute:

```
(load package to truck boston truck 1 package6 boston boston station harbour usa)
(load package to truck boston truck 2 package5 boston boston station harbour usa)
(load_package_to_truck london_truck_1 package4 london london_storage uk)
(drive truck anywhere london truck 1 london storage london london station harbour london uk)
(drive truck anywhere boston truck 2 boston station harbour boston chicago storage chicago usa)
(drive_truck_anywhere boston_truck_1 boston_station_harbour boston chicago_storage chicago usa)
(drive_truck_anywhere chicago_truck_1 chicago_storage chicago boston_harbour boston usa)
(unload_package_from_truck boston_truck_2 package5 chicago chicago_storage usa)
(load package to truck boston truck 2 package9 chicago chicago storage usa)
(unload_package_from_truck boston_truck_1 package6 chicago chicago_storage usa)
(drive_truck_anywhere boston_truck_1 chicago_storage chicago boston_station_harbour boston usa)
(load_package_to_truck boston_truck_1 package7 boston boston_station_harbour usa)
(drive truck anywhere boston truck 2 chicago storage chicago boston harbour boston usa)
(unload_package_from_truck boston_truck_2 package9 boston boston_harbour usa)
(load ship with package bluesea package9 boston boston harbour usa)
(drive_truck_anywhere boston_truck_1 boston_station_harbour boston chicago_storage chicago usa)
(unload package from truck boston truck 1 package7 chicago chicago storage usa)
(sail to port bluesea boston harbour boston london station harbour london usa uk)
(unload ship from package bluesea package9 london london station harbour uk)
(load package to truck london truck 2 package9 london london station harbour uk)
(load package to truck boston truck 1 package8 chicago chicago storage usa)
(drive_truck_anywhere london_truck_2 london_station_harbour london london_storage london uk)
(unload_package_from_truck london_truck_2 package9 london london_storage uk)
(load_package_to_truck london_truck_2 package1 london london_storage uk)
(drive_truck_anywhere london_truck_2 london_storage london london_station_harbour london uk)
(drive_truck_anywhere boston_truck_1 chicago_storage chicago boston_harbour boston usa)
(unload_package_from_truck london_truck_2 package1 london london_station_harbour uk)
(unload_package_from_truck london_truck_1 package4 london london_station_harbour uk)
(load ship with package bluesea package4 london london station harbour uk)
(load ship with package bluesea package1 london london station harbour uk)
(drive truck anywhere london truck 1 london station harbour london london storage london uk)
(load_package_to_truck london_truck_1 package3 london london_storage uk)
(drive truck anywhere london truck 1 london storage london london station harbour london uk)
```

```
(unload package from truck london truck 1 package3 london london station harbour uk)
(load ship with package bluesea package3 london london station harbour uk)
(drive_truck_anywhere london_truck_1 london_station_harbour london london_storage london uk)
(load_package_to_truck london_truck_1 package2 london london_storage uk)
(drive_truck_anywhere london_truck_1 london_storage london london_station_harbour london uk)
(unload_package_from_truck london_truck_1 package2 london london_station_harbour uk)
(load_ship_with_package bluesea package2 london london_station_harbour uk)
(drive_truck_anywhere london_truck_1 london_station_harbour london london_storage london uk)
(sail to port bluesea london station harbour london boston harbour boston uk usa)
(unload_ship_from_package bluesea package4 boston boston_harbour usa)
(drive truck_anywhere boston_truck_2 boston_harbour boston chicago_storage chicago usa)
(load package to truck boston truck 2 package10 chicago chicago storage usa)
(drive truck anywhere boston truck 2 chicago storage chicago boston harbour boston usa)
(load_package_to_truck chicago_truck_1 package4 boston boston_harbour usa)
(unload_package_from_truck boston_truck_2 package10 boston boston_harbour usa)
(unload package from truck boston truck 1 package8 boston boston harbour usa)
(load ship with package bluesea package8 boston boston harbour usa)
(load ship with package bluesea package10 boston boston harbour usa)
(drive_truck_anywhere chicago_truck_1 boston_harbour boston chicago_storage chicago usa)
(unload_package_from_truck chicago_truck_1 package4 chicago chicago_storage usa)
(unload_ship_from_package bluesea package3 boston boston_harbour usa)
(move_package_from_harbour_to_station package3 boston_station_harbour boston_harbour boston usa)
(unload_ship_from_package bluesea package1 boston boston_harbour usa)
(move_package_from_harbour_to_station package1 boston_station_harbour boston_harbour boston usa)
(unload_ship_from_package bluesea package2 boston boston_harbour usa)
(move_package_from_harbour_to_station package2 boston_station_harbour boston_harbour boston usa)
(sail_to_port bluesea boston_harbour boston london_station_harbour london usa uk)
(unload_ship_from_package bluesea package8 london london_station_harbour uk)
(unload ship from package bluesea package10 london london station harbour uk)
(load_package_to_truck london_truck_2 package10 london london_station_harbour uk)
(drive truck anywhere london truck 2 london station harbour london london storage london uk)
(unload_package_from_truck london_truck_2 package10 london london_storage uk)
(drive truck anywhere london truck 1 london storage london london station harbour london uk)
(load_package_to_truck london_truck_1 package8 london london_station_harbour uk)
```

(drive_truck_anywhere london_truck_1 london_station_harbour london london_storage london uk)

(unload_package_from_truck london_truck_1 package8 london london_storage uk)

Πρόβλημα 2



Τα αντικείμενα που χρησιμοποιήσαμε διπλασιάστηκαν, όπως φαίνεται στην εικόνα δίπλα

```
cobjects
    USA Mexico UK Brazil
    Boston Chicago LosAngeles MexicoCity SaoPaolo Brasilia London
    Boston_Harbour London_Harbour SaoPaolo_Harbour LosAngeles_Harbour
    Boston_Station_Harbour London_Station_Warbour SacPaclo_Station_Harbour LosAngeles_Station_Harbour
    MexicoCity_Station Chicago_Station
    Brasilia_Storage London_Storage LosAngeles_Storage Chicago_Storage Boston_Storage
    Chicago_Truck_1 Chicago_Truck_2
    Boston Truck 1 Boston Truck 2
    LosAngeles_Truck_1 LosAngeles_Truck_2
    Landon_Truck_1 Landon_Truck_2
   MexicoCity_Truck_1 MexicoCity_Truck_2
SaoPaolo_Truck_1 SaoPaolo_Truck_2
Brasilia_Truck_1 Brasilia_Truck_2
    Evergiven
                  BlueSea
                             Pacific
                                             IntraCont
    London_Engine Boston_Engine SacPaolo_Engine LosAngeles_Engine
                Magon5
                           надолб
               wagon8
                           Magon9
               wagon11 wagon12
    wagonia
```

Αρχική Κατάσταση και Goal State

```
;; Wagons
(wagon Wagon1)
(wagon Wagon2)
(wagon Wagon3)
(located Wagon1 Boston Station Harbour)
(located Wagon2 Boston_Station_Harbour)
(located Wagon3 Boston_Station_Harbour)
(wagon Wagon4)
(wagon Wagon5)
(wagon Wagon6)
(located Wagon4 Chicago_Station)
(located Wagon5 Chicago_Station)
(located Wagon6 Chicago_Station)
(wagon Wagon7)
(wagon Wagon8)
(wagon Wagon9)
(located Wagon7 MexicoCity_Station)
(located Wagon8 MexicoCity Station)
(located Wagon9 MexicoCity_Station)
(wagon Wagon10)
(wagon Wagon11)
(wagon Wagon12)
(located Wagon10 SaoPaolo Station Harbour)
(located Wagon11 SaoPaolo_Station_Harbour)
(located Wagon12 SaoPaolo_Station_Harbour)
```

```
(located package1 London_Storage)
(located package2 London Storage)
(located package3 London_Storage)
(located package4 London_Storage)
(located package5 London_Storage)
(located package6 Chicago_Station)
(located package7 Chicago_Station)
(located package8 Chicago_Station)
(located package9 Chicago_Station)
(located package10 LosAngeles_Storage)
(located package11 LosAngeles Storage)
(located package12 LosAngeles_Storage)
(located package13 LosAngeles Storage)
(located package14 LosAngeles Storage)
(located package15 SaoPaolo_Station_Harbour)
(located package16 SaoPaolo Station Harbour)
(located package17 SaoPaolo_Station_Harbour)
(located package18 SaoPaolo_Station_Harbour)
(located package19 SaoPaolo Station Harbour)
(located package20 SaoPaolo_Station_Harbour)
```

```
\vee (:goal (and
      ;todo: put the goal condition here
      (located package1 Brasilia_Storage)
      (located package2 Brasilia_Storage)
      (located package3 Brasilia_Storage)
      (located package4 Brasilia Storage)
      (located package5 Brasilia_Storage)
      (located package6 Brasilia Storage)
      (located package7 Brasilia_Storage)
      (located package8 Brasilia_Storage)
      (located package9 Brasilia_Storage)
      (located package10 London_Storage)
      (located package11 London_Storage)
      (located package12 London_Storage)
      (located package13 London_Storage)
      (located package14 London_Storage)
      (located package15 Boston_Storage)
      (located package16 Boston_Storage)
      (located package17 Boston Storage)
      (located package18 Boston_Storage)
      (located package19 Boston_Storage)
      (located package20 Boston_Storage)
```

Traceroute:

```
(sail to port bluesea boston harbour boston london harbour london usa uk)
(railway_a_train saopaolo_engine saopaolo_station_harbour saopaolo brazil chicago_station chicago usa)
(drive_truck_anywhere brasilia_truck_2 brasilia_storage brasilia saopaolo_station_harbour saopaolo brazil)
(load_package_to_truck losangeles_truck_2 package11 losangeles losangeles_storage usa)
(drive_truck_anywhere losangeles_truck_2 losangeles_storage losangeles losangeles_harbour losangeles usa)
(move_package_from_station_to_harbour package18 saopaolo_station_harbour saopaolo_harbour saopaolo brazil)
(move_package_from_station_to_harbour package16 saopaolo_station_harbour saopaolo_harbour saopaolo brazil)
(load_ship_with_package intracont package18 saopaolo saopaolo_harbour brazil)
(move_package_from_station_to_harbour package17 saopaolo_station_harbour saopaolo_harbour saopaolo brazil)
(load ship with package intracont package16 saopaolo saopaolo harbour brazil)
(move package from station to harbour package15 saopaolo station harbour saopaolo harbour saopaolo brazil)
(load ship with package intracont package15 saopaolo saopaolo harbour brazil)
(load_ship_with_package intracont package17 saopaolo saopaolo_harbour brazil)
(move_package_from_station_to_harbour package20 saopaolo_station_harbour saopaolo_harbour saopaolo brazil)
(load_ship_with_package intracont package20 saopaolo saopaolo_harbour brazil)
(load_package_to_truck london_truck_1 package5 london london_storage uk)
(drive_truck_anywhere london_truck_1 london_storage london london_harbour london uk)
(load package to truck losangeles truck 1 package13 losangeles losangeles storage usa)
(drive_truck_anywhere losangeles_truck_1 losangeles_storage losangeles losangeles_harbour losangeles usa)
(unload_package_from_truck losangeles_truck_1 package13 losangeles losangeles_harbour usa)
(drive_truck_anywhere losangeles_truck_1 losangeles_harbour losangeles boston_storage boston usa)
(load ship with package pacific package13 losangeles losangeles harbour usa)
(unload package from truck losangeles truck 2 package11 losangeles losangeles harbour usa)
(load ship with package pacific package11 losangeles losangeles harbour usa)
(load_package_to_truck saopaolo_truck_2 package19 saopaolo saopaolo_station_harbour brazil)
(drive_truck_anywhere saopaolo_truck_2 saopaolo_station_harbour saopaolo saopaolo_harbour saopaolo brazil)
(sail to port pacific losangeles harbour losangeles london harbour london usa uk)
(unload ship from package pacific package11 london london harbour uk)
(drive truck anywhere london truck 2 london storage london london harbour london uk)
(load_package_to_truck london_truck_2 package11 london london_harbour uk)
(unload_package_from_truck london_truck_1 package5 london london_harbour uk)
(load ship with package bluesea package5 london london harbour uk)
(drive truck anywhere london truck 2 london harbour london london storage london uk)
(unload package from truck london truck 2 package11 london london storage uk)
(load_package_to_truck london_truck_2 package1 london london_storage uk)
```

```
(drive truck anywhere london truck 2 london storage london london harbour london uk)
(unload_ship_from_package pacific package13 london london_harbour uk)
(load_package_to_truck london_truck_1 package13 london london_harbour uk)
(unload_package_from_truck london_truck_2 package1 london london_harbour uk)
(load_ship_with_package bluesea package1 london london_harbour uk)
(drive truck anywhere london truck 1 london harbour london london storage london uk)
(unload package from truck london truck 1 package13 london london storage uk)
(load_package_to_truck london_truck_1 package4 london london_storage uk)
(drive_truck_anywhere london_truck_1 london_storage london london_harbour london uk)
(sail to port bluesea london harbour london saopaolo harbour saopaolo uk brazil)
(sail to port intracont saopaolo harbour saopaolo losangeles harbour losangeles brazil usa)
(load a wagon with package wagon4 package8 chicago station chicago usa)
(attach_wagon_to_train wagon4 saopaolo_engine chicago_station chicago usa)
(railway_a_train saopaolo_engine chicago_station chicago usa saopaolo_station_harbour saopaolo brazil)
(dettach_wagon_from_train wagon4 saopaolo_engine saopaolo_station_harbour saopaolo brazil)
(unload_package_from_wagon wagon4 package8 saopaolo_station_harbour saopaolo brazil)
(unload_ship_from_package intracont package17 losangeles losangeles_harbour usa)
(unload ship from package bluesea package5 saopaolo saopaolo harbour brazil)
(railway_a_train saopaolo_engine saopaolo_station_harbour saopaolo brazil chicago_station chicago usa)
(unload_ship_from_package intracont package20 losangeles losangeles_harbour usa)
(unload_ship_from_package intracont package16 losangeles losangeles_harbour usa)
(unload ship from package bluesea package1 saopaolo saopaolo harbour brazil)
(unload ship from package intracont package15 losangeles losangeles harbour usa)
(unload ship from package intracont package 18 losangeles losangeles harbour usa)
(load_package_to_truck losangeles_truck_2 package16 losangeles losangeles_harbour usa)
(drive truck anywhere losangeles truck 2 losangeles harbour losangeles boston storage boston usa)
(load_package_to_truck brasilia_truck_2 package8 saopaolo saopaolo_station_harbour brazil)
(drive_truck_anywhere brasilia_truck_2 saopaolo_station_harbour saopaolo brasilia_storage brasilia brazil)
(unload_package_from_truck saopaolo_truck_2 package19 saopaolo saopaolo_harbour brazil)
(load_package_to_truck saopaolo_truck_2 package1 saopaolo saopaolo_harbour brazil)
(drive_truck_anywhere saopaolo_truck_2 saopaolo_harbour saopaolo brasilia_storage brasilia brazil)
(load_ship_with_package bluesea package19 saopaolo saopaolo_harbour brazil)
(sail to port bluesea saopaolo harbour saopaolo boston harbour boston brazil usa)
(unload ship from package bluesea package19 boston boston harbour usa)
(unload_package_from_truck saopaolo_truck_2 package1 brasilia brasilia_storage brazil)
(drive truck anywhere brasilia truck 1 brasilia storage brasilia saopaolo station harbour saopaolo brazil)
```

```
(unload package from truck brasilia truck 2 package8 brasilia brasilia storage brazil)
(drive_truck_anywhere brasilia_truck_2 brasilia_storage brasilia saopaolo_harbour saopaolo brazil)
(load_package_to_truck brasilia_truck_2 package5 saopaolo saopaolo_harbour brazil)
(drive_truck_anywhere brasilia_truck_2 saopaolo_harbour saopaolo brasilia_storage brasilia brazil)
(unload_package_from_truck brasilia_truck_2 package5 brasilia brasilia_storage brazil)
(load a wagon with package wagon5 package9 chicago station chicago usa)
(attach_wagon_to_train wagon5 saopaolo_engine chicago_station chicago usa)
(railway_a_train saopaolo_engine chicago_station chicago usa saopaolo_station_harbour saopaolo brazil)
(unload_package_from_truck losangeles_truck_2 package16 boston boston_storage usa)
(drive truck anywhere boston truck 2 boston storage boston boston harbour boston usa)
(drive truck anywhere losangeles truck 1 boston storage boston losangeles harbour losangeles usa)
(load package to truck boston truck 2 package19 boston boston harbour usa)
(drive_truck_anywhere boston_truck_2 boston_harbour boston_storage boston usa)
(unload_package_from_truck boston_truck_2 package19 boston boston_storage usa)
(dettach_wagon_from_train wagon5 saopaolo_engine saopaolo_station_harbour saopaolo brazil)
(unload_package_from_wagon wagon5 package9 saopaolo_station_harbour saopaolo brazil)
(load_package_to_truck saopaolo_truck_1 package9 saopaolo saopaolo_station_harbour brazil)
(load package to truck losangeles truck 1 package15 losangeles losangeles harbour usa)
(drive_truck_anywhere losangeles_truck_1 losangeles_harbour losangeles boston_storage boston usa)
(unload_package_from_truck losangeles_truck_1 package15 boston boston_storage usa)
(railway_a_train saopaolo_engine saopaolo_station_harbour saopaolo brazil chicago_station chicago usa)
(drive truck anywhere saopaolo truck 1 saopaolo station harbour saopaolo brasilia storage brasilia brazil)
(unload package from truck saopaolo truck 1 package9 brasilia brasilia storage brazil)
(sail to port bluesea boston harbour boston london harbour london usa uk)
(sail to port intracont losangeles harbour losangeles london harbour london usa uk)
(drive truck anywhere boston truck 2 boston storage boston losangeles harbour losangeles usa)
(load_package_to_truck boston_truck_2 package20 losangeles losangeles_harbour usa)
(drive_truck_anywhere boston_truck_2 losangeles_harbour losangeles boston_storage boston usa)
(unload_package_from_truck boston_truck_2 package20 boston boston_storage usa)
(drive_truck_anywhere boston_truck_2 boston_storage boston losangeles_harbour losangeles usa)
(load_package_to_truck boston_truck_2 package18 losangeles losangeles_harbour usa)
(drive_truck_anywhere boston_truck_2 losangeles_harbour losangeles boston_storage boston usa)
(unload_package_from_truck boston_truck_2 package18 boston boston_storage usa)
(drive truck anywhere boston truck 2 boston storage boston losangeles harbour losangeles usa)
(load_package_to_truck boston_truck_2 package17 losangeles losangeles_harbour usa)
(drive truck anywhere boston truck 2 losangeles harbour losangeles boston storage boston usa)
```

```
(unload package from truck boston truck 2 package17 boston boston storage usa)
(drive_truck_anywhere boston_truck_2 boston_storage boston losangeles_storage losangeles usa)
(load_a_wagon_with_package wagon6 package7 chicago_station chicago usa)
(attach_wagon_to_train wagon6 saopaolo_engine chicago_station chicago usa)
(railway_a_train saopaolo_engine chicago_station chicago usa saopaolo_station_harbour saopaolo brazil)
(sail to port intracont london harbour london losangeles harbour losangeles uk usa)
(load_package_to_truck boston_truck_2 package14 losangeles losangeles_storage usa)
(drive_truck_anywhere boston_truck_2 losangeles_storage losangeles losangeles_harbour losangeles usa)
(unload_package_from_truck boston_truck_2 package14 losangeles losangeles_harbour usa)
(drive truck anywhere boston truck 2 losangeles harbour losangeles losangeles storage losangeles usa)
(load ship with package intracont package14 losangeles losangeles harbour usa)
(load package to truck boston truck 2 package12 losangeles losangeles storage usa)
(drive_truck_anywhere boston_truck_2 losangeles_storage losangeles losangeles_harbour losangeles usa)
(unload_package_from_truck boston_truck_2 package12 losangeles losangeles_harbour usa)
(drive_truck_anywhere boston_truck_2 losangeles_harbour losangeles losangeles_storage losangeles usa)
(load_package_to_truck boston_truck_2 package10 losangeles losangeles_storage usa)
(drive_truck_anywhere boston_truck_2 losangeles_storage losangeles losangeles_harbour losangeles usa)
(unload package from truck boston truck 2 package 10 losangeles losangeles harbour usa)
(load_ship_with_package intracont package10 losangeles losangeles_harbour usa)
(load_ship_with_package intracont package12 losangeles losangeles_harbour usa)
(sail_to_port intracont losangeles_harbour losangeles london_harbour london usa uk)
(unload ship from package intracont package10 london london harbour uk)
(unload ship from package intracont package12 london london harbour uk)
(unload ship from package intracont package14 london london harbour uk)
(load_package_to_truck london_truck_2 package12 london london_harbour uk)
(drive truck anywhere london truck 2 london harbour london london storage london uk)
(unload package from truck london truck 2 package12 london london storage uk)
(drive_truck_anywhere london_truck_2 london_storage london london_harbour london uk)
(load_package_to_truck london_truck_2 package14 london london_harbour uk)
(unload_package_from_truck london_truck_1 package4 london london_harbour uk)
(load_ship_with_package bluesea package4 london london_harbour uk)
(load package to truck london truck 1 package10 london london harbour uk)
(drive_truck_anywhere london_truck_1 london_harbour london london_storage london uk)
(unload package from truck london truck 1 package10 london london storage uk)
(drive_truck_anywhere london_truck_2 london_harbour london london_storage london uk)
(unload package from truck london truck 2 package14 london london storage uk)
```

```
(load package to truck london truck 2 package3 london london storage uk)
(load_package_to_truck london_truck_1 package2 london london_storage uk)
(drive_truck_anywhere london_truck_1 london_storage london london_harbour london uk)
(unload_package_from_truck london_truck_1 package2 london london_harbour uk)
(load_ship_with_package bluesea package2 london london_harbour uk)
(drive truck anywhere london truck 2 london storage london london harbour london uk)
(unload package from truck london truck 2 package3 london london harbour uk)
(load_ship_with_package bluesea package3 london london_harbour uk)
(sail_to_port bluesea london_harbour london saopaolo_harbour saopaolo uk brazil)
(drive truck anywhere saopaolo truck 1 brasilia storage brasilia saopaolo harbour saopaolo brazil)
(unload ship from package bluesea package4 saopaolo saopaolo harbour brazil)
(load package to truck saopaolo truck 1 package4 saopaolo saopaolo harbour brazil)
(drive_truck_anywhere saopaolo_truck_1 saopaolo_harbour saopaolo brasilia_storage brasilia brazil)
(unload_ship_from_package bluesea package2 saopaolo saopaolo_harbour brazil)
(unload_ship_from_package bluesea package3 saopaolo saopaolo_harbour brazil)
(unload_package_from_truck saopaolo_truck_1 package4 brasilia brasilia_storage brazil)
(drive_truck_anywhere saopaolo_truck_1 brasilia_storage brasilia saopaolo_harbour saopaolo brazil)
(load package to truck saopaolo truck 1 package3 saopaolo saopaolo harbour brazil)
(drive_truck_anywhere saopaolo_truck_1 saopaolo_harbour saopaolo brasilia_storage brasilia brazil)
(unload_package_from_truck saopaolo_truck_1 package3 brasilia brasilia_storage brazil)
(drive_truck_anywhere saopaolo_truck_1 brasilia_storage brasilia saopaolo_harbour saopaolo brazil)
(load package to truck saopaolo truck 1 package2 saopaolo saopaolo harbour brazil)
(drive truck anywhere saopaolo truck 1 saopaolo harbour saopaolo brasilia storage brasilia brazil)
(unload_package_from_truck saopaolo_truck_1 package2 brasilia brasilia_storage brazil)
(dettach_wagon_from_train wagon6 saopaolo_engine saopaolo_station_harbour saopaolo brazil)
(unload package from wagon wagon6 package7 saopaolo station harbour saopaolo brazil)
(attach_wagon_to_train wagon4 saopaolo_engine saopaolo_station_harbour saopaolo brazil)
(railway_a_train saopaolo_engine saopaolo_station_harbour saopaolo brazil chicago_station chicago usa)
(dettach_wagon_from_train wagon4 saopaolo_engine chicago_station chicago usa)
(load_a_wagon_with_package wagon4 package6 chicago_station chicago usa)
(attach_wagon_to_train wagon4 saopaolo_engine chicago_station chicago usa)
(railway_a_train saopaolo_engine chicago_station chicago usa saopaolo_station_harbour saopaolo brazil)
(dettach_wagon_from_train wagon4 saopaolo_engine saopaolo_station_harbour saopaolo brazil)
(unload package from wagon wagon4 package6 saopaolo station harbour saopaolo brazil)
(load_package_to_truck brasilia_truck_1 package6 saopaolo saopaolo_station_harbour brazil)
(drive truck anywhere brasilia truck 1 saopaolo station harbour saopaolo brasilia storage brasilia brazil)
```

(unload_package_from_truck brasilia_truck_1 package6 brasilia brasilia_storage brazil)

(drive_truck_anywhere saopaolo_truck_1 brasilia_storage brasilia saopaolo_station_harbour saopaolo brazil)

(load_package_to_truck saopaolo_truck_1 package7 saopaolo saopaolo_station_harbour brazil)

(drive_truck_anywhere saopaolo_truck_1 saopaolo_station_harbour saopaolo brasilia_storage brasilia brazil)

(unload_package_from_truck saopaolo_truck_1 package7 brasilia brasilia_storage brazil)