
Book 10 Proposition 30

To find two rational (straight-lines which are) commensurable in square only, such that the square on the greater is larger than the (the square on) lesser by the (square) on (some straight-line which is) incommensurable in length with the greater.



Let the rational (straight-line) AB be laid out, and the two square numbers, CE and ED, such that the sum of them, CD, is not square [Prop. 10.28 lem. II]. And let the semi-circle AFB have been drawn on AB. And let it be contrived that as DC (is) to CE, so the (square) on BA (is) to the (square) on AF [Prop. 10.6 corr]. And let FB have been joined.

So, similarly to the (proposition) before this, we can show that BA and AF are rational (straight-lines which are) commensurable in square only. And since as DC is to CE, so the (square) on BA (is) to the (square) on AF, thus, via conversion, as CD (is) to DE, so the (square) on AB (is) to the (square) on BF [Props. 5.19 corr., 3.31, 1.47]. And CD does not have to DE the ratio which (some) square number (has) to (some) square number. Thus, the (square) on AB does not have to the (square) on

BF the ratio which (some) square number has to (some) square number either. Thus, AB is incommensurable in length with BF [Prop. 10.9]. And the square on AB is greater than the (square on) AF by the (square) on FB [Prop. 1.47], (which is) incommensurable (in length) with (AB).

Thus, AB and AF are rational (straight-lines which are) commensurable in square only, and the square on AB is greater than (the square on) AF by the (square) on FB, (which is) incommensurable (in length) with (AB).\(^†\) (Which is) the very thing it was required to show.