

## SQL Portfolio – Customer Database Analysis

=====

### QUERY 1: Show all customers

This query returns all customers from the Customers table.

**SQL Code: SELECT \* FROM Customers;**

| <b>Custo<br/>merID</b> | <b>Custom<br/>erName</b>                        | <b>Contact<br/>Name</b> | <b>Address</b>                          | <b>City</b>    | <b>PostalC<br/>ode</b> | <b>Country</b> |
|------------------------|-------------------------------------------------|-------------------------|-----------------------------------------|----------------|------------------------|----------------|
| 1                      | Alfreds<br>Futterkis<br>te                      | Maria<br>Anders         | Obere<br>Str. 57                        | Berlin         | 12209                  | Germany        |
| 2                      | Ana<br>Trujillo<br>Empared<br>ados y<br>helados | Ana<br>Trujillo         | Avda. de<br>la<br>Constituc<br>ión 2222 | México<br>D.F. | 05021                  | Mexico         |
| 3                      | Antonio<br>Moreno<br>Taquería                   | Antonio<br>Moreno       | Matadero<br>s 2312                      | México<br>D.F. | 05023                  | Mexico         |
| 4                      | Around<br>the Horn                              | Thomas<br>Hardy         | 120<br>Hanover<br>Sq.                   | London         | WA1 1DP                | UK             |
| 5                      | Berglund<br>s<br>snabbkö<br>p                   | Christina<br>Berglund   | Berguvs<br>vägen 8                      | Luleå          | S-958 22               | Sweden         |

=====

## QUERY 2: Customers from the USA

This query returns only customers whose country is the United States.

**SQL CODE: (SELECT \* FROM Customers WHERE Country = 'USA')**

| <b>Custo<br/>merID</b> | <b>Custom<br/>erName</b>            | <b>Contact<br/>Name</b> | <b>Address</b>                             | <b>City</b>      | <b>PostalC<br/>ode</b> | <b>Country</b> |
|------------------------|-------------------------------------|-------------------------|--------------------------------------------|------------------|------------------------|----------------|
| 32                     | Great<br>Lakes<br>Food<br>Market    | Howard<br>Snyder        | 2732<br>Baker<br>Blvd.                     | Eugene           | 97403                  | USA            |
| 36                     | Hungry<br>Coyote<br>Import<br>Store | Yoshi<br>Latimer        | City<br>Center<br>Plaza<br>516 Main<br>St. | Elgin            | 97827                  | USA            |
| 43                     | Lazy K<br>Kountry<br>Store          | John<br>Steel           | 12<br>Orchestr<br>a Terrace                | Walla<br>Walla   | 99362                  | USA            |
| 45                     | Lets<br>Stop N<br>Shop              | Jaime<br>Yorres         | 87 Polk<br>St. Suite<br>5                  | San<br>Francisco | 94117                  | USA            |
| 48                     | Lonesom<br>e Pine<br>Restaura<br>nt | Fran<br>Wilson          | 89<br>Chiarosc<br>uro Rd.                  | Portland         | 94381                  | USA            |

=====

### Query 3: Number of customers per country

This query groups customers by country and counts how many customers are in each country.

**SQL CODE: SELECT Country, COUNT(\*) FROM Customers GROUP BY Country;**

| Country   |   |
|-----------|---|
| Argentina | 3 |
| Austria   | 2 |
| Belgium   | 2 |
| Brazil    | 9 |
| Canada    | 3 |

=====

#### **QUERY 4: 5 most recent orders**

This query returns the 5 most recent orders, sorted by OrderDate from newest to oldest.

**SQL Code: SELECT TOP 5 \* FROM Orders ORDER BY OrderDate DESC;**

| <b>OrderID</b> | <b>CustomerID</b> | <b>EmployeeID</b> | <b>OrderDate</b> | <b>ShipperID</b> |
|----------------|-------------------|-------------------|------------------|------------------|
| 10443          | 66                | 8                 | 1997-02-12       | 1                |
| 10442          | 20                | 3                 | 1997-02-11       | 2                |
| 10440          | 71                | 4                 | 1997-02-10       | 2                |
| 10441          | 55                | 3                 | 1997-02-10       | 2                |
| 10439          | 51                | 6                 | 1997-02-07       | 3                |
| =====          |                   |                   |                  |                  |

## QUERY 5: Orders placed after December 31, 1996

This query returns orders with OrderDate after 1996-12-31.

**SQL Code: SELECT \* FROM Orders WHERE OrderDate > '1996-12-31';**

| OrderID | CustomerID | EmployeeID | OrderDate  | ShipperID |
|---------|------------|------------|------------|-----------|
| 10400   | 19         | 1          | 1997-01-01 | 3         |
| 10401   | 65         | 1          | 1997-01-01 | 1         |
| 10402   | 20         | 8          | 1997-01-02 | 2         |
| 10403   | 20         | 4          | 1997-01-03 | 3         |
| 10404   | 49         | 2          | 1997-01-03 | 1         |
| 10405   | 47         | 1          | 1997-01-06 | 1         |
| =====   |            |            |            |           |